



NOTICE INVITING QUOTATIONS

Sealed Item Rates quotations for the below mentioned work are hereby invited by the undersigned from approved and eligible Contractors/Firms/Individuals/Supplier having TIN/ relevant documents and should be submitted to office of Project Cell, Hospital Administrative Block, Gate No-1, AIIMS Raipur up to 3:00 pm on 8th March 2017. The right to reject any or all the quotations without assigning any reasons thereof shall rest with undersigned. The quotations will be opened on the same day at 3:30pm. As per detailed below:-

SI No	NAME OF WORK	EST. COST in ₹	E.M.D in ₹	TIME
1	Supply and Commissioning of Photo luminescent (glow in the dark) signage and marking tapes of fire safety and emergency escape at AYUSH & PMR buildings at AIIMS, Raipur	488551	Nil	20 Days

SCHEDULE OF QUANTITY

Sl.	Description of items	Quantity	Rate	Unit	Amount
.....As PER SHEET ATTACHED.....					

Conditions:






1. Rate should be quoted inclusive all taxes (Nothing to be paid extra on this account). Percentage / Quantum of Tax shall be mentioned.
2. F.O.R. Project Cell, Hospital Administrative Block, Gate No-01, AIIMS Raipur.
3. One month warranty from the date of supply or as per manufacturer which is more & damages during transportation to be liable to contractor.
4. The supply will be taken as per mentioned make on schedule of quantity i.e. as per specification.
5. Delivery Schedule - within 15 days from the date of issue of WO.
6. LD @ 0.5% of WO value per week will be deducted for delay of supply of material subject to maximum up to 10% of WO value.
7. The right to reject any or all the quotations without assigning any reasons and accept full or part of Quotation thereof shall rest with undersigned.
8. Copy of VAT/CST registrations should be attached with quotation.









(Signature of Contractor)

Superintending Engineer
Project Cell, AIIMS Raipur


SCHEDULE OF QUANTITY

Name of Work : Supply and Commissioning of Photo luminescent (glow in the dark) signage and marking tapes of fire safety and emergency escape at AYUSH & PMR buildings at AIIMS, Raipur



Sr. No.	Description	Type	Model Type	Size & Area (in sq Inch & mm)		Qty.	Unit/Roll	Rate in Rs. Per sq inch	Amount (including tax)
1	<p>SUPPLY, INSTALLATION AND COMMISSIONING OF MAXXGLO / CEASEFIRE INDUSTRIES LTD./ 3 M Brand/ or EQUIVALENT, PHOTO LUMINESCENT NON-TERABLE Evacuation emergency & fire safety sinages Which Emits a Clear & Visible Glow when there is Power Failure or Total Darkness.</p> <p>Duration: Long life more than 15 to 20 years healthy atmosphere indoor</p> <p>It is Non-Radioactive, Water-Proof, Explosion-Proof, Corrosion-Proof, Vapour-Proof Fungi static & Fire-Proof A Robust and Durable Self-Adhesive Sheet Which can be Fixed on any surface most suitable for indoor Signs Luminous Properties Enclosed in Weather Proof UV Stabilized Film, with UV Screen Printing Done using Light fast high qauality Inks,And</p>	ABC POWDER		200mmx200 mm (8 Inch x 8 Inch)	40000 mm (64 Inch)	1600	sq inch		
2		CO2		200mmx200 mm (8 Inch x 8 Inch)	40000 mm (64 Inch)	960	sq inch		
3		FIRE ALARM		150mmx400 mm (6 Inch x 16 Inch)	60000 mm (96 Inch)	768	sq inch		
4		AHU		150mmx400 mm (6 Inch x 16 Inch)	60000 mm (96 Inch)	768	sq inch		
5		DANGER		150mmx400 mm (6 Inch x 16 Inch)	60000 mm (96 Inch)	1440	sq inch		


6	<p>clear solvent They are Suitable for Indoor use only.</p> <p>Service Temperature: -20 to +80 Deg.C</p> <p>Surface Colour: Greenish Yellow</p> <p>Thickness of Rigid Sheet: 1 MM +/- 10%, GLOW Duration : in 1 hours light absorption ,will emit for 8 hours.</p>	FIRE HOSE REEL		150mmx400 mm (6 Inch x 16 Inch)	60000 mm (96 Inch)	864	sq inch		
7		DO NOT USE IN CASE OF FIRE		450 mmx450 mm (18 Inch x 18 Inch)	202500 mm (324 Inch)	1620	sq inch		
8		EXIT		100 mmx 300mm (4 Inch x 12 Inch)	30000 mm (48 Inch)	1296	sq inch		
9		FIRE EXIT		150 mmx 400mm (6 Inch x 16 Inch)	60000 mm (96 Inch)	1536	sq inch		
10		ARROW DIRECTION		200 mmx 200 mm (8 Inch x 8 Inch)	40000 mm (64 Inch)	4160	sq inch		
11		ARROW DIRECTION		200 mmx 200 mm (8 Inch x 8 Inch)	40000 mm (64 Inch)	4160	sq inch		
12		PULL TO OPEN		100 mmx 300mm (4 Inch x 12 Inch)	30000 mm (48 Inch)	2688	sq inch		
13		PUSH TO OPEN		100 mmx 300mm (4 Inch x 12 Inch)	30000 mm (48 Inch)	2688	sq inch		

14	EMERGENCY EXIT		150 mmx 400mm (6Inch x 16 Inch)	60000 mm (96 Inch)	480	sq inch		
15	EMERGENCY EXIT		150 mmx 400mm (6Inch x 16 Inch)	60000 mm (96 Inch)	480	sq inch		
16	FOR DISABLED		60 mmx 80mm (2.36 Inch x 3.15 Inch)	4800mm (7.43 Inch)	372	sq inch		
17	ON CALL/ NO MOBILE		60 mmx 80mm (2.36 Inch x 3.15 Inch)	4800mm (7.43 Inch)	372	sq inch		
18	USE DUST BIN		60 mmx 80mm (2.36 Inch x 3.15 Inch)	4800mm (7.43 Inch)	372	sq inch		
19	KEEP SHUT		60 mmx 80mm (2.36 Inch x 3.15 Inch)	4800mm (7.43 Inch)	372	sq inch		
20	THINK SAFETY		60 mmx 80mm (2.36 Inch x 3.15 Inch)	4800mm (7.43 Inch)	372	sq inch		
21	DONT SPIT		60 mmx 80mm (2.36 Inch x 3.15 Inch)	4800mm (7.43 Inch)	223	sq inch		

22		NO SMOKING		60 mmx 80mm (2.36 Inch x 3.15 Inch)	4800mm (7.43 Inch)	372	sq inch		
----	--	---------------	--	--	-----------------------	-----	---------	--	--

Marking Tapes

Sr. No.	Description	Type	Model Type	Size	Qty.	Unit/Roll	Rate in Rs. Per Roll	Amount (including tax)
23	SUPPLY, INSTALLATION AND COMMISSIONING OF MAXXGLO / CEASEFIRE INDUSTRIES LTD./ 3 M Brand or EQUIVALENT, PHOTO LUMINESCENT NON-TEARABLE Evacuation emergency & fire safety marking arrow tape, Which Emits a Clear & Visible Glow when there is powerFailure or Total Darkness Duration: Long life more than 15 to 20 years healthy atmosphere indoor	ARROW DIRECTION TAPE		40mmX10 mtrs	30	10 m Roll		
24		ARROW DIRECTION TAPE		40mmX10 mtrs	85	10 m Roll		

25	<p>It is Non-Radioactive, Water-Proof, Explosion-Proof, Corrosion-Proof, Vapour-Proof Fungi static & Fire-Proof A Robust and Durable Self-Adhesive Sheet Which can be Fixed on any surface most suitable for indoor Signs Luminous Properties Enclosed in Weather Proof UV Stabilized Film, with UV Screen Printing Done using Light fast high quality Inks, And clear solvent They are Suitable for Indoor use only.</p> <p>Service Temperature: -20 to +80 Deg.C Surface Colour: Greenish Yellow Thickness of Rigid Sheet: 0.40 MM +, GLOW Duration: in 1 hours light absorption, will emit for 8 hours.</p>	ARROW DIRECTION		40mmX10 mtrs	20	10 m Roll		
----	--	-----------------	--	--------------	----	-----------	--	--

Total- _____

Total Amount in Rs. _____ . In Words _____

Rate of tax mentioned (if any) –

(Signature of Contractor)

Superintending Engineer
Project Cell, AIIMS Raipur.

