



अखिल भारतीय आयुर्विज्ञानसंस्थान, रायपुर (छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road,
Raipur-492 099 (CG)
www.aiimsraipur.edu.in

No. **54(8017)** SE/AIIMS/**2017-18/N18-09**

Date: **18** /08/2017

NOTICE INVITING QUOTATION

Sealed Item Rates quotations for the below mentioned work are hereby invited by The Superintending Engineer on behalf of The Director, AIIMS Raipur from approved and eligible Contractors/Firms/Individuals/Supplier having GST/TIN/PAN no./relevant documents along with Earnest Money in the form of Demand Draft or Pay Order or Banker's Cheque or Deposit at Call Receipt or Fixed Deposit Receipt of a Scheduled Bank (drawn/ Pledged in favour of AIIMS, Raipur) and should be submitted to office of Project Cell, Hospital Administrative Block, Gate No-1, AIIMS Raipur up to 3:00 pm on 28th August 2017. The right to reject any or all the quotations without assigning any reasons thereof shall rest with undersigned. The quotations will be opened on the same day at 3:30 pm. As per detailed below:-

Sl No	NAME OF WORK	EST. COST in	E.M.D in	TIME
1	Fixing of Toughened Glass in OT of Gyanecology department and Aluminium Partition with doors at Gyanecology and NICU Department at 1st floor A Block Hospital Building at AIIMS Raipur.	Rs. 1,43,930/-	2,900/-	01 Month

SCHEDULE OF QUANTITY

Sl.	Description of items	Unit	Qty	Rate	Amount
.....As PER SHEET ATTACHED.....					

Conditions:

1. Rate should be quoted inclusive of all the taxes (Nothing to be paid extra on this account). Percentage / Quantum of Tax shall be mentioned.
2. F.O.R. Project Cell, Hospital Administrative Block, Gate No-01, AIIMS Raipur.
3. The right to reject any or all the quotations without assigning any reasons and accept full or part of Quotation thereof shall rest with undersigned.
4. The supply will be taken as per mentioned make on schedule of quantity i.e. as per specification.
5. Work should be completed within 30 days from the date of issue of WO.
6. In case the agency is not started the work within 10 days of issue of the work order then the entire amount of EMD shall be forfeited by AIIMS Raipur.
7. LD @ 0.5% of WO value per week will be deducted for delay in completion of work subject to maximum up to 10% of WO value.
8. The agency has to submit invoice for all material to be utilized in the work.
9. Aluminium sections to be used in the work should have make of Jindal/Hindalco/Indalco.
10. Hydraulic floor spring to be used in the work should have make of Godrej/Hardwyn/Dorma.

Junior Engineer (Civil)
AIIMS Raipur

Superintending Engineer
AIIMS Raipur
18/8

Schedule of Quantity

Name of Work: Fixing of Toughened Glass in OT of Gynecology department and Aluminium Partition with doors at Gynecology and NICU Department at 1st floor A Block Hospital Building at AIIMS Raipur.

S no	DSR ref no	Description of item	Qty	Unit	Rate		Amount
					(In Figures)	(In Words)	
1	21.1.1.2	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion : Powder coated aluminium (minimum thickness of powder coating 50 micron) :	100	Kgs			
2	21.1.2.2	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) : Powder coated aluminium (minimum thickness of powder coating 50 micron)	70	Kgs			

3	21.2.2	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of Engineer-in-charge : Pre-laminated particle board with decorative lamination on both sides :	8	Sqm			
4	21.3.2	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5.50 mm thickness	3	Sqm			
5	21.4.1	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge : With stainless steel cover plate minimum 1.25 mm thickness	4	each			
6	9.97.3	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 250x10 mm	4	each			
7	9.113	Providing and fixing bright finished 100 mm mortice lock with 6 levers without pair of handles of approved quality for aluminium door, with necessary screws etc complete as per direction of Engineer- in-charge	2	each			
8	LMR	Providing and fixing bright finished 250 mm pair of stainless steel handles of approved quality for aluminium door, with necessary screws etc complete as per direction of Engineer- in-charge	4	each			

9	LMR	Tinted Toughened glass of size 2280 x 1680 mm, 12 mm thick and as per the size of OT at Gyane ward fixed with Brush finish aluminium profile beading (Self Locking) and Rubber Gasket with silicon filling wherever required as per direction of Engineer- in-charge.	2	each				
							Total	

Total in words..... Total in Figure.....

(Signature of Contractor)



Superintending Engineer

Project Cell, AIIMS Raipur

