



आरोग्यम् सुखं सम्पदा

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

OFFICE OF THE
EXECUTIVE ENGINEER
PROJECT CELL AIIMS, RAIPUR

NOTICE INVITING e-TENDER

N.I.T. NO. 35/EE/AIIMS/RPR/2023-24

NAME OF WORK : **“Upgradation of Burn Ward at Hospital Block, AIIMS
Raipur”**

ESTIMATED COST : **Rs. 1,66,09,836.00**

EARNEST MONEY : **Rs. 3,33,000.00**

CONTRACT PERIOD: **6 Months**

Type of work : **Construction**

**e-sign by Prashant Kumar Ravi
Executive Engineer
AIIMS, Raipur**

INDEX

Name of Work: “Upgradation of Burn Ward at Hospital Block, AIIMS Raipur”

Sl. No	Particulars	Page No.	
		From	To
1	COVER PAGE	1	
2	INDEX	2	
3	INSTRUCTIONS FOR ONLINE BID SUBMISSION	3	5
4	NOTICE INVITING E-TENDER	6	
5	INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR E-TENDERING	7	12
6	LIST OF MANDATORY DOCUMENTS TO BE FILLED IN BY THE BIDDERS IN VARIOUS FORMS TO BE SCANNED AND UPLOADED WITHIN THE PERIOD OF BID SUBMISSION	13	
7	LETTER OF TRANSMITTAL (ANNEXURE-A)	14	
8	FORM FOR DETAILED INFORMATION BY BIDDER (VENDOR DETAILS) (ANNEXURE-B)	15	
9	STRUCTURE & ORGANISATION (ANNEXURE-C)	16	
10	DECLARATION (ANNEXURE-D)	17	
11	CONSENT LETTER (ANNEXURE-E)	18	
12	SELF CERTIFICATION UNDER PREFERENCE TO “MAKE IN INDIA” POLICY (ANNEXURE-F)	19	
13	ANNUAL TURNOVER FOR THE LAST THREE YEARS (PROFORMA -III)	20	
14	DETAILS OF THE SIMILAR WORKS COMPLETED IN LAST SEVEN YEARS (PROFORMA-IV)	21	
15	DETAILS OF ONGOING/EXISTING WORKS (PROFORMA-VI)	22	
16	PAST CONTRACTUAL PERFORMANCE (PROFORMA-VII)	23	
17	PERCENTAGE RATE TENDER/ ITEM RATE TENDER & CONTRACT FOR WORKS	24	25
18	GENERAL PARTICULAR & ADDITIONAL CONDITIONS OF CONTRACT	26	31
19	FORM OF EARNEST MONEY DEPOSIT (BANK GUARANTEE BOND)	32	
20	FORM OF PERFORMANCE SECURITY (GUARANTEE) BANK GUARANTEE BOND-FORMATE – 1	33	34
21	SPECIAL CONDITIONS OF CONTRACT	35	40
22	FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME (PART I)	41	
23	GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS	42	
24	LIST OF SPECIALIZED ITEMS / JOBS	43	45
25	NO CLAIM CERTIFICATE (ON COMPANY LETTERHEAD)	46	
26	APPROVED MATERIALS LIST (CIVIL)	47	53
27	PROFORMA OF SCHEDULES	54	57
28	SCHEDULE OF QUANTITY	58	82

INSTRUCTIONS FOR ONLINE BID SUBMISSION

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: **<https://eprocure.gov.in/eprocure/app>**.

REGISTRATION:

- 1) Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link “Online bidder Enrolment” on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify/nCode /eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS:

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS:

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the Number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” or “Other Important Documents” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS:

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as “offline” to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

- 7) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 8) The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key.
- 9) Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 10) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 11) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 12) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS:

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120-4001002.
- 3) For any further assistance, please contact to the office of Executive Engineer, AIIMS Raipur.

NOTICE INVITING e-TENDER

(a)	Name of Work	“ Upgradation of Burn Ward at Hospital Block, AIIMS Raipur ”
(b)	Tender No.	35/EE/AIIMS/RPR/2023-24
(c)	Contract Period	06 Months
(d)	Estimated Cost	Rs. 1,66,09,836.00
(e)	Earnest Money Deposit (Mandatory to submit original EMD for participating in Bid and no need to submit hard copy of whole tender document)	Rs. 3,33,000.00 (to be submitted in the form of an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India in favour of AIIMS, Raipur in the office of Project cell, AIIMS, Raipur before the last date of opening of technical Bid.
(f)	Performance Guarantee	3% of Tendered value.
(g)	Security Deposit	2.5% of the Tendered Value.
(h)	Tender documents may be seen on	AIIMS web site www.aiimsraipur.edu.in and CPPP site https://eprocure.gov.in/eprocure/app
(j)	Last Date &Time of Submission	By 13-09-2023 UP TO 15:00 Hours through online.
(k)	Date & Time for opening of Technical Bid	On 14-09-2023 at 15:30 Hours.

1. The intending Bidder must read the Terms & conditions carefully. He/ She should only submit bid if consider himself/herself eligible and bidder in possession of all the documents required.
2. Information and Instructions for bidders posted on website shall form part of bid document.
3. The Bid documents consisting of specifications, the schedule of quantities of various types of items to be executed and the set of terms & conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website www.aiimsraipur.edu.in Or <https://eprocure.gov.in/eprocure/app>.

**Executive Engineer
AIIMS, Raipur**

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING

The Executive Engineer, AIIMS, Raipur on behalf of Director, AIIMS, Raipur invites online **Percentage Rate/ Item Rate bids in Two bid system (Technical cum Eligibility & Financial)** from eligible and registered contractors of appropriate list of CPWD (**Class III and above**)/ M.E.S. (**Class B category (a) (i) and above**) / BSNL (Construction)/ Railway/ C.G.P.W.D. (**Class C and above**) for the following work(s):-

Sl. No.	Description	Details
(a)	NIT No.	35/EE/AIIMS/RPR/2023-24
(b)	Name of Work:	“Upgradation of Burn Ward at Hospital Block, AIIMS Raipur ”
(c)	Estimated Cost	Rs. 1,66,09,836.00
(d)	Earnest Money Deposit (Mandatory to submit original EMD for participating in Bid and no need to submit hard copy of whole tender document)	Rs. 3,33,000.00 (to be submitted in the form of an account payee demand draft/ fixed deposit receipt from a commercial bank/ bank guarantee issued/confirmed from any of the commercial bank in India in favour of AIIMS, Raipur in the office of Project cell, AIIMS, Raipur before the last date of opening of technical Bid.)
(e)	Period of Completion	06 Months
(f)	Last Date & Time of Submission	By 13-09-2023 UP TO 15:00 Hours through online.
(g)	Date & Time for opening of Technical Bid	On 14-09-2023 at 15:30 Hours.

1. The intending bidder must read the terms and conditions of Tender document carefully. Bidder may submit bid having all required documents.
2. Intending bidders shall have to register at CPPP portal to participate in the tendering process. For details kindly visit website [http:// eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app) or In case the bidder requires any elucidation regarding the tender documents, may contact to the office of Project Cell, AIIMS Raipur before the opening of tender date.
3. For e-tendering of this tender, downloaded from AIIMS Raipur website and Central Public Procurement Portal (CPPP) e-Procurement website.
4. The intending bidders must have valid class-III digital signature to submit the bid. **Manual bid shall not be accepted in any circumstance**. The complete bidding process is online bidding; Bidder should have valid digital Signature Certificate (DSC) for online submission of bids.

5. The bid document consisting of the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website <http://eprocure.gov.in/eprocure/app> free of cost.
6. The bid can be submitted only after uploading the mandatory scanned documents up to 100 dpi Copies of eligibility documents and EMD as specified on the e-tendering website within the period of tender submission. Bidders can upload documents in the form of JPG format, PDF format and any other format as permissible by the e-tendering portal.
7. *Bidders must ensure to quote rate of each item. If any cell is left blank the same shall be treated as "0". Therefore, If any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0"(ZERO). After submission of the bid online the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.*
8. *After submission of bid online, it can be revised any number of times before specified time on last date of submission of bid. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (need not re-enter rate of all the items) but before last time and date of submission of bid as notified.*
9. Financial bids shall be opened online only for bidders for whom EMD and other uploaded documents are found in order and who are found to be eligible to bid for work. On opening date, the bidder can log in and see the bid opening process. After opening of bid he/she will receive the competitor bid sheets.
10. If the bidder is found ineligible after opening of technical cum eligibility, bid shall become invalid.
11. **The Bidders shall have to submit original instrument for EMD (EMD released of any work will not be accepted again if earlier submitted in any case) before the last date of opening of TECHNICAL cum Eligibility Bid to the office of Tender Opening Authority. Bid security will be refunded to the successful bidder on receipt of a performance security. Bid securities of the unsuccessful bidders should be returned at the earliest after L1 decided by Committee of AIIMS Raipur.**
12. The Technical cum Eligibility bid shall be opened first on due date and time as mentioned above. Opening of financial bids of contractors qualifying the eligibility shall be opened at a later date.
13. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.
14. **Performance Guarantee:** The successful contractor will be required to furnish a Performance guarantee of **3% (Three Percent)** of Tendered Value after receiving notification of award in the form of **an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India** in the name of the "All India Institute of Medical Sciences, Raipur" which shall be kept valid for a period of 6 months beyond completion of all the contractual obligations. The Performance Guarantee can be forfeited in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract. Performance Security will be released after successful completion of work under the contract. *In case the contractor fails to deposit the said performance guarantee within the period including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with tender shall be returned after receiving the aforesaid performance guarantee.*

15. Sources and Verification of Bank Guarantees

Bank Guarantee for Bid Security (EMD), Performance Guarantee, Security Deposit should be irrevocable and operative Bank Guarantee (BG) as per format enclosed in the Bid Document and should be issued by a Scheduled Commercial (i.e. Indian or Foreign Banks included in the Second Schedule of Reserve Bank of India Act, 1934 excluding Co-operative banks or Regional Rural Banks). ~~In case of foreign bidders or in case of GTE, if Bank Guarantee is from a foreign bank branch situated outside India, the Bank Guarantee must be issued through any of the Scheduled Commercial Bank. In case BG is issued directly by a bank outside India, it should be executed on letter Head of the Bank and should be advised and made payable through their Indian Branch/Corresponding Bank in India.~~ The Issuing Bank should also state the name and designation of the next Higher Authority of the Officials who have issued the Bank Guarantee. Bank guarantees submitted by the tenderers/ contractors as EMD/ performance securities need to be immediately verified from the issuing bank **before acceptance**. There may not be any need to get the Bank Guarantee vetted from legal/ finance authority if it is in the specified format. Guidelines for verification of BGs submitted by the bidders/ contractors against EMD/ performance security/ advance payments and for various other purposes are as follows:

- i) BG shall be as per the prescribed formats;
- ii) The BG contains the name, designation and code number of the Bank officer(s) signing the guarantee(s);
- iii) The address and other details (including telephone no.) of the controlling officer of the bank are obtained from the branch of the bank issuing the BG (this should be included in all BGs). The confirmation from the issuing branch of the bank is obtained in writing through registered post/ speed post/ courier. The bank should be advised to confirm the issuance of the BGs specifically quoting the letter of Procurement Entity on the printed official letterhead of the bank indicating address and other details (including telephone nos.) of the bank and the name, designation and code number of the officer(s) confirming the issuance of the BG; Pending receipt of confirmation as above, confirmation can also be obtained with the help of responsible officer at the field office, which is close to the issuing branch of the bank, who should personally obtain the confirmation from issuing branch of the bank and forward the confirmation report to the concerned procurement entity.

16. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost, all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions.

17. *The Tender paper/documents can be seen / downloaded from Official website & submitted through Online or Site.*

18. The competent authority on behalf of the Director, AIIMS, Raipur does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.

19. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
20. The Competent Authority, the **Engineer-In-Charge**, reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
21. The contractor shall not be permitted to bid for works in the AIIMS, Raipur responsible for award and execution of contracts, in which his near relative is posted as an officer in any capacity between the grades of Executive Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in the AIIMS, Raipur. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
22. The bid for the works shall remain **open for acceptance for a period of 90 days from the date of opening of bids.**
23. This notice inviting bid shall form a part of the contract document. The successful bidder/ contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of "The Notice Inviting bid, all the documents including additional conditions, specifications and drawings, GCC, if any, forming part of the bid as uploaded at the time of invitation of bid and rate quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
24. Purchase preference shall be given to Class-I local supplier(s) based on their declaration of the percentage (%) of minimum local content used in the manufacturing of quoted product as per Public Procurement (Preference to make in India), Order 2017 notification issued by GoI, Ministry of Commerce and Industry, Department of Industrial Policy and Promotion (DIPP) vide order no. P-45021/2/2017-PP (BE-II) dated 15/06/2017 and order no. 31026/65/2020-MD dated 30/12/2020 issued by Ministry of Chemicals & Fertilizers, Department of Pharmaceuticals

"Local Content" means the amount of value added in India which shall be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.

25. It is expected that, all the participating BIDDER companies have understanding and prior knowledge about the "Make in India" Initiative and Price Preference Policy of Govt. of India. However, it is once again emphasized that before participating this e-tender please carefully read the "Make in India" Initiative and directives of Govt. of India, since in case if any "Make in India" Registered Company will participate against this e-tender, the Price preference as per the same will be given to such participating Bidder company for ensuring necessary compliances of "Make in India" Policy of the Govt. of India.

26. **Eligibility of Bidder**

(a) **Minimum Eligibility Criteria :**

- (i) The Applicant should be registered contractors of appropriate list of CPWD (**Class III and above**)/ M.E.S. (**Class B category (a) (i) and above**) / BSNL (Construction)/ Railway/ C.G.P.W.D. (**Class C and above**)

- (ii) Average annual financial turnover on construction works should be at least 30% of the estimated cost put to tender during the immediate last three consecutive financial years. The value of annual turnover figures shall be brought to current value by enhancing the actual turnover figures at simple rate of 7% per annum
- (iii) Experience of having successfully completed similar work in Govt./ Semi Govt./ PSU/ Autonomous Bodies of Govt. during last 7 years ending on previous day of last day of submission of tender

Three similar* works each of value not less than 40% of the estimated cost put to tender
OR

Two similar* works each of value not less than 60% of the estimated cost put to Tender
OR

One similar* work of value not less than 80% of the estimated cost put to tender

* "Similar Works" means Building Works including Electrical Works HEPA Filter

(b) Bid Capacity and Technical Eligibility Criteria:

- ~~(i) The bidder who comply with the above Minimum Eligibility Criteria will be eligible further for consideration of bid(s) only if their available bid capacity is more than the Estimated Cost Put To Tender for the work mentioned in this Notice Inviting Tender.~~

~~The available bid capacity shall be calculated as under:~~

~~Assessed available Bid Capacity = (A*N*1.5 - B)~~

~~Where~~

~~'N' = Number of years prescribed for completion of work for which bid has been invited.~~

~~'A' = Maximum turnover in construction works executed in any one year during the last seven years taking into account the completed as well as works in progress. The value of completed works shall be brought to current costing level by enhancing at a simple rate of 7% per annum~~

~~'B' = Value of existing commitment and ongoing works to be completed~~

~~The values for~~

~~A= Computed for the Bidder from **Performa-III**~~

~~N= No. of years for "Period of Completion" for work for which NIT is invited.~~

~~B= Computed for the Bidder from **Performa-VI**~~

~~Bidder shall submit details of ongoing works as per **Performa-III and Performa-VI**~~

- (i) For the Contractors to whom any work(s) in AIIMS Raipur is awarded and in progress, prior to Opening of Financial Bid, a Monthly Performance Report for contractors will be prepared by the Engineer-in Charge to ascertain their performance to complete any additional work in AIIMS Raipur within Stipulated Time of completion of work or Extended Time of completion of work (if any). Any adverse remark in the Monthly Performance Report for contractor shall result in rejection of Technical Bid of such contractor for this NIT. This criteria for Technical Eligibility of Bidder may be relaxed in the case of contractor whose performance has been found to be very high order with the approval of Director, AIIMS Raipur.

(c) Contractual Performance in Other Departments

Letter of past contractual performance to be submitted by bidder as per **Performa -VII**

Signing of bid document:

- a. If the bidder is an individual, the bid shall be signed by him above his full type written name and current address.
- b. If the bidder is a proprietary firm, the bid shall be signed by the proprietor above his full type written name and the full name of his firm with its current address.
- c. If the bidder is a firm in partnership, the bid shall be signed by all the partners of the firm above their full type written names and current addresses, or, alternatively, by a partner holding power of attorney for the firm. In the later case a certified copy of the power of attorney should accompany the application. In both cases a certified copy of the partnership deed and current address of all the partners of the firm should accompany the application.
- d. If the bidder is a limited company or a corporation, the bid shall be signed by a duly authorized person holding power of attorney for signing the application accompanied by a copy of the power of attorney. The bidder should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.

27. In the bid documents the word / sentence shall be read as under :-

- a. **President of India – Director, AIIMS, Raipur**
- b. **The terms Director General includes CPM/ADG region/ SDG PR Special Director General / Additional Director General and CPM/ Chief Engineer of the Zone - Director/Executive Engineer/Executive Engineer, AIIMS, Raipur.**
- c. **CPWD – AIIMS Raipur.**

28. Any dispute or difference arising out of this contract or in connection therewith which cannot be amicably settled between the parties shall be finally settled under the rules of council of Arbitration of India by one or more arbitrator appointed in accordance with the said rules. The arbitration shall take place at Raipur (Chhattisgarh) and the resulting award shall be final and binding upon the parties and shall be in lieu of any other remedy.

List of Mandatory Documents to be filled in by the bidders in various forms to be scanned and uploaded within the period of bid submission

1	Enlistment Order for the Contractor
2	Scanned Copy of EMD (Original to be submitted as mentioned in Information and Instructions for Bidders for e-Tendering)
3	Letter of transmittal (Annexure-A)
4	Vendor Details as per (Annexure-B)
5	Structure & Organization (Annexure-C)
6	Declaration by Bidder (Annexure-D)
7	Consent Letter (Annexure-E)
8	Self Certification under Preference to “MAKE IN INDIA” Policy (Annexure –F)
9	GST Registration Certificate
10	Proof of Average Annual Financial Turnover on construction works should be at least 30% of the estimated cost put to tender during the immediate last three consecutive financial years (Proforma III)
11	Details of The Similar Works Completed In Last Seven Years (Performa-IV)
12	Details of ongoing/existing works (Proforma VI)
13	Affidavit on non-judicial paper of Rs. 50/- duly attested by Notary/ Magistrate for PAST CONTRACTUAL PERFORMANCE (Proforma-VII)

e-sign by Prashant Kumar Ravi
Executive Engineer
AIIMS, Raipur

LETTER OF TRANSMITTAL

From:

To

The Executive Engineer,
Project Cell, AIIMS, Raipur (C.G.)

Subject: Submission of bids for the work of **“Upgradation of Burn Ward at Hospital Block, AIIMS Raipur”**

Sir,

Having examined the details given in the bid document for the above work, I/we hereby submit the relevant information.

1. I/we hereby certify that all the statement made and information supplied in the enclosed forms A to F and accompanying statement are true and correct.
2. I/we have furnished all information and details necessary for eligibility and have no further pertinent information to supply.
3. I/we authorize Engineer-In-Charge or his representative to approach individuals, employers, firms and corporation to verify our competence and general reputation.

Certificate: It is certified that the information given in the enclosed eligibility bid are correct. It is also certified that I / We shall be liable to be debarred, disqualified / cancellation of enlistment in case any information furnished by me / us is found to be incorrect.

Enclosures:

Date of submission:

Signature(s) of Bidder(s)
Seal of bidder

FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details)

1.	Name of the Bidder	
2.	Permanent Account No (PAN)	
3.	Particulars of Bank Account	
	a) Name of the Bank	
	b) Account Number	
	c) Name of the Branch	
	d) Branch Code	
	e) Address	
	f) City Name	
	g) Telephone No	
4.	Legal status of the bidder (attach copies of original document defining the legal status)	
	a) An Individual	
	b) A proprietary firm	
	c) A firm in partnership	
	d) A limited company or Corporation	
5.	GST Registration Certificate No	
6.	Valid Email ID of the Bidder	
7.	Complete Postal Address of the bidder	

(Authorized Signature of the Bidder with Seal)

STRUCTURE & ORGANISATION

1. (a) Name

(b) Address of the bidder
2. (a) Telephone no.

(b) Telex no.

(c) Fax no.

(d) E-mail
3. Legal status of the bidder (attach copies of original document defining the legal status)
 - (a) An Individual
 - (b) A proprietary firm
 - (c) A firm in partnership
 - (d) A limited company or Corporation
4. Particulars of registration with various Government Bodies if any (attach attested photocopy)

Organization/Place of registration	Registration No.
1.	
2.	
3.	
5. Names and titles of Directors & Officers with designation to be concerned with this work.

Signature of Bidder(s) with Seal

DECLARATION

It is to certify that:

- 1) I/We agree with the terms and conditions of it and understood that it will form part of the agreement.
- 2) I hereby certify that none of my Relative(s) are employed in AIIMS Raipur, Chhattisgarh. In case at any stage, it is found that the information given by me is false/incorrect, AIIMS shall have the absolute right to take any action as deemed fit without any prior intimation to me”.
- 3) I/We undertake and confirm that eligible Work(s) has/have not been got executed through another contractor on back to back basis. Further, it is stated that, if such a violation comes to the notice of Department, than I/We shall be debarred for bidding in AIIMS in future forever. Also, if such a violation comes to the notice of AIIMS, Raipur before date of start of work, the Engineer-In-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.
- 4) I / We have signed (with stamp) uploaded documents of the tender before submitting the same.
- 5) All the information and documents given/ uploaded for bids are true.
- 6) I / We have provided our e-Mail id for any communication in this regard.
- 7) I have read carefully & understood the important instructions to the all bidders.

Date.....

Contractor

E-Mail: _____

(Sign with Seal)

CONSENT LETTER

“Upgradation of Burn Ward at Hospital Block, AIIMS Raipur”

I/We hereby give my/ our consent to work as contractor till the completion of work and I/we will be responsible for execution of work only by skilled persons in the field of **related work** as per satisfaction of Engineer-In-Charge.

I/We have experience to technically execute, take measurements and will produce computerized measurement sheets of work before covering hidden work / job and other exposed works in time as per clause 6 otherwise measurement will be recorded by the representative of Engineer-In-Charge which will be bound to me. Final measurement with bill will be produced by me/us within one month after completion date otherwise representative of Engineer-In-Charge will prepare the same which will be acceptable and bound to me/us and no any claim in this regard will be made by me/us.

I/We will provide all invoices and related test certificates of materials as required by E-In-C. All Analysis of rates for Extra, Deviation items etc. will be produced by me/us in consultation with representative of Engineer-In- Charge on time for getting approval from Competent Authority of AIIMS before execution of work or otherwise the same will be prepared by the department and will be bound to me/us.

I/we will also engage suitable and skill Engineer(s) for the work as per Clause 32 of General Condition of Contract.

I further certify that the above particulars pertaining to me are correct.

I/We will produce all uploaded documents in original for physical verification before issue of Letter of Acceptance or / and as demanded by Engineer-In Charge before the payment.

I/We will submit “No Claim Certificate” in the approved format in company letter head after receiving final bill payment.

Signature of contractor with seal

Self Certification under Preference to “MAKE IN INDIA” Policy

CERTIFICATE

In line with Government Public Procurement Order No. P-45021/2/2017-BE-II dt. 15/06/2017, its revision dated 04/06/2020 and any subsequent modifications/Amendments from time to time and as applicable on the date of submission of tender, we hereby certify that we _____
(Name of Contractor/Firm/ Agency) are local **Contractors and will meet** the requirement of minimum Local content (50%) as defined in above orders for the material against Tender No _____, **if selected as Lowest Bidder**

~~Details of location at which local value addition will be made is as follows:~~

The information furnished hereinafter is correct to the best of my knowledge and belief and I undertake to produce relevant records before the procuring entity or any other Government authority for the purpose of assessing the local content of goods/services/works supplied by me.

In the event of the local content of the goods/services/works mentioned herein is found to be incorrect and not meeting the prescribed supplier class categorization criteria as per said order, based on the assessment of procuring agency(ies)/Government Authorities for the purpose of assessing the local content, action shall be taken against me in line with the PPP-MII order and provisions of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rule for which for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.

Thanking You

Seal and Signature of Authorized Signatory

Date: _____

ANNUAL TURNOVER FOR THE LAST THREE YEARS

S. No.	FINANCIAL YEAR	Annual Turnover from Construction Works (Rs. in Lacs)	Remarks
1	2019-20		
2	2020-21		
3	2021-22		

Note:

- 1 The bidder shall submit the Certificate from the Chartered Accountant, wherever the Annual Turnover is certified for the relevant financial year in which the minimum criteria of Annual Turnover is satisfied should also be submitted.

DETAILS OF THE SIMILAR WORKS COMPLETED IN LAST SEVEN YEARS

Sl. No.	Description of the work with Contract No./ Work Order No.	Department in which work carried out	Date of award	Stipulated date of completion	Date of actual completion	Value of completed work (Rs. in Lacs)	Reasons for delays, Penalty if any	Any other relevant information

Note:

1. The Bidder shall submit the attested Copies of the Completion Certificates from the Client i.e. Department(s) of Govt./Semi Govt./PSU/Autonomous Bodies of Govt..

DETAILS OF ON-GOING/EXISTING WORKS

Sl. No.	Description of The Work With Contract No./ Work Order No.	Department in which work is awarded	Date of award	Stipulated date of completion	Value Of work as per order (Rs. in lacs)	Value of Work completed so far (Rs. In lacs)	Anticipated date of Completion of work	Any other Relevant information

Note:

1. The copies of Work Orders of ongoing-awarded works and documentary proof for payment issued by the Client i.e. Department(s) of Govt./Semi Govt./PSU/Autonomous Bodies of Govt. shall be attached

PAST CONTRACTUAL PERFORMANCE

(Affidavit on non-judicial stamp paper of Rs.50/- duly attested by Notary/Magistrate)

This is to certify that We, M/s _____[Name of the Bidder with address], in submission of the Bid “(Name of the Work and NIT No.)”:

- i) have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements;
- ii) do not have records of poor performance such as abandoning the work, not properly completing the contract, inordinate delays in completion, litigation history or financial failures etc.;
- iii) have never been banned by any Central/State Govt. Departments/Public Sector Undertakings or Enterprises or Autonomous Bodies of Central/State Govt.;
- iv) have submitted all the supporting documents and furnished the relevant details as per the prescribed format.; and
- v) have submitted all the information and the requisite documents with the Bid and further certify that we are fully responsible for the correctness of the information and documents submitted by us.

SEAL AND SIGNATURE OF THE BIDDER

Note: Exceptions of the above, if any, shall be clearly mentioned with details by the bidder for evaluation/consideration if any.

ALL INDIA INSTITUTE OF MEDICAL SCIENCE RAIPUR
Percentage Rate Tender/ ~~Item Rate Tender~~ & Contract for Works

Tender for the work of: **“Upgradation of Burn Ward at Hospital Block, AIIMS Raipur”**

e- T E N D E R

I/We have read and examined the notice inviting tender, schedule, A,B,C,D,E & F, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the AIIMS Raipur within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for **Ninety (90) days** from the due date of opening of financial bid and not to make any modification in its terms and conditions.

A sum of **Rs. 3,33,000.00** is hereby forwarded in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank as earnest money. A copy of the earnest money in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank is submitted with tender. If I/We, fail to furnish the prescribed performance guarantee within prescribed tender, I/we agree that the said President of India or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that President of India or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said Performance Guarantee shall be guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the General Conditions of Contracts (CPWD). Further, I/we agree that in case of forfeiture of earnest money or performance guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

I/We undertake and confirm that eligible similar work(s) has / have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in AIIMS Raipur in future for

period as per decision of Engineer-in-Charge. Also, if such a violation comes to the notice of Department before date of start of work, The Engineer – in – Charge shall be free to forfeit the entire amount of Earnest Money Deposited / Performance Guarantee.

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived therefrom to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated #.....

Signature of Contractor#

Postal Address#

Witness : #

e-Mail id#

Address: #

Occupation: #
applicable

To be filled in by the contractor/witness as

ACCEPTANCE

The above tender (as modified vide letters mentioned hereunder) is accepted by me for and on behalf of the AIIMS Raipur for a sum of ₹. _____ *

(Rupees _____ *)

The letters referred to below shall form part of this contract Agreement:-

a) _____ *

b) _____

c) _____

For & on behalf of the AIIMS Raipur.

Signature.....

Dated

Designation.....

GENERAL PARTICULAR & ADDITIONAL CONDITIONS OF CONTRACT

A. GENERAL CONDITIONS

Name of Work: **“Upgradation of Burn Ward at Hospital Block, AIIMS, Raipur”**

1. For all items of ~~Civil/Electrical/AC&R~~; CPWD specifications with up to date correction slips up to receipt of tender shall be followed. For the items which are not covered under CPWD Specifications; B.I.S. specifications shall apply. In this regard the decision of Engineer-in-charge shall be final.
2. Wherever any reference is made of any Indian Standard, it shall be taken as reference to the latest edition with all amendments/ revision issued thereto up to the date of receipt of tenders.
3. Unless otherwise specified, the agreement rates for all items of work of the schedule of quantities are for all heights, depths, leads and lifts involved in the execution of work.
4. Other agencies working at site will also simultaneously execute the work entrusted to them and the contractor shall offer necessary co-operation wherever required to other agencies.
5. On account of security consideration, there could be some restrictions on the working hours, movement of vehicles for transportation of materials. The contractor shall be bound to follow all such restrictions and adjust the program for execution accordingly, for which nothing extra shall be paid.
6. The work shall be carried out in a manner complying in all respects with the requirements of relevant bye laws of the local bodies, Labour Laws, minimum wages act, workmen compensation act and other statutory laws enacted by Central Govt. as well as State Govt.
7. All malba/ rubbish/ silt/ waste, garbage etc. generated due to any operation from buildings/ houses/ hostels and other open spaces whatsoever shall be disposed off on daily basis by the contractor to the specified common disposal point. After the collection of full truck load of the said malba (approx. 4.5 cubic meters), the same shall be disposed off by the contractor to the authorized municipal dumping ground and nothing extra shall be paid on this account. In case of non- removal/disposal in the specified period, the same would be disposed at risk & cost of contractor.
8. No residential accommodation shall be provided to any of the staff engaged by the contractor. The contractor shall not be allowed to erect any temporary set up for staff in the campus.
9. No claims of the labours shall be entertained by the Department including that of providing employment, regularization of services etc.
10. All required register will be issued by Engineer-in-Charge/Executive Engineer duly marked in chronological order but the contractor will have to arrange all such registers/stationery etc. Nothing extra shall be paid on this account.
11. All T&P, scaffoldings, ladders/Hydra etc, instruments/meters for Construction, consumable and Contingent Articles required for execution of the work shall be arranged by the contractor.
12. The contractor shall make all safety arrangement required for the labour engaged by him at his own cost. All consequences due to negligence or due to lapse of security/safety or otherwise shall remain with the contractor. The department shall not be responsible for any mishap, injury, accident or death of the contractor's staff. No claim in this regard shall be entertained /

- accepted by the department. Also Contractor is responsible to the damage caused to any man/material other than his team during execution and AIIMS will not be responsible for that.
13. Contractor shall be fully responsible for any damages caused to govt. property or allotter's property by his or his labor in carrying out the work and shall be rectified by the contractor at his own cost.
 14. GST and other Taxes as applicable shall be recovered/ paid from the contractor's bill as per Govt. of India/AIIMS Rules.
 15. Chases, holes & drilling works etc. shall be done using power operated tools in the cost of Contract. No extra will be paid for the same.
 16. The agency shall restore back the premises and other articles provided by the department to the department at the time of closure of the contract.
 17. In the case of discrepancy between the schedule of quantities, the Specifications and/or the Drawings, the following order of preference shall be observed :-
 - a) Description of schedule of quantities.
 - b) Additional specifications and special conditions, if any.
 - c) Contract clauses of General conditions of contract for Central P.W.D. works. (iv) CPWD specifications.
 - d) Architectural drawings.
 - e) Indian standards specifications/ BIS. (vii) Sound engineering practice. Any reference made to any Indian standards specifications in these documents, shall imply to the latest version of that standard, including such revisions/amendments as issued by the Bureau of Indian Standards up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian Standards applicable to the work at site.
 18. The contractor and /or his authorized agent should see the site order book every day and get the compliance of instruction given by the JE/AE/Engineer-in-charge (E-I/C) as per time schedule.
 19. The contractor will not pitch up tents for laborers, materials and his stores etc.
 20. No permanently / temporary huts / structures shall be constructed by the contractor at the site of work or at any government land / premises. Such structures, if any, found at the site or at AIIMS, Raipur land shall be demolished and removed at the cost of the agency without any notice.
 21. Any damage to the building structure, fittings or any other articles etc. done by the contractor or his workman during the execution of the work shall be made good by the contractor at his own cost.
 22. The contractor shall clear the site properly after the completion of the work.
 23. The Agency shall be solely responsible for compliance to the provisions of various Labor and industrial laws, such as, wages, allowances, compensations, EPF, Bonus, Gratuity, ESI etc. as per labour law relating to personnel deployed by it at AIIMS, Raipur site or for any accident caused to them and the institute shall not be liable to bear any expense in this regard. The Agency shall make payment of wages to workers engaged by it by the stipulated date irrespective of any delay in settlement of its bill by AIIMS, Raipur for whatever reason. The Agency shall also be responsible

For the insurance of its personnel. The Agency shall specifically ensure compliance of various Laws / Acts, including but not limited to with their re-enactments / amendments / modifications etc.

- (a) The Payment of Wages Act 1936.
- (b) The Employees Provident Fund & MP Act, 1952.
- (c) The Contract Labor (Regulation) Act, 1970.
- (d) The Payment of Bonus Act, 1965.
- (e) The Payment of Gratuity Act, 1972.
- (f) The Employees State Insurance Act, 1948.
- (g) The Employment of Children Act, 1938.
- (h) The Motor Vehicle Act, 1988.
- (i) Minimum Wages Act, 1948.

24. Breach of Terms and Conditions: Noncompliance of any terms and conditions enumerated in the contract shall be treated as breach of contract. Or In Case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by AIIMS, Raipur in that event the EMD and /or Performance Guarantee and/or security deposit shall also stands forfeited.
25. Termination of Contract: AIIMS, Raipur would have the right to terminate the contract by giving one month's notice before the expiry of the term, in case the work performance is not up to the standard, or in case there is any violation of AIIMS, Raipur rules & regulations, or if there is any lapse in compliance of any labor legislation, or if there is any incident of indiscipline on the part of the bidder or his staff and the agreement may be terminated by either party by giving one month's notice to the institution. The decision of AIIMS, Raipur's management in this regard would be final and binding on the bidder . In such an event, AIIMS, Raipur shall have the right to engage any other bidder to carry out the task.
26. Arbitration: The Arbitration shall be held in accordance with the provision of the Arbitration and conciliations Act, 1996 and the venue of arbitration shall be at Raipur. The decision of the Arbitrator shall be final and binding on the both parties.
27. Dispute Settlement: It is mutually agreed that all differences and disputes arising out of or in connection with this agreements shall be settled by mutual discussions and negotiations if such disputes and differences cannot be settled and resolved by discussions and negotiations then the same shall be referred to the sole Arbitrator appointed by the Director, AIIMS, RAIPUR whose decision shall be final and binding on both the parties. The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing.
28. Guidelines issued by Hon'ble National Green Tribunal in O.A. No. 21 of 2015 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & other and Sanjay Kulshreshtha Vs Union of India & ors: Air Pollution of Dust from Construction and Demolition activity reg. issued vide letter No. DPCC/EIA/Ref-001 to 172/NGT-21/2015/225-408 dt. 17/04/2015 shall be complied by the Bidders.

B.GENERAL CONDITIONS FOR SUPPLY OF MATERIAL

1. The material shall be as per CPWD specifications with up to date correction slip and BIS Specifications wherever mentioned and as per List of approved makes (enclosed).
2. In the event of any variation between CPWD specifications and that in the IS Code the former shall take precedent over the later. In the event of variation between the nomenclature of item as per schedule of quantities and specifications, the former shall prevail.
3. ~~Material will be supplied by the contract or within 03 days after giving the requirement otherwise suitable amount imposed as a penalty shall be recovered from contractor's bill after giving notice as decided by the Engineer in charge. However, the materials in urgent nature shall be supplied within 02-03 Hours.~~
4. The sample of all the items shall have to be got approved by the Contractor from the Engineer-in-Charge/Executive Engineer or his Representative before the supply commences, the approval of sample shall be only in respect of workmanship and finish, and shall be without prejudice to the right of Engineer-in-Charge to get random samples tested out of the actual lot received as per additional conditions. This decision is the Prerogative of Engineer-in-Charge.
5. The contractor shall if required furnish the manufacturer's certificate that the material supplied satisfy the requirements of the relevant specifications.
6. The Engineer-in-Charge shall be at liberty to test respective sample (s) of each item of schedule of quantity in any approved laboratory as decided by him. The sample for testing shall be provided by the contractor. If the test proves satisfactory and the material is accepted, the testing charge in respect of satisfactory test shall be borne by the ~~department~~ **contractor**.
All other expenditure required to be incurred for making available the sample, conveyance and packing etc, shall be borne by the contractor himself. In case any sample of particular lot fails in testing the contractor shall be bound to replace the entire lot with fresh material of prescribed specifications and the rejected lot shall only be returned to the contractor after fresh lot is supplied. Testing charges in respect of failed sample will be borne by the contractor himself.
7. Rejected materials shall have to be removed by the contractor at his own cost within a week of the instructions of doing so. Also go down rent as decided by Engineer-in-Charge shall be charged by the department.
8. In case of any dispute regarding rejection of quantity of materials the decision of Engineer-in-Charge shall be final and binding upon the contractor.
9. Conditional tenders are liable to be summarily rejected.
10. The rates shall be quoted only in the schedule of quantities attached with the tender and nowhere else i.e. letter heads etc.
11. The contractors are specifically required to quote only one rate against each item. The rate Quoted for any item of material shall conform to the prescribed specifications.
12. The quantities are approximate and are liable to change up to any extent on either side. The Engineer- in-Charge reserves right to order deviation from the quantities mentioned in the tender. The contractor shall supply the additional quantity on the rates quoted in the tender documents irrespective of deviation limit mentioned elsewhere in the agreement. The

contractor shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which might have derive from the execution of supply in full as mentioned in tender but which did not derive any consequence of the full supply of material mentioned in tender not having been ordered. It is not necessary to use all items in the BOQ/Schedule during contract Period. The use shall be based on the requirement at Site. Contractor cannot claim Payment against Storage of items to maintain the deadline of completion of work as per Tender.

13. The maker of material shall be same as that of actually installed/fixed at site. But, in case of non-availability or due to any reason, Engineer-in-Charge can take decision to install equivalent/new items available in the BOQ/Schedule. In case of any dispute the decision of Engineer-in-Charge shall be final with regards to make/brand of material.
14. For materials used in this work, the record shall be maintained at site in a standard Performa to watch quality and consumption of the material.
15. WORK EXECUTION

Specialized Works: Specialized works/items/jobs are those works that requires expertise/ specialized skill and are executed after prequalification of agencies. They require special T&P and/or specialized skill.

Specialized works to be executed through- specialized agencies

Specialized works are those works for which there are specialized agencies available in the market to execute them. These works are listed in NIT. These works should be got executed through such agencies only to ensure a proper quality of work.

Agencies acceptable to the department in a tender where there are components of such specialized nature of works and such works should be got executed only through associated agencies specialized in these fields. The contractor shall indicate the name(s) and address with experience certificates of his associated specialized agencies those fulfilling the above conditions as early as possible and within one month of award of work.

Agencies engaged by the main contractor are required to fulfill the laid down criteria. In case the main contractor himself meets the required eligibility criteria as laid down by the Department for specialized work, he is allowed to execute the same after due verification etc. The main contractor gives detailed execution programme of the work which forms part of his agreement with the department. He indicates in the programme, the time/stage of the work when the agencies of specialized components of works will be deployed by him. The main contractor enters into MOU with agencies associated by him for execution of specialized component as per conditions laid by Engineer-In-Charge.

The specialized firms satisfies the following eligibility criteria: Experience of having successfully completed works during last seven years ending on previous day of last day of submission of tender Three similar works each of value not less than 40% of the estimated cost put to tender. OR Two similar works each of value not less than 60% of the estimated cost put to tender. OR One similar work of value not less than 80% of the estimated cost put to tender. All amounts rounded off to a nearest convenient figure.


The main contractor has to associate agencies for specialized component(s) conforming to eligibility criteria and has to submit detail of such agency(s) to Engineer-in-charge of relevant component(s).within prescribed time. Name of the agency(s) to be associated shall be approved by Engineer-in-charge of relevant component(s).

In case the main contractor intends to change any of the above agency/agencies during the

operation of the contract, he shall obtain prior approval of Engineer-in-charge of relevant specialized component(s).

The new agency/agencies shall also have to satisfy the laid down eligibility criteria. In case Engineer-in-charge is not satisfied with the performance of any agency, he can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.

The main contractor has to enter into MoU with agency(s) associated by him. Copy of such MoU shall be submitted to Engineer- in-charge of each relevant component. In case of change of associate contractor, the main agency(s) has to enter into MoU/agreement with the new contractor associated by him.



e-sign by Prashant Kumar Ravi
Executive Engineer
AIIMS, Raipur

FORM OF EARNEST MONEY DEPOSIT

(Bank Guarantee Bond)

WHEREAS, contractor..... (Name of contractor) (Hereinafter called "the contractor") has submitted his tender dated..... (date) for the construction of (name of work) (hereinafter called "the Tender")

KNOW ALL PEOPLE by these presents that we (name of bank) having our registered office at (Hereinafter called "the Bank") are bound unto (Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs. (Rs. in words) for which payment well and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of 20... . THE CONDITIONS of this obligation are:

(1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;

(2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:

(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required; OR

(b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,

We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date* after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in- Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATESIGNATURE OF THE BANK

WITNESS

SEAL (SIGNATURE, NAME AND ADDRESS)

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

Form of Performance Security (Guarantee) Bank Guarantee Bond-Format – I

(On a stamp paper of appropriate value from any Nationalized Bank or Scheduled Bank)

To
EXECUTIVE ENGINEER,
AIIMS RAIPUR,
TATIBANDH,
RAIPUR – 492099

Dear Sir,

In consideration of the AIIMS Raipur having offered to accept the terms and conditions of the proposed agreement between.....and M/s (hereinafter called "the said Contractor(s)") for the work (hereinafter called "the said agreement") having agreed to production of an irrevocable Bank Guarantee for Rs. (Rupees only) as a security/guarantee from the contractor(s) for compliance of his obligations in accordance with the terms and conditions in the said agreement.

1. We, (hereinafter referred to as "the Bank") hereby undertake to pay to the Government an amount not exceeding Rs. (Rupees..... Only) on demand by the AIIMS Raipur.

2. We,(indicate the name of the Bank) do hereby undertake to pay the amounts due and payable under this guarantee without any demure, merely on a demand from the AIIMS Raipur stating that the amount claimed as required to meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the bank shall be conclusive as regards the amount due and payable by the bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs. (Rupeesonly)

3. We, the said bank further undertake to pay the AIIMS Raipur any money so demanded notwithstanding any dispute or disputes raised by the contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be a valid discharge of our liability for payment thereunder and the Contractor(s) shall have no claim against us for making such payment.

4. We, (indicate the name of the Bank) further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the AIIMS Raipur under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Engineer-in- Charge on behalf of the Government certified that the terms and conditions of the said agreement have been fully and properly carried out by the said Contractor(s) and accordingly discharges this guarantee.

5. We, (indicate the name of the Bank) further agree with the AIIMS Raipur that the AIIMS Raipur shall have the fullest liberty without our consent and without affecting in any manner our obligation hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) from time to time or to

postpone for any time or from time to time any of the powers exercisable by the AIIMS Raipur against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Contractor(s) or for any forbearance, act of omission on the part of the AIIMS Raipur or any indulgence by the AIIMS Raipur to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s).

7. We, (indicate the name of the Bank) lastly undertake not to revoke this guarantee except with the previous consent of the Government in writing.

8. This guarantee shall be valid up tounless extended on demand by the AIIMS Raipur.

Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs. (Rupees) and unless a claim in writing is lodged with us within six months of the date of expiry or the extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharged.

Dated theday of

for.....(indicate the name of the Bank)

SPECIAL CONDITIONS OF CONTRACT

1. GENERAL

- 1.1 Wherever any reference to any Indian Standard Specifications of BIS or other International standards of ASTM/BS/EN occurs in the documents relating to this contract, the same shall be inclusive of all amendments issued there-to or revisions thereof, if any, up to the date of receipt of tenders.
- 1.2 The contractor shall work according to the programme of work as approved by the Engineer-in-charge, for which purpose, the contractor shall submit a programme of the work within 07 days from the stipulated date of start of the work based on computer software and shall update the same every fortnight.
- 1.3 The contractor shall take instructions from the Engineer-in-charge for stacking of materials at site. No excavated earth or building materials shall be stacked on areas where the buildings, roads, services or compound walls are to be constructed.
- 1.4 If as per Municipal or prevailing rules of the secured campuses owned by paramilitary forces, Institutions etc, the huts for labour are not to be erected at the site of work by the contractors, the contractors shall provide such accommodation at such locations as are acceptable to local bodies with all provisions concerning labour safety & sanitation as contained in the relevant clause of the contract, for which nothing shall be payable.
- 1.5 Unless otherwise provided in the Schedule of quantities, the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing shall be payable to him on this account.
- 1.6 The working drawings appearing at para 8.1(iii) of conditions of contract in the form CPWD-7/8, shall mean to include both architectural and structural drawings respectively. The structural and architectural drawings shall be properly correlated before executing the work. In case of any difference noticed between architectural and structural drawings, final decision, in writing of the Engineer-in-charge shall be obtained by the contractor before proceeding further.
- 1.7 Some restrictions may be imposed by the security staff etc. on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restriction / instructions including issue of identity cards to all persons authorized by him to do work / visit the work site and nothing shall be payable on this account.
- 1.8 The contractor shall make his own arrangements for obtaining electric connections, if required, and make necessary payments directly to the department concerned.
- 1.9 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor (s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed, so as not to interfere with the operations of other contractors, or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of Engineer-in-Charge. The contractor shall be responsible for any damage due to hindrance caused by him.
- 1.10 Cast iron pipes and fittings without ear shall be used. However, pipes and fittings with ears may be accepted without any extra payment. In such cases, clamps are not required and no extra payment shall be made for fixing the pipes in a different manner.
- 1.11 Any cement slurry added over base surface for bond or for continuation of concreting, for protecting reinforcement bars, its cost shall be deemed to have been included in the

respective items, unless specified otherwise and nothing extra shall be payable nor extra cement shall be considered in the cement consumption on this account.

- 1.12 Stacking of materials and excavated earth including its disposal shall be done as per the directions of the Engineer-in-Charge. Double handling of materials or excavated earth if required at any stage shall have to be done by the contractor at his own cost.
- 1.13 No claim for idle establishment & labour, machinery & equipments, tools & plants and the like, for any reason whatsoever, shall be admissible during the execution of work as well as after its completion.
- 1.14 Only Star headed Stainless Steel screws shall be used unless otherwise specified.
- 1.15 Work shall be carried out in professional manner with finished product serving the intended purpose with specified strength, durability and aesthetics.
- 1.16 Work activities shall be executed in well thought out sequences such that consequent activities not adversely affecting previously done work. Nothing extra shall be payable to protect the works already done.
- 1.17 The contractor shall prepare all the needed shop drawings well in advance and get them approved before placing the order and execution of the item.
- 1.18 The contractor shall, at his risk and cost, make all arrangements and shall provide all facilities as the Engineer-in-Charge may require for collecting, and preparing the required number of samples for such tests at such time and to such place or places as may be directed by the Engineer - in -Charge and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications.

2. RATES

- 2.1 The rates quoted by the Contractor are deemed to be inclusive of site clearance, setting out work, profile, setting lay out on ground, establishment of reference bench mark(s), installing various signage, taking spot levels, survey with total station, construction of all safety and protection devices, compulsory use of helmet and safety shoes, and other appropriate safety gadgets by workers, imparting continuous training for all the workers, barriers, preparatory works, construction of clean, hygienic and well ventilated workers housings in sufficient numbers as per drawing supplied by Engineer in charge, working during monsoon or odd season, working beyond normal hours, working at all depths, height, lead, lift, levels and location etc. and any other unforeseen but essential incidental works required to complete this work. Nothing extra shall be payable on this account and no extension of time for completion of work shall be granted on these accounts.
- 2.2 The rates quoted by the bidder, shall be firm and inclusive of all taxes and levies.
- 2.3 No foreign exchange shall be made available by the Department for importing (purchase) of equipment, plants, machinery, materials of any kind or any other items required to be carried out during execution of the work. No delay and no claim of any kind shall be entertained from the Contractor, on account of variation in the foreign exchange rate.
- 2.4 All ancillary and incidental facilities required for execution of work like labour camp, stores, fabrication yard, offices for Contractor, watch and ward, temporary ramp required to be made for working at the basement level, temporary structure for plants and machineries, water storage tanks, installation and consumption charges of temporary electricity, telephone, water etc. required for execution of the work, liaison and pursuing for obtaining various No Objection Certificates, completion certificates from local bodies etc., protection works, testing facilities / laboratory at site of work, facilities for all field

tests and for taking samples etc. during execution or any other activity which is necessary (for execution of work and as directed by Engineer-in-Charge), shall be deemed to be included in rates quoted by the Contractor, for various items in the schedule of quantities. Nothing extra shall be payable on these accounts. Before start of the work, the Contractor shall submit to the Engineer-in-Charge, a site / construction yard layout, specifying areas for construction, site office, positioning of machinery, material yard, cement & other storage, fabrication yard, site laboratory, water tank etc.

- 2.5 For completing the work in time, the Contractor might be required to work in two or more shifts (including night shifts). No claim whatsoever shall be entertained on this account, not with-standing the fact that the Contractor may have to pay extra amounts for any reason, to the labourers and other staff engaged directly or indirectly on the work according to the provisions of the labour and other statutory bodies regulations and the agreement entered upon by the Contractor with them.
- 2.6 All material shall only be brought at site as per program finalized with the Engineer-in-Charge. Any pre-delivery of the material not required for immediate consumption shall not be accepted and thus not paid for.

3. CLEANLINESS OF SITE

The Contractor shall not stack building material / malba / muck/ rubbish on the land or road of the local development authority or on the land owned by the others, as the case may be. So the muck, rubbish etc. shall be removed periodically as directed by the Engineer-in-Charge, from the site of work to the approved dumping grounds as per the local byelaws and regulations of the concerned authorities and all necessary permissions in this regard from the local bodies shall be obtained by the Contractor. Nothing extra shall be payable on this account. In case, the Contractor is found stacking the building material / malba as stated above, the Contractor shall be liable to pay the stacking charges / penalty as may be levied by the local body or any other authority and also to face penal action as per the rules, regulations and bye-laws of such body or authority. The Engineer –in-Charge shall be at liberty to recover, such sums due but not paid to the concerned authorities on the above counts, from any sums due to the Contractor including amount of the Security Deposit and performance guarantee in respect of this contract agreement.

4. INSPECTION OF WORK

In addition to the provisions of relevant clauses of the contract, the work shall also be open to inspection by the Engineer-In-Charge, AIIMS Raipur and other senior officers of AIIMS Raipur and his authorized representative. The contractor shall at times during the usual working hours and at all times at which reasonable notices of the intention of the Engineer-in-Charge or other officers as stated above to visit the works shall have been given to the Contractor, either himself be present to receive the orders and instructions or have a responsible Site Engineer duly accredited in writing, to be present for that purpose Senior Officers of AIIMS Raipur Authorities shall also be inspecting the on-going work at site at any time with or without prior intimation.

5. CO-OPERATION WITH OTHER CONTRACTORS/SPECIALIZED AGENCIES/SUB-CONTRACTORS

- 5.1 The Contractor shall take all necessary precautions to prevent any nuisance or inconvenience to the owners, tenants or occupants of the adjacent properties and to the

public in general .The Contractor shall take all care, as not to damage any other adjacent property or other services running adjacent to the plot. If any damage is done, the same shall be made good by the Contractor at his own cost and to the entire satisfaction of the Engineer-in-Charge. The Contractor shall use such methodology and equipment's for execution of the work, so as to cause minimum environmental pollution of any kind during construction. Further, the Contractor shall take all precautions to abide by the environmental related restrictions imposed by Pollution control board.

Utmost care shall be taken to keep the noise level to the barest minimum so that no disturbance as far as possible is caused to the occupants / users of adjoining buildings. No claim what so ever on account of site constraints mentioned above or any other site constraints, inadequate availability of skilled, semi-skilled or unskilled workers in the near vicinity, non-availability of construction machinery spare parts and any other constraints not specifically stated here, shall be entertained from the Contractor. Therefore, the Tenderers are advised to visit site and get first-hand information of site constraints. Accordingly, they should quote their tenders. Nothing extra shall be payable on this account.

- 5.2 The Contractor shall cooperate with and provide the facilities to the sub-Contractors and other agencies working at site for smooth execution of the work. The contractor shall indemnify STC, BSF, authorities.

Against any claim(s) arising out of such disputes. The Contractor shall:

- (i) Allow use of scaffolding, toilets, sheds etc.
- (ii) Properly co-ordinate their work with the work of other Contractors.
- (iii) Provide control lines and benchmarks to his Sub-Contractors and the other Contractors.
- (iv) Provide electricity and water at mutually agreed rates.
- (v) Provide hoist and crane facilities for lifting material at mutually agreed rates.
- (vi) Co-ordinate with other Contractors for leaving inserts, making chases, alignment of services etc. at site.
- (vii) Adjust work schedule and site activities in consultation with the Engineer-in-Charge and other Contractors to suit the overall schedule completion.
- (viii) Resolve the disputes with other Contractors/ sub-contractors amicably and the Engineer-in-Charge shall not be made intermediary or arbitrator.

- 5.3 The work should be planned in a systematic manner so as to ensure proper co-ordination of various disciplines viz. sanitary & water supply, drainage, rain water harvesting, electrical, firefighting, information technology, communication & electronics and any other services.

- 5.4 Other agencies will also simultaneously execute and install the works of sub-station / generating sets, air-conditioning, lifts, etc. for the work and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. shall be supplied free of cost by the department unless otherwise specifically mentioned) and the contractor shall fix the same at time of casting of concrete, stone work and brick work, if required, and nothing extra shall be payable on this account.

- 5.5 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor(s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the

materials being used or removed so as not to interfere with the operations of other contractor or he shall arrange his work with that of the others in an acceptable and in a proper co-ordinate manner and shall perform it in proper sequence to the complete satisfaction of others.

6. SAFETY MEASURES AT CONSTRUCTION SITE

In order to ensure safe construction, following shall be adhered for strict compliance at the site:-

- (i) The work site shall be properly barricaded.
- (ii) Adequate singnages indicating 'Work in Progress – Inconvenience caused is Regretted' or Diversion Signs shall be put on the sites conspicuously visible to the public even during night hours. These are extremely essential where works are carried out at public places in use by the public.
- (iii) The construction malba at site shall be regularly removed on daily basis.
- (iv) All field officials and the workers must be provided with safety helmets, safety shoes and safety belts.
- (v) Proper MS pipe scaffoldings with work – platforms and easy-access ladders shall be provided at site to avoid accidents.

Necessary First-Aid kit shall be available at the site.

The above provisions shall be followed in addition to the provisions of General Condition of Contract.

7. FIELD TESTING INSTRUMENTS

(Following instruments in sufficient quantity as directed by the Engineer- in- Charge shall be made available by the contractor. It shall be ensured that the instruments always remain in serviceable condition else the same will be replaced. In case of non-availability of instrument Engineer-In-Charge will purchase the same and the invoice amount will be deducted from the bill and will be bound to contractor in the interest of work.

- (1) Steel tapes – 3 m / 5m / 7.5m / 15m / 30m
- (2) Vernier Calipers.
- (3) Micrometer screw 25 mm gauge.
- (4) A good quality plumb bob.
- (5) Spirit level, minimum 30 cms long with 3 bubbles for horizontal vertical.
- (6) Wire gauge (circular type) disc.
- (7) Foot rule.
- (8) Long nylon thread.
- (9) Rebound hammer for testing concrete
- (10) Dynamic penetrometer.
- (11) Magnifying glass
- (12) Screw driver 30 cms long
- (13) Ball pin hammer, 100 gms.
- (14) Plastic bags for taking samples
- (15) Moisture meter for timber
- (16) Earth resistance tests
- (17) Total station
- (18) Multimeter,
- (19) Meggar

- (20) Refrigerant Leak detector
- (21) Pipe Bender
- (22) Thermometer
- (23) Hygrometer
- (24) CFM Meter
- (25) Step Ladder
- (26) Cordless drill

8. THE CONTRACTOR SHALL SUBMIT 'METHOD STATEMENT' FOR THE APPROVAL SOON AFTER THE AWARD OF WORK

'Method Statement' is a statement by which the construction procedures for important activities of construction are stated, checked and approved. Method Statement shall have description of the item with elaborate procedures in steps to implement the same. The specification of the materials involved their testing and acceptance criteria, equipments to be used, precautions to be taken, mode of measurements etc.

9. TESTING OF MATERIALS

- 9.1 The contractor shall arrange carrying out of all tests required under the agreement through the laboratory as approved by the Engineer-in-Charge and shall bear all charges in connection therewith including fee for testing unless specified otherwise. In all cases cost of samples and to & fro carriage shall be borne by the contractor. Contractor shall establish a laboratory at site of work at his own cost. The laboratory shall be equipped with all necessary equipment as per requirement of specification or as per direction of Engineer-in-Charge. A list of laboratory equipment to be maintained by the contractor is enclosed at Para 13 page 40 & 41. Establishing the laboratory at site shall not absolve the contractor from fulfilling the criteria of getting the test done in independent approved laboratories as per DG, CPWD, O.M. No. DG/MAN/308 dated 29.05.2014. The decision of the Engineer-in-Charge of allowing any test in the site laboratory shall be final.
- 9.2 Even ISI marked materials may be subjected to quality test at the discretion of the Engineer-in-Charge besides testing of other materials as per the specifications described for the item/material. Whenever ISI marked materials are brought to the site of work the contractor shall, if required by the Engineer-in-Charge, furnish manufacturer test certificate or test certificate from approved testing laboratory to establish that the material procured by the contractor for incorporation in the work satisfy the provisions of IS codes relevant to the material and/or the work done.
- 9.3 Substandard Material/Work: In case any material/work is found substandard the same shall be rejected by the Engineer-in-Charge and the same shall be removed from the site of work within 48 hour, failing which the same shall be got removed by the Engineer-in-Charge at the risk and cost of the contractor without giving any further notice and time.

FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME

(PART – I)

1. Name of contractor
2. Name of work as given in the agreement
3. Agreement no.
4. Estimated amount put tender
5. Date of commencement of work as per agreement
6. Period allowed for completion of work as per agreement
7. Date of completion stipulated in agreement
8. Period for which extension of time has been given previously:

	SE's letter no. and date	Extension granted	
		Months	Days
(a) 1st extension			
(b) 2nd extension			
(c) 3rd extension			
d) 4th extension			
(e) Total extension previously given.....			

9. Reasons for which extension have been previously given (copies of the previous applications should be attached)
10. Period for which extension if applied for
11. Hindrances on account of which extension is applied for with dates on which hindrances occurred and the period for which these are likely to last.

Serial no	Nature of hindrance	Date of occurrence	Period for which it is likely to last	Period for which extension required for this particular hindrance	Overlapping period if any, with reference to item.	Net extension applied for	Remarks, if any
a	b	c	d	e	f	g	h

Total period on account of hindrances mentioned above..... Months Days

12. Extension of time required for extra work.
13. Details of extra work and the amount involved:
 - a. Total value of extra work
 - b. Proportionate period of extension of time based on estimated amount put to tender on account of extra work.
14. Total extension of time required for 11 & 12

Submitted to the Sub Divisional Officer

Signature of contractor

Dated:.....

GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS

The Agreement made this day of two thousand and between son of of (hereinafter called the Guarantor of the one part) and the PRESIDENT OF INDIA (hereinafter called Government of the other part).

WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract) dated and made between the GUARANTOR of the one part and the Government of the other part, whereby the Contractor, inter alia, undertook to render the buildings and structures in the said contract recited completely water and leak-proof.

AND WHEREAS GUARANTOR agreed to give a guarantee to the effect that the said structures will remain water and leak-proof for five years from the date of giving of water proofing treatment.

NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the Construction period prescribed in the contract.

Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:

(a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;

(b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;

(c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.

During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer- in-Charge as to the cost, payable by the Guarantor shall be final and binding.

That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-Charge will be final and binding on the parties.

IN WITNESS WHEREOF these presents have been executed by the Obligorand by and for and on behalf of the PRESIDENT OF INDIA on the day, month and year first above written.

Signed, sealed and delivered by OBLIGOR in the presence of

1.

2.

Signed for and on behalf of THE PRESIDENT OF INDIA by in the presence of

1.

LIST OF SPECIALIZED ITEMS / JOBS

List I - Civil Works

1. ** Water proofing treatment work.
2. Steel work in steel bridge work, space frames for long span structures, steel towers.
3. ** Special foundations including all types of piles.
4. RCC Overhead Tank with independent staging.
5. Structural Repair and Rehabilitation/ Retrofitting works.
6. Soil Investigation and Survey Work.
7. ** Facade cleaning system and façade cleaning.
8. Custom made wooden furniture (factory made).
9. Diaphragm walls.
10. Post construction Anti-termite chemical treatment.
11. Water Treatment Plants
12. Security to vacant bungalows/premises.
13. Tentage works.
14. Washing/dry cleaning works.
15. Synthetic play area surface for games.
16. Electronic / Digital Signages.
17. Environment Impact Assessment Study and Environment Clearance.
18. Mechanized Housekeeping Work .

Note:

**For these works, Specialized Agencies shall have to be associated by the duly approved specialized agency by Engineer-In-Charge in case the Contractor does not possess the requisite eligibility and experience as per the NIT conditions to carry out these works..

Electrical Works

LIST- II (A)

S. No. Supplying /fabrication, installation, testing and commissioning of the following

1. Kitchen equipment
2. Lifts, escalators and conveyors
3. Simultaneous interpretation systems
4. Gas plants.
5. Cold storage plant
6. Hot Water/Steam Boilers
7. Public address system; conferencing system, automatic vote recording system, recorders
8. Stage lighting
9. Projector and other special equipment for theatre
10. Repairs and calibration of various types of measuring instruments and relays etc.
11. Testing of transformer oil and dehydration and other type of high potential test.
12. Frequency Convertor
13. Temporary illumination, security lighting and wiring for power outlets for metal detectors in connection with Republic Day and Independence Day Celebrations.
14. EPBAX system (equipments).
15. EPBAX system (cabling and wiring).
16. Illumination of heritage caves and fiber optic lighting system
17. Security system and alarm
18. Building Automation System
19. Hydraulic platform /Lift
20. Incinerator
21. Laundry equipment
22. Centralized clock system.

23. Interior/exterior flood lighting of heritage/Monumental buildings/structures involving Computer aided design and evolution of special mounting arrangements for luminaries:
24. Gas pipe line
25. Modular OT
26. Electrically Operated Gate
27. Fountain Work
28. Water supply motors and pumps of 100 hp or more
29. Mechanized Car Parking Systems
30. VRV/VRF Type Air-Conditioning Systems
31. Oxygen Generation Plant
32. CCTV and Allied Equipments
33. Access Control System
34. Hydro Pneumatic Pumps
35. Providing and fixing of Sensor operated Gates
36. Precision Air Conditioning System
37. LAN System
38. SITC of active power factor filter
39. SITC of Solar Photo Voltaic Power generation system

LIST-II (B)

S. No. Supplying /fabrication, installation, testing and commissioning of the following

1. Diesel Generating Set
2. Heating, Ventilation and Air-conditioning System
3. Sub-station equipment
4. Fire fighting system (including wet riser and sprinkler system, portable fire extinguishers)
5. Fire detection and alarm system

NO CLAIM CERTIFICATE

(On company letterhead)

To,

Executive Engineer,
Project Cell, AIIMS, Raipur

Name of Work :

Agreement No. :

Sub: No claim declaration / certificate

We have received the sum of Rs. (Rupees only) in full and final settlement of all the payments due to us for the above stated work under the above mentioned contract agreement, between us and AIIMS, Raipur. We hereby unconditionally, and without any reservation whatsoever, certify that with this payment, we shall have no claim whatsoever, of any description, on any account, against Procuring Entity, against aforesaid contract agreement executed by us. We further declare unequivocally, that with this payment, we have received all the amounts payable to us, and have no dispute of any description whatsoever, regarding the amounts worked out as payable to us and received by us, and that we shall continue to be bound by the terms and conditions of the contract agreement, as regards performance of the contract.

Yours faithfully,

Signatures of contractor

or Officer authorised to sign the contract documents

on behalf of the contractor

(Company stamp)

Date:

Place:

APPROVED MATERIALS LIST (CIVIL)

Note:

1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender, shall be used in the work.
2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
3. Whenever the specified brand of material is not available then, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

1.	Acid/Alkali Resistant Tile	Somany/ Nitco/ Kajariya/ Bell
2.	Premium Acrylic Emulsion Paint: Interior	Asian (Royale)/ ICI (Velvet)/ Berger (Luxol Silk)/ Nerolac Impression
3.	Admixures& Epoxy	FOSROC/ Aquomix/ BAL-ENDURA/ROFF/Dr.Fixit/CICO/SIKA/BASF
4.	Aluminium Composite Panel	Alpolic/ Aluco Bond/ Reynobond/ Euro bond/ Al-strong/Aludewr
5.	Aluminium Extrusions/ Sections	Hindalco/ Indalco/ Jindal/Indian Aluminium Co.
6.	P.T.M.T. Accessories	Prayag, PRAKASH, SHURYA/Supreme/Kingston
7.	Annealed Float Glass	Saint Gobain/ Modi Guard/ Hindustan Pilkington/TATA
8.	Centrifugally Cast Iron Pipe & Fittings	Neco/ RIF/ Kapilansh/ BIC/SKF/Electrosteel
9.	Ceramic Tiles	Kajaria/ Somany/ Nitco/ Orient Bell/ Johnson/Varmora/AGL/OASIS/Marbitto
10.	Cement Concrete Chequered tiles	Raj-Tiles/ Bharat/ Rigid Tiles/Advance/Ultra Tiles/NITCO
11.	CP Bottle Trap	Parryware / Hindware/ Jaquar/ GRAFDOER by VMS BathwarePvt. Ltd./Prayag
12.	CP Brass Bibcock/ Pillarcock/ Stopcock/ Angle Valve/ Concealed Stop Cock & CP fittings (Normal Range)	Marc(oriental series)/ Parko/ Jaquar (Continental series)/SPRING COLLECTION OF PRIMA /GEM/ESS/Plumber/ GRAFDOER by VMS BathwarePvt. Ltd. /L&K Metro/Vardhman/'Coral' series of parryware/'JOY' & 'VINTAGE' series of KEROVIT by Kajaria /Prayag
13.	CP Waste Coupling	Mark/ GRAFDOER by VMS BathwarePvt. Ltd./ Parko or equivalent /Prayag
14.	Curtain Carrier	Vista levlor or equivalent.
15.	Dash fastener/ Expansion Bolt/Stone Cladding Clamp	M/s DevAshish/HILTI/Fischer/Bosch/Wurth/Trixel.
16.	Door closer/ floor springs	Dorma/ Haffle/ Falcon/Godrej/Dorset/Kich/Sandhu/Hardwyn
17.	Drapery Rod	Vista Levlor or equivalent.
18.	Flushing cistern (single/Dual Flush) as per IS: 7231	Sleek Dual flush PVC cistern of Hindware / 'Slimline'ofParryware /Prayag
19.	EPDM Gasket	AnandLescuyer or equivalent.

20.	Epoxy Primer & Paints	Berger/ Pidilite/ CICO/ BASF/ SIKA/Asian/Nerolac/ICI Kansai Akzo Nobel.
21.	Fibre Glass Shelf	Kamal/ Bath King or equivalent.
22.	Float/Clear/Frosted/Toughened /Refractive Glass	Modi Float/ Saint Gobain/ Asahi/AIS/Modiguard.
23.	Flush Doors / Shutters as per IS: 2202	Kutty flush door/ Anchor/ Century/ Kitlam/Archid/JAYNA/Ashiyana Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. ltd./Duro/Durian
24.	Flush Valve	Aquel/ Marc/ Parryware/ Jaquar /Prayag
25.	FRP Shutters/frame	Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.
26.	Galvanized/Stainless Steel Anchor Fasteners	Shakti/ Arrow/ Hilti/ Fischer
27.	GI fitting	Tata/ Jindal/ Zenith/UNIK/AVR/Zoloto.
28.	GI Pipe	Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.
29.	Glass Mosaic Tile	Bissazza/ Saon or equivalent.
30.	Gun Metal Gate Valve	Zoloto/ Leader/ SAINT
31.	False Ceiling system	Boral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/Interarch
32.	Hardner	Hard crete of Snowcem India/ MC Deritop F.H.
33.	Jet Assembly for EWC	Parryware/ Jaquar/ Grohe/ Kohler
34.	Laminate	Marino/ Greenlam/ Decolam/ Century/ Formica/ Kitlam/Action TESA/Sunmica/Durian
35.	Low Level PVC Cistern Single flush	Sleek model Cistern of PVC of Hindware or 'Slimline' model of Parryware, JINDAL /Prayag
36.	Melamine Polish	Melamine Gold of Asian Paint/Wudfinof pidilite/Timbertone of ICI Dullex/ Beegel.
37.	Metal False Ceiling	Nittobo / Armstrong / Trac / Durlum / Huntordonglas/Aerolite
38.	Mineral Fibre/Calcium silicate Ceiling	Armstrong / Nitobo / Daiken / Hunter Douglas/ Aerolite
39.	Modular SS Railing System	Metallica India / Stark steel Fabricator / D-line International Denmark / Mobel Hardware.
40.	M.S .Pipe (Railing)	Jindal / Prakash Surya/ Tata/ RINIL
41.	Marine Plywood / BWP Ply	Kitply / Duro / Century/ Greenlam/ Durian
42.	Non asbestos high impact polypropelene reinforced Cement sheet	Everest or equivalent
43.	Oil Bound Distemper/Dry Distemper	Asian (Professional Acrylic Distemper)/Maxilite of ICI / Bisan of Berger/Nerolac (Beauty Acrylic Distemper)
44.	Water closet (Orissa Pan/Indian type) & fittings, accessories as per IS : 2556	Parryware / Hindware /'KEROVIT' by Kajaria/ESSCO by Jaquar.
45.	PE-AL-PE Composite pipes	Jindal or equivalent.
46.	Plastic Connection Pipe	Parryware/Kamal Delux or equivalent.
47.	Plywood/Veneer	Archid/ Kitply/ Green ply/ Century/JAYNA/Green Ply/Merino/Duro/Durian

48.	Polyester Powder Coating	Nerolac/ Berger/ J&N
49.	Poly Sulphide Sealant	PIDISEALbyM/s Pidilite Industry/RDL941-TECHSEALChokseyChemicals/BASF/SIKA/Fosroc
50.	Polymer Modified Cementitious grout	BalEndura/ PidiliteKeroKoal/Ultratech/Ardex/Ferrous Crete.
51.	Pre-laminated Particle Board IS : 12823 (Gr-I/ Type-II)	Kitlam/ Tesa/ Archidply/Eco brand/Century/Bhutan board/Action Tesa/Greenlam/Merino
52.	Primer (Cement Primer)	Decoprime WT of Asian/ white primer of ICI/BP white of Berger/ Nerolac
53.	PVC Rain Water Pipe & Fitting	Finolex/ Classic of Kisan/ Kasta/ Supreme/AKG.
54.	PVC Shutter and frames	Rajshri/ Sintex/Polyline/Duroplast/Jain wood Industries.
55.	PVC Tiles	Arm Strong/ LG or equivalent.
56.	Screws	GKW / Nettle Fold or equivalent.
57.	Silicon Sealant	G.E./ DOW Corning/Waker/BASF/Pidilite/ROFF
58.	Solid Plastic Seat Cover for EWC	EWC standard seat cover white of Parryware/Hindware/'KEROVIT' by Kajaria
59.	Stainless Steel	Jindal Stainless Steel/ Salem Steel
60.	Stainless Steel Screws	Kundan/ Arrow or equivalent.
61.	Stainless steel Sink with or without Draining board.	Nirali/ Hindware/ Frankee/ Cobra/AMC/ GRAFDOER by VMS BathwarePvt. Ltd./Parryware/Neelkanth/Nirali
62.	Structural Silicon Sealant	Dow Corning/ Wacker/ GE/ Du-pont
63.	Structural steel	TATA/ SAIL/ RINL/TISCO/JSW Steel ltd./Jindal steel & Power ltd.
64.	Super plasticizer	MC Baucheme/ Sika/ Fosroc
65.	Synthetic Enamel Paints	Gloss Synthetic Enamel of ICI(Dulux)/Asian (Apolite Premium gloss)/Berger (Luxol Hi Gloss)/ Synthetic Hi Gloss of Nerolac
66.	Terrazzo tiles /Mosaic Tiles	Raj-Tiles/ Bharat/ Rigid Tiles/NIC/A-1/GTC
67.	Cement Concrete Paver Block &Kerb stone	Rigid Tiles/ Raj-Tiles/Advance
68.	Textured Exterior wall paint	Spectrum/ Ultratech / Heritage by Bakelite coating and paints/Asian paint/Berger/Nerolac/Luxture.
69.	Towel Ring/Towel Rod/Towel Rack	Kamal/ Marc or equivalent /Prayag
70.	Pre-Painted/powder coated CRC windows	M/s classic engineers and fabricators/ M/s JK Enterprises Jaipur/ Nclalltek&seccolor ltd. Hyderabad/ ultimate safety metals.
71.	Veneer	Archid/ SUN/ Durian/ Ventura/ NLDK
72.	Virtuosos China Wash Basin Oval	Hindware / Parryware /KEROVIT' by Kajaria/CERA/Jaguar/ESSCO by Jaquar /Prayag
73.	Vitreous China Floor moulded European with Cistern Complete	Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar /Prayag
74.	Vitreous China Floor Mounted European W.C. without cistern	Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar/Prayag
75.	Vitreous China Half stall Urinal	Model No. 6002 Urinal flat back large of Hindware or magnum of Parryware/ ESSCO by Jaquar/Prayag
76.	Vitreous China laboratory Sink	Hindware / Parryware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar/Prayag

77.	Vitreous China Low Level Cistern for European W.C.	Hindware / Parryware / KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar/Prayag
78.	Vitreous China Pedestal for Wash Basin	Pedstal of Parryware / Hindware or equivalent/ CERA/Jaguar/ ESSCO by Jaquar/Prayag
79.	Vitreous China Wall Mounted W.C. with vitreous Cistern (component)	Parryware / Hindware / KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar/Prayag
80.	Vitreous China Wall Mounted W.C. without Cistern.	Parryware / Hindware / KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar/Prayag
81.	Vitreous China Wash Basin Rectangular without Pedestal	Hindware / Parryware / KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar/Prayag
82.	Vitrified / Porcelain Tile	Marbogranit/ Euro/ Somany/ diamond of Naveen / Granamite of Bell / OASIS/ceramic/ Granito/ Kajaria/ M/s Restile//Rak/ Johnson/Nitco/ Varmora/AGL/Marbitio.
83.	Waste Pipe	Kamal with brass checknut/Viking
84.	Water Proofing Compound (Liquid)	Pidiproof Ltd./CICO/ Super plast by M/s Structural water proofing/ Impermo/FOSROC/Dr.Fixit (Pidilite Industries))/BASF/ROFF/SIKA/ArdexEndura (BalEndura).
85.	White Cement	JK White/ Birla White.
86.	CPVC Pipes as per IS: 15778	AKG/Ashirvad/PRIME FLOW OF KRISHI POLYMERS/Supreme/KSR by Kisan irrigation/Flowguard plus by finolex/Prince /Prayag
87.	Teak wood/hard wood wire mesh & panel doors	A-1 Teak product Indore or equivalent.
88.	Reinforcement steel	Tata/Sail/RINL/Jindal/Jindal steel & power ltd.
89.	Block Boards as per IS: 1659	JAYNA/Century/Greenply/Archid/Kitply or equivalent.
90.	Brass bib cocks/stop cock	Marc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS : 781 or equivalent/Prayag
91.	Brass ball cocks (Float valve)	Marc/Parko/Jaquar /SPRING COLLECTION OF PRIMA as per IS:1703 or equivalent/Prayag
92.	Water meter	SPRING COLLECTION OF PRIMA as per IS: 779 or equivalent.
93.	HDPE Pipes as per IS:4984	KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Reliance/Jain
94.	uPVC Pipes as per IS: 4985	KRISHNA plast pipes/AKG/ KSR by Kisan irrigation/Supreme/Astral/Prince/Ashirwad/Prayag
95.	uPVC Screen and casing pipes for bore well/tube well as per IS : 12818	KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Prayag
96.	uPVC-SWR Pipes SN 8 as per IS: 13592	KRISHNA plast pipes/KSR by Kisan irrigation/Finolex/AKG/Supreme/Prince/Ashirwad/ Astral/Prayag
97.	Wooden Shutter with frame	Siesto Brand by Bramsaria doors or equivalent.
98.	uPVC Windows/Doors	SIESTO Brand by Bhimsaria Polymers/Duroplast/Fenesta/Komerling/Wintech/Al uplast
99.	Cement (OPC/PPC)	A.C.C., Jaypee Cement, Ultratech, Shri Cement, JK

		Lakshmi, GujratAmbuja Cement and Cement Corporation of India.
100	Corrugated GI Sheets	Tata, Essar , Sail JSW, Bhusan
101	Colour coated profile sheets	Tata (Ezydeck)/Lloyd Superdeck/JSW/Jindal
102	Float Glass Profile Sheet TATA (transparent)	Tata, Modiguard, Saint Gobain
103	Aluminium doors & window fittings (Heavy duty)	Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco
104	Steel/Wood primer / paint	ICI delux, nerolac, berger, asian
105	Bitumen 85/25 Emulsion (MS)	HPCI, IOCL,BPCL
106	PVC water storage tanks	Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme
107	Bitumen VG-30, VG-10	As per particular specification of item from IOCL, BPCL, HPCL.
108	Rigid Phenolic foam for cold and hot insulation as per IS: 13204	Phenotherm manufactured by Bakelite Hylam ltd
109	Surface Texture Finishes	Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent
110	FRP Chhajjas	Selected Products Company or equivalent.
111	FRP Porta cabin	Selected Products Company or equivalent.
112	G.I. Wire-mesh/Netting	Selected Products Company or equivalent.
113	Wall Putty (White Cement based)	Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete
114	AAC block	'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.
115	UPVC Agriculture/Pressure pipes and fittings	AKG Extrusion Pvt Ltd. or equivalent /Prayag
116	UPVC underground drainage & sewerage pipes SN 8 as per IS:15328	KSR by Kisan irrigation/Finolex/AKG/Supreme/Prayag
117	Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work	Skyler World or equivalent.
118	Fabrication of aluminium structural glazing and aluminium doors & windows.	KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.
119	Processing and fabrication of glass (toughened, DGU and lamination	Wadhwa Glass Works (P) Ltd., Raipur or equivalent.
120	Glass reinforced Gypsum (GRG) false ceiling	'Diamond' manufactured by Diamond International Inexpvt. Ltd/Gyproc by Saint Gobain.
121	Wooden shutter with frame	'Bhimsaria' or equivalent
122	PPR-C pipes as per IS: 15801	KSR brand/Supreme/Prayag
123	PVC fittings as per IS: 10124 and IS: 7834	KSR brand or equivalent/Prayag
124	PVC underground draingae pipes (structured wall type) as per IS: 16098	Supreme or equivalent/Prayag
125	PVC septic tanks	'Safegard' by Supreme or equivalent
126	PVC underground water tanks	'Amrutam' by Supreme or equivalent

127	PVC readymade toilet blocks	'Cleanage' by Supreme or equivalent
128	PVC chambers & Manholes	Supreme or equivalent
129	Pre-Painted/powder coated CRC windows	M/s classic engineers and fabricators/ M/s JK Enterprises Jaipur/ Nclalltek&seccolor ltd. Hyderabad/ ultimate safety metals.
130	White cement based polymer modified self curringmortor	Ultratech/Dr.Fixit/ Sika/ Fosroc
131	Gypsum plaster	Ferrous crete/ Gyproc (Elite-90)/ Ultratech
132	Tile Adhesive	Ferrous Crete / Ardex/ Endure (Gold Star)/ Pidilite (Fevimatex)/ Weabr (Saint Gobain)
133	Integral water proofing compound with cement (for plaster & mortar)	FOSROC/ Conplast 421/Dr.fixit : LW+/ Sika : sikacim/Asian Paints: Smart care vitalia& equivalent product of BASF/CICO/ArdexEndura
134	Water proofing for bathroom/toilet/balcony & other wet areas.	Fosroc: Brush Bond/CICO:Tapecrete/Dr.fixti : Pidilite 2k/Sika: Nito Bond/Asian Paints: Damp Block 2k & Equivalent Product of BASF/Ardex endure
135	Crystalline water proofing compound.	Fosroc : Fosroc crystalline/Dr.Fixit: Dr.fixit crystalline/Sika: Sika Crystalline/Asian Paints:Crystalline Quart & Equivalent Product of BASF/CICO/ArdexEndura
136	Polycarbonate sheet	GE Plastic/Lexan/MG Polyplast
137	Fire rated doors	Signum fire protection/Shakti Metdoor/NAVAIR/Sukri/Promat International
138	Stainless steel railing Accessories	Jindal/Dorma/Kich/GEZE/Godrej/Hardwyn
139	Stainless steel door & windows fittings	Jindal/Dorma/Kich/Dorset/Godrej/Ozone
140	Acrylic Distemper 1 st quality (washable/Readymix/Low VOC)	Asian Paints (Tractor Aqua Lock Paint)/ Berger: commando or equivalent paints of Nerolac or ICI-Dulux.
141	Plastic emulsion plaint	Asian paint: (Apcolite Heavy Duty Premium Emulsion paint)/ Nerolac :Impressio/Berger:Easy clean/ICI-Dulax:Velvet touch
142	Acrylic Smooth Exterior Paint	Asian Paint : (Apex/ Professional Premium Exterior Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled
143	Premium Acrylic Smooth Exterior Paint with Silicon Additive	Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max
144	Fire paint	Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun
145	D.I. Pipes & fittings	Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom
146	C.I. manhole covers, frames & CI Gratings	Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh
147	SFRC manhole cover & Grating	K.K./Jain Pragati
148	C.P. Brass fittings (Superior Range)	Jaquar/Grohe/Roca/Prayag
149	Sanitary ware fittings & Accessories (Superior range)	Kohler/Roca/Hindware/Parryware/Prayag

150	Mirror glass	Atul/Modi Guard/Golden Fish
151	Extruded Polystyrene Insulation Board	Dow Corning/Supreme/Taxes/Analco
152	Heat Resistant Tiles	Swastik/Thermatek
153	Floor Hardener	Ironite/Ferrok/Hardonate
154	Modular Expansion Joint	Herculus/Sanfield India Ltd. Vexcolt
155	Glass Wool	Dow Corning/ U.P. Twinga/Isover
156	UPVC Doors and window hardware	Rotto/Dorset/Kinlong
157	AAC Block adhesive	Ecorex/Ultratech/ArdexEndura/Ferrous Crete
158	Ready Mix Plaster	Ultratech/Ferrous Crete/Saint Gobain
159	Post tension slab	Ultracon technology limited/Tech-9/CRUX
160	Acoustical Wall paneling	Hush or equivalent to be decided by Engineer-in-charge.
161	Sports Vinyl Flooring	Ebaco or equivalent to be decided by Engineer-in-Charge

PROFORMA OF SCHEDULES

SCHEDULE 'A'

Schedule of quantities (as per PWD-3) : **(Attached in e-procurement site)**

SCHEDULE 'D'

Extra schedule for specific requirements/
document for the work, if any. : **Nil**

SCHEDULE 'E'

Reference to General Condition of Contract : CPWD GCC-2020 (Construction Works) modified and amendment up to the last date of submission of tender.

Name of work : "Upgradation of Burn Ward at Hospital Block, AIIMS Raipur"

Reference to General Condition of Contract : CPWD GCC-2020 (Construction Works) modified and amendment up to the last date of submission of tender.

Estimated Cost of work : **Rs. 1,66,09,836.00**

(i) Earnest money : **Rs. 3,33,000.00**
(To be returned after receiving of Performance Guarantee)

(ii) Performance Guarantee : 3% of tendered value.

(iii) Security Deposit : 2.5% of tendered value.

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS:

Officer inviting tender : **Executive Engineer, AIIMS Raipur on behalf of Director AIIMS Raipur.**

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3. : See below

Definitions:

2(v) Engineer-in-Charge : Executive Engineer, AIIMS Raipur

2(viii) Accepting Authority : Executive Engineer, AIIMS Raipur (C.G)

2(x) Percentage on cost of materials and labour to cover all overheads and profits : 15%

2(xi) Standard Schedule of Rates : As per DSR (Civil) 2021, DSR (E&M) 2022

2(xii) Department

: Project Cell, AIIMS Raipur.

9(ii) Standard CPWD contract Form

: GCC (Construction Works) 2020 & CPWD Form 7/8 as modified & corrected up to last date of receipt of Bid/tender.

CLAUSE 1

(i) Time allowed for submission of Performance Guarantee, programme chart (Time and progress) and applicable labour Licenses, registration with EPFO, ESIC and BOCW welfare board or proof of applying Thereof from the date of issue of letter of acceptance

: 07 Days

(ii) Maximum allowable extension with late fee @ 0.1% per day of Performance Guarantee amount beyond the period Provided in (i) above

: 03 Days

CLAUSE 2

Authority for fixing compensation under clause 2

: Superintending Engineer/ Director, AIIMS

CLAUSE 2A

Applicable clause 2/ Clause 2A

: CLAUSE 2

CLAUSE 5

Number of days from the date of issue of letter of acceptance for reckoning date of start Mile stone(s) as per table given below:-

: 10 Days

Sl No	Description of Milestone (Physical)	Time allowed in days (from date of start)	Amount to be withheld in case of non-achievement of
1			
2	NIL		
3			
4			

Time allowed for execution of work – **06 Months.**

Authority to decide:

(i) Extension of time : Executive Engineer, AIIMS Raipur (C.G.)

~~(ii) Rescheduling of mile stones : Executive Engineer/Director, AIIMS Raipur~~

(iii) Shifting of date of start in case of delay in handing over of site : Executive Engineer/Director, AIIMS Raipur

PROFORMA OF SCHEDULES CLAUSE 5

Schedule of handing over of site

Part	Portion of Site	Description	Time Period for handing over reckoned from date
------	-----------------	-------------	---

			of issue of letter of Intent.
Part A	Portion without any hindrance	All works	10 days
Part B	Portions with encumbrances	NA	NA
Part C	Portions dependent on work of other agencies	NA	NA

Clause 5

Applicable clause 5/ Clause 5A

: **Clause 5**

CLAUSE 7

Gross work to be done together with : net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment.

Running Account Bills to be submitted by Contractor and payment to be made after 30 days from payment of Previous RA Bills

CLAUSE 7 A

Whether clause 7A shall be applicable

: **YES**

CLAUSE 10A

: **As required by Engineer-in-Charge**

CLAUSE 10B (II)

Whether Clause 10 B (ii) shall be applicable

: **Not Applicable**

CLAUSE 10C

Component of labour expressed as percent of value of work

: **Not Applicable**

CLAUSE 10CC

: **Not Applicable**

CLAUSE 11

Specifications to be followed for execution of work
**modification
tender**

: **CPWD Specifications 2019 Vol-I & Vol-II (Civil), Electrical with up to last date of submission.**

CLAUSE 12

Authority to decide deviation upto 1.5 times of tendered amount

: **Executive Engineer/Director, AIIMS Raipur**

12.2&12.3

Deviation Limit beyond which clauses
12.2 & 12.3 shall apply for building work : 100%

12.5

- (i) Deviation Limit beyond which clauses
12.2 & 12.3 shall apply for foundation work
(except items mentioned in earth work subhead : 100 %
in DSR and related items)
- (ii) Deviation Limit for items mentioned in earth
work subhead of DSR and related items : 100 %

CLAUSE 16

Competent Authority for deciding reduced : Superintending Engineer/ Director, AIIMS Raipur
rates.

CLAUSE 18

List of mandatory machinery, tools & plants : As required by Engineer -in- Charge
to be deployed by the contractor at site

CLAUSE 19 C..... Engineer- in charge (Executive Engineer)

CLAUSE 19 D..... Engineer- in charge (Executive Engineer)

CLAUSE 19 G Engineer- in charge (Executive Engineer)

CLAUSE 19 K Engineer- in charge (Executive Engineer)

CLAUSE 19 L Applicable

CLAUSE 25

Constitution of Dispute Redressal Committee (DRC): AIIMS, Raipur

CLAUSE 32 : **As per direction of Engineer-in-Charge**

CLAUSE 38

- (i) Schedule/statement for determining
theoretical quantity of cement & bitumen
on the basis of : Delhi Schedule of Rates-2021
- (ii) Variations permissible on theoretical quantities
- (a) Cement
- For works with estimated cost put to : 3% Plus/minus
tender not more than Rs. 25 lakh
- For works with estimated cost put to : 2% Plus/minus
tender more than Rs. 25 lakh
- (b) Bitumen all works : 2.5% Plus & only & nil on minus
side
- (c) Steel Reinforcement and Structural : 2% Plus/minus
steel section for each diameter,
section and category
- (d) All other materials : Nil

SCHEDULE OF QUANTITY

Name of Work: Upgradation of Burn Ward at Hospital Block, AIIMS Raipur.

NIT No: 35/EE/AIIMS/RPR/2023-24

Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT (Inclusive of all Taxes) in Rs. P
1	2	3	4	5	6
1	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	1.54	cum	11397.83	17552.66
2	Centering and shuttering including strutting, propping etc. and removal of form for :				
2.01	Suspended floors, roofs, landings, balconies and access platform	9.20	sqm	815.07	7498.64
2.02	Lintels, beams, plinth beams, girders, bressumers and cantilevers	13.01	sqm	646.86	8415.65
3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
3.01	Thermo-Mechanically Treated bars of grade Fe-500D or more.	698.80	kg	95.32	66609.62
4	Brick work with non modular fly ash bricks conforming to IS:12894, class designation 10 average compressive strength in super structure above plinth level up to floor V level in :				
4.01	Cement mortar 1:6 (1 cement : 6 Coarse sand)	2.46	cum	8162.21	20079.04
5	Half brick masonry with non modular fly ash bricks of class designation 7.5, in super structure above plinth and upto floor V level.				

5.01	Cement mortar 1 : 4 (1 cement : 4 coarse sand)	147.75	sqm	1031.03	152334.68
6	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels : Granite of any colour and shade :				
6.01	Area of slab upto 0.50 sqm	1.99	sqm	4975.55	9901.34
6.02	Area of slab over 0.50 sqm	8.21	sqm	4705.47	38631.91
7	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.				
7.01	Granite work	13.19	metre	445.36	5874.30
8	Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete.	13.19	metre	505.65	6669.52
9	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	1.00	each	859.31	859.31
10	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white	45.78	sqm	1130.77	51766.65

	cement mixed with pigment of matching shade complete.				
11	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	39.00	each	910.50	35509.50
12	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete.				
12.01	Size 40 mm	108.00	each	290.23	31344.84
13	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
13.01	200x10 mm	6.00	each	96.55	579.30
13.02	100x10 mm	88.00	each	62.36	5487.68
14	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.				
14.01	Twin rubber stopper	39.00	each	66.19	2581.41
15	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete.				
15.01	Double strip (horizontal type)	208.00	each	36.31	7552.48
16	Providing and fixing powder coated telescopic drawer channels 300-600 mm long with necessary screws etc. complete as per directions of Engineer-in- charge.	12.00	one set	377.52	4530.24
17	Providing and fixing bright /matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete.				
17.01	125 mm	60.00	each	106.81	6408.60

17.02	75 mm	160.00	each	52.05	8328.00
18	Providing and fixing cupboard shutter with 19mm thick one side decorative and other side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand including 2mm thick PVC edge banding tape with hot glue by edge bending machine etc. with auto closing spring loaded hinges (hydraulic type) etc. complete as per direction of Engineer-in-charge.(Payment of providing and fixing auto closing hinges shall be paid separately)	80.00	sqm	2726.04	218083.20
19	Providing and fixing 19mm thick both side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand boxes,shelves,racks,almirah,cupboard and drawer etc. including necessary nails,screws etc. complete as per direction of Engineer incharge.	30.00	sqm	2487.70	74631.00
20	Providing and fixing stainless steel fancy handle of approved make fixed with SS screws etc. complete as per direction of Engineer-in-charge.				
20.01	200 mm	12.00	each	162.84	1954.08
21	Providing and fixing stainless steel (Grade 304) underneath cabinets and wall mounted cabinets, made of Hollow tubes, channels, plates, sheets of required thickness etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts, hinges, handles, other accessories complete, i/c fixing at site with necessary accessories, stainless steel dash fasteners, stainless steel bolts etc. of required size, on the top of the floor, the side of waist slab or over the wall with suitable arrangement as per instructions of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered including weight of hinges & handles but excluding fixing accessories such as nuts, bolts, fasteners etc.)	1193.69	kg	651.01	777104.13
22	Providing and fixing anti microbial Epoxy flooring of thickness not less than 3 mm, in required colour, patterns etc. having anti glare, anti slip properties, corrosion resistant, corners should be uniformly curved, final surface should be non corrosive to biological fluids, detergents etc.	424.16	sqm	1515.44	642789.03

	all complete as per the instructions of Engineer In charge.				
23	Providing and fixing powder coated aluminium channel of size 25 x 20 mm and thickness 1.2 mm, with metal runner made of MS & PVC material in the ceiling pipe set 2 mm thick Tee powder coated of required size and MS powder coat fitting wall to wall of size 50 x 25 mm thickness 2.5 mm and other required fittings, screws, hardware etc all complete of approved quality & make as per the instructions of Engineer in charge.	54.16	metre	1180.56	63939.13
24	Providing and fixing anti bacterial, waterproof, polyester fabric ICU curtain of required size & GSM and colour including fixing to the channel with required fittings, hardware etc all complete of approved quality & make as per the instructions of Engineer in charge.	97.48	sqm	304.86	29717.75
25	Providing and fixing in position Two bay stainless steel (304 grade) scrub station with automatic sensor & foot operated tap with hot and cold water temperature controller valve and foot operated soap dispenser arrangement of approved make and quality as per the direction of engineer in charge.	2.00	each	135149.78	270299.56
26	Providing and laying epoxy coating of required color and thickness over the existing surface including preparation of base surface and number of coats required for getting even finish as per the instructions of Engineer Incharge.	957.83	sqm	531.65	509230.32
27	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	14.22	sqm	997.91	14190.28
28	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey				

	cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.				
28.01	Size of Tile 600x600 mm	43.00	sqm	1506.32	64771.76
29	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, dado, wall tiles over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete.				
29.01	Size of Tile 600x600 mm	957.83	sqm	1559.33	1493573.05
30	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester				

	paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.				
30.01	GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation, and backed with a black Glass fiber acoustical fleece.	461.49	sqm	1856.79	856890.02
31	12 mm cement plaster of mix :				
31.01	1:6 (1 cement: 6 coarse sand)	5.00	sqm	312.98	1564.90
32	15 mm cement plaster on rough side of single or half brick wall of mix:				
32.01	1:6 (1 cement: 6 coarse sand)	5.00	sqm	360.57	1802.85
33	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	10.00	sqm	131.69	1316.90
34	Wall painting with emulsion paint with Silver Ion Technology and having antifungal and antibacterial characteristics, VOC (Volatile Organic Compound) content should less than 50 grams/ litre of approved brand, manufacture and recommended by Indian Medical Association, including applying additional coats wherever required to achieve even shade and colour as per the instructions of Engineer In-charge: Two or more coats applied on walls @ 0.71 ltr/10 sqm over and including one coat of Special primer applied @ 0.75 ltr /10 sqm	179.43	sqm	139.58	25044.84
35	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :				
35.01	One or more coats on old work	26.60	sqm	92.03	2448.00

36	Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, embedding hold fasts in cement concrete blocks of size 15 x 10 x 10 cm with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size), painting two coats of approved wood preservative to sides of chowkhats and making good the damages to walls and floors as required complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.				
36.01	Door chowkhats	10.00	each	1600.59	16005.90
37	Making the opening in brick masonry including dismantling in floor or walls by cutting masonry and making good the damages to walls, flooring and jambs complete, to match existing surface i/c disposal of mulba/ rubbish to the nearest municipal dumping ground, all complete as per direction of Engineer-in-Charge.				
37.01	For door/ window/ clerestory window	8.82	sqm	1113.22	9818.60
38	Taking out existing wooden flush door shutter, repair by cutting, painting etc. and refixing of repaired door shutters to existing door frames, including replacement of hinges with screws, etc. as required, all complete as per the direction of the Engineer-in-charge.	11.00	each	346.58	3812.38
39	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
39.01	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	1.00	cum	2134.15	2134.15
40	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	0.82	cum	3113.45	2553.03
41	Extra for cutting reinforcement bars manually/ by mechanical means in R.C.C. or R.B. work (Payment shall be made on the cross sectional area of R.C.C. or R.B. work) as per direction of Engineerin- charge.	1.01	sqm	1007.05	1017.12
42	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres				

	lead as per direction of Engineer-in-charge.				
42.01	In cement mortar	12.26	cum	1805.96	22141.07
43	Dismantling doors, windows and clerestory windows (steel, aluminium or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :				
43.01	Of area 3 sq. metres and below :	12.00	each	321.86	3862.32
43.02	Of area beyond 3 sq. metres	2.00	each	440.79	881.58
44	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
44.01	For thickness of tiles 10 mm to 25 mm	385.90	sqm	64.33	24824.95
45	Dismantling stone slab flooring/ cladding laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	11.70	sqm	233.66	2733.82
46	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	614.93	sqm	47.90	29455.15
47	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing, wooden furniture and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 meters lead as directed by Engineer-in-charge.	461.49	sqm	49.44	22816.07
48	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	40.11	cum	233.23	9354.86
49	Providing and fixing wash basin with C.I. brackets, 15 mm CP Brass single hole basin mixer, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
49.01	White Vitreous China Angle back wash basin size 400 x 400 mm with 15 mm CP Brass single hole basin mixer	6.00	each	4618.63	27711.78

50	Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole elbow operated levers ISI Marked basin mixer.	7.00	each	4829.93	33809.51
51	Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia	6.00	each	6506.49	39038.94
52	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
52.01	Flexible pipe 32 mm dia	7.00	each	110.96	776.72
53	Providing and fixing soil, waste and vent pipes :				
53.01	100 mm dia Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	4.00	metre	1145.60	4582.40
53.02	75 mm diameter : Centrifugally cast (spun) iron socketed pipe as per IS: 3989	4.00	metre	1108.06	4432.24
54	Providing and filling the joints with spun yarn, cement slurry and cement mortar 1:2 (1 cement : 2 fine sand) in S.C.I./ C.I. Pipes :				
54.01	75 mm dia pipe	20.00	each	147.48	2949.60
54.02	100 mm dia pipe	20.00	each	173.80	3476.00
55	Providing and fixing plain bend of required degree.				
55.01	100 mm dia Sand cast iron S&S as per IS : 3989	2.00	each	467.59	935.18
55.02	75 mm dia Sand cast iron S&S as per IS - 3989	2.00	each	317.08	634.16
56	Providing and fixing single equal plain junction of required degree :				

56.01	100x100x100 mm Sand cast iron S&S as per IS - 3989	2.00	each	752.07	1504.14
56.02	75x75x75 mm Sand cast iron S&S as per IS - 3989	2.00	each	530.48	1060.96
57	Providing and fixing collar :				
57.01	100 mm Sand cast iron S&S as per IS - 3989	2.00	each	467.59	935.18
57.02	75 mm Sand cast iron S&S as per IS - 3989	2.00	each	288.63	577.26
58	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors :				
58.01	100 mm inlet and 75 mm outlet Sand cast iron S&S as per IS - 3989	3.00	each	1776.77	5330.31
59	Providing and fixing PTMT Waste Coupling for wash basin and sink, of approved quality and colour.				
59.01	Waste coupling 31 mm dia of 79 mm length and 62mm breadth weighing not less than 45 gms	7.00	each	109.52	766.64
60	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall				
60.01	20 mm nominal dia Pipes	25.00	metre	345.68	8642.00
60.02	50 mm nominal dia Pipes	43.80	metre	985.68	43172.78

61	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.				
61.01	20 mm nominal outer dia Pipes	59.40	metre	546.27	32448.44
62	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work				
62.01	50 mm nominal outer dia Pipes	5.00	metre	863.24	4316.20
63	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete :				
63.01	25 to 40 mm nominal bore	20.00	each	805.02	16100.40
64	Providing and fixing uplasticised PVC connection pipe with brass unions :				
64.01	45 cm length 15 mm nominal bore	20.00	each	90.59	1811.80
65	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet :				
65.01	100 mm diameter	6.00	each	176.88	1061.28
66	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
66.01	15mm nominal bore	20.00	each	532.02	10640.40

67	Providing and fixing PTMT grating of approved quality and colour.				
67.01	Circular type 100 mm nominal dia	11.00	each	35.30	388.30
68	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
68.01	For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron)	135.56	kg	495.82	67213.36
68.02	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron)	45.54	kg	600.55	27349.05
69	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineerin- charge.				
69.01	Pre-laminated particle board with decorative lamination on both sides	6.48	sqm	1011.25	6552.90
70	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-				

	charge . (Cost of aluminium snap beading shall be paid in basic item):				
70.01	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	13.68	sqm	1409.46	19281.41
71	Providing and laying water proofing treatment in sunken portion of WCs, bathroom, walls etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	36.48	sqm	549.30	20038.46
72	Providing and fixing concealed hinge of approved quality for 19-20mm thick door with stainless steel screws complete :	48.00	each	122.86	5897.28
73	Providing and fixing 15-17 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias, skirtings and similar locations of required size, approved shade, colour and texture laid with epoxy resin based adhesive, joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, cleaning, moulding and polishing to edges to give high gloss finish etc. complete at all levels: Granite of any colour and shade and any size:	12.00	sqm	4938.62	59263.44
74	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit & accessories as required.				
74.01	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	776.00	metre	247.75	192254.00
74.02	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	117.00	metre	292.41	34211.97

74.03	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	400.00	metre	355.14	142056.00
74.04	4 X 4 sq. mm + 2 X 4 sq. mm earth wire	765.23	metre	570.99	436938.68
74.05	4 X 16 sq. mm + 2 X 6 sq. mm earth wire	50.00	metre	1451.40	72570.00
75	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
75.01	25 mm	50.00	metre	154.18	7709.00
76	Supplying and fixing following size/modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.				
76.01	1 or 2 Module (75mmX75mm)	8.00	each	316.86	2534.88
76.02	3 Module (100mmX75mm)	15.00	each	347.70	5215.50
76.03	4 Module (125mmX75mm)	3.00	each	364.71	1094.13
76.04	6 Module (200mmX75mm)	39.00	each	427.45	16670.55
76.05	8 Module	6.00	each	482.74	2896.44
77	Supplying and fixing following size/modules, GI box on surface/recess etc. as required.				
77.01	1 or 2 Module (75mmX75mm)	43.00	each	155.88	6702.84
77.02	3 Module (100mmX75mm)	58.00	each	164.89	9563.62
77.03	4 Module (125mmX75mm)	17.00	each	184.54	3137.18
77.04	8 Module	2.00	each	232.87	465.74
78	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
79.01	5/6 A switch	89.00	each	109.52	9747.28

79.02	15/16 A switch	48.00	each	165.87	7961.76
79.03	3 pin 5/6 A socket outlet	44.00	each	129.72	5707.68
79.04	6 pin 15/16 A socket outlet	48.00	each	209.47	10054.56
80	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required.	12.00	each	42.53	510.36
81	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	7.00	each	392.36	2746.52
82	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required.	10.00	each	623.09	6230.90
83	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
83.01	Single pole	48.00	each	272.20	13065.60
84	Dismembering and reinstallation, testing & commissioning of existing 1200 mm sweep ceiling fan including providing and fixing of fan clamp for hanging, wiring the down rods of standard length (upto 30 cm) with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable etc. as required.	28.00	each	301.87	8452.36
85	Supply and Installation of Exhaust fan suitable for single phase, 230 volts, 50 Hz, AC supply having RPM 1100 or better , 225 mm sweep, power input = 35W or less, Air delivery ≥ 700 CFM complete with motor, louvers/ shutters etc. as required in the existing window, includes dismembering of window glass, providing and fixing ACP panel (4mm thickness Aluminium composite panel) framing in place of glass, connection, testing, commissioning etc. as required.	4.00	each	2119.09	8476.36

86	Supply and fixing of Recess/surface mounted LED down lighter fixture having wattage 14-18 watt, powder coated CRCA / die-cast aluminium housing, with high efficiency diffuser, CCT 5700K- 6500K, CRI >80 with SDCM<5, lumens efficiency output not less than 110 lumens / watt, with EMC/EMI compliant electronic driver having PF>0.9, THD < 10%, & minimum of 3kV surge/burst protection, complete with 50000 hrs burning for lifetime with supporting data sheet LM-79 & LM-80. The LED used in the luminaire shall be only Lumileds, Nichia, Cree, osram & LGIT and hanging with necessary chain etc as required.	50.00	each	1592.17	79608.50
87	Supply and fixing of Recess/surface mounted 600X600mm LED fitting 30-32 watt, powder coated CRCA / die-cast aluminium housing, with high efficiency diffuser, CCT 5700K- 6500K, CRI >80 with SDCM<5, lumens efficiency output not less than 110 lumens / watt, with EMC/EMI compliant electronic driver having PF>0.9, THD < 10%, & minimum of 3kV surge/burst protection, complete with 50000 hrs burning for lifetime with supporting data sheet LM-79 & LM-80. The LED used in the luminaire shall be only Lumileds, Nichia, Cree, osram & LGIT and hanging with necessary chain etc as required.	52.00	each	3898.96	202745.92
88	Supplying, Installation and testing of a 60 mm thick hermetically sealed automatic single sliding door of 2.1 m (H) x 1.8 m (W) with double sided wall frame with HPL plank of required size. The controller should be capable of being operated by elbow switches/ foot switches as well as touch less sensor. The track should be of Stainless steel/ Aluminum and the running surface for the top rollers should be suitably angled to reduce resistance to movement. The door profile should be of aluminium Alloy, door skin should be of HPL at both side of door and colour should match the interior and care should be taken to make the leaf strong and light weight. The door leaf should be hung by rollers of high quality self-lubricating double bearing at the top. Rollers should be provided under the stainless steel/ Aluminum track to enable smooth and noiseless movement. Opening and closing of the door should be microprocessor controlled electromechanical movement. One should be able to open and close the door effortlessly in case of failure of the	1.00	each	360071.18	360071.18

automatic mechanism. Door opening handle should be of SS (gloss finish), i/c high quality cylindrical lock. Door leaf should have high quality synthetic rubber gasket with long life to ensure hermetic sealing, Air tightness 99.99% at a pressure of 100Pa. The finished floor on either side of the door should be perfectly level (maximum permissible difference +1mm). The overall thickness of the finished door should be 60mm. The inner part of the door should be filled with CFC free polyurethane foam. (Sealed airtight to prevent further ingress of any microbial organism). All motors used should be DC brushless motors with essential isolation from mains. Door should be with a vision window 300 mm x 300 mm with double glazed panels. Noise level should not exceed 60 db. The starting time after receiving the signal should be adjustable between 0.5 to 20 seconds or better. The complete door assembly should be BIS/ European CE marked/ US FDA approved. Test certificate for hermetically sealed door frame (factory test certificate) should be enclosed with the pre dispatch documents. Additional safety should be provided by means of photo cell fitted across the door opening. If an obstruction is present and prevents the door from closing, the intelligent automation sense with self-reversal function thus eliminating the need for an ugly safety strip. Variable options for the opening and closing speeds, time delay closing and part opening for pedestrian use and are easy to adjust.

89	<p>Supplying, Installation and testing of a 60 mm thick hermetically sealed Radiation proof automatic single sliding door of 2.1 m (H) x 1.8 m (W) with double sided wall frame with HPL plank of required size. The controller should be capable of being operated by elbow switches/ foot switches as well as touch less sensor. The track should be of Stainless steel/ Aluminum and the running surface for the top rollers should be suitably angled to reduce resistance to movement. The door profile should be of aluminium Alloy, door skin should be of HPL at both side of door and colour should match the interior and care should be taken to make the leaf strong and light weight. The door leaf should be hung by rollers of high quality self-lubricating double bearing at the top. Rollers should be provided under the stainless steel/ Aluminum track to enable smooth and noiseless movement. Opening and closing of the door should be microprocessor controlled electromechanical movement. One should be able to open and close the door effortlessly in case of failure of the automatic mechanism. Door opening handle should be of SS (gloss finish), i/c high quality cylindrical lock. Door leaf should have high quality synthetic rubber gasket with long life to ensure hermetic sealing, Air tightness 99.99% at a pressure of 100Pa. The finished floor on either side of the door should be perfectly level (maximum permissible difference +1mm). The overall thickness of the finished door should be 60mm. The inner part of the door should be filled with CFC free polyurethane foam. (Sealed airtight to prevent further ingress of any microbial organism). The door and controls should comply with IEE regulation. Motors used should be AC Servo motor with essential isolation from mains. Door should be Lead-lined (minimum 2 mm thick) in compliance with AERB guidelines for Radiation safety for use of C-Arm. All motors used should be DC brushless motors with essential isolation from mains. Door should be with a vision window 300 mm x 300 mm with double glazed panels or as decided by Engineer-in-charge. Vision Window should be made of Lead- lined glass (minimum 2 mm thick lead equivalent) in compliance with AERB guidelines for Radiation safety for use of C-Arm. Noise</p>	1.00	each	541368.88	541368.88
----	--	------	------	-----------	------------------

	<p>level should not exceed 60 db. The starting time after receiving the signal should be adjustable between 0.5 to 20 seconds or better. The complete door assembly should be BIS/ European CE marked/ US FDA approved. Test certificate for hermetically sealed door frame (factory test certificate) should be enclosed with the pre dispatch documents.</p> <p>Additional safety should be provided by means of photo cell fitted across the door opening.</p> <p>If an obstruction is present and prevents the door from closing, the intelligent automation sense with self-reversal function thus eliminating the need for an ugly safety strip.</p> <p>Variable options for the opening and closing speeds, time delay closing and part opening for pedestrian use and are easy to adjust.</p>				
90	<p>Supplying, Installation and testing of a 60 mm thick hermetically sealed Radiation proof automatic single sliding door of 2.1 m (H) x 1.0 m (W) with double sided wall frame with HPL plank of required size. The controller should be capable of being operated by elbow switches/ foot switches as well as touch less sensor. The track should be of Stainless steel/ Aluminum and the running surface for the top rollers should be suitably angled to reduce resistance to movement. The door profile should be of aluminium Alloy, door skin should be of HPL at both side of door and colour should match the interior and care should be taken to make the leaf strong and light weight. The door leaf should be hung by rollers of high quality self-lubricating double bearing at the top. Rollers should be provided under the stainless steel/ Aluminum track to enable smooth and noiseless movement. Opening and closing of the door should be microprocessor controlled electromechanical movement. One should be able to open and close the door effortlessly in case of failure of the automatic mechanism. Door opening handle should be of SS (gloss finish), i/c high quality cylindrical lock. Door leaf should have high quality synthetic rubber gasket with long life to ensure hermetic sealing, Air tightness 99.99% at a pressure of 100Pa.</p>	1.00	each	513476.93	513476.93

	<p>The finished floor on either side of the door should be perfectly level (maximum permissible difference +1mm). The overall thickness of the finished door should be 60mm. The inner part of the door should be filled with CFC free polyurethane foam. (Sealed airtight to prevent further ingress of any microbial organism). The door and controls should comply with IEE regulation. Motors used should be AC Servo motor with essential isolation from mains. Door should be with a vision window 350 mm x 350 mm with double glazed panels or as decided by Engineer-in-charge. Vision Window should be made of Lead- lined glass (minimum 2 mm thick lead equivalent) in compliance with AERB guidelines for Radiation safety for use of C-Arm. Noise level should not exceed 60 db. The starting time after receiving the signal should be adjustable between 0.5 to 20 seconds or better. The complete door assembly should be BIS/ European CE marked/ US FDA approved. Test certificate for hermetically sealed door frame (factory test certificate) should be enclosed with the pre dispatch documents. Additional safety should be provided by means of photo cell fitted across the door opening. If an obstruction is present and prevents the door from closing, the intelligent automation sense with self-reversal function thus eliminating the need for an ugly safety strip. Variable options for the opening and closing speeds, time delay closing and part opening for pedestrian use and are easy to adjust.</p>				
91	<p>Supply, Installation, Testing and Commissioning of 3000 CFM DX type (8 Row) (FM/CM AHU) DX COMPATIBLE Double Skin Air Handling Units with EXV Kit, Thermal break profile constructed of extruded aluminum hollow sections framework, pre-plasticised GS Sheets of 20G (outside) / 20G (inside) with 45 mm thick injected PUF / 40 kg/cu.m + 5% density, consisting of fan section with DIDW type Centrifugal Fan & High Eff (IE-3) TEFC IP 55 motor, vibration isolators. Coil Section with 8 row-DX Coil, insulated sandwich type drain tray of SS (inside) / GI (outside). All internal corners to be with coving sections of extruded aluminium. Internal surface shall be smooth and shall be cleanable without any projection. AHU shall be provided with test ports with plugs</p>	2.00	Nos.	1612891.00	3225782.00

	to facilitate testing & measuring of air quality before & after coil & after fan section. Each unit shall be provided with a factory assembled filter section containing Pre filter of MERV-8 & Fine filter of MERV-13 washable synthetic type air filters having GI frame. Filter media and frame shall be rust proof and corrosion resistant. Filter bypass rating shall ensure F8 standard of EN 1886 European standard. Unit shall be floor mounted as per site requirement with sandwich type insulated SS drain tray, door limit switches, Heat recovery wheel, prefilter section with filters 90% down to 10 micron, coil section coil connected to DX system, distributor, fan section with backward curved fans. Static pressure -130.AHU shall have a suitable UV light fitted across the coil section for air purification. AHU shall be mounted on floor/Ceiling Suspended (As per direction of Engineer Incharge) with vibration isolators.(Provision to control RH% as per required is also a part of AHU Unit) Unit shall be with factory fitted inlet/outlet aluminium aerofoil dampers for OT/ICU.20% Capacity increase to be considered.				
92	Supply & Erection Fire Retardent Canvass Connections with Vibration & Isolation Pad complete as required .	2.00	Nos.	8294.00	16588.00
93	Supply, Installation testing & Commissioning of Microcontroller based 8.5TR Condensing unit. Air Cooled DX Condensing Unit comprising of hermetic sealed scroll compressor, Air Cooled Tube & Fins type condenser, Hp/Lp with necessary controls Including Drier & expansions valves etc. complete as required Top up with green refrigerant after leakage testing and vaccumization.	4.00	Nos.	230377.00	921508.00
94	Supplying, fixing testing commissioning of Laminar plenum Complete as mentioned in Tender.The Plan Air ceiling shall be constructed out of 1.6 mm thick extruded aluminum sheet of size 2400x2400 mm(as required) having eight Nos. of HEPA filters frame section . Having diffuser made out of SS for the plan air ceiling to give a "LAMINAR FLOW" of filtered air.. It shall also provide a shadow less lighting system with control on. All ceiling shall include integral lighting and composite air / light diffuser. Air shall be diffused into the	2.00	Set	488398.00	976796.00

	theater/ICU uniformly over the total area. The laminar flow ceiling should also have illumination across its total area complete as per direction of Engineer Incharge.1 Set means complete Laminar plenum as above only for one ICU/OT.				
95	Supplying, fixing testing commissioning of HEPA filter Set with 99.97% efficiency down to 0.3 micron as per direction of Engineer Incharge.All HEPA filters shall be factory tested and certified in accordance with NABH Guidelines.	2.00	Set	364916.00	729832.00
96	Supplying, fixing testing commissioning AC Control Panel suitable for Floor mounted, Bottom entry type having suitably sized Incomer having MCCB with RYB Indication Lamps, Energy meter with CT, suitably sized Bus bar for following Outgoing Feeders as under: 1) 5 KW AHU Fan1 #2#3#4 DOL Type Starter Feeder - 5No.s (4W+1SB) 2) 10KW 8.5TR Per Unit (Condensing Unit #1 #2#3#4) Power Feeder - 5No.s (4W+1SB) 3) UVGI & Heater Power Feeder - 3No.s (2W+1SB) 4) Control Feeder with 230V/110V/24V Transformer with DP Isolators etc. complete as required as per direction of Engineer Incharge.	1.00	Nos.	635838.00	635838.00
97	Supply,Installation ,Testing and Commissioning of DIGITAL type Display for temperature & RH% indication with temperature & RH% Sensor.	2.00	Nos.	72798.00	145596.00
98	Supply & Erection of 1.1 KV FRLS Copper armoured Power cable - from Panel to AC Unit. 3C x 4 Sq.mm XLPE Insulated with proper clamping & Conduiting as required and as per direction of Engineer Incharge.	30.00	metre	648.00	19440.00
99	Supply & Erection of 1.1 KV FRLS Copper armoured XLPE insulated Control cable - for AC Unit 10C X 2.5 Sqmm with proper clamping & Conduiting as required and as per direction of Engineer Incharge.	150.00	metre	826.00	123900.00
100	Supply, installation, balancing and commissioning of Site fabricated Aluminium 20G rectangular ducting with supports as per IS 655-2006 complete with neoprene rubber gaskets, elbows, splitter dampers, vanes, hangers, supports etc. as per approved drawings and as per specifications of (Galvanizing shall be with zinc nominal 120 gm/sqmtr) Note: Fabrication and jointing of duct shall	150.00	sqm	2046.00	306900.00

	be as per IS standard and hanging shall be as per SMACNA.				
101	Supplying and fixing of 19 mm thickness duly laminated aluminum foil of mat finish closed cell Nitrile rubber (Class "O") insulation on existing duct after applying suitable adhesive for Nitrile rubber. The joints shall be sealed with 50 mm wide and 3 mm thick self adhesive nitrile rubber tape insulation complete as per specifications and as required.	150.00	sqm	852.48	127872.00
102	Supplying & fixing of powder coated extruded aluminium Return Air Grills with louvers but without volume control dampers complete as required.	10.00	sqm	6284.10	62841.00
103	Supplying, Installation, Testing and Commissioning of including vacuumization and nitrogen testing of following nominal sizes of soft/hard drawn copper refrigerant piping for AC unit, complete with fitting with suitable adjustable ring type hanger supports, joining/brazing including accessories, insulated with XPLE Class O Tubular insulation /with closed cell elastometric nitrile rubber tubular sleeves sections of specified thickness as given below-				
103.01	Copper pipe with 15.86 mm dia. (Soft drawn) with 19 mm thickness	80.00	metre	625.22	50017.60
103.02	Copper pipe with 28.58 mm dia. (Soft drawn) with 19 mm thickness	80.00	metre	1178.14	94251.20
104	Providing and fixing of Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge for Drainage.	30.00	metre	757.87	22736.10
105	Supplying and fixing of MS of (40X40X5)mm stand for condensing (Outdoor) with epoxy painting, unit Size - 1040 mm(L)*440mm(W)*300(H)} .	4.00	Nos.	9702.00	38808.00
106	Supply & Fixing of 8 SWG (Copper) Earthing Cable complete as required .	50.00	metre	393.00	19650.00

107	Supply & Fixing of XLPE Insulated Aluminium power cable 4C X 25sq.mm from panel to AC unit proper clamping/Conduiting as required and as per direction of Engineer Incharge.	120.00	metre	704.00	84480.00
108	Supplying ,fixing, testing and commisionning of fire dampers in supply air duct/main branch duct and return air path as and where required of sizes i/c control wiring ,the damper shall be motorized and spring return so as to close the damper in the event of power failure automatically and open the same in case of power being restored. The spring return action shall be inbuilt mechanism and not external mounted. The damper shall also be closed in the event of fire signal complete as required and as per specifications.				
108.01	Fire Damper	8.00	sqm	11333.71	90669.68
108.02	Actuator	4.00	Nos.	10577.71	42310.84
109	Supplying and installation 225 mm width X 50 mm depth X 1.6 mm thickness size of perforated painted with powder coating M.S. cable trays with perforation not more than 17.5%, in convenient sections, joined with connectors, suspended from the ceiling with M.S. suspenders including bolts & nuts, painting suspenders etc as required.	30.00	metre	732.61	21978.30
110	Supply and fixing of insulation work with 6 mm nitrile rubber on existing CPVC drain pipe properly as required.	30.00	metre	194.00	5820.00
Total in Figures					16609836.00