

अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर(छत्तीसगढ़) All India Institute of Medical Sciences, Raipur (Chhattisgarh) Tatibandh, GE Road, Raipur-492 099 (CG) www.aiimsraipur.edu.in

No. AIIMS/R/HS/Surg_Gastro/2023/166/PAC/ 11214

Date: 14/06/2023

Call for Objections

Sub:-Inviting Comments/objections (if any), regarding procurement of Surgical disposable & consumable items for OT and IPD services for the Department of Surgical Gastroenterology at AIIMS Raipur under Proprietary Article.

Surgical Gastroenterology Department, AIIMS Raipur has to procure the surgical disposable & consumable items for their Department through Proprietary Article Basis under GFR -166. The proposal submitted by M/s Johnson & Johnson Private Limited who is sole manufacturer and as well as M/s SAI Associates Durg (C.G.) is authorized distributor of this item along with Proprietary Article Certificate are attached and same upload on AIIMS Raipur website.

The above documents are being uploaded for open information to submit objections/comments (if any) from any manufacturer/supplier before declaring proprietary article for the said equipment/items to be procured, within 11 days (i.e. 24/06/2023) from the date of issuance/uploading of the notifications. The objection should be raised on the technical compliance sheet as enclosed, if any firm claiming suitability of their product with respect to specification mentioned.

The comments should be sent to the office of Stores Office (Hospital), Room No. 146, C-C1 Block, Gate No. 01, AIIMS, Raipur in sealed envelope or through e-mail storesofficer.hp@aiimsraipur.edu.in on or before 24/06/2023 up to 12.00 PM failing which it will be presumed that any other vendor having no comments to offer and case will be decided on merits.

Encl:-

1. Proprietary Letter by Manufacturer

2. Proprietary Letter by Department

3. Authentication letter of vendor

Stores Officer- H
AIIMS Rainutorस्प.)
पंडार अधिकार्यापठास्प.)
Store Officer (H)
एम्स, रायपुर (छ.ग.)
AIIMS, Raipur (C.G)

ANNEXURE-I

Item description and specifications of surgical disposable & consumable items for OT and IPD services for the Department of Surgical Gastroenterology:

item number	Item code	item name	item specification
CATEGO	RY I: AUTOS	SUTURE	
1		Stapler with gripping surface technology - 23 mm	Device Technology: Adjustable Staple Height, Staple Technology: 3D, Cartridge Type: Gripping Surface Technology, Mode of Firing: Powered; Closed Staple Height/Compressed Tissue Thickness: 1.5-2.2 mm; Open Staple Leg Length: 5.2 millimeter, Shaft Length: 24 centimeter, Head Diameter: 23 millimeter, Detachable Anvil, Non slip grip surface, No. of Staples: 20, Lumen: 14.6 millimeter, Material of Staple: Titanium Alloy, Material of Stapler: Medical Grade Plastic, Single use, but ETO sterilizable, (BIS/USFDA/CE certified as applicable)
2			Device Technology: Adjustable Staple Height, Staple Technology: 3D, Cartridge Type: Gripping Surface Technology, Mode of Firing: Powered, Closed Staple Height/Compressed Tissue Thickness: 1.5-2.2 mm, Open Staple Leg Length: 5.2 millimeter, Shaft Length: 24 centimeter, Head Diameter: 29 millimeter, Detachable Anvil, Non slip grip surface, No. of Staples: 26, Lumen: 20.4 millimeter, Material of Staple: Titanium Alloy, Material of Stapler: Medical Grade Plastic, Single use, but ETO sterilizable, (BIS/USFDA/CE certified as applicable)
3		Curved Intraluminal Powered Circular Stapler with gripping surface technology - 31 mm	Device Technology: Adjustable Staple Height, Staple Technology: 3D, Cartridge Type: Gripping Surface Technology, Mode of Firing: Powered, Closed Staple Height/Compressed Tissue Thickness: 1.5-2.2 mm, Open Staple Leg Length: 5.2 millimeter, Shaft Length: 24 centimeter, Head Diameter: 31 millimeter, Detachable Anvil, Non slip grip surface, No. of Staples: 30, Lumen: 22.5 millimeter, Material of Staple: Titanium Alloy, Material of Stapler: Medical Grade Plastic, Single use, but ETO sterilizable, (BIS/USFDA/CE certified as applicable)

4	DCP1004	Curved Intraluminal Circular Stapler - 25 mm	Device Technology: Adjustable Staple Height, Staple Technology: B-Form, Cartridge Type: Flat Deck, Mode of Firing: Manual, Closed Staple Height/Compressed Tissue Thickness: 1.5-2.2 mm, Open Staple Leg Length: 5.2 millimeter, Shaft Length: 26 centimeter, Head Diameter: 25 millimeter, Detachable Anvil, Non slip grip surface, No. of Staples: 20, Lumen: 16.5 millimeter, Material of Staple: Titanium Alloy, Material of Stapler: Medical Grade Plastic, Single use, but ETO sterilizable, (BIS/USFDA/CE certified as applicable)
5	DCP1005	Curved Intraluminal Circular Stapler - 29 mm	Device Technology: Adjustable Staple Height, Staple Technology: B-Form, Cartridge Type: Flat Deck, Mode of Firing: Manual, Closed Staple Height/Compressed Tissue Thickness: 1.5-2.2 mm, Open Staple Leg Length: 5.2 millimeter, Shaft Length: 26 centimeter, Head Diameter: 29 millimeter, Detachable Anvil, Non slip grip surface, No. of Staples: 24, Lumen: 20.4 millimeter, Material of Staple: Titanium Alloy, Material of Stapler: Medical Grade Plastic, Single use, but ETO sterilizable, (BIS/USFDA/CE certified as applicable)
6	DCP1006	Curved Intraluminal Circular Stapler - 33 mm	Device Technology: Adjustable Staple Height, Staple Technology: B-Form, Cartridge Type: Flat Deck, Mode of Firing: Manual, Closed Staple Height/Compressed Tissue Thickness: 1.5-2.2 mm, Open Staple Leg Length: 5.2 millimeter, Shaft Length: 26 centimeter, Head Diameter: 33 millimeter, Detachable Anvil, Non slip grip surface, No. of Staples: 28, Lumen: 24.4 millimeter, Material of Staple: Titanium Alloy, Material of Stapler: Medical Grade Plastic, Single use, but ETO sterilizable, (BIS/USFDA/CE certified as applicable)
7	DCP1007	Curved cutter cum stapler 40 mm with Blue / Green reload	It should have: 40 mm linear cutter with simultaneous cutting and stapling, unique curved head design for lower pelvic access, Max firings: 6, Should have manual pin placement option, reloadable cartridges facility should be available, (BIS/USFDA/CE certified as applicable)
8	DCP1008	Blue Relaod for curved cutter 40 mm	It should have: Curved blue cartridge for 40 mm linear cutter with simultaneous cutting and stapling device. It should be compatible with the above mentioned (item code DCP1007) curved cutter 40 mm. For regular medium thick tissues, 4 staple rows, having open staple height of 3.5 mm, having close staple height of 1.5 mm, Must have tactile feedback on completion of firing sequence, new anvil and knife should be there with every cartridge; (BIS/USFDA/CE certified as applicable)

9	DCP1009	Green Relaod for curved cutter 40 mm	It should have: Curved blue cartridge for 40 mm linear cutter with simultaneous cutting and stapling device. It should be compatible with the above mentioned (item code DCP1007) curved cutter 40 mm. For thick tissues, 4 staple rows, having open staple height of 4.7 mm, having close staple height of 2.0 mm, Must have tactile feedback on completion of firing sequence, new anvil and knife should be there with every cartridge, (BIS/USFDA/CE certified as applicable)
10	DC51010	Titanium Alloy Linear Cutter Stapler Applicator, Length 50-59 Millimeter	The applicator should have: Selectable staple height selector with open linear cutter 55mm having 6 rows of staple line, having staple height selector with cartridge having selectable closed staple height of (1.5mm/1.8mm/2mm). Linear cutter must give intermediate locking position for easy tissue manipulation & two sided firing for easy handling, staple line of 61 mm & cut line of 58 mm. Maximum firings – 12, Selectable staple height selector must be available; (BIS/USFDA/CE certified as applicable)
11	L DCP1011	3D TitaniumAlloy Cartridges for Linear Cutter Stapler, Length 50-59 mm	It should have: Universal linear cutter cartridge length 50-59 mm open linear cutter compatible with the above mentioned (item code DCP1010) selectable staple height linear cutter 55mm. Option of closed staple height of 1.5mm/1.8mm/2mm in one cartridge only. 6 Rows 3-D staple technology made of Titanium Alloy, Single use, but ETO sterilisable, New knife should be there in each cartridge, Open staple height 4.0-5.0; (BIS/USFDA/CE certified as applicable)
12	DCP1012	Titanium Alloy Linear Cutter Stapler Applicator, Length 70-79 Millimeter	The applicator should have: Selectable staple height selector with open linear cutter 75mm having 6 rows of staple line, having staple height selector with cartridge having selectable closed staple height of (1.5mm/1.8mm/2mm). Linear cutter must give intermediate locking position for easy tissue manipulation & two sided firing for easy handling, staple line of 78 mm & cut line of 81 mm. Maximum firings – 12, Selectable staple height selector must be available,(BIS/USFDA/CE certified as applicable)
13	DCP1013	3D TitaniumAlloy Cartridges for Linear Cutter Stapler, Length 70-79 mm	It should have: Universal linear cutter cartridge length 70-79mm open linear cutter compatible with the above mentioned (item code DCP1012) selectable staple height linear cutter 75mm. Option of closed staple height of 1.5mm/1.8mm/2mm in one cartridge only. 6 Rows 3-D staple technology made of Titanium Alloy, Single use, but ETO sterilisable, New knife should be there in each cartridge, Open staple height 4.0-5.0; (BIS/USFDA/CE certified as applicable)

14	DCP1014	Battery Operated 60mm Articulating Endo Cutter	It should be Battery Operated 60mm Articulating Endo Cutter with a disposable battery pack; should have enhanced distal tip stability while firing; should have closed channel in the cartrdige jaw for better stability during firing; 360 degree rotation shaft and one handed natural articulation up to 45 degrees; should have Precision Machined Anvil to deliver initial, system wide compression; should have Wide Proximal to Distal Jaw Aperture (proximal 8mm, Distal 22mm); should have 3 Point Gap Control for alignment and calibration throughout the 60 mm staple line; should have Knife direction/reverse control to discontinue the firing and return the knife; should allow interchangeable 6 row cartridge options of closed staple height of 1.0, 1.5, 1.8, 2.0 and 2.3 mm and all fits down to 12mm trocar sleeve; 340 mm shaft length. (BIS/USFDA/CE certified as applicable)
15	DCP1015	Endoscopic linear cutter cartridge for vascular/thin tissues - 60 mm (white)	Endoscopic linear cutter cartridge with pocket extension having 60mm staple line with 6 rows of staples, for vascular/thin tissues, cartridge having closed staple height of 1.0mm compatible with the above mentioned (item code DCP1014) Battery operated 60 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)
16	DCP1016	Endoscopic linear cutter cartridge for regular tissues - 60 mm (blue)	Endoscopic linear cutter cartridge with pocket extension having 60mm staple line with 6 rows of staples, for regular tissues, cartridge having closed staple height of 1.5 mm compatible with the above mentioned (item code DCP1014) Battery operated 60 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)
17	DCP1017	Endoscopic linear cutter cartridge for regular thick tissues - 60 mm (gold)	Endoscopic linear cutter cartridge with pocket extension having 60mm staple line with 6 rows of staples, for regular thick tissues, cartridge having closed staple height of 1.8 mm compatible with the above mentioned (item code DCP1014) Battery operated 60 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)
18	DCP1018	Endoscopic linear cutter cartridge for thick tissues - 60 mm (green)	Endoscopic linear cutter cartridge with pocket extension having 60mm staple line with 6 rows of staples, for thick tissues, cartridge having closed staple height of 2.0 mm compatible with the above mentioned (item code DCP1014) Battery operated 60 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)
19	DCP1019	Endoscopic linear cutter cartridge for very thick tissues - 60 mm (black)	Endoscopic linear cutter cartridge with pocket extension having 60mm staple line with 6 rows of staples, for very thick tissues, cartridge having closed staple height of 2.3 mm compatible with the above mentioned (item code DCP1014) Battery operated 60 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)

20	L DCP1020	Battery Operated 45mm Articulating Endo Cutter	It should be Battery Operated 45mm Articulating Endo Cutter with a disposable battery pack; should have enhanced distal tip stability while firing; should have closed channel in the cartrdige jaw for better stability during firing; 360 degree rotation shaft and one handed natural articulation up to 45 degrees; should have Precision Machined Anvil to deliver initial, system wide compression; should have Wide Proximal to Distal Jaw Aperture (proximal 8mm, Distal 22mm); should have 3 Point Gap Control for alignment and calibration throughout the 60 mm staple line; should have Knife direction/reverse control to discontinue the firing and return the knife; should allow interchangeable 6 row cartridge options of closed staple height of 1.0, 1.5, 1.8, 2.0 and 2.3 mm and all fits down to 12mm trocar sleeve; 340 mm shaft length. (BIS/USFDA/CE certified as applicable)
21	DCP1021	Endoscopic linear cutter cartridge for vascular/thin tissues - 45 mm (white)	Endoscopic linear cutter cartridge with pocket extension having 45 mm staple line with 6 rows of staples, for vascular/thin tissues, cartridge having closed staple height of 1.0mm compatible with the above mentioned (item code DCP1020) Battery operated 45 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)
22	DCP1022	Endoscopic linear cutter cartridge for regular tissues - 45 mm (blue)	Endoscopic linear cutter cartridge with pocket extension having 45 mm staple line with 6 rows of staples, for regular tissues, cartridge having closed staple height of 1.5 mm compatible with the above mentioned (item code DCP1020) Battery operated 45 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)
23	DCP1023	Endoscopic linear cutter cartridge for regular thick tissues - 45 mm (gold)	Endoscopic linear cutter cartridge with pocket extension having 45 mm staple line with 6 rows of staples, for regular thick tissues, cartridge having closed staple height of 1.8 mm compatible with the above mentioned (item code DCP1020) Battery operated 45 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)
24	DCP1024	Endoscopic linear cutter cartridge for thick tissues - 45 mm (green)	Endoscopic linear cutter cartridge with pocket extension having 45 mm staple line with 6 rows of staples, for thick tissues, cartridge having closed staple height of 2.0 mm compatible with the above mentioned (item code DCP1020) Battery operated 45 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)
25	L DCP1025	Endoscopic linear cutter cartridge for very thick tissues - 45 mm (black)	Endoscopic linear cutter cartridge with pocket extension having 45 mm staple line with 6 rows of staples, for very thick tissues, cartridge having closed staple height of 2.3 mm compatible with the above mentioned (item code DCP1020) Battery operated 45 mm articulating endo cutter. (BIS/USFDA/CE certified as applicable)

CATEGO	RY II: DISPO	SABLE TROCAR CANNULA	
26	DCP2001	Disposable Laparoscopic Optical Trocar cannula with Sleeve 5mm - 100 mm length	Optically guided bladeless trocar 5 mm with bilateral tissue separators, length 100mm, optical tip to eliminate blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer. (BIS/USFDA/CE certified as applicable)
27	DCP2002	Universal Sleeve for 5 mm Optical Trocar cannula - 100 MM length	Sleeve of optically guided bladeless trocar compatible with optically guided bladeless trocar 5mm with bilateral tissue separators, optical tip to eliminate blind entry, clear ribbed cannula to enhance abdominal wall retention, recessed stopcock valve and funnel shaped housing,duckbill secondary seal, integrated universal seal that eliminates the use of reducer, 100mm length. [sleeve length 100 mm campatibale with the above mentioned (item code DCP2001) 5 mm optical trocar and both these items must be from same manufacturer] (this item comprises only sleeve without trocar) (BIS/USFDA/CE certified as applicable)
28	DCP2003	Disposable Laparoscopic Optical Trocar cannula with Sleeve 5mm - 150 mm length	Optically guided bladeless trocar 5 mm with bilateral tissue separators, extra long - length 150mm, optical tip to eliminate blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer. (BIS/USFDA/CE certified as applicable)
29	DCP2004	Disposable Laparoscopic Optical Trocar cannula with Sleeve 12mm - 100 mm length	Optically guided bladeless trocar 12 mm with bilateral tissue separators, length 100mm, optical tip to eliminate blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer. (BIS/USFDA/CE certified as applicable)
30	DCP2005	Universal Sleeve for 12 mm Optical Trocar cannula - 100 MM length	Sleeve of optically guided bladeless trocar compatible with optically guided bladeless trocar 12mm with bilateral tissue separators, optical tip to eliminate blind entry, clear ribbed cannula to enhance abdominal wall retention, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer, 100mm length. [sleeve length 100 mm campatibale with the above mentioned (item code DCP2004) 12 mm trocar and both these items must be from same manufacturer] (this item comprises only sleeve without trocar) (BIS/USFDA/CE certified as applicable)
31	DCP2006	cannula with Sleeve 12mm - 150 mm	Optically guided bladeless trocar 12 mm with bilateral tissue separators, extra long - length 150mm, optical tip to eliminate blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer. (BIS/USFDA/CE certified as applicable)

		Disposable Laparoscopic Optical Trocar	Optically guided bladeless trocar 15 mm with bilateral tissue separators, length 100mm, optical tip to eliminate
32	DCD2007	cannula with Sleeve 15mm - 100 mm	blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal,
52	DCF 2007	length	integrated universal seal that eliminates the use of reducer. (BIS/USFDA/CE certified as applicable)
			integrated universal sear that eliminates the use of reducer. (bis) osi DA/CL certified as applicable)
CATEGO	RY III: SPON	IGESTON / LIKE HEMOSTATS	
		Oxidized Regenerated Cellulose based	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat, Structured Non-Woven material, with
33	DCP3001	sterile Topical Absorbable Hemostat -	Bactericidal property. Ease-of-use in both open and minimally invasive procedures Size 2"x 4" (BIS/USFDA/CE
		structured Non-Woven fabric 2"x4"	certified as applicable)
		Oxidized Regenerated Cellulose based	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat, Structured Non-Woven material, with
34	DCP3002	sterile Topical Absorbable Hemostat -	Bactericidal property. Ease-of-use in both open and minimally invasive procedures Size 4"x 4" (BIS/USFDA/CE
		structured Non-Woven fabric 4"x4"	certified as applicable)
		Alexandria Berrier Calatia Berrier	ADCORDADI E DODCINE CELATINI DACED TODICAL ADCORDADI E ELOMADI E LIFAGOTAT MITTI COC SVOINCE DE
		Absorbable Porcine Gelatin Based	ABSORBABLE PORCINE GELATIN BASED TOPICAL ABSORBABLE FLOWABLE HEMOSTAT WITH 6CC SYRINGE PRE-
35	DCP3003	flowable hemostatic matrix kit with	FILLED WITH HEMOSTATIC MATRIX.2000 IU OF STERILE LYOPHILIZED HUMAN THROMBIN TOTAL VOLUME 8ML
		Thrombin (having flexible & Trimmable	WITH 14.3 CM WHITE APPLICATOR TIP & 14.6 CM BLUE FLEXIBLE APPLICATOR TIP (BIS/USFDA/CE certified as applicable)
		Tip)	аррисане)
		Tonical skin Adhasiya 2 OCTVI	
36	DCP3004	Topical skin Adhesive - 2-OCTYL CYNOACRYLATE 0.5 ml	2-OCTYL CYNOACRYLATE ProPen, Topical Skin Adhesive, 0.5ML (BIS/USFDA/CE certified as applicable)
		CINOACKILATE 0.5 IIII	
		Tonical skin Adhasiya 2 OCTVI	2 actual evangage plate liquid tonical chin adhesive packaged within a non applicator along with a self adhesing mach
37	DCP3005	Topical skin Adhesive - 2-OCTYL CYNOACRYLATE with mesh 22 cm	2-octyl cyanoacrylate liquid topical skin adhesive packaged within a pen applicator along-with a self-adhering mesh of 22cm (BIS/USFDA/CE certified as applicable)
		CINOACKILATE WITH MESH 22 CIII	of 22cm (bis/osi bA/ce certified as applicable)
		Topical skin Adhesive - 2-OCTYL	2-octyl cyanoacrylate liquid topical skin adhesive packaged within a pen applicator along-with a self-adhering mesh
38	DCP3006	CYNOACRYLATE with mesh 60 cm	of 60cm (BIS/USFDA/CE certified as applicable)
		Powdered Oxidized Regenerated	Powdered Oxidized Regenerated Cellulose pre-filled in an easy-to-use applicator to stop continuous, broad-surface
39	DCP3007	Cellulose pre-filled in an easy-to-use	oozing – fast, specifically on large friable or raw surfaces ,3gm (BIS/USFDA/CE certified as applicable)
		applicator	oozing last, specifically on large mable of raw surfaces ,sgill (bis/ osi br/ et certified as applicable)

40	DCP3008	(Oxidized Regenerated Cellulose Powder	Oxidized Regenerated Cellulose Powder Endoscopic Applicator tip. It should be compatible with the above mentioned (item code DCP3007) Powdered Oxidized Regenerated Cellulose pre-filled in an easy-to-use applicator. (BIS/USFDA/CE certified as applicable)
41	DCP3009	Adhesion Prevention Barrier	ABSORBABLE ADHENSION PREVENTION ORC KNITTED FILM 3"X4" (BIS/USFDA/CE certified as applicable)



अखिलभारतीय आयुर्विज्ञानसंस्थान, रायपुर (छ.ग.) All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road, Raipur-492 099 (CG) www.aiimsraipur.edu.in

स्वामित्वप्रमाणपत्र Proprietary Article Certificate

गाइल	संख्या औरसंदर्भ		7		
File Nu	mber and Reference				
1	सामाग्रीकाविवरण	Disposable and Consumable			
1	Description of article	Products (ANNEXURE I)			
2	पूर्वानुमानितमात्रा / वार्षिकआवश्यकता		_		
2	Forecast of quantity/annual requirement		†		
3	उपरोक्तमात्रा हेतुअनुमानितमूल्य		endler to		
3	Approximate estimated value for above				
4	निर्माताकानाम एवं पता		1		
4	Maker's name and address	M/s Johnson & Johnson Pvt Ltd,	Inc		
5	अधिकृतडीलर / स्टाकिस्टकानाम	M/S Sai Associates, Durg			
3	Name(s) of authorised dealers/stockists				
	मैंपी ए सी के आधारपरउपरोक्त खरीदकोस्वीकारकरताहूं और यह	इ प्रमाणित करताहूंकिः	1		
	नोट— (बी), (सी—1) या (सी—2) में से केवल एक कोबनाए रखने के लिए टिककरें,				
	जोभीलागूहोऔरदूसरोकोकाटदें।कृपया (ए) टिककरपुष्टिकरेंइसकेबिनापीएसीप्रमाणपत्र अवैध				
6	होगा				
Ü	I approve the above purchase on PAC basis and certify that:-				
	Note- Tick to retain only one out of (b), (c-1) or (c-2) whichever is applicable and				
	cross out others. Please do confirm (a) by ticking it – without which PAC certificate				
	will be invalid.		1		
	यह एकमात्र फर्महैजोइसमदकानिर्माण/संग्रहणकररहाहै।	F1 757			
6 (a)	और				
	This is the only firm who is manufacturing /stocking this item.				
	AND				
	किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नहीं कियाजाताहै,				
6 (b)	जिसकाउपयोगइसकेबदलेकियाजासकताहै।अथवा				
	A similar article in not manufacturing/sold by any other firm, which could be used in lieu OR	•			
	कोईअन्य मेक / ब्रांडनिम्नलिखितकारणो (जैसेओईएम / वारंटी वे	4 12			
6 (c-1)	लिए उपयुक्त नहीं होगा।अथवा	7) 4)			
	No other make/brand will be suitable for following tangible				
. ()					
J (J -)	reasons (like OEM/warranty spares): OR				

-				
6 (c)	कोईअन्य मेक / ब्रांडनिम्न पीएसीपिछले खरीदमेंभी अधिकस्रोतोका पता लग No other make/brand reasons (if PAC was a please also bring out sources): OR	देयागयाथा, तोव ाने के लिए प्रय I will be suital also given in t	कृपयाइसकेबाद से ास करें)तथा ole for following the last procuren	intangible nent cycle,
	प्रस्ताव के लिए वित्त श् भंडारऔरलेखाविभाग द्वा Reference of concurrer (Action will be taken b	रा की जायेगी) ice of finance w	ving to the propos	al
	तीनसालोमेंइसमद की पीए rchase of this item for past	144		कताहै (यदि कोई हो)History of
	कानाम		, 8 (
12.51	of the Supplier			
	/ निविदासंदर्भऔरदिनांक	आदेशितमात्रा	आादेशपरमूलदर	प्रतिकूलप्रदर्शनरिपोर्टअगरकोईहो
Order	Tender reference & Date	Quantity Ordered	(□) Basic Rate on order (②)	Adverse Performance Reported if any
none				
अनुमोद	रनकरनेवालेप्राधिकारीकाहर	स्ताक्षर	Bur.	Dr. Souvik Paul Gastrol Dr. So
दिनांक	17.02.2023		अधिकारीकापद	DR SOUVIK PAUL



Ethicon Endo-Surgery, LLC 475 Calle G Guaynabo, Puerto Rico 00969 USA

PROPRIETARY CERTIFICATE & AGREEMENT FOR REPRESENTATION

We hereby certify that product attached in Annexure A, are proprietary product of **Ethicon Endo-Surgery**, **LLC** part of Johnson & Johnson Family of Companies. **Ethicon Endo-Surgery**, **LLC** is the legal manufacturer of the products mentioned under Annexure A.

We further certify that M/s Johnson & Johnson Private Limited, India having registered office at L.B.S Marg, Mulund (W), Mumbai-400080 is our affiliate and is authorized to market the product in India through its regional branch office at 501, Arena Space, Jogeshwari (E) -400060, India. Johnson & Johnson Private Limited, India and its regional branch office is authorized to submit offers and commit, sign, finalize, execute orders and also to appoint distributors and dealers for selling the complete range of products on its own behalf.

We also certify of the adequacy of technical expertise of the products offered by Johnson & Johnson private limited India and will give them back-up support toward supply, spares & technical updated.

Signed for and on behalf of: Ethicon Endo-Surgery, LLC

Brian Godwin

Associate Director - Regulatory Affairs

February 17, 2022





Annexure A

B8LT	ENDOPATHXCEL Bladeless Trocar with Stability Sleeve, 8mm, 100mm length
B11LT	ENDOPATHXCEL Bladeless Trocar with Stability Sleeve, 11mm, 100mm length
B12LT	ENDOPATHXCEL Bladeless Trocar with Stability Sleeve, 12mm, 100mm length
B15LT	ENDOPATHXCEL Bladeless Trocar with Stability Sleeve, 15mm, 100mm length
B5LT	ENDOPATHXCEL Bladeless Trocar with Stability Sleeve, 5mm, 100mm length
B5ST	ENDOPATH XCEL Bladeless Trocar with Stability Sleeve, 5mm, 75mm length
B5XT	ENDOPATH XCEL Bladeless Trocar with Stability Sleeve, 5mm, 150mm length
B12XT	ENDOPATH XCEL Bladeless Trocar with Stability Sleeve, 12mm, 150mm length
H12LP	ENDOPATHXCEL Blunt Tip Trocar with Smooth Sleeve, 12mm, 100mm length
TB11LT	BASX 11mm x 100mm Bladeless Trocar
TB12LT	BASX 12mm x 100mm Bladeless Trocar
TB12ST	BASX 12mm x 75mm Bladeless Trocar
TB5LT	BASX 5mm x 100mm Bladeless Trocar
TB5ST	BASX 5mm x 75mm Bladeless Trocar
CB5LT	ENDOPATH XCEL Universal Trocar Stability Sleeve, 5mm, 100mm length
CB11LT	BASX 11mm x 100mm Stability Sleeve
CB12LT	ENDOPATH XCEL Universal Trocar Stability Sleeve, 12mm, 100mm length
CB5ST	ENDOPATH XCEL Universal Trocar Stability Sleeve, 5mm, 75mm length
CTB5LT	BASX 5mm x 100mm Stability Sleeve
CTB11LT	BASX 11mm x 100mm Stability Sleeve
CTB12LT	BASX 12mm x 100mm Stability Sleeve
CTB5ST	BASX 5mm x 75mm Stability Sleeve
UV120	ENDOPATH Ultra Veress Insufflation Needle, 120mm
ER320	10-M/L 10MM Endoscopic Rotating Multiple Clip Applier
5BB	Endopath 5MM Babcock with Ratchet Handle
10BB	Endopath 10MM Babcock with Ratchet Handle
5DCD	ENDOPATH5mm Curved Dissector with Monopolar Cautery
5DCS	ENDOPATH 5mm Curved Scissors with Monopolar Cautery
5DSG	Endopath 5MM Grasper with Ratchet Handle
EL214	Ligaclip Endoscopic Clip Applier Medium 10MM
EL314	Ligaclip Endoscopic Clip Applier Medium/Large 10MM
EL414	Ligaclip Endoscopic Clip Applier Large 10MM
6R45B	ENDOPATHETS45 3.5 mm Reload (Standard), 6 Rows
EC60A	ECHELON FLEX 60 ENDOPATH Stapler Articulating Endoscopic Linear Cutter
EC45A	ECHELON FLEX 45 ENDOPATH Stapler Articulating Endoscopic Linear Cutter
EL5ML	LIGAMAX-55MM Endoscopic Multiple Clip Applier
ECR45M	ECHELON45 ENDOPATH Stapler Reload, gray - 2,0mm
LONG 60A	ECHELON FLEX 60 ENDOPATH Stapler Long Articulating Endoscopic Linear Cutter
EC45AL	ECHELON FLEX 45 ENDOPATH Stapler Long Articulating Endoscopic Linear Cutter

ETHICON PART OF THE JOHNSON - GAMEN OF COMPANIES

SC45A	ECHELON FLEX 45 ENDOPATH Stapler Compact Articulating Endoscopic Linear Cutter
TR45G	ENDOPATH ETS45 4.1 mm Reload (Thick)
TR45W	ENDOPATH ETS45 2.5 mm Reload (Vascular/Thin)
POUCH	ENDOPOUCH RETRIEVER Specimen Retrieval Bag
FLR01	DEXTRUS Fixed-Length Retractor Small (up to 4.0 cm abdominal wall thickness)
FLR02	DEXTRUS Fixed-Length Retractor Medium (4.0 - 7.0 cm abdominal wall thickness)
FLR03	DEXTRUS Fixed-Length Retractor Large (greater than 7.0 cm abdominal wall
	thickness)
HAP02	DEXTRUS Seal Cap Assembly with Accessories (Marking Pen, Ruler, and Forearm
	Wrap)
LC307	LIGACLIP Clip Applier Medium/Large 19CM
LC310	LIGACLIP Clip Applier Medium/Large 26.7CM
LC320	LIGACLIP Clip Applier Angled Jaw Medium Large 26.7CM
LC407	LIGACLIP Clip Applier Large 19CM
LC410	LIGACLIP Clip Applier Large 26.7CM
LC800	LIGACLIP Clip Applier Cartridge Base
LT100	LIGACLIP EXTRA Ligating Clip Cartridge Titanium Small 6 Clips
LT102	LIGACLIP EXTRA Ligating Clip Cartridge Titanium Small 20 Clips
LT200	LIGACLIP EXTRA Ligating Clip Cartridge Titanium Medium 6 Clips
LT300	LIGACLIP EXTRA Ligating Clip Cartridge Titanium Medium/Large
LT400	LIGACLIP EXTRA Ligation Clip Cartridge Titanium Large
LX105	LIGACLIP Clip Applier Small 14.6 CM
LX107	LIGACLIP Clip Applier Small 19 CM
LX110	LIGACLIP Clip Applier Small
LX205	LIGACLIP Clip Applier Medium 14.6 CM
LX207	LIGACLIP Clip Applier Medium 19 CM
LX210	LIGACLIP Clip Applier Medium 26.7 CM
LX220	LIGACLIP Clip Applier Medium Angled Jaw 26.7 CM
MCL20	LIGACLIP MCA Multiple Clip Applier / 33.7 cm, 20 Large Titanium Clips
MCM20	LIGACLIP MCA Multiple Clip Applier / 29.2 cm, 20 Medium Titanium Clips
MCM30	LIGACLIP MCA, Multiple Clip Applier / 29.2 cm, 30 Medium Titanium Clips
MCS20	LIGACLIP MCA, Multiple Clip Applier / 23.8 cm, 20 Small Titanium Clips
CDH21A	Ethicon Endo-Surgery Curved Intraluminal Staplers (ILS) (21mm)
CDH25A	Ethicon Endo-Surgery Curved Intraluminal Staplers (ILS) (25mm)
CDH29A	Ethicon Endo-Surgery Curved Intraluminal Staplers (ILS) (29mm)
CDH33A	Ethicon Endo-Surgery Curved Intraluminal Staplers (ILS) (33mm)
CDH23P	Fchelon Circular Powered Stapler, 23mm
CDH25P	Echelon Circular Powered Stapler, 25mm
	and the state of t
CDH29P	Echelon Circular Powered Stanler 29mm
CDH29P CDH31P	Echelon Circular Powered Stapler, 29mm Echelon Circular Powered Stapler, 31mm
CDH31P	Echelon Circular Powered Stapler, 31mm
CDH31P ECS21A	Echelon Circular Powered Stapler, 31mm Ethicon Endo-Surgery Endoscopic Curved Intraluminal Staplers (ILS) (21mm)
CDH31P	Echelon Circular Powered Stapler, 31mm

ETHICON PART OF THE Johnson - HOMILY OF COMPANIES

TX30G	PROXIMATE Reloadable Linear Stapler, 30mm	
TX30V	PROXIMATE Reloadable Vascular Linear Stapler, 30mm	
TX60B	PROXIMATE Reloadable Linear Stapler, 60mm	
TX60G	PROXIMATE Reloadable Linear Stapler, 60mm	
XR30B	PROXIMATE Linear Staplers Reload (Standard), 30mm	
XR30G	PROXIMATE Linear Staplers Reload, 30mm	
XR30V	PROXIMATE Vascular Linear Stapler Reload, 30mm	
XR60B	PROXIMATE Linear Stapler Reload, 60mm	
XR60G	PROXIMATE Linear Stapler Reload, 60mm	
TCD75	PROXIMATE Reloadable Linear Cutter with Safety Lock-Out, 75mm	
TCT10	PROXIMATE Reloadable Linear Cutter with Safety Lock-Out, 100mm	
TCT55	PROXIMATE Reloadable Linear Cutter with Safety Lock-Out, 55mm	
TCT75	PROXIMATE Reloadable Linear Cutter with Safety Lock-Out, 75mm	
TLC10	PROXIMATE Reloadable Linear Cutter with Safety Lock-Out, 100mm	
TLC55	PROXIMATE Reloadable Linear Cutter with Safety Lock-Out, 55mm	
TLC75	PROXIMATE Reloadable Linear Cutter with Safety Lock-Out, 75mm	
NTLC55	Ethicon Endo-Surgery, LLC Linear Cutter for use with Selectable Reload, 55 mm	
NTLC75	Ethicon Endo-Surgery, LLC Linear Cutter for use with Selectable Reload, 75 mm	
TVC55	PROXIMATE Reloadable Vascular Linear Cutter with Safety Lock-Out, 55mm	
TCR10	PROXIMATE Linear Cutter Reload (Standard), 100mm	
TCR55	PROXIMATE Linear Cutter Reload (Standard), 55mm	
TCR75	PROXIMATE Linear Cutter Reload (Standard), 75mm	
TRD75	PROXIMATE Linear Cutter Reload (Gold), 75mm	
TRT10	PROXIMATE Linear Cutter Reload (Thick), 100mm	
TRT55	PROXIMATE Linear Cutter Reload (Thick), 55mm	
TRT75	PROXIMATE Linear Cutter Reload (Thick), 75mm	
SR55	Ethicon Endo-Surgery, Linear Cutter 55 Selectable Reload, (with knife)	
SR75	Ethicon Endo-Surgery, Linear Cutter 75 Selectable Reload, (with knife)	
TVR55	PROXIMATE Vascular Linear Cutter Reload, 55mm	
CR40B	CONTOUR Curved Cutter Stapler Reload (Standard), with knife	
CR40G	CONTOUR Curved Cutter Stapler Reload (Thick), with knife	
CS40B	CONTOUR Curved Cutter Stapler	
CS40G	CONTOUR Curved Cutter Stapler	
PPH01	PROXIMATE HCS Procedure for Prolapse, and Hemorrhoids (PPH) Set	
PPH03	PROXIMATE PPH Procedure for Prolapse and Hemorrhoids Set	
PSX	PROXIMATE Skin Staple Extractors	
JJ55H	ValuTrus Linear Cutter / Stapler with SAFETY LOCK-OUT - REUSABLE Handle	
JJ55B	ValuTrus Linear Cutter / Stapler with SAFETY LOCK-OUT Reload - BLUE	
JJ55G	ValuTrus Linear Cutter / Stapler with SAFETY LOCK-OUT Reload - GREEN	
JJ55NK	ADVANTOS LITERI CULLET / STADIET WITH SAFETY LUCK-CULT - NUTKNIFF MICHOLITE	
	ADVANT55 Linear Cutter / Stapler with SAFETY LOCK-OUT - NO KNIFE MODULE ValuTrus Linear Cutter / Stapler with SAFETY LOCK-OUT - KNIFE MODULE	
JJ55NK JJ5K D12LT	ValuTrus Linear Cutter / Stapler with SAFETY LOCK-OUT - KNIFE MODULE	
JJ5K	ValuTrus Linear Cutter / Stapler with SAFETY LOCK-OUT - NO KNIFE MODULE ENDOPATH XCEL Dilating Tip Trocar with Stability Sleeve, 12mm, 100mm length 12-L 12MM Endoscopic Rotating Multiple Clip Applier	

Ethicon Endo-Surgery, LLC 475 Calle C Guaynabo, Puerto Rico 00969 USA

ETHICON PART OF THE Johnson - HOMEN OF COMPANIES

ATS45NK	ENDOPATH ETS-Flex45 No Knife Endoscopic Articulating Linear Stapler	
SC60A	ECHELON FLEX 60 ENDOPATH Stapler Compact Articulation Endoscopic Linear Cutte	
PLE60A	ECHELON FLEX 60 Powered ENDOPATH Stapler Long Articulating Endoscopic Linear Cutter	
PSE60A	ECHELON FLEX 60 Powered ENDOPATH Stapler Articulating Endoscopic Linear Cutter	
2B12LT	ENDOPATH XCEL WITH OPTIVIEW TECHNOLOGY Bladeless Trocar with Stability Sleeve, 12mm, 100mm shaft length	
2B12XT	ENDOPATH XCEL WITH OPTIVIEW TECHNOLOGY Bladeless Trocar with Stability Sleeve, 12mm, 150mm shaft length	
2CB12LT	ENDOPATH XCEL WITH OPTIVIEW TECHNOLOGY Universal Trocar Stability Sleeve, 12mm, 100mm shaft length	
ECS33A	Ethicon Endo-Surgery Endoscopic Curved Intraluminal Staplers (ILS) (33mm)	
PCE45A	ECHELON FLEX 45 Powered ENDOPATH Stapler Compact Articulating Endoscopic Linear Cutter	
PVE35A	ECHELON FLEX Powered Vascular Stapler with Advanced Placement Tip	
VASECR35	ENDOPATH ECHELON Vascular Reload	
GST60W	ENDOPATH ECHELON Endoscopic Linear Cutter Reload with Gripping Surface	
	Technology, white – 2,6 mm	
GST60B	ENDOPATH ECHELON Endoscopic Linear Cutter Reload with Gripping Surface	
======================================	Technology, blue – 3,6 mm	
GST60D	ENDOPATH ECHELON Endoscopic Linear Cutter Reload with Gripping Surface	
	Technology, gold – 3,8 mm	
GST60G	ENDOPATH ECHELON Endoscopic Linear Cutter Reload with Gripping Surface	
	Technology, green – 4,1 mm	
GST60T	ENDOPATH ECHELON Endoscopic Linear Cutter Reload with Gripping Surface	
	Technology, black – 4,2mm	
PLEE60A	ECHELON FLEX 60 Powered Plus ENDOPATH Stapler Long Articulating Endoscopic	
	Linear Cutter	
PSEE60A	ECHELON FLEX 60 Powered Plus ENDOPATH Stapler Articulating Endoscopic Linear	
	Cutter	
EPH02	ENDOPATH Electrosurgery Probe Plus II Pistol Grip Handles, Hand Control	
EPS01	ENDOPATH Electrosurgery Probe Plus II, 5 mm Hook, 34 cm length	
EPS02	ENDOPATH Electrosurgery Probe Plus II, 5 mm Spatula, 34 cm length	
EPS03	ENDOPATH Electrosurgery Probe Plus II, 5 mm Right Angle, 34 cm length	
EPS04	ENDOPATH Electrosurgery Probe Plus II, 5 mm Curved Dissector, 34 cm length	
EPS05	ENDOPATH Electrosurgery Probe Plus II, 5 mm Hook, 29 cm length	
EPS06	ENDOPATH Electrosurgery Probe Plus II, 5 mm Spatula, 29 cm length	
EPS07	ENDOPATH Electrosurgery Probe Plus II, 5 mm Right Angle, 29 cm length	
GEN11	Generator G11	
CRT11	Generator G11 Cart	
FSW11	Footswitch G11	
HDH05	HARMONIC Dissecting Hook, 5 mm diameter, 32cm length	
HP054	HARMONIC Hand Piece	
HPBLUE	HARMONIC Blue Hand Piece	
HAR23	Harmonic ACE 5 mm Diameter Shears 23 cm Length + Adaptive Tissue Technology	

ETHICON PART OF THE Johnson Johnson FAMILY OF COMPANIES

Ethicon Endo-Surgery, LLC 475 Calle C Guaynabo, Puerto Rico 00969 USA

PSEE45A	ECHELON FLEX 45 Powered Plus ENDOPATH Stapler Articulating Endoscopic Linear	
	Cutter	
PCEE60A	ECHELON FLEX 60 Powered Plus ENDOPATH Stapler Compact Articulating Endoscopic Linear Cutter	
GST45B	ENDOPATH ECHELON Endoscopic Linear Cutter Reload, 45mm, with Gripping Surface Technology, blue – 3,6 mm	
GST45D	ENDOPATH ECHELON Endoscopic Linear Cutter Reload, 45mm, with Gripping Surface Technology, gold – 3,8 mm	
GST45G	ENDOPATH ECHELON Endoscopic Linear Cutter Reload, 45mm, with Gripping Surface Technology, green – 4,1 mm	
GST45T	ENDOPATH ECHELON Endoscopic Linear Cutter Reload, 45mm, with Gripping Surface Technology, black – 4,2 mm	
GST45W	ENDOPATH ECHELON Endoscopic Linear Cutter Reload, 45mm, with Gripping Surface Technology, white – 2,6 mm	
HARHD20	HARMONIC HD 1000i Shears, 5mm diameter, 20cm shaft length	
EPH04	ENDOPATH Electrosurgery Probe Plus II Pencil Grip Handles, Hand Control	
NSLX120L	ENSEAL X1 Large Jaw Tissue Sealer	



Ethicon Endo-Surgery, LLC 475 Calle C Guaynabo, Puerto Rico 00969 USA

PROPRIETARY CERTIFICATE & AGREEMENT FOR REPRESENTATION

We hereby certify that the products attached in Annexure A, are the proprietary products of **Ethicon Endo-Surgery**, **LLC** part of Johnson & Johnson Family of Companies. Ethicon **Endo-Surgery**, **LLC** is the legal manufacturer of the products mentioned under Annexure A.

We further certify that **M/s Johnson & Johnson Private Limited**, **India** having its registered office at L.B.S Marg, Mulund (W), Mumbai-400080 is our affiliate and is authorized to market the products in India through its regional branch office at 501, Arena Space, Jogeshwari (E) - 400060, India .Johnson & Johnson Private Limited, India and its regional branch office is authorized to submit offers and commit, sign, finalize, execute orders and appoint distributors and dealers for selling the complete range of products on its own behalf.

We also certify of the adequacy of technical expertise of the products offered by Johnson & Johnson private limited India and will give them back-up support toward supply, spares & technical updated.

Signed for and on behalf of: Ethicon Endo Surgery, LLC

Rubina Dosani

Manager - Regulatory Affair

Hosani

6/28/2022 Date

Ethicon Endo-Surgery LLC





Ethicon Endo-Surgery, LLC 475 Catle C Guaynabo, Puerto Rico 00969 USA

Annexure A

Products	Product Description	
CDH21B	Ethicon Circular Stapler	
CDH25B	Ethicon Circular Stapler Ethicon Circular Stapler Ethicon Circular Stapler	
CDH29B		
CDH33B		

ETHICON LLC a Johnson Johnson company

PROPRIETARY CERTIFICATE & AGREEMENT FOR REPRESENTATION

To Whom it may concern:

We, Ethicon LLC, located at Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754, hereby certify the below mentioned products are the proprietary products of Ethicon LLC and are manufactured by the following sites:

Product Name	Legal Manufacturer	
SURGICEL TM SNoW TM ABSORBABLE HEMOSTAT 2082, 2083	M/s Ethicon LLC, Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754 having manufacturing premises at M/s Ethicon LLC, Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754	

We further certify that, Mis Johnson & Johnson Private Limited., L.B.S Marg, Mulund (West) Mumbai-400 080, India, also a Johnson & Johnson Company is solely authorized by us to market these products in India through their regional branch offices at Mumbai, New Delhi, Kolkata & Chennai.

Johnson & Johnson Private Limited, Mumbai, India and its regional branch offices are authorized to submit offers and commit, sign, finalize, execute orders and to appoint distributors, dealers and liaison agents for selling the complete range of products on our behalf.

We also certify for the adequacy of technical expertise of the products offered by Johnson & Johnson Private Limited and will provide back-up support towards supply, spares and technical updates.

This product is the sole property of Ethicon, LLC and no other company is manufacturing or marketing the same.

Signed for and on behalf of Ethicon, LLC,

Subscribed and sworn to before me this 31st day of July 2020

Stephanie Saati

Manager – RA Global Strategy Execution

July 31, 2020

Notary Public



MINAT NOMAR

PHOTO COPY



ETHICONIL

a Johnson Johnson company

To whom it may concern:

PROPRIETARY CERTIFICATE & AGREEMENT FOR REPRESENTATION

We, Ethicon LLC, Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754 hereby certify the below mentioned products are the proprietary products of Ethicon LLC, and are manufactured by the following sites:

Product Name	Legal Manufacturer	
DERMABOND TM PRINEO TM Skin Closure System	M/s Ethicon LLC, Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754 having manufacturing premises at M/s Ethicon LLC, Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754	
	APP6, UR22, CLR 802	

We further certify that, Mis Johnson & Johnson Private Limited, L.B.S Marg, Mulund (West) Mumbai-400 080, India, also a Johnson & Johnson Company is solely authorized by us to market these products in India through their regional branch offices at Mumbai, New Delhi, Kolkata & Chennai.

Johnson & Johnson Private Limited, Mumbai, India and its regional branch offices are authorized to submit offers and commit, sign, finalize, execute orders and to appoint distributors, dealers and liaison agents for selling the complete range of products on our behalf.

We also certify for the adequacy of technical expertise of the products offered by Johnson & Johnson Private Limited and will provide back-up support towards supply, spares and technical updates.

This product is the sole property of Ethicon, LLC and no other company is manufacturing or marketing the same.

Signed for and on behalf of Ethicon, LLC

Subscribed and swom to before me this 20 day of August 2020

Stephanie Saati

Manager - RA Global Strategy Execution

August 2 8 2020

Notary Public

Notary Public - State of New Je Commission # 2393383 My Comm. Expires Feb. 16.

ATTESTE"

JA NUMAH



To whom it may concern

Soeborg, March 22, 2022

PROPRIETARY CERTIFICATE & AGREEMENT FOR REPRESENTATION

We, M/s Ferrosan Medica I Devices A/S, Sydmarken 5, DK-2860, Soborg, Denmark hereby certify the below mentioned products are the proprietary products of M/s Ferrosan Medical Devices A/S and are manufactured by the following sites:

Product Name	Legal Manufacturer
SURGIFLO™ Haemostatic Matrix Kit with Thrombin – MS0012	M/s Ferrosan Medical Devices A/S, Sydmarken 5, DK-2860, Soeborg, Denmark. having manufacturing premises at M/s Ferrosan Medical Devices A/S, Sydmarken 5, DK-2860 Soborg, Denmark.

We further certify that, Mis Johnson & Johnson Private Ltd., L.B.S Marg, Mulund (West) Mumbai-400 080, India, also a Johnson & Johnson Company is solely authorized by us to market these products in India through their regional branch offices at Mumbai, New Delhi, Kolkata & Chennai.

Johnson & Johnson Private Limited, Mumbai, India and its regional branch offices are authorized to submit offers and commit, sign, finalize, execute orders and to appoint distributors, dealers, and liaison agents for selling the complete e range of products on our behalf.

We also certify for the adequacy of technical expertise of the products offered by Johnson & Johnson Private Limited and will provide back-up support towards supply, spares, and technical updates.

This product is the sole property of M/s Ferrosan Medical Devices A/S and no other company is manufacturing or marketing the same.

On behalf of Ferrosan Medical Devices,

Thomas Kastrup

March, 22, 2022

CFO



a Johnson Johnson company

PROPRIETARY CERTIFICATE & AGREEMENT FOR REPRESENTATION

To Whom it may concern:

We M/s Ethicon LLC, Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754 USA hereby certify the below mentioned products are the proprietary products of M/s Ethicon LLC, and are manufactured by the following site:

Legal Manufacturer
M/s Ethicon LLC, Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754 USA having manufacturing premises at M/s Ethicon LLC, Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754 USA
M/s Ethicon LLC, Rd. 183 Km 8.3, San Lorenzo, Puerto Rico 00754 USA with external manufacturing site at ALLTRISTA Plastics 20 Setar Way Reedsville, Pennsylvania 17084 USA

We further certify that, Mis Johnson & Johnson Private Limited., L.B.S Marg, Mulund (West) Mumbai-400 080, India, also a Johnson & Johnson Company is solely authorized by us to market these products in India through their regional branch offices at Mumbai, New Delhi, Kolkata & Chennai.

Johnson & Johnson Private Limited, Mumbai, India and its regional branch offices are authorized to submit offers and commit, sign, finalize, execute orders and to appoint distributors, dealers, and liaison agents for selling the complete range of products on our behalf.

We also certify for the adequacy of technical expertise of the products offered by Johnson & Johnson Private Limited and will provide back-up support towards supply, spares and technical updates.

Signed for and on behalf of Ethicon LLC,

Subscribed and sworn to before me this \mathcal{O}^{h} day of October 2021

Notary Public

Stephanie Saati

Manager - RA Global Strategy Execution

6 October 2021

HARSHITA SHAH Notary Public - State of New Jersey

My Commission Expires Jul 22, 2026

JUAT NUMAR

ETHICON sarl a Johnson Johnson company

To Whom it may concern:

PROPRIETARY CERTIFICATE & AGREEMENT FOR REPRESENTATION

We M/s. Ethicon Sarl, Puits Godet 20, 2000 Neuchatel (Switzerland) hereby certify the below mentioned products are the proprietary products of M/s Ethicon Sarl, Puits Godet 20, 2000 Neuchatel (Switzerland), and are manufactured by the following sites:

Product Description Code		Legal Manufacture	
810041B	GYNECARE TVT DEVICE Blue PROLENE		
810081	GYNECARE TVT Obturator System	M/s Ethicon Sarl, Puits Godet 20, 2000 Neuchatel (Switzerland) having	
GPSL	GYNECARE GYNEMESH TM PS Nonabsorbable PROLENE TM Soft Mesh 10cm x 15cm (4" x 6")		
TVTOML	GYNECARE TVT ABBREVO™ Continence System	manufacturing premises at	
TVTRL	GYNECARE TVT EXACT Continence System	M/s Ethicon Sarl, Puits	
4350	GYNECARE INTERCEED 3INX4IN(7.6CMX10.2CM)	Godet 20, 2000 Neuchatel	
810061	GYNECARE TVT Rigid Catheter Guide	(Switzerland)	
810051	GYNECARE TVT Introducer	many three against and the re-	

We further certify that, Mis Johnson & Johnson Private Limited, L.B.S Marg, Mulund (West) Mumbai-400 080, India, also a Johnson & Johnson Company is solely authorized by us to market these products in India through their regional branch offices at Mumbai, New Delhi, Kolkata & Chennai.

Johnson & Johnson Private Limited, Mumbai, India and its regional branch offices are authorized to submit offers and commit, sign, finalize, execute orders and to appoint distributors, dealers and liaison agents for selling the complete range of products on our behalf.

We also certify for the adequacy of technical expertise of the products offered by Johnson & Johnson Private Limited and will provide back-up support towards supply, spares and technical updates.

This product is the sole property of M/s Ethicon Sarl, and no other company is manufacturing or marketing the same

Signed for and on behalf of M/s Ethicon SARL,

Subscribed and sworn to before me this Maday of January 2021

Stephanie Saati

Manager RA Global Strategy Execution

January 22, 2021

Notary Public



ATTESTES

JUAN NUMAR

ADVOCATE NOTAP

Johnson Johnson

MEDICAL DEVICES

DIVISION OF JOHNSON & JOHNSON PRIVATE LIMITED

Dated: 28th Jan, 2023

To, The Director, All India Institute of Medical Sciences, Raipur (C.G)

Subject: Authority Letter to supply Ethicon range of the products.

Dear Sir,

This is to certify that M/s Sai Associates is out authorized distributor for Ethicon (A company of Johnson and Johnson) range of products for AIIMS Raipur for quoting prices, receiving orders, supply and collect payment on our behalf.

The contact details of M/S. Sai Associates are Sai Associates
Regd Off – E – 12, Om Complex, Arya Nagar,
Durg – 491001
CG (India)
Contact No – 7028180201

Assuring you of our best services always.

Yours truly

Saurabh Pandey Digitally signed by Saurabh Pandey DN: cn=Saurabh Pandey, o, ou, email=spandey6@its.jnj.com, c=US Reason: I am the author of this document. Date: 2023.01.28 10:20:54 +05'30'

Saurabh Pandey Regional Sales Manager – Ethicon Johnson & Johnson Medical india



Johnson House, 64/66, Senapati Bapat Marg, Post Box No. 16480, Mahim, Mumbai 400 016 India T: +91 22 24466801 / 24466818 F: +91 22 24449105 / 24448031

Registered Office: Johnson & Johnson Private Limited, L.B.S. Marg, Mulund (W), Mumbai 400 080.

T: +91 -22-2564 4441 F: +91-22-2564 3410

Web: www.jnjindia.com CIN: U33110MH1957PTC010928