



आरोग्यं सुखं सम्मदा

अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर(छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
Tatibandh, GE Road,
Raipur-492 099 (CG)
www.aiimsraipur.edu.in

No. AIIMS/R/HS/2023-24/7724/SG/PAC/RC/

Date: 10/08/2023

CALL for OBJECTIONS

Sub:-Inviting Comments/objections (if any), regarding procurement of surgical disposable & consumable items for OT and IPD services for the Department of Surgical Gastroenterology at AIIMS Raipur under Proprietary Article.

Surgical Gastroenterology Department, AIIMS Raipur has to procure the surgical disposable & consumable items for their Department through Proprietary Article Basis under GFR -166. The proposal submitted by M/s INDIA MEDTRONIC PRIVATE LIMITED who is sole manufacturer and as well as M/s SYMA MEDICAL AND DENTAL SURGICAL, RAIPUR (C.G.) is authorized distributor of this item along with Proprietary Article Certificate are attached and same upload on AIIMS Raipur website.

The above documents are being uploaded for open information to submit objections/comments (if any) from any manufacturer/supplier before declaring proprietary article for the said equipment/items to be procured within 11 days (i.e. up to 21/08/2023) from the date of issuance/uploading of the notifications. The objection should be raised on the technical compliance sheet as enclosed, if any firm claiming suitability of their product with respect to specification mentioned.

The comments should be sent to the office of Stores Office (Hospital), Room No. 146, C-C1 Block, Gate No. 01, AIIMS, Raipur in sealed envelope or through e-mail storesofficer.hp@aiimsraipur.edu.in on or before 21/08/2023 up to 3.00 PM failing which it will be presumed that any other vendor having no comments to offer and case will be decided on merits.

**Stores Officer- H
AIIMS Raipur**

Encl:-

1. Proprietary Letter by Manufacturer
2. Proprietary Letter by Department
3. Authentication letter of vendor

ANNEXURE A

S N	Item code	Item Name	Specifications	Unit
CATEGORY I: AUTOSUTURE				
1	DCPS1001	Laparoscopic Gastrointestinal Universal Stapler Short - 6 cm shaft	Laparoscopic Gastrointestinal Stapler should have facility for interchanging cartridge lengths of 30mm, 45mm and 60mm in the same stapler with Tissue Gap Control Mechanism; there should be 9 Degree Articulation with 5 point Articulation on Each Side; The handle when squeezed should move only 15mm at a time, ensuring precise staple formation even at the distal end; The firing sequence of the stapler to be made possible only by activating a push button; Having for at least 25 firings with a facility for 360° rotation; Should also facilitate a 22 degree and 45 degree articulation on either side of the stapler with Roticulating cartridges; Shaft length of 6 cm - suitable for open/laparoscopic surgeries; (BIS/USFDA/CE certified as applicable)	01 Nos.
2	DCPS1002	Laparoscopic Gastrointestinal Universal Stapler Long - 26 cm shaft	Laparoscopic Gastrointestinal Stapler should have facility for interchanging cartridge lengths of 30mm, 45mm and 60mm in the same stapler with Tissue Gap Control Mechanism; there should be 9 Degree Articulation with 5 point Articulation on Each Side; The handle when squeezed should move only 15mm at a time, ensuring precise staple formation even at the distal end; The firing sequence of the stapler to be made possible only by activating a push button; Having for at least 25 firings with a facility for 360° rotation; Should also facilitate a 22 degree and 45 degree articulation on either side of the stapler with Roticulating cartridges; Shaft length of 26 cm - suitable for laparoscopic surgeries; (BIS/USFDA/CE certified as applicable)	01 Nos.
3	DCPS1003	Laparoscopic Articulating Vascular/Medium Reload 45 mm with Tri-Staple Technology	Laparoscopic Articulating Linear 45 mm reload for Laparoscopic Gastrointestinal Universal Stapler; For Vascular/Medium tissues; It must have the blade in the reload itself; 3 rows of Staples on both sides; Progressive staple heights of 2.0 mm, 2.5 mm and 3.0 mm with a stepped cartridge face with tan colour. There should be provision of 9 Degree Articulation with 5 point Articulation on Each Side of Cartridge. It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	01 Nos.
4	DCPS1004	Laparoscopic Articulating Medium/Thick Reload 45 mm with Tri-Staple Technology	Laparoscopic Articulating Linear 45 mm reload for Laparoscopic Gastrointestinal Universal Stapler; For medium/thick tissues; It must have the blade in the reload itself; 3 rows of Staples on both sides; Progressive staple heights of 3.0 mm, 3.5 mm and 4.0 mm with a stepped cartridge face with purple colour. There should be provision of 9 Degree Articulation with 5 point Articulation on Each Side of Cartridge. It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	1 Nos.

5	DCPS1005	Laparoscopic Articulating Extra-Thick Reload 45 mm with Tri-Staple Technology	Laparoscopic Articulating Linear 45 mm reload for Laparoscopic Gastrointestinal Universal Stapler; For Extra-thick tissues; It must have the blade in the reload itself; 3 rows of Staples on both sides; Progressive staple heights of 4.0 mm, 4.5 mm and 5.0 mm with a stepped cartridge face with black colour. There should be provision of 9 Degree Articulation with 5 point Articulation on Each Side of Cartridge. It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	1 Nos.
6	DCPS1006	Laparoscopic Articulating Vascular/Medium Reload 60 mm with Tri-Staple Technology	Laparoscopic Articulating Linear 60 mm reload for Laparoscopic Gastrointestinal Universal Stapler; For Vascular/Medium tissues; It must have the blade in the reload itself; 3 rows of Staples on both sides; Progressive staple heights of 2.0 mm, 2.5 mm and 3.0 mm with a stepped cartridge face with tan colour. There should be provision of 9 Degree Articulation with 5 point Articulation on Each Side of Cartridge. It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	1 Nos.
7	DCPS1007	Laparoscopic Articulating Medium/Thick Reload 60 mm with Tri-Staple Technology	Laparoscopic Articulating Linear 60 mm reload for Laparoscopic Gastrointestinal Universal Stapler; For medium/thick tissues; It must have the blade in the reload itself; 3 rows of Staples on both sides; Progressive staple heights of 3.0 mm, 3.5 mm and 4.0 mm with a stepped cartridge face with purple colour. There should be provision of 9 Degree Articulation with 5 point Articulation on Each Side of Cartridge. It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	1 Nos.
8	DCPS1008	Laparoscopic Articulating Extra-Thick Reload 60 mm with Tri-Staple Technology	Laparoscopic Articulating Linear 60 mm reload for Laparoscopic Gastrointestinal Universal Stapler; For Extra-thick tissues; It must have the blade in the reload itself; 3 rows of Staples on both sides; Progressive staple heights of 4.0 mm, 4.5 mm and 5.0 mm with a stepped cartridge face with black colour. There should be provision of 9 Degree Articulation with 5 point Articulation on Each Side of Cartridge. It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	1 Nos.
9	DCPS1009	Curved Tip Articulating Vascular/Medium Reload 60 mm with Tri-Staple Technology	Laparoscopic Articulating Linear 60 mm Vascular reload for Endo GIA stapler tan colour with curved tip anvil for Enhanced visualization and maneuverability around target tissues and vessels to aid in tissue manipulation, allowing for blunt dissection and mobilization. It should have the blade in the reload itself with 3 rows of Staples on both sides with progressive staple heights of 2.0 mm, 2.5 mm and 3.0 mm with a stepped cartridge face. It should have a new blade in every cartridge. It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	1 Nos.

10	DCPS1010	Curved Tip Articulating Medium/Thick Reload 60 mm with Tri-Staple Technology	Laparoscopic Articulating Linear 60 mm Vascular reload for Endo GIA stapler purple colour with curved tip anvil for Enhanced visualization and maneuverability around target tissues and vessels to aid in tissue manipulation, allowing for blunt dissection and mobilization. It should have the blade in the reload itself with 3 rows of Staples on both sides with progressive staple heights of 3.0 mm, 3.5 mm and 4.0 mm with a stepped cartridge face. It should have a new blade in every cartridge. It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	1 Nos.
11	DCPS1011	Articulating Radial umbrella shaped Medium / thick Reload 60 mm with Tri-Staple Technology	Articulating Radial Reload compatible with Laparoscopic Gastrointestinal Stapler should have progressive staples heights with stepped cartridge, for outstanding performance in various tissue thicknesses. with have narrow profile which helps in operating in both Coronal and Sagittal Planes and should have following technical features (A).Blade in the Reload. (B). Three rows of Staples on either side. (C) Total Length of 535mm with 320mm functional length. (D) Full curved staple line of 60mm, with a cut length of 54.3 mm , Staple Height of 3.0 mm, 3.5 mm and 4.0 mm. (E) For medium /thick tissues (purple). It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	1 Nos.
12	DCPS1012	Articulating Radial umbrella shaped extra thick Reload 60 mm with Tri-Staple Technology	Articulating Radial Reload compatible with Laparoscopic Gastrointestinal Stapler should have progressive staples heights with stepped cartridge, for outstanding performance in various tissue thicknesses. with have narrow profile which helps in operating in both Coronal and Sagittal Planes and should have following technical features (A).Blade in the Reload. (B). Three rows of Staples on either side. (C) Total Length of 535mm with 320mm functional length. (D) Full curved staple line of 60mm, with a cut length of 54.3 mm , Staple Height of 4.0 mm, 4.5 mm and 5.0 mm, (E) For extra thick tissues (black). It should be compatible with the above mentioned (item code DCPS1001 & item code DCPS1002) Laparoscopic Gastrointestinal Universal Stapler. (BIS/USFDA/CE certified as applicable)	1 Nos.
13	DCPS1013	Circular Stapler for Medium thick Tissue with tristaple technology diameter Size 28 mm	Graduated Height 3 Rows Circular Stapler for End to End Anastomosis with Extra Security; For Medium thick Tissue; Having 3, 3.5 and 4 mm of staple heights (purple color); 28 mm head diameter size; Should have 39 staple; Must have audible and tactile feedback during firing; It should have detachable Anvil Head Profile with Tilt-Top Anvil; Shaft size of 35cm; It has to be with integrated trocar including ready to Fire Green indicator; (BIS/USFDA/CE certified as applicable)	1 Nos.

14	DCPS1014	Circular Stapler for Extra thick Tissue with tristaple technology diameter Size 28 mm	Graduated Height 3 Rows Circular Stapler for End to End Anastomosis with Extra Security; For Extra thick Tissue; Having 4,4.5 and 5 mm of staple heights (black color); 28 mm head diameter size; Should have 39 staple; Must have audible and tactile feedback during firing; It should have detachable Anvil Head Profile with Tilt-Top Anvil; Shaft size of 35cm; It has to be with integrated trocar including ready to Fire Green indicator; (BIS/USFDA/CE certified as applicable)	1 Nos.
15	DCPS1015	Circular Stapler for Medium thick Tissue with tristaple technology diameter Size 31 mm	Graduated Height 3 Rows Circular Stapler for End to End Anastomosis with Extra Security; For Medium thick Tissue; Having 3, 3.5 and 4 mm of staple heights (purple color); 31 mm head diameter size; Should have 45 staple; Must have audible and tactile feedback during firing; It should have detachable Anvil Head Profile with Tilt-Top Anvil; Shaft size of 35cm; It has to be with integrated trocar including ready to Fire Green indicator; (BIS/USFDA/CE certified as applicable)	1 Nos.
16	DCPS1016	Circular Stapler for Extra thick Tissue with tristaple technology diameter Size 31 mm	Graduated Height 3 Rows Circular Stapler for End to End Anastomosis with Extra Security; For Extra thick Tissue; Having 4,4.5 and 5 mm of staple heights (black color); 31 mm head diameter size; Should have 45 staple; Must have audible and tactile feedback during firing; It should have detachable Anvil Head Profile with Tilt-Top Anvil; Shaft size of 35cm; It has to be with integrated trocar including ready to Fire Green indicator; (BIS/USFDA/CE certified as applicable)	1 Nos.
17	DCPS1017	Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 80 mm	The applicator should have: Linear cutter with Varied staple height, Tri-Staple technology-enabled reloads integration with left and right firing knob, Linear Cutter stapler should be with integrated gap control technology in 80 mm Tri-Staple GIA Stapler, Linear Cutter stapler should have one reload included. Single use, but ETO sterilisable and able to be used in multiple 80 mm cartridge fire. (BIS/USFDA/CE certified as applicable)	1 Nos.
18	DCPS1018	Medium/thick Purple Reload for Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 80 mm	It should have: linear cutter cartridge length 80 mm compatible with the above mentioned (item code DCPS1017) Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 80 mm. Varied Staple Height reloads for 80 mm GIA instruments with Tri-Staple technology, with the cutting knife blade incorporated in the reloads itself, For medium/thick tissues, with purple color coded with varied staple height of 3, 3.5 and 4mm leg length, 6 Rows staple technology, Single use, but ETO sterilisable, New knife should be there in each cartridge. (BIS/USFDA/CE certified as applicable)	1 Nos.

19	DCPS1019	Extra-thick Black Reload for Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 80 mm	It should have: linear cutter cartridge length 80 mm compatible with the above mentioned (item code DCPS1017) Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 80 mm. Varied Staple Height reloads for 80 mm GIA instruments with Tri-Staple technology, with the cutting knife blade incorporated in the reloads itself, For Extra-thick tissues, with black color coded with varied staple height of 4, 4.5 and 5 mm leg length, 6 Rows staple technology, Single use, but ETO sterilisable, New knife should be there in each cartridge. (BIS/USFDA/CE certified as applicable)	1 Nos.
20	DCPS1020	Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 60 mm	The applicator should have: Linear cutter with Varied staple height, Tri-Staple technology-enabled reloads integration with left and right firing knob, Linear Cutter stapler should be with integrated gap control technology in 60 mm Tri-Staple GIA Stapler, Linear Cutter stapler should have one reload included. Single use, but ETO sterilisable and able to be used in multiple 60 mm cartridge fire. (BIS/USFDA/CE certified as applicable)	1 Nos.
21	DCPS1021	Medium/thick Purple Reload for Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 60 mm	It should have: linear cutter cartridge length 60 mm compatible with the above mentioned (item code DCPS1020) Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 60 mm. Varied Staple Height reloads for 60 mm GIA instruments with Tri-Staple technology, with the cutting knife blade incorporated in the reloads itself, For medium/thick tissues, with purple color coded with varied staple height of 3, 3.5 and 4mm leg length, 6 Rows staple technology, Single use, but ETO sterilisable, New knife should be there in each cartridge. (BIS/USFDA/CE certified as applicable)	1 Nos.
22	DCPS1022	Extra-thick Black Reload for Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 60 mm	It should have: linear cutter cartridge length 60 mm compatible with the above mentioned (item code DCPS1020) Tristaple Gastro Intestinal Anastomosis Linear Cutter Stapler for open surgery - 60 mm. Varied Staple Height reloads for 60 mm GIA instruments with Tri-Staple technology, with the cutting knife blade incorporated in the reloads itself, For Extra-thick tissues, with black color coded with varied staple height of 4, 4.5 and 5 mm leg length, 6 Rows staple technology, Single use, but ETO sterilisable, New knife should be there in each cartridge. (BIS/USFDA/CE certified as applicable)	1 Nos.

CATEGORY II: SPONGESTON / LIKE HEMOSTATS

23	DCPS2001	Hemostatic patch - 2cm x 4cm	Synthetic Oxidized re-generated cellulose, double layered with PEG and Trilysine size 2x4 cm (BIS/USFDA/CE certified as applicable)	1 Nos.
24	DCPS2002	Hemostatic patch - 5cm x 5cm	Synthetic Oxidized re-generated cellulose, double layered with PEG and Trilysine size 5x5 cm (BIS/USFDA/CE certified as applicable)	1 Nos.

CATEGORY III: DISPOSABLE WOUND COVER / PROTECTIVE ITEMS

25	DCPS3001	Endo Specimen Retrieval Bag (volume 750 ml, 5x8 inch)	Endo Specimen Retrieval Bag made of Polyurethane Material; Volume of 750 ml; Endo Bag Size of 5x8 Inch for 10-12 mm Port; (BIS/USFDA/CE certified as applicable)	1 Nos.
26	DCPS3002	10 mm Endo Specimen Retrieval Device (220ml Volume)	10 mm Endo Specimen Retrieval Device having inbuilt retrieval bag with 34-37 mm shaft length, with a pulling and pushing plunger, a Volume of 220 - 230 ml (2-4 inch X 5.5 - 6 inch), bag Made of Polyurethane Material, can be inserted through 10-12 mm port (BIS/USFDA/CE certified as applicable)	1 Nos.
27	DCPS3003	Wound Protector of extra-small 2-4 cm Size	Wound Protector of 2-4 cm Size for preventing SSI and maximum wound Exposure for surgical procedure with / without Retraction ring; Should have a proximal blue ring to roll down to adjust to variable thicknesses of the abdominal wall.; Material Polyurethane; Should have a flexible distal grey ring which could be inserted through the incision and easily be removed at the end of the procedure; (BIS/USFDA/CE certified as applicable)	1 Nos.

28	DCPS3004	Wound Protector of small 2.5-6 cm Size	Wound Protector of 2.5-6 cm Size for preventing SSI and maximum wound Exposure for surgical procedure with / without Retraction ring; Should have a proximal blue ring to roll down to adjust to variable thicknesses of the abdominal wall; Material Polyurethane; Should have a flexible distal grey ring which could be inserted through the incision and easily be removed at the end of the procedure.; (BIS/USFDA/CE certified as applicable)	1 Nos.
29	DCPS3005	Wound Protector of medium 5-9 cm Size	Wound Protector of 5-9 cm Size for preventing SSI and maximum wound Exposure for surgical procedure with / without Retraction ring; Should have a proximal blue ring to roll down to adjust to variable thicknesses of the abdominal wall; Material Polyurethane; Should have a flexible distal grey ring which could be inserted through the incision and easily be removed at the end of the procedure.; (BIS/USFDA/CE certified as applicable)	1 Nos.
30	DCPS3006	Wound Protector of large 9-14 cm Size with retraction ring	Wound Protector of 2-4 cm Size for preventing SSI and maximum wound Exposure for surgical procedure with Retraction ring; Should have a proximal blue ring to roll down to adjust to variable thicknesses of the abdominal wall; Material Polyurethane; Should have a flexible distal grey ring which could be inserted through the incision and easily be removed at the end of the procedure; Must have a retraction ring at the proximal ring part; (BIS/USFDA/CE certified as applicable)	1 Nos.
31	DCPS3007	Wound Protector of extra-large 11-17 cm Size with retraction ring	Wound Protector of 11-17 cm Size for preventing SSI and maximum wound Exposure for surgical procedure with / without Retraction ring; Should have a proximal blue ring to roll down to adjust to variable thicknesses of the abdominal wall.; Material Polyurethane; Should have a flexible distal grey ring which could be inserted through the incision and easily be removed at the end of the procedure; Must have a retraction ring at the proximal ring part; (BIS/USFDA/CE certified as applicable)	1 Nos.

CATEGORY IV: HEMOSTATIC / LIGATING CLIPS

32	DCPS4001	Disposable MultiFire Titanium clip applicator - with small size clips for Open Surgery	MultiFire Open Small size Ligation Clip applicator with Angled Jaw for Better Visibility, slim long plastic-coated Shaft with Ratchet Mechanism, clip size 2.25 mm, Preloaded with 20 clips, shaft length 9 inch. (BIS/USFDA/CE certified as applicable)	1 Nos.
33	DCPS4002	Disposable MultiFire Titanium clip applicator - with medium size clips for Open Surgery	MultiFire Open Medium size Ligation Clip applicator with Angled Jaw for Better Visibility, slim long plastic-coated Shaft with Ratchet Mechanism, clip size 4.6 mm, preloaded with 20 clips, shaft length 9.75 inch. (BIS/USFDA/CE certified as applicable)	1 Nos.
34	DCPS4003	Disposable MultiFire Titanium clip applicator - with large size clips for Open Surgery	MultiFire Open Large size Ligation Clip applicator with Angled Jaw for Better Visibility, slim long plastic-coated Shaft with Ratchet Mechanism, clip size 6.5 mm, preloaded with 15 clips, shaft length 13 inch. (BIS/USFDA/CE certified as applicable)	1 Nos.
35	DCPS4004	Disposable multiple Titanium clip applicator -Lap surgery(Medium) - 5 mm	It should have: Clip Logic Feature; Shaft Rotation by 360 degree for maximum Visibility, Facility of loading clips independent of the firing mechanism, should protect clip from external forces caused by the tissue presenting against the jaws with safety interlock feature; It should be 5mm diameter with 16 pre-loaded titanium clips of medium size for laparoscopic procedure.(BIS/USFDA/CE certified as applicable)	1 Nos.
36	DCPS4005	Disposable multiple Titanium clip applicator -Lap surgery(Medium) - 10 mm	It should have: Clip Logic Feature; Shaft Rotation by 360 degree for maximum Visibility, Facility of loading clips independent of the firing mechanism, should protect clip from external forces caused by the tissue presenting against the jaws with safety interlock feature; It should be 10 mm diameter with 20 pre-loaded titanium clips of medium size for laparoscopic procedure.(BIS/USFDA/CE certified as applicable)	1 Nos.

37	DCPS4006	Disposable multiple Titanium clip applicator -Lap surgery(large) - 10 mm	It should have: Clip Logic Feature; Shaft Rotation by 360 degree for maximum Visibility, Facility of loading clips independent of the firing mechanism, should protect clip from external forces caused by the tissue presenting against the jaws with safety interlock feature; It should be 10 mm diameter with 15 pre-loaded titanium clips of large size for laparoscopic procedure.(BIS/USFDA/CE certified as applicable)	1 Nos.
----	----------	--	--	--------



अखिलभारतीय आयुर्विज्ञानसंस्थान, रायपुर (छ.ग.)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
 Tatibandh, GE Road,
 Raipur-492 099 (CG)
 www.aiimsraipur.edu.in

स्वामित्वप्रमाणपत्र
Proprietary Article Certificate


फाइल संख्या औरसंदर्भ File Number and Reference			
1	सामाग्रीकाविवरण Description of article	Disposable and Consumable Products (ANNEXURE I)	
2	पूर्वानुमानितमात्रा / वार्षिकआवश्यकता Forecast of quantity/annual requirement		
3	उपरोक्तमात्रा हेतुअनुमानितमूल्य Approximate estimated value for above		
4	निर्माताकानाम एवं पता Maker's name and address	M/s India Medtronic Pvt Ltd	
5	अधिकृतडीलर / स्टॉकिस्टकानाम Name(s) of authorised dealers/stockists	M/s Syma medical and dental surgical, Raipur	
6	<p>मैंपी ए सी के आधारपरउपरोक्त खरीदकोस्वीकारकरताहूँऔर यह प्रमाणित करताहूँकि: नोट- (बी), (सी-1) या (सी-2) में से केवल एक कोबनाए रखने के लिए टिककरें, जोभीलागूहोऔरदूसरोकोकाटदें। कृपया (ए) टिककरपुष्टिकरेंइसकेबिनापीएसीप्रमाणपत्र अवैध होगा</p> <p>I approve the above purchase on PAC basis and certify that:- Note- Tick to retain only one out of (b), (c-1) or (c-2) whichever is applicable and cross out others. Please do confirm (a) by ticking it - without which PAC certificate will be invalid.</p>		
6 (a)	यह एकमात्र फर्महैजोइसमदकानिर्माण / संग्रहणकररहाहै। और This is the only firm who is manufacturing /stocking this item. AND		✓
6 (b)	किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नहीं कियाजाताहै, जिसकाउपयोगइसकेबदलेकियाजासकताहै। अथवा A similar article in not manufacturing/sold by any other firm, which could be used in lieu OR		✓
6 (c-1)	कोईअन्य मेक / ब्रांडनिम्नलिखितकारणो (जैसेओईएम / वारंटी के) के लिए उपयुक्त नहीं होगा। अथवा No other make/brand will be suitable for following tangible reasons (like OEM/warranty spares): OR		
		

		
6 (c)	कोई अन्य मेक/ब्रांड निम्नलिखित कारणों से उपयुक्त नहीं होगा (अगर पीएससी पिछले खरीद में भी दिया गया था, तो कृपया इसके बाद से अधिक स्रोतों का पता लगाने के लिए प्रयास करें) तथा No other make/brand will be suitable for following intangible reasons (if PAC was also given in the last procurement cycle, please also bring out efforts made since then to locate more sources): OR		

	प्रस्ताव के लिए वित्त शाखा की सहमति का संदर्भ (कार्रवाई भंडार और लेखा विभाग द्वारा की जायेगी) Reference of concurrence of finance wing to the proposal (Action will be taken by stores & Account Department)	_____	_____

पिछले तीन सालों में इस मद की पीएससी खरीद का इतिहास नीचे दिया जा सकता है (यदि कोई हो) History of PAC purchase of this item for past three years may be given below (if any)			
प्रदायक का नाम Name of the Supplier			
आदेश / निविदा संदर्भ और दिनांक Order/Tender reference & Date	आदेशित मात्रा Quantity Ordered	आदेश पर मूल दर (<input type="checkbox"/>) Basic Rate on order (<input checked="" type="checkbox"/>)	प्रतिकूल प्रदर्शन रिपोर्ट अगर कोई हो Adverse Performance Reported if any

अनुमोदन करने वाले प्राधिकारी का हस्ताक्षर.....


Dr. Souvik Paul
MBBS, MS, DNB SS (Surg. Gastro)
Assistant Professor
Dept. of Surgical Gastroenterology
AIIMS, Raipur (C.G.)

दिनांक 17.02.2023.....

अधिकारी का पदनाम DR SOUVIK PAUL.....

Medtronic

India Medtronic Pvt. Ltd.

CIN: U33110MH1993PTC204814
4th Floor, Tower A & B, SAS Tower,
The Medicity Complex,
Sector 38, Gurgaon-122001,
Haryana, India

Tel +91-0124-470 9800

www.medtronic.co.in

September 28, 2022

Letter of Intimation of Our Authorized Distributor

To,
The Stores Office,
All India Institute Of Medical Science,
Raipur (C.G.)

Dear Sir/Ma'am,

This letter by India Medtronic Private Ltd located at 1261, Solitaire Corporate Park, Bldg. No. 12, 6th Floor, Andheri - Ghatkopar Link Road, Andheri (East), Mumbai - 400093, India is for the information that Syma Medical & Dental Surgical, having its principal place of business at House No:88, Anand Nagar, Raipur-492001, India, is as on today and until 30th April 2023, an authorized distributor of India Medtronic Private Limited to supply Surgical(STI) range of products in your institute.

As there are no written terms and conditions of the sale, Syma Medical & Dental Surgical, having its principal place of business at House No:88, Anand Nagar, Raipur-492001, India, will be solely responsible for complying with the terms of sale, barring Medtronic's standard support on warranty towards equipment sold.

Yours Faithfully,
For India Medtronic Pvt Ltd




Digitally signed
by R Sanjeev
Kumar Nair
Date: 2022.09.28
18:39:43 +05'30'

Authorized Signatory
Sanjeev R Nair
Sales Lead – PM, RI & Govt Projects



**TRUE COPY
ATTESTED**



C.L. MARKENDEY
Notary/Advocate
RAIPUR (C.G.) INDIA



Proprietary Article Certificate

January 18, 2023

To Whom It May Concern,

This is to certify that the below mentioned product is the proprietary product of Covidien llc, 15 Hampshire Street, Mansfield, MA 02048, USA. The product design and specifications are the proprietary of and controlled by Covidien llc.


Product Code	Approved Brand name
HP0204E, HP0510E, HP0816E, HP0204CE, HP0510CE, HP0204CE1, HP0510CE1, HP0505E, HP0505E1, HP0204E, HP0510E, HP0816E1	Veriset™ Hemostatic Patch

Above products are manufactured at the following manufacturing site:
M/s Covidien, Formerly United States Surgical, A Division of Tyco Healthcare Group LP, 60 middletown Avenue North Haven, CT 06473, United States.

Signed on behalf of Covidien:

Atheena Ben

Atheena Ben
International Regulatory Affairs Specialist



**TRUE COPY
ATTESTED**

[Signature]
C.L. MARKENDEY
Notary/Advocate
RAIPUR (C.G.) INDIA

Medtronic

India Medtronic Pvt. Ltd.
CIN: U33110MH1993PTC204814
4th Floor, Tower A & B, SAS Tower,
The Medicity Complex,
Sector 38, Gurgaon-122001,
Haryana, India

Tel +91-0124-470 9800

www.medtronic.co.in

November 28, 2022

Letter of Intimation of Our Authorized Distributor


To,
The Director
All India Institute of Medical Sciences,
Raipur.

Dear Sir/Ma'am,

This letter by India Medtronic Private Ltd located at 1261, Solitaire Corporate Park, Bldg. No. 12, 6th Floor, Andheri - Ghatkopar Link Road, Andheri (East), Mumbai - 400093, India is for the information that Syma Medical & Dental Surgical, having its principal place of business at House No:88, Anand Nagar, Raipur-492001, India, is as on today and until 30th April 2023, an authorized distributor of India Medtronic Private Limited to supply Surgical(EMID) range of products in your institute.

As there are no written terms and conditions of the sale, Syma Medical & Dental Surgical, having its principal place of business at House No:88, Anand Nagar, Raipur-492001, India, will be solely responsible for complying with the terms of sale, barring Medtronic's standard support on warranty towards equipment sold.

Yours Faithfully,
For India Medtronic Pvt Ltd


Digitally signed
by Raghu M
Date: 2022.11.28
10:21:44 +05'30'

Authorized Signatory
Raghu M.
Head of Channel & Key Accounts



**TRUE COPY
ATTESTED**


C.L. MARKENDEY
Notary/Advocate
RAIPUR (C.G. LINE)

30 NOV 2022



Date: 22-Nov-22

Proprietary Article Certificate
To Whomsoever It May Concern

This is to certify that the below mentioned products are the proprietary products of **Covidien llc, 15 Hampshire Street, Mansfield, MA 02048, USA**. The product design and specifications of these products are the proprietary of and controlled by Covidien llc.

CFN	Product Description
EGIA60AMT	EGIA 60 MED THICK SULU
30458	ENDO GIA ROTICULA *60-3.5 SULU
30414	ENDO GIA* II 60-3.5 SULU
EGIA45AMT	EGIA 45 MED THICK SULU
30459	ENDO GIA R/OR 60 4.8MM X6
30415	ENDO GIA* II 60-4.8 SULU
EGIAUXL	EGIA 4 HANDLE XL
30455	ROTICULTR ENDO GIA* 45-3.5 DLU
EGIA60AXT	EGIA 60 EXTRA THICK SULU
30422	ENDO GIA* II 45-3.5 DLU
EGIAUSHORT	EGIA 4 HANDLE SHORT
EGIA60AVM	EGIA 60 VASCULAR MED SULU
30412	ENDO GIA* II 60-3.5 SULU

**TRUE COPY
ATTESTED**

[Signature]
C. L. MARKENDEY
Notary Public
MASSACHUSETTS



COVIDIEN

508-261-8000 (T)

30 NOV 2022

30456	RODICULATOR ENDO GIA*45-4.8DLU
30454	RODICULTR ENDO GIA* 45-2.5 DLU
EGIARADMT	ENDO GIA RADIAL RELOAD PURPLE
EGIAUSTND	EGIA 4 HANDLE STANDARD
EGIA30CTAVM	EGIA 30 CURVED VAS MED SULU
EGIA45CTAVM	EGIA 45 CURVED VAS MED SULU
EGIA45AVM	EGIA 45 VASCULAR MED SULU
EGIA45AXT	EGIA 45 EXTRA THICK SULU
EGIARADXT	EGIA RADIAL BLK EXT THK RELOAD
30457	ENDO GIA ROTICULA* 60-2.5 SULU
30418	ENDO GIA* II 30-2.5 DLU
30451	RODICULTR ENDO GIA* 30-2.5 DLU
30425	ENDO GIA* II 45 2.5 DLU
EGIA30AMT	EGIA 30 MED THICK SULU
EGIA60CTAVM	EGIA 60 CURVED VAS MED SULU
30423	ENDO GIA* II 45-4.8 SULU
010911L	Multifire 30 mm Endo TA Reload 2.5mm
30452	RODICULTR ENDO GIA* 30-3.5 DLU

COVIDIEN



**TRUE COPY
ATTESTED**

C.L. Markendey
C.L. MARKENDEY
 Notary/Advocate
 RAIPUR (C.G.) IN/17

508-261-8000 (T)

30 NOV 2022

EGIA45CTAMT	EGIA 45 CURVED MED THICK SULU
I0901	Multifire 30 mm Endo TA Stapler 2.5mm
EGIATRS60AMT	Endo GIA™ Reinforced Reload with Tri-Staple™ Technology
30419	ENDO GIA* II 30-3.5 DLU
EGIA60CTAMT	EGIA 60 CURVED MED THICK SULU
SIGC60MT	TriStaple 2.0 60 mm medium/thick Intelligent Cartridge
SIGC45VM	TriStaple 2.0 45 mm vascular/medium Intelligent Cartridge
EGIA30AVM	EGIA 30 VAS MED SULU
SIGRADXT	TriStaple 2.0 Extra Thick Radial Intelligent reload
EGIATRS45AXT	Endo GIA™ Reinforced Reload with Tri-Staple™ Technology
EGIATRS60AXT	Endo GIA™ Reinforced Reload with Tri-Staple™ Technology
EGIATRS45AMT	Endo GIA™ Reinforced Reload with Tri-Staple™ Technology
SIGRADVM	TriStaple 2.0 Vascular/Medium Radial Intelligent reload
SIGTRS60AMT	TriStaple 2.0 60 mm Medium/Thick Reinforced Intelligent reload
SIGTRS45AXT	TriStaple 2.0 45 mm Extra Thick Black Reinforced Intelligent reload
SIGTRS60AXT	TriStaple 2.0 60 mm Extra Thick Black Reinforced Intelligent reload
SIGTRS45AMT	TriStaple 2.0 45 mm Medium/Thick Reinforced Intelligent reload
SIG30CTAV	TriStaple 2.0 30 mm vascular Gray curved hp Intelligent reload and introducer



**TRUE COPY
ATTESTED**

C.L. MARKENDEY
Notary/Advocate
RAIPUR (C.G.) INDIA

3.0 NOV 2022

SIG45CTAV	TriStaple 2.0 45 mm vascular Gray curved tip Intelligent reload and introducer
SIG45CTAMT	TriStaple 2.0 45 mm Medium/Thick curved tip Intelligent reload and introducer
SIG60CTAMT	TriStaple 2.0 60 mm Medium/Thick curved tip Intelligent reload and introducer
SIG60CTAVM	TriStaple 2.0 60 mm vascular/medium curved tip Intelligent reload and introducer
SIG30CTAVM	TriStaple 2.0 30 mm vascular/medium curved tip Intelligent reload and introducer
SIG45CTAVM	TriStaple 2.0 45 mm vascular/medium curved tip Intelligent reload and introducer
SIGRADMT	TriStaple 2.0 Medium/Thick Radial Intelligent reload
SIG30AV	TriStaple 2.0 30 mm vascular Gray Intelligent reload
SIG30AVM	TriStaple 2.0 30 mm vascular/medium Intelligent reload and introducer
SIG30AMT	TriStaple 2.0 30 mm medium/thick Intelligent reload and introducer
SIGC45MT	TriStaple 2.0 45 mm medium/thick Intelligent Cartridge
SIGC60VM	TriStaple 2.0 60 mm vascular/medium Intelligent Cartridge
SIG45AXT	TriStaple 2.0 45 mm Extra Thick Black Intelligent reload
SIGLU45A	TriStaple 2.0 45 mm Intelligent loading unit
SIG60AXT	TriStaple 2.0 60 mm Extra Thick Black Intelligent reload
SIGLU60A	TriStaple 2.0 60 mm Intelligent loading unit
30453	ROTICULATOR ENDO GIA* 45-2.0 DLU
30426	ENDO GIA* II 45 2.0-DLU

**TRUE COPY
ATTESTED**

[Signature]
E.L. MARKENDEY
Notary/Advocate
RAIPUR (C.G.) INDIA



30 NOV 2022

Open Stapling

CFN	Product Description
8886803712	APPOSE ULC SS 35 WIDE
GIA8038L	GIA 80-3.8 SINGLE USE LOADING
GIA6038L	GIA 60-3.8 SINGLE USE LOADING
EEA31	EEA* 31MM SINGLE-USE STAPLER
EEA28	EEA* 28MM SINGLE-USE STAPLER
GIA10038L	GIA 100-3.8 SINGLE USE LOADING
KYGZB-33.5	KD KYGZB 33.5 HEM STPLR 4.2 E
GIA8048L	GIA 80-4.8 SINGLE USE LOADING
HEM3348	33MM HAEMORRHOID 4.8MM STAPLE
GIA6038RL	RELIAMAX LOADING UNIT 6038
GIA8038RL	RELIAMAX LOADING UNIT 8038
GIA8048RL	RELIAMAX LOADING UNIT 8048
HEM3335	33MM HAEMORRHOID 3.5MM STAPLE
GIA10048L	GIA 100-4.8 SINGLE USE LOADING
GIA6048L	GIA 60-4.8 SINGLE USE LOADING
GIA8038S	GIA 80-3.8 SINGLE USE RELOADAB

**TRUE COPY
ATTESTED**

C.L. MARKENDEY
 C.L. MARKENDEY
 Notary/Advocate
 RAIPUR (C.G.) INDIA

NOTARY PUBLIC
 C.L. MARKENDEY
 RAIPUR (C.G.) INDIA
 15 HAMPSHIRE STREET
 MANSFIELD, MN 02048
 03/04/2022

30 NOV 2022

EEA33	EEA* 33MM SINGLE-USE STAPLER
GIA6048RL	RELIAMAX LOADING UNIT 6048
GIA6038S	GIA 60-3.8 SINGLE USE RELOADAB
TRIEEA31XT	TriStaple 31mm Extra Thick EEA Circular Stapler
TA4548L	TA* 45-4.8 SULU GREEN
EEA25	EEA* 25MM SINGLE-USE STAPLER
TRIEEA28XT	TriStaple 28mm Extra Thick EEA Circular Stapler
TA6048L	TA* 60-4.8 SULU GREEN
EEAXL2535	EEAXL 25MM 3.5 STAPLES SGL USE
GIA10038S	GIA 100-3.8 SINGLE USE RELOAD
TRIEEA31MT	TriStaple 31mm Medium-Thick EEA Circular Stapler
GIA8048S	GIA 80 SINGLE USE RELOADABLE S
TA4548S	TA* 45-4.8 SU RELOAD STAPLER
TRIEEA28MT	TriStaple 28mm Medium-Thick EEA Circular Stapler
TA6048S	TA* 60-4.8 SU RELOAD STAPLER
EEA2535	EEA 25MM 3.5 STAPLES SGL USE
EEAORVIL25A	EEA ORVIL 25MM AUTOMATIC DV
GIA6048S	GIA 60-4.8 SINGLE USE RELOADAB

**TRUE COPY
ATTESTED**

C. L. MARKENDEY
C. L. MARKENDEY
 Notary/Advocate
 RAIPUR (C.G.) INDIA



30 NOV 2022

GIA10048S	GIA 100-4.8 SINGLE USE RELOAD
TA4535L	TA* 45-3.5 SULU BLUE
KYGZB-32	KD KYGZB 32 HEM STPLR 4.2 E
TA6035L	TA* 60-3.5 SULU BLUE
GIA80RS	RELIAMAX REUSABLE STAPLER 80
GIA60RS	RELIAMAX REUSABLE STAPLER 60
150462	PREMIUM* SKIN STAPLE REMOVER
TA3048L	TA* 30-4.8 SULU GREEN
111989	PREMIUM PLUS CEEA* 31MM INSTR.
GIA6025L	GIA 60-2.5 SINGLE USE LOADING
GIA6025RL	RELIAMAX LOADING UNIT 6025
111985	PREMIUM PLUS CEEA* 25MM INSTR.
TA4535S	TA* 45-3.5 SU RELOAD STAPLER
EEAXL25	EEA* XL 25MM SINGLE-USE STAPLR
TA30V3L	TA* 30-V3 SULU WHITE
20730	PURSTRING* 45 TEMP/PERM INSTR
111981	PREMIUM PLUS CEEA* 34MM INSTR.
20242	DISP PURSTRING* 65 INSTRUMENT

**TRUE COPY
ATTESTED**

[Signature]
CL. MARKENDEY
 Notary/Advocate
 RAIPUR (C.G.) INDIA



30 NOV 2022

TA9048L	TA* 90-4.8 SULU GREEN
TA3048S	TA* 30-4.8 SU RELOAD STAPLER
TA9035L	TA* 90-3.5 SULU BLUE
TA6035S	TA* 60-3.5 SU RELOAD STAPLER
TA9035S	TA* 90-3.5 SU RELOAD STAPLER
TRIEEAXL33MT	TriStaple 33mm Medium-Thick EEA XL size Circular Stapler
TRIEEAXL33XT	TriStaple 33mm Extra Thick EEA XL size Circular Stapler
TA9048S	TA* 90-4.8 SU RELOAD STAPLER
TA30V3S	TA* 30V-3 SU RELOAD STAPLER
TA3035S	TA* 30-3.5 SU RELOAD STAPLER
GIA6025S	GIA 60-2.5 SINGLE USE RELOADAB
111987	PREMIUM PLUS CEEA* 28MM INSTR.
TA3035L	TA* 30-3.5 SULU BLUE
GIA60MTS	Tri-Staple GIA 60 Purple Stapler with reload
GIA60XTS	Tri-Staple GIA 60 Black Stapler with reload
GIA80MTS	Tri-Staple GIA 80 Purple Stapler with reload
GIA80XTS	Tri-Staple GIA 80 Black Stapler with reload
GIA60MTC	Tri-Staple GIA 60 Purple reload

COVIDIEN



**TRUE COPY
ATTESTED**

C.L. Mankendey
Notary/Advocate
RAIPUR (C.G.) INDIA

508-261-8000 [T]

30 NOV 2022



GIA60XTC	Tri-Staple GIA 60 Black reload
GIA80MTC	Tri-Staple GIA 80 Purple reload
GIA80XTC	Tri-Staple GIA 80 Black reload

Above products are manufactured at the following manufacturing sites:

- M/s Covidien, Building 911-67, Sabanetas Industrial Park, Ponce, Puerto Rico 00731, United States
- M/s Covidien, Formerly United States Surgical, A Division Of Tyco Healthcare Group LP, 60 Middletown Avenue North Haven, CT 06473, Country: United States
- M/s Covidien, Zona Franca de San Isidro, Carretera San Isidro Km 17, Santo Domingo, Dominican Republic

Signed on behalf of Covidien llc,

Samira Niazzy Digitally signed
by Samira Niazzy
Date: 2022.11.22
18:10:22 -05'00'

Samira Niazzy
International Regulatory Affairs Specialist
Regulatory Affairs

COVIDIEN



**TRUE COPY
ATTESTED**

[Signature]
C.S. MARKENDEY
Attorney/Advocate
RAMPUR (G.) INDIA
508-261-8000 [T]

30 NOV 2022



Date: 09 December 2022

Proprietary Article Certificate

To Whomsoever It May Concern

This is to certify that the below mentioned products are the proprietary products of **Covidien LLC**, located at **15 Hampshire Street, Mansfield, MA 02048, USA**. The product design and specifications of these products are the proprietary of and controlled by Covidien LLC.

The products are manufactured at the following manufacturing (MFG) sites:

- **CMX**
 - Celestica de Monterrey SA de CV, Calle Octava #102, Parque Industrial Monterrey, Apodaca, Nuevo Leon, 66600, Mexico
- **NPAMX**
 - NPA de Mexico S. de R.L. de C.V., Sor Juana Ines de la Cruz, # 20150, Interior 5, Cd. Industrial, Tijuana, Baja California, CP 22444, Mexico
- **SIMA**
 - Covidien, Zona Franca de San Isidro, Carretera San Isidro Km 17, Santo Domingo, Dominican Republic

CFN	Description	MFG Site
SILSPT12TA	SILS™ Port Flexible Port 5mm - 12mm	CMX
WPLGR914	SurgiSleeve™ Large Wound Protector with Retraction Ring 9cm - 14cm	NPAMX
WPMD509	SurgiSleeve™ Medium Wound Protector 5cm - 9cm	NPAMX
WPSM256	SurgiSleeve™ Small Wound Protector 2.5cm - 6cm	NPAMX
WPXLGR1117	SurgiSleeve™ Extra Large Wound Protector with Retraction Ring 11cm - 17cm	NPAMX
WPXSM24	SurgiSleeve™ Extra Small Wound Protector 2cm - 4cm	NPAMX
B11STF	VersaOne™ Bladed Trocar with Fixation Cannula 11mm Standard	SIMA
B11STS	VersaOne™ Bladed Trocar with Smooth Cannula 11mm Standard	SIMA
B12LGF	VersaOne™ Bladed Trocar with Fixation Cannula 12mm Long	SIMA
B12LGS	VersaOne™ Bladed Trocar with Smooth Cannula 12mm Long	SIMA
B12STF	VersaOne™ Bladed Trocar with Fixation Cannula 12mm Standard	SIMA
B12STS	VersaOne™ Bladed Trocar with Smooth Cannula 12mm Standard	SIMA
B5SHF	VersaOne™ Bladed Trocar with Fixation Cannula 5mm Short	SIMA
B5SHS	VersaOne™ Bladed Trocar with Smooth Cannula 5mm Short	SIMA
B5STF	VersaOne™ Bladed Trocar with Fixation Cannula 5mm Standard	SIMA
B5STS	VersaOne™ Bladed Trocar with Smooth Cannula 5mm Standard	SIMA
BPT12STS	VersaOne™ Blunt Trocar with Threaded Anchor 12mm Standard	SIMA
NONB11STF	VersaOne™ Bladeless Trocar with Fixation Cannula 11mm Standard	SIMA

COVIDIEN

15 HAMPSHIRE STREET
MANSFIELD, MA 02048
U.S.A.

Page 1 of 2



[508]261-8000 [T]

TRUE COPY
ACCEPTED




CFN	Description	MFG Site
NONB12LGF	VersaOne™ Bladeless Trocar with Fixation Cannula 12mm Long	SIMA
NONB12SHF	VersaOne™ Bladeless Trocar with Fixation Cannula 12mm Short	SIMA
NONB12STF	VersaOne™ Bladeless Trocar with Fixation Cannula 12mm Standard	SIMA
NONB12STS	VersaOne™ Bladeless Trocar with Smooth Cannula 12mm Standard	SIMA
NONB15LGF	VersaOne™ Bladeless Trocar with Fixation Cannula 15mm Long	SIMA
NONB15STF	VersaOne™ Bladeless Trocar with Fixation Cannula 15mm Standard	SIMA
NONB5LGF	VersaOne™ Bladeless Trocar with Fixation Cannula 5mm Long	SIMA
NONB5SHF	VersaOne™ Bladeless Trocar with Fixation Cannula 5mm Short	SIMA
NONB5STF	VersaOne™ Bladeless Trocar with Fixation Cannula 5mm Standard	SIMA
ONB11LGF	VersaOne™ Optical Trocar with Fixation Cannula 11mm Long	SIMA
ONB11STF	VersaOne™ Optical Trocar with Fixation Cannula 11mm Standard	SIMA
ONB12LGF	VersaOne™ Optical Trocar with Fixation Cannula 12mm Long	SIMA
ONB12SHF	VersaOne™ Optical Trocar with Fixation Cannula 12mm Short	SIMA
ONB12STF	VersaOne™ Optical Trocar with Fixation Cannula 12mm Standard	SIMA
ONB12STS	VersaOne™ Optical Trocar with Smooth Cannula 12mm Standard	SIMA
ONB15STF	VersaOne™ Optical Trocar with Fixation Cannula 15mm Standard	SIMA
ONB5LGF	VersaOne™ Optical Trocar with Fixation Cannula 5mm Long	SIMA
ONB5SHF	VersaOne™ Optical Trocar with Fixation Cannula 5mm Short	SIMA
ONB5STF	VersaOne™ Optical Trocar with Fixation Cannula 5mm Standard	SIMA
ONB5STF2C	VersaOne™ Optical Trocar with (2) Fixation Cannulae 5mm Standard	SIMA
UNVCA11STF	VersaOne™ Universal Fixation Cannula 11mm Standard	SIMA
UNVCA12LGF	VersaOne™ Universal Fixation Cannula 12mm Long	SIMA
UNVCA12STF	VersaOne™ Universal Fixation Cannula 12mm Standard	SIMA
UNVCA12STS	VersaOne™ Universal Smooth Cannula 12mm Standard	SIMA
UNVCA5LGF	VersaOne™ Universal Fixation Cannula 5mm Long	SIMA
UNVCA5SHF	VersaOne™ Universal Fixation Cannula 5mm Short	SIMA
UNVCA5STF	VersaOne™ Universal Fixation Cannula 5mm Standard	SIMA
21-345	Clarify™ Visualization System	SIMA
B12STFCS	VersaOne™ Fascial Closure System Bladed Trocar with Fixation Cannula 12mm Standard	SIMA
ONB12STFCS	VersaOne™ Fascial Closure System Optical Trocar with Fixation Cannula 12mm Standard	SIMA

Signed on behalf of Covidien LLC,

Name: Yessenia Cuervo
Title: Regulatory Affairs Specialist

COVIDIEN



15 HAMPSHIRE STREET
MANSFIELD, MA 02048
U.S.A

TRUE COPY
ATTESTED

C. L. MARKENDEY
Notary/Advocate
RAIPUR (C.G.) INDIA

[508]261-8000 [T]

पहचान कर्ता
नाम Neevoj Sena
पिता वरि G. Hasinam Sena
पूर्ण पता Lokatpara, Telibanda
मो. नं. 7024930719



Date: 09 December 2022

Proprietary Article Certificate

To Whomsoever It May Concern

This is to certify that the below mentioned products are the proprietary products of **Covidien LLC**, located at **15 Hampshire Street, Mansfield, MA 02048, USA**. The product design and specifications of these products are the proprietary of and controlled by Covidien LLC.

The products are manufactured at the following manufacturing (MFG) sites:

- PCCR
 - Precision Concepts Costa Rica S.A., Saret Industrial Park Building D-3, C-7, C-2/C-3, Rio Segundo, Alajuela, 40002, Costa Rica
- PRMA
 - Covidien, Building 911-67, Sabanetas Industrial Park, Ponce, Puerto Rico 00731, United States
- SIMA
 - Covidien, Zona Franca de San Isidro, Carretera San Isidro Km 17, Santo Domingo, Dominican Republic

CFN	Description	MFG Site
173019	Endo Peanut™ Auto Suture™ Blunt Dissector 5mm	PCCR
173022	Endo Close™ Auto Suture™ Trocar Site Closure Device	PRMA
133650	Premium Surgiclip™ III Clip Applier 9.0" Small	PRMA
134048	Premium Surgiclip™ Auto Suture™ Clip Applier 13" Large	PRMA
134051	Premium Surgiclip™ II Auto Suture™ Clip Applier 9.75" Medium	PRMA
134053	Premium Surgiclip™ II Auto Suture™ Clip Applier 11.5" Medium	PRMA
174001	Endo Babcock™ Auto Suture™ Clamp 10mm	PRMA
173030	Endo Grasp™ Auto Suture™ Grasper 5mm	PRMA
173046	Endo Paddle Retract™ Auto Suture™ Paddle Retractor 12mm	PRMA
174209	Endo Mini-Retract™ Auto Suture™ Mini Curved Retractor 5mm	PRMA
174213	Endo Dissect™ Auto Suture™ Dissector with Roticulator™ Technology 5mm	PRMA
174233	Endo Grasp™ Auto Suture™ Grasper with Roticulator™ Technology 5mm	PRMA
174301	Endo Mini-Shears™ Auto Suture™ Shears 5mm	PRMA
174309	Endo Mini-Shears™ Auto Suture™ Shears with Roticulator™ Technology 5mm	PRMA
174317	Endo Clinch™ II Auto Suture™ Grasper 5mm	PRMA
176605	Endo Sciz™ Auto Suture™ Shears 5mm	PRMA
176643	Endo Shears™ Auto Suture™ Shears 5mm	PRMA
176645	Endo Dissect™ Auto Suture™ Dissector 5mm	PRMA

COVIDIEN

15 HAMPSHIRE STREET
MANSFIELD, MA 02048



TRUE COPY
[508]261-8000
ATTESTED

[Signature]
C.L. MARKENDEY
Notary/Advocate
RAIPUR (C.G.) INDIA



CFN	Description	MFG Site
176647	Endo Retract™ II Auto Suture™ Articulating Fan Retractor 10mm	PRMA
220-50	Fred™ 2 Auto Suture™ Anti-Fog Kit	PRMA
25030	EndoBag™ Auto Suture™ Specimen Retrieval System 3" x 6"	PRMA
25040	EndoBag™ Auto Suture™ Specimen Retrieval System 5" x 8"	PRMA
170052	Polysorb™ Absorbable Single Stitch Reload, USP size 0, 3.5 Metric, 48" Violet	SIMA
170053	Polysorb™ Absorbable Single Stitch Reload, USP size 2-0, 3 Metric, 48" Violet	SIMA
173023	Surgidac™ Polyester Single Stitch Reload, USP size 2-0, 3 Metric, 48" Green	SIMA
173016	Endo Stitch™ Auto Suture™ Suturing Device 10mm	SIMA
176625	Endo Clip™ Auto Suture™ Clip Applier 10mm Large	SIMA
176630	Endo Clip™ III Auto Suture™ Clip Applier with Clip Logic™ Technology 5mm	SIMA
176657	Endo Clip™ II Auto Suture™ Clip Applier 10mm Medium/Large	SIMA
173050G	Endo Catch™ Gold Auto Suture™ Specimen Retrieval Pouch 10mm	SIMA
173049	Endo Catch™ II Auto Suture™ Specimen Retrieval Pouch 15mm	SIMA

Signed on behalf of Covidien LLC,

Name: Yessenia Cuervo
Title: Regulatory Affairs Specialist



TRUE COPY
ATTESTED

C. L. MARKENDEY
Notary/Advocate
RAIPUR (C.G.) INDIA

पहचान कर्ता
नाम Neeraj Sana
पिता श्री G. Hasinam Sana
पूर्य पत्ता Forkatpara, Telibandha
सं. सं. 7024930719

COVIDIEN

15 HAMPSHIRE STREET
MANSFIELD, MA 02048
U.S.A

[508]261-8000 [T]