



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर(छत्तीसगढ़)  
**All India Institute of Medical Sciences, Raipur (Chhattisgarh)**  
**Tatibandh, GE Road,**  
**Raipur-492 099 (CG)**  
[www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in)

AIIMS/R/CS /Micro/17/18/LPC

Date: 06.05.2017

Inviting Quotations for Purchase of **Laminar Air Flow** for Department of Microbiology at, AIIMS Raipur.

**QUOTATION NOTICE**

Sealed quotations are invited from intending registered Stockist / Distributors having TIN and relevant documents for Purchase of **Laminar Air Flow** for Department of Microbiology at, AIIMS Raipur. The quotation should be submitted to Medical College Building, 2<sup>nd</sup> Floor, Gate.No.05 office of **Store Officer** up to 3:00 pm on 12.05.2017. The quotations will be opened on the same day at 3:30pm. Details of item are given as under:-

S.No.	Particulars	Req. Qty	Per Unit Cost
1	<b>Laminar Air Flow (2' X 2' X 2'Feet)</b>	<b>01</b>	

**Specification of Horizontal Laminar air flow**

Horizontal laminar flow cabinet

Approximately 2 X 2X 2 feet.

Inner Chamber & Outer Chamber made of stainless steel (304 SS.) galvanized Iron sheet with epoxy polyester thermosetting powder coating of 80 microns, 1.5 mm thickness.

Exterior Door fully closing with hinged sash.

Side glass: 6mm float glass encased in stainless steel channels.

Support stand with solid wheels with SS 304 brackets. , solid one piece dished work surfaces.

**Circulation :**

Down flow velocity of 40-70 fpm, ISO Class 5 or higher air

HEPA filter, (99.99% efficient on particles 0.3 micron)/ULPA filter (efficiency of >99.999% at 0.1 to 0.3 micron sized) provided with pre-filter).

Cleanliness class – ISO standard 14644.1 class 5

**Light**

UV and sufficient illumination for work space

**Gauges**

For monitoring the condition of all HEPA filters as well as work space.

**Power Supply**

Should include 210-240V/50-60 Hz

**Terms & Conditions.**

1. Rate should be mentioned in words & figure both
2. Taxes, if any (should be clearly mention).
3. Delivery Schedule – within 15 days from the date of issue of PO.
4. No additional documents related to this NIQ will be entertained after NIQ opened.
5. Price should be FOR Destination basis.(i.e. concerned department)
6. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed supply should be deducted.
7. Quotation No/Name and Due date of opening must be written on top of envelop.
8. VAT Reg. (i.e. Form 11) must be attached with the quotation.
9. 100% payment against receipt and acceptance of material.
10. RTGS detail required for payment purpose.
11. Brand & Make should be clearly mentioned in offer.
12. AIIMS Raipur reserve the right to place the order for full or part quantity to one or more items.
13. Validity of offer should not be less than 90 days

**(Sushil Sonber)**  
**Store Officer**  
**AIIMS, Raipur (C.G.)**

**Vendor Details**

Name	
Aadhaar No. (if any)	
PAN	
TIN	
Service Tax No.	
Address	
City	
State	
Pincode	
Mobile No.	
Phone No.	
E-mail	
Bank Name	
Bank A/c No.	