



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
Tatibandh, GE Road,
Raipur-492 099 (CG)
www.aiimsraipur.edu.in

No. AIIMS/R/CS/2017/601/LPC/A

Dated: 09.05.2017

QUOTATION NOTICE

Quotation inviting for Supply & Estimation of Fire Proof Curtain for ICU at AIIMS, Raipur.

Sealed quotations are invited from intending registered Stockiest/Distributors having TIN/ relevant documents for Supply/Purchase of General Instruments for Department of Obstetrics & Gynaecology at AIIMS, Raipur. The vendor should submit the quotation with other relevant documents to office of Stores Officer, AIIMS, Raipur, up to **03:00 pm** date: **24.05.2017**. The quotation will be opened on the same day at **03:30 pm**. in the office of Stores Officer at 2nd Floor, Medical College Building, Gate No. 05, Tatibandh, GE Road, AIIMS, Raipur (C.G.). Detailed specifications of items are as under:

Sr. No.	Item of Description	Qty. Req.	Unit	Unit Price (₹)	Total Price (₹)
1	Fire Proof Curtain (As per Specification mentioned in Annexure –A)	16	No.		

Terms & Condition:

1. Rate should be mentioned in word and figures both.
2. Taxes, if any (Should be clearly mention)
3. Delivery Schedule – within 15 days.
4. No additional documents related to this NIQ will be entertained after NIQ opened.
5. Price should be F.O.R. destination basis (Department of Minor OT, AIIMS, Raipur).
6. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed should be deducted.
7. Quotation No./Name and Due date of opening must be mentioned on top of envelop.
8. VAT Reg. (i.e. Form 11) must be attached with the quotation.
9. 100% payment against receipt and acceptance of material.
10. Brand, make and warranty should be clearly mentioned in offer.
11. AIIMS Raipur reserves the right to place order for full of part quantity to one or more firm.

12. Validity of offer should not be less than 90 days.

13. The quantity shown in above column are totally tentative, it can be increase and decrease at the time of placement of order.

(Sushil Sonber)
Stores Officer
AIIMS, Raipur(C.G.)

Technical Specification

Hospital Curtain & Track

Hardware Details:-

<u>S.no</u>	<u>Items</u>	<u>Specification</u>
1	Track Material	Extruded Aluminum Trak alloy (6063 –T6) with corrosion resistance property & standard white powder coating 28 mmx20mmx1.6mm wall thickness, one piece and is surface mounted.
2	Curved Track	Factory – fabricated upto 12 inch radius bends
3	Track Thickness	15 mm side & 3.3 mm top
4	Track Height	25 to 28 mm
5	Track Widht	20 to 22 mm
6	Runner Material	Plastic HD, Deralin
7	Runner Type	Wheel type roller runner
8	Hooks	HD Plastic, flexible material
9	Track roof suspenders	Made of M.S., 12 mm diameter and the upper circular plate made of M.S. with at least 50mm diameter. These should be white powder coated & fixed with the ceiling with anchors, bolts, screw etc
10	Curtain Removal Point	Made of SS or high density plastic for simple loading & unloading of curtains
11	Track Accessories	Fabricate splices – MS, End caps, Runner – ABS plastic, Brackets & Ceiling Brackets – ABS plastic are made from sturdy with same finish as track.

