

अखिल भारतीय आयुर्विज्ञान संस्थान, रायप्र (छत्तीसगढ़)

All India Institute of Medical Sciences, Raipur (Chhattisgarh) Tatibandh, GE Road, Raipur-492 099 (CG)

www.aiimsraipur.edu.in

Date:-04.09.2018

AIIMS/R/CS/EE(E)/18/07/LPC

Notice for inviting Quotation for Handheld Power tools for Engineering Department at AIIMS Raipur.

कोटेशन सूचना QUOTATION NOTICE

Sealed quotations are invited from intending registered Stockist /Distributors having GST and relevant documents for supply of **Handheld Power tools** for Engineering Department at AIIMS Raipur should be submitted to **Store Office Medical College building, Gate No-05** up to **12/09/18** before 03:00 pm. The quotations will be opened on the same day at 03:30pm. Details of item are given as under:-

S. no	Item Description	Qty	HSN Code	Brand / Make	Unit Rate		Unit Rate with GST	Total Amount
			00.00	,	110.00			
1	Handheld Power tools Specification description as per Annexure-1	as per Annexure-1						
Total Amount-								

नियम एवं शर्ते / Term & Conditions :-

- 1. Rate should be mentioned in words & figure both.
- 2. Taxes, if any (should be clearly mention in words & figure).
- 3. Delivery Schedule within 15 days from the date of issue of PO.
- 4. Price should be FOR Destination basis (i.e. Engineering department, AIIMS Raipur).
- 5. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10%. After expiry of delivery Period material cannot be accepted without the extension of delivery period.
- 6. Quotation No/Name and Due date of opening must be written on top of envelop.
- 7. GST rates applicable on your quoted item may please be confirmed. HSN code for each item shown be clearly mentioned.
- 8. Please confirm if there any change (Upward/Reduction) in your Basic Price structure and you are also requested to pass the Input Credit as per the following Anti Profiteering Clause of GST. "Upon Implementation of GST, any reduction in the rate of tax on supply of goods or service or the benefit of input tax credit shall be passed on to AIIMS Raipur by way of commensurate reduction in the prices"
- 9. In the event of increase in price, detailed justification and supporting evidence may be submitted.
- 10. The GST registration details may please be furnished.
- 11. 100% payment against receipt and acceptance of material.
- 12. Brand, Make & warranty should be clearly mentioned in offer (if required)

- 13. AIIMS Raipur reserves the right to place the order for full or part quantity to one or more firm.
- 14. Validity of offer should not be less than 90 days.
- 15. Expenditure will be debitable to GIA-GENERAL.
- 16. The Quantity of above column is totally tentative. It can be increased or decrease the time of placement of order.
- 17. RTGS details required for payment purpose.
- 18. No part supply or part payment will be entertained.
- 19. Supply, installation & commissioning will be done by Firm.(if applicable).
- 20. The firm should submit the compliance report of tendered material otherwise the offer will be summarily rejected.

भंडार अधिकारी अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर(छत्तीसगढ़)

Technical Specification for Hand-held Power tools

S.No	Item	Specification	Qty	Make
1	Blowers with dust extraction	A heavy duty Blower with dust extraction provided with Variable speed dial wheel and ambidextrous lock. (1) Rated input power : 820 W (2) No-load speed : 16,000 rpm (3) Volumetric flow rate : 4.5 m³/min (4) Air pressure : 0–72mbar (5) Lock-on button for On/Off switch (6) Sound emission values should comply to EN 60745-1 (7) Vibration total values ah (triax vector sum) and uncertainty K comply to EN 60745-1 (8) Provided with all the accessories such as Nozzle, Dust bag etc. NOTE: Similar to Bosch's GBL 800 E Professional or latest from acceptable makes.	03 Nos.	Bosch/ Hitachi/ Dewalt/ Hilti
2	Rotary Hammer	(1) Rated power input : 850 W (2) Impact energy : 0 - 3.2 J (3) Impact rate at rated speed : 0 - 5100 bpm (4) Rated speed : 0 - 1300 rpm (5) Rotation stop for chisel function (6) Rotatable brush plate for optimum forward & reverse operations (7) Lock-on button for continuous drilling (8) Infinitely variable speed control for easy adjustment of speed (9) Overload clutch - for better protection of users and tool in case of jamming drill bit. (10) Auxiliary handle with depth gauge and soft grip for comfortable handling (11) Quick-Change Chuck for easy switching between impact drilling in concrete and non- impact drilling in wood and metal NOTE: Similar to Bosch's GBH 2-28 DV Professional or latest from acceptable makes.	01 Nos.	Bosch/ Hitachi/ Dewalt/ Hilti
3	Impact Drill	(1) Rated power input : 701 W (2) No-load speed : 0 - 3000 rpm (3) Chuck capacity : 1.5 - 13 mm (4) Impact rate at no-load speed : 0 - 48000 bpm (5) Speed trigger with electronic control for exact pilot drilling. (6) Speed preselection with setting wheel. (7) Rotating brush plate for constant power in reverse and forward rotation. (8) Provided with 13 mm keyed chuck, auxiliary handle and depth gauge for better control NOTE: Similar to Bosch's GSB 16RE Professional or latest from acceptable makes.	01 Nos.	Bosch/ Hitachi/ Dewalt/ Hilti

		(1) Rated power input : 1200 W (2) Rated speed : 12000 rpm	04	Bosch/
4	Tile Cutter	NOTE: Similar to Bosch's GDC 120 Professional or latest from acceptable makes.	Nos.	Hitachi/ Dewalt/ Hilti
5	Angle Grinder	(1) Rated power input : 900 W (2) Rated speed : 11000 rpm (3) Disc diameter : 100 mm (4) Prevents autonomous restart of the tool. NOTE: Similar to Bosch's GWS 900-100 Professional or latest from acceptable makes.	01 Nos.	Bosch/ Hitachi/ Dewalt/ Hilti
6	Wire Stripper & Cutter	Induction hardened, First grade shock proof sleeve, extra heavy rivet.	15 Nos.	Taparia /Bosch/ Vertex/ Stanley
7	Cutting Pliers	 (1) Fully Insulated with Quality Plastic Material Sleeve Ensures Safe Electrical Working. (2) Wire Cutting Ability for Soft and Hard Wires. NOTE: Similar to Taparia's 1621-8N or latest from acceptable makes. 	15 Nos.	Taparia/ Bosch/ Dewalt/ Vertex
8	Screw Driver Kit with Neon Bulbs	 (1) Consisting of 5 blades made from high grade Silicon Manganese steel which gives spring effect. (2) Hardness on tip: 55 to 58 HRC (Higher the hardness higher is the wear resistance) (3) The tip is precision ground to 100 angle, which ensures firm grip in the screw slot. NOTE: Similar to Taparia's 812 or latest from	15 Nos.	Taparia/ Bosch/ Vertex
9	Line Testers	acceptable makes. (1) The blade is made from high-grade silicon — manganese steel which gives spring effect. (2) The blade is differentially hardened and tempered to increase wear resistance and Torque value. (3) The tip is precision ground to 50 angle, which ensures firm grip in the screw slot. (4) Maximum leakage current of 0.12 microampere ensures safe and shock free in use. (5) Suitable for checking at minimum 90 DC and 60 AC voltage and maximum up to 500 Volt AC. NOTE: Similar to Taparia's 113 or latest from acceptable makes.	20 Nos.	Taparia/ Stanely/ Vertex
10	Double Ended Spanner Sets	Having a spanner of sizes 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 NOTE: Similar to Taparia's DEP 08 or latest from acceptable makes.	02 Nos.	Taparia/ Stanely/ Vertex
11	Ring Spanner Sets	Having a spanner of sizes 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 NOTE: Similar to Taparia's 1808 or latest from acceptable makes.	02 Nos.	Taparia/ Stanely/ Vertex

12	Adjustable Spanners chrome finish	NOTE: Similar to Taparia's 1170-6 or latest from acceptable makes.	02 Nos.	Taparia/ Stanely/ Vertex
13	Socket Set 1/4" Square Drive (Ratchet Set)	Sockets-4,4.5,5,5.5,6,7,8,10,11,12,13,14 Adapter-Hex 1/4 x SQ, 1/4 provided with T-HANDLE, EXTN. BAR, UNIVERSAL JOINT, NUT SPINNER FLEXIBLE, RATCHET HANDLE NOTE: Similar to Taparia's S 1/4 H or latest from acceptable makes.	01 Nos.	Taparia/ Stanely/ Vertex
14	Pipe Wrench (Stillson Type)	NOTE: Similar to Taparia's 1272 or latest from acceptable makes.	01 Nos.	Taparia/ Stanely/ Vertex