



AIIMS/R/CS /Micro/19/126/LPC

Date: 25.07.2019

Inviting Quotations for procurement of PCR Workstation for Tuberculosis Laboratory in Microbiology Department, at AIIMS Raipur.

QUOTATION NOTICE

Sealed quotations are invited from intending registered Stockist / Distributors having GST number and relevant documents for PCR Workstation for Tuberculosis Laboratory for Microbiology Department, at AIIMS Raipur. The quotation should be submitted to Medical College Building, 2nd Floor, Gate no.05 office of Store Officer up to 3:00pm on 31.07.2019. The quotations will be opened on the same day at 3:30pm. Details of item are given as under:-

S.No.	NAME	REQUI REMENT	UNIT	UNIT RATE IN Rs.
1	<p>PCR Workstation</p> <p>Technical Specification:</p> <p>Main specifications</p> <ul style="list-style-type: none">Exterior dimensions (H x W x D): approximately 700 mm x 750 mm x 600 mm.Interior working area (W × D): approximately 700 mm x 500 mm.Exterior: stainless steel or powder-coated metal.Interior: stable formed stainless steel.Side panels transparent, able to absorb wavelengths below 400 nm.Overhead UV light for DNA decontamination: two lamps, 25 W each.Timer and key lock for UV lamp; timer operates only when key lock is on.Overhead white light; 15 W; at least 800 lux.At least two plug outlets built into the chamber; AC 230 ± 10 V; 50 Hz; 5A fuse. <p>Electricity requirements</p> <ul style="list-style-type: none">Supply voltage: 230 ± 10 V, AC, 50/60 Hz.Voltage and plugs to be adapted to meet the country requirements. The line cord / Power cord supplied with the equipment shall be of acceptable durability, length, and current carrying capacity complying with Indian Standards.Power consumption: Depends on the electrical equipment used inside the workstation; maximum 1200 W.Conform to electrical safety standards IEC 60601-1, UL 61010-1, EN 61010-1.Protection class (in accordance with EN 60529).Designed not to interfere with circuit radio (in	1	No	

	<p>accordance with EN 55014).</p> <p>Documentation</p> <ul style="list-style-type: none"> • Manufacturer's certificate • The manufacturer must have a management system certified to ISO 9001 and a type-test certificate of relevant optical and mechanical tests. • Quality and safety standards met by the product must be listed. <p>Operation, maintenance and installation</p> <ul style="list-style-type: none"> • Operation and maintenance manual • At least one set of operation, maintenance and service manuals written at least in English and preferably also in the official national language of the country requesting the workstation. • Installation and maintenance <ul style="list-style-type: none"> ○ The bidder must arrange for the equipment to be installed by certified or qualified personnel; any prerequisites for installation to be communicated to the purchaser in advance, in detail. ○ The bidder to also provide user training (including how to use and maintain the equipment) and a comprehensive maintenance plan. The cost of the maintenance plan to be defined and guaranteed over the period of warranty. ○ The supplier to provide an after-sale service. ○ The service to have competent staff, adequate infrastructure and sufficient spare parts to be able to respond to any complaints and to repair or replace the workstation within 14 days. <p>Standard maintenance tools</p> <ul style="list-style-type: none"> • All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer. Bidders to specify the quantity of every item included in their offer (including items not specified above). <p>Spare parts</p> <ul style="list-style-type: none"> • Each workstation to be accompanied by an authorized list of accessories and spare parts. • Set of fuses for the workstation. • Two UV lamps. <p>Warranty: 5 years.</p> <ul style="list-style-type: none"> • Warranty period starts from successful installation at site • Breakdown calls to be attended as and when required • Preventive Maintenance to be carried out annually. 			
--	--	--	--	--

Terms & Conditions.

1. Rate should be mentioned in words & figures both.
2. **GST rates applicable** on your quoted item may please be confirmed.
3. Delivery Schedule- within 15 days from the date of issue of P.O.
4. No additional documents related to this NIQ will be entertained after opening of NIQ.
5. Price should be F.O.R. for Destination basis (i.e. Concerned Department)
6. LD@0.5% of delayed supply per week or part week for delay of supply of material subject to maximum upto 10% of delayed supply should be deducted.
7. Quotation No/Name and Due date of opening must be written on top of the envelope.
8. **Brand & Make & warranty should be clearly mentioned in offers as well as tender/ quotation specific authorization may be submit with the offer/bid.**
9. **The GST registration details may please be furnished.**
10. Please confirm if there any change (Upward/Reduction) in your **Basic Price** structure. And you are also requested to pass the Input Credit as per the following **Anti Profiteering Clause** of GST. **“Upon Implementation of GST, any reduction in the rate of tax on supply of goods or service or the benefit of input tax credit shall be passed on to AIIMS Raipur by way of commensurate reduction in the prices”**
11. RTGS details required for payment purpose.
12. 100% payment against receipt and acceptance of material.
13. No part supply or part payment will be entertained.
14. Validity of offer should not be less than 90 days.
15. Supply, Installation and Commissioning will be done by firm (if applicable).
16. The quantity shown in above column are totally tentative, it can be increase and decrease at the time of placement of purchase order.
17. AIIMS Raipur reserved the rights to place order for full or part quantity to one or more firm.

भंडार अधिकारी
अखिल भारतीय
आयुर्विज्ञान संस्थान, रायपुर (छ.ग.)

Vendor Details

Name	
Aadhaar No. (if any)	
PAN	
GST.No.	
Address	
City	
State	
Pincode	
Mobile No.	
Phone No.	
E-mail	
Bank Name	
Bank A/c No.	