

# अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)

#### All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road, Raipur-492 099 (CG) www.aiimsraipur.edu.in

Date: 14-08-2020

No.: AIIMS/R/CS/194/BPS/20/LPC/

#### **QUOTATION NOTICE**

Inviting quotations for purchase of "Waston Type Skin Grafting Handle & Blades" for Department of Burn & Plastic Surgery at AIIMS Raipur.

Sealed quotations are invited from intending registered Stockiest / Distributors having GST and relevant documents for above said. The quotation should be submitted to, Medical College Building, 2<sup>nd</sup> Floor, gate no.-5, AIIMS, Raipur office of the Stores Officer up to **21-08-2020** before **3:00 pm**. The quotations will be opened on the same day at **3.30 pm**.

#### Terms & Condition:

- 1. Quotation should be in **two- bid system** i.e. **Technical Bid** (as per **Annexure-I**) and **Financial Bid** (as per **Annexure-II**).
  - 2. The technical bid and the financial bid should be sealed by the bidder in separate covers which will be super-scribed "Technical Bid for Waston Type Skin Grafting Handle & Blades" and "Financial Bid for "Waston Type Skin Grafting Handle & Blades". Both Sealed Envelopes should be kept in a main/ bigger envelope super-scribed as "Quotation for supply of Burn & Plastic Surgery".
- 3. All the required documents should be enclosed in the envelope of technical bid and financial bid should be enclosed in the envelope of financial bid.
- 4. Rate should be mentioned in words & figure both.
- 5. Taxes/GST, if any (Kindly mention in table)
- 6. Delivery schedule: within 15 days from the date of issue of P.O.
- 7. No additional documents related to this NIQ will be entertained after opening of NIQ.
  - 8. Price should be FOR Destination basis (i.e. Department of Burn & Plastic Surgery, AIIMS Raipur).
- 9. LD @ 0.5% of delayed supply per week or part thereof for delay of supply of material subject to maximum up to 10% should be deducted. After expiry of delivery period material cannot be accepted without extension of delivery period.
- 10. Quotation No/Name and due date of opening must be written on top of envelop.
- 11. Brand, Make & Warranty should be clearly mentioned in offer as well as tender/ quotation. Specific authorization may be submitted with the offer/bid.
- 12. GST rates applicable on your quoted item may please be confirmed. **HSN code for each item should be clearly mentioned**.
- 13. Any change (Upward/Reduction) in the Basic Price structure post submission of bid shall be promptly intimated to AIIMS Raipur. You are also required to pass the Input Credit as per the following **Anti Profiteering Clause of GST**.
  - "Upon Implementation of GST, any reduction in the rate of tax on supply of goods or service or the benefit of input tax credit shall be passed on to AHMS Raipur by way of commensurate reduction in the prices".
- 14. The GST registration details may be furnished.
- 15. RTGS details required for payment purpose.
- 16. 100% payment against receipt and acceptance of material.
- 17. No part supply or part payment will be entertained.
- 18. Validity of offer should not be less than 90 days.
- 19. Supply, installation and commissioning will be done by firm (if applicable).



## अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़) All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road, Raipur-492 099 (CG) www.aiimsraipur.edu.in

- 20. The quantity in above column is totally tentative. It can be increased or decreased at the time of placement of order.
- 21. AIIMS, Raipur reserve the right to place the order for full or part quantity to one or more firms.
- 22. Due of CVOID-19 soft copy of quotation notice is acceptable on the company letterhead with seal and signature in storesofficer.cp@aiimsraipur.edu.in mail id in pdf.
- 23. The product should be of superior quality and highly standard.

Store Officer, AIIMS, Raipur (C.G.)



# अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़) All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road, Raipur-492 099 (CG) www.aiimsraipur.edu.in

### **ANNEXURE-I**

| Ref. No. & Date: -    |
|-----------------------|
| Quotation Notice No.: |
| Brand/Make Name:-     |
| Model No.:-           |
| Warranty-             |

### **TECHNICAL BID**

Purchase of "**Waston Type Skin Grafting Handle & Blades**" for Department of Burn & Plastic Surgery at AIIMS Raipur. Details of item are given as under:

| S. | Description of item(s)  | Qty./ |               | Specify Technically Complied |
|----|---|-------|---------------|------------------------------|
| N. |   | Unit  | Specification | / Not Complied/ if any       |
| 1. | THE COLUMN TWO IS A TOLER   | 00    |               | Deviations                   |
| 1. | Waston Type Skin Grafting Handle & Blades :   | 02    |               |                              |
| 2. |   | 02    |               |                              |
| ۷. | Skin Grafting Blades (Pack of 10 blades)  | 02    |               |                              |
|    | Technical Specifications -  |       |               |                              |
|    | Skin graft handle length should be 300mm, /12.  |       |               |                              |
|    | 1 Skin graft handle length should be 300mm, /12.  |       |               |                              |
|    | ☐ Blade and handle should be quoted of same manufacturer  |       |               |                              |
|    | ☐ Instrument should be made of high grade stainless steel.  |       |               |                              |
|    | The quality of steel should   |       |               |                              |
|    | comply with the DIN standards.  |       |               |                              |
|    | ☐ It should be of high quality and precision.   |       |               |                              |
|    | ☐ It should be light weight, strong and durable.  |       |               |                              |
|    | ☐ It should be non-magnetic.  |       |               |                              |
|    | ☐ Instrument should be Autoclavable.  |       |               |                              |
|    | ☐ The Tungsten Carbide inlay should be nickel based.  |       |               |                              |
|    | ☐ The TC inlay should be welded to the instrument and not   |       |               |                              |
|    | pasted.   |       |               |                              |
|    | ☐ Instrument should have bar coding.  |       |               |                              |
|    | ☐ All instruments should be supplied from single  |       |               |                              |
|    | manufacturer.   |       |               |                              |
|    | ☐ The manufacturer should have a direct repair facility   |       |               |                              |
|    | available in India.   |       |               |                              |
|    | <ul> <li>☐ All instruments should be Autoclavable at 134deg.</li> <li>☐ Instruments should meet the International Certification as</li> </ul> |       |               |                              |
|    | per DIN EN ISO 13845:2001.  |       |               |                              |
|    | ☐ It should have TUV certificate of manufacturer with   |       |               |                              |
|    | details of manufacturing facility.  |       |               |                              |
|    | ☐ The instruments should have bar coding for individual   |       |               |                              |
|    | tracking of the instruments.  |       |               |                              |
|    | ☐ Instruments should be (European CE and US-FDA) OR   |       |               |                              |
|    | (US-FDA AND BIS)  |       |               |                              |
|    | CERTIFIED.  |       |               |                              |
|    | ☐ If quoted by other than OEM (Original equipment   |       |               |                              |
|    | manufacturer), Tender specific  |       |               |                              |
|    | Authorization Letter of OEM is mandatory.   |       |               |                              |
|    | ☐ Each Skin grafting handle should be provided with 10 skin   |       |               |                              |
|    | grafting blades.  |       |               |                              |
|    | 22. Warranty: minimum 1 year.   |       |               |                              |

Sign of bidder :Date :Name of the bidder :Seal of the bidder :-



# अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़) All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road, Raipur-492 099 (CG) www.aiimsraipur.edu.in

#### **ANNEXURE-II**

Ref. No. & Date: -Quotation Notice No.: -

### **FINANCIAL BID**

Purchase of "Waston Type Skin Grafting Handle & Blades" for Department of Burn & Plastic Surgery at AIIMS Raipur. Details of item are given as under:

| S.<br>N. | Description of item(s)   | Qty./<br>Unit | Offered<br>Specification | Specify Technically Complied / Not Complied/ if any Deviations |
|----------|--|---------------|--------------------------|--|
| 1.       | Waston Type Skin Grafting Handle & Blades :                            | 02            |                          |  |
|          |  | 0.0           |                          |  |
| 2.       | Skin Grafting Blades (Pack of 10 blades)                               | 02            |                          |  |
|          | Technical Specifications -   |               |                          |  |
|          | 1. Skin graft handle length should be 300mm, /12 inch.                 |               |                          |  |
|          | 2. Blade and handle should be quoted of same                           |               |                          |  |
|          | manufacturer   |               |                          |  |
|          | 3. Instrument should be made of high grade stainless steel.            |               |                          |  |
|          | The quality of steel should comply with the DIN                        |               |                          |  |
|          | standards.   |               |                          |  |
|          | 4. It should be of high quality and precision.                         |               |                          |  |
|          | 5. It should be light weight, strong and durable.                      |               |                          |  |
|          | 6. It should be non-magnetic.  |               |                          |  |
|          | 7. Instrument should be Autoclavable.                                  |               |                          |  |
|          | 8. The Tungsten Carbide inlay should be nickel based.                  |               |                          |  |
|          | 9. The TC inlay should be welded to the instrument and not             |               |                          |  |
|          | pasted.  |               |                          |  |
|          | 10. Instrument should have bar coding.                                 |               |                          |  |
|          | 11. All instruments should be supplied from single                     |               |                          |  |
|          | manufacturer.  |               |                          |  |
|          | 12. The manufacturer should have a direct repair facility              |               |                          |  |
|          | available in India.  |               |                          |  |
|          | 13. All instruments should be Autoclavable at 134deg.                  |               |                          |  |
|          | 14. Instruments should meet the International Certification            |               |                          |  |
|          | as per DIN EN ISO 13845:2001.  |               |                          |  |
|          | 15. It should have TUV certificate of manufacturer with                |               |                          |  |
|          | details of manufacturing facility.                                     |               |                          |  |
|          | 16. The instruments should have bar coding for individual              |               |                          |  |
|          | tracking of the instruments.   |               |                          |  |
|          | 17. Instruments should be (European CE and US-FDA) OR (US-FDA AND BIS) |               |                          |  |
|          | 18. CERTIFIED.   |               |                          |  |
|          | 19. If quoted by other than OEM (Original equipment                    |               |                          |  |
|          | manufacturer), Tender specific Authorization Letter of                 |               |                          |  |
|          | OEM is mandatory.  |               |                          |  |
|          | 20. Each Skin grafting handle should be provided with 10               |               |                          |  |
|          | skin grafting blades.  |               |                          |  |
|          | 21. Warranty: minimum 1 year.  |               |                          |  |

Sign of bidder :Date :Name of the bidder :Seal of the bidder :-