

# अखिलभारतीयआयुर्विज्ञानसंस्थान, रायपुर(छत्तीसगढ़)

# All India Institute of Medical Sciences, Raipur (Chhattisgarh) Tatibandh, GE Road, Raipur-492 099 (CG)

www.aiimsraipur.edu.in

Date: 26/02/2021

AIIMS/R/HS/86/20-21/P/155

Inviting quotation for Purchase of Gluteraldehyde (2.45% 5 litre) for use in IPD through Rate contract under GFR-155 at AIIMS Raipur.

### NOTICE INVITING QUOTATION

Sealed quotations are invited from intending registered Stockist / Distributors/traders having GST and relevant documents for Purchase of Gluteraldehyde (2.45% 5 litre) for use in IPD at AIIMS Raipur. The quotation with copy of certificate of GST & other documents should be submitted to office of Room no. 146, in front of Nuclear medicine, DD-1 Block, Lower Ground Floor, Gate no. 04 before 03:00 pm on 03/03/2021. Online Bids can be submitted through CPP portal also. The quotations will be opened on the next day at 3:30 pm. Details of item are given as under:-

S. No.	Item description	Quantity	Unit	HSN Code	Brand /Make	GST Appli cable	Unit rate with GST	Total Amount (Inclusive of All taxes)
1	Gluteraldehyde alkaline medium 2.45% Specification: As per annexure-I attached	200	Nos.					
	Grand Total						•	

NOTE: Due to pandemic of COVID-19 quotations through mail at quotations.hs@aiimsraipur.edu.in will be also accepted.

#### **Terms & Condition**

- 1. Firm to mention Make/Brand name in their quotation.
- 2. Taxes, if any (Kindly mention in above table) should be clearly mentioned in the offer.
- 3. Document relating to registration of firm i.e. GST and relevant document should be submitted along with quotation.
- 4. Supply should be done within 15 days after Placement of PO.
- 5. Price should be FOR Destination basis (i.e. concerned department).
- 6. 100% Payment will be released after certification from Department of Pharmacy.
- 7. Quotation Name/No. and due date of opening must be mentioned on top of envelops.
- 8. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed supply to be deducted.
- 9. AIIMS Raipur reserves the right to place order for full or part quantity to one or more firms. The AIIMS, Raipur reserves the right to increase/decrease the number of required quantity.
- 10. All other terms & condition as per GFR-2017 applicable.
- 11. Validity of the quotation should be 90 days from the date of opening.
- 12. Bidder should submit their email id, contact detail with GST registration.
- 13. The firm may participate through offline mode or online mode or through CPP portal.
- 14. L-1 will be selected among all the bidders irrespective of mode of participation.

Stores Officer (H) AIIMS, Raipur (C.G)

# Name of the Product: Gluteraldehyde 2.45 %

## **Specification:**

- ➤ Principle Component should be 2.45% Gluteraldehyde in Alkaline medium with Liquid Activator and water>95%
- ➤ Hazardous ceiling as per OSHA 0.8mg/m3 or 0.05 ppm (American council of Governmental Industrial Hygeinists (ACGIH) ceiling level).
- > Specific Gravity should be 1.129@20°C
- ➤ Should have a broad-spectrum of activity- Bactericidal, Virucidal, Sporicidal and Fungicidal.
- ➤ Should be able to achieve MEC (Minimum effective concentration) of 1.0%-1.5% for >2% glutaraldehyde solutions when used as a high-level disinfectant.
- ➤ Should be effective in presence of organic matter (20% bovine serum)
- ➤ Should have a broad spectrum of material compatibility (like endoscopic equipment, thermometers, rubber, or plastic equipment).
- ➤ Should have a re-use life of 14-30 days and shelf life stability of 2 years. ¬ Should be supplied with powder rust inhibitors.
- ➤ Should be supplied with monitoring strips Chemical test strips or liquid chemical monitors for determining whether an effective concentration of glutaraldehyde is present despite repeated use and dilution.
- The manufacturer should provide clear instructions for it's use, indications and contraindications with relevant references.
- Pack size: 5 litre bottles.
- Certification/Norms: EPA Registered disinfectant
- Test report from Central Government/NABL accredited lab to prove conformity to specifications.