



NO. AIIMS/R/HS/2021/CSSD/47/

Date 02.06.2021

Sub: Inviting Quotations for purchase of Sterilization Reel & Biological Indicator for Department of C.S.S.D, AIIMS Raipur.

QUOTATION NOTICE

Sealed quotations are invited from intending registered Stockiest/Distributors/Traders having GST No./relevant documents for supply of **Sterilization Reel & Biological Indicator for Department of C.S.S.D, AIIMS Raipur**. The quotation with copy of certificate of GST & other documents should be submitted to **office of Stores Officer – Hospital, Room No. -146, C-C1 Block, Gate No. 1, AIIMS Raipur (or the scanned copy of quotation can be mailed to quotations.hs@aiimsraipur.edu.in) up to 11/06/2021 before 03:00 pm**. The quotations will be opened on the same day at 03:30pm. Details of items are as under:-

S.n क्र.स	Name of the Item सामग्री का नाम	HSN code एच.एस एन.	Make / Mode I	Maximum Order Qty. मात्रा	UNIT RATE IN Rs. इकाई दर रु में	GST जी एस टी	UNIT RATE with GST इकाई दर कर सहित	Total amount in Rs. कुल मूल्य
1.	Sterilization Reel:- (7.5 cmx200 meters) It should have heat sealable reels constructed with transparent layer of polymer film & bacterial barrier paper with medical grade 60 GSM .It should process both steam & ETO with process indicator for steam & ETO.It should confirmed with standard ISO 11140-1,EN ISO 868-3,5 & 6 .Should have Lot No. , Manufacturing date & date of expiry must be print internally.			40 Rolls				

2.	Sterilization Reel:- (15 cmx200 meters) It should have heat sealable reels constructed with transparent layer of polymer film & bacterial barrier paper with medical grade 60 GSM .It should process both steam & ETO with process indicator for steam & ETO.It should confirmed with standard ISO 11140-1,EN ISO 868-3,5 & 6 .Should have Lot No. , Manufacturing date & date of expiry must be print internally.			50 rolls				
3.	Sterilization Reel:- (25 cmx200 meters) It should have heat sealable reels constructed with transparent layer of polymer film & bacterial barrier paper with medical grade 60 GSM .It should process both steam & ETO with process indicator for steam & ETO. It should confirmed with standard ISO 11140-1,EN ISO 868-3,5 & 6 .Should have Lot No. , Manufacturing date & date of expiry must be print internally			50 Rolls				
4.	Biological Indicator for ETO:- Self- contained BI for ETO. It should process according to EN ISO 11138-2, Bacillus atrophies available with population of 10 ⁶ .It should CE certified with proper batch, Lot No. & expiry date.			100 Nos.				

Terms & Condition

1. Firm to mention Make/Brand name in their quotation.
2. Taxes, if any (Kindly mention in above table) should be clearly mentioned in the offer.
3. Document relating to registration of firm i.e. GST and relevant document should be submitted along with quotation.
4. Products are certified from ISI/ISO/CE/BIS as applicable, the Certificate to this effect should be attached.
5. Supply should be done within 15 days after Placement of PO
6. Price should be FOR Destination basis (i.e. concerned department).

7. 100% Payment will be released after certification from concerned department.
- 8. Quotation Name/No. and due date of opening must be mentioned on top of envelopes.**
9. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed supply to be deducted.
10. AIIMS Raipur reserves the right to place order for full or part quantity to one or more firms.
The AIIMS, Raipur reserves the right to increase/decrease the number of required quantity.
11. All other terms & condition as per GFR 2017.
12. Material to be delivered at Hospital Store, Gate No. -1, AIIMS Raipur.
13. Validity of the quotation should be 90 days from the date of opening.
14. Firm to submit documentary evidence in support of their claim for GST at the time of submission of bills.
- 15. The firm may participate through offline mode or through online, the L1 will be selected among all the bidders irrespective of mode of participation.**
16. AIIMS, Raipur reserve the right to ask the bidders for arranging demonstration of their samples for feel & finish for which rates have been quoted to the concerned committee, if required.

Stores Officer (H)
AIIMS, Raipur (C.G)