



अखिल भारतीय आयुर्विज्ञान संस्थान (छत्तीसगढ़)

(All India Institute of Medical Sciences, Raipur (Chhattisgarh))

Tatibandh, GE Road, Raipur-492 099 (CG)

www.aiimsraipur.edu.in

No. AIIMS/R/HS/2019-20/RT/OW/299/16822

Date - 28/01/2020

Corrigendum

Sub: Corrigendum in Notice Inviting Tender for “Supply of Consumable item (Thermoplastic Mould) for Radiotherapy Department”, AIIMS Raipur.

Pre bid meeting Dated 17-01-2020

In context to following corrigendum is issued against subject:

| S.no . | Page/Clause/ Point | Existing Entry | To be read as/Addenda |
|--------|--|---|---|
| 1. | Pg. no.14 Form D point no. f& h Pg. 6 Point no. 3 of Chapter-II | Income Tax Return of last three financial years i.e. 2017-2018, 2018-19 & 2019-20 and “ Annual Turnover & balance sheet of last three year i.e. 2017-2018, 2018-19 & 2019-20 duly certified by C.A. as per the clause 3 Chapter -II | Income Tax Return of last three financial years i.e. 2016-2017, 2017-18 & 2018-19 and “ Annual Turnover & balance sheet of last three year i.e. 2016-2017, 2017-18 & 2018-19 duly certified by C.A. as per the clause 3 Chapter -II |
| 2 | On pg. 18 Technical Bid, Annexure-I | | Following point is included in The technical Specification: The Mould should be USFDA/BIS approved. |

Note:

- All other terms & condition will remain unchanged.*
- Corrigendum must be uploaded along with technical bid as acceptance.*

V.Sitaramu
Stores Officer (H)
AIIMS, Raipur