



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)

All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road,

Raipur-492 099 (CG)

[www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in)

AIIMS/R/HS/Pharmacy/6544/Sterile Latex Surgical Gloves Powder free /2018/RC/Corrig 1

Date: 29/10/2019

## Corrigendum

Tender no. - AIIMS/R/HS/ Pharmacy/6544/Sterile Latex Surgical Gloves Powder free /2018/RC  
CPPP Tender ID No.-2018\_IMSRP\_362653\_4 Dated: 24.09.2019.

With reference to above tender ID No. the following amendment is issued for the tender "Annual Rate Contract of Sterile Latex Surgical Gloves Powder free for IPD & OPD Services" at All India Institute of Medical Sciences, Raipur" :-

S. no.	Page/ Clause/ Point	Existing Sentence	To be read as
1.	Page no.6 & 24 (Name of the items with Specification), (Name of the Product)	Sterilized Surgical rubber latex Gloves (Powderfree Gloves) 1. Manufactured in an ISO 9001:2008, 13485:2003 & 14001:2004 2. Sterilized as per the validation of ISO 11135:2007 3. Anatomically shaped with Textured surface, cuffed 4. ISI marked/CE certified 5. Each pair individually packed. Each in donning. 6. For Powder free glove Latex Protein less than 50 mu gram/decimeter square 7. Length of the glove not less than 280mm 8. AQL of Pinhole less than 1 9. Minimum thickness at cuff 0.13 mm 10. Weight of pair of bare gloves should not be less than 20 gms.	Sterilized Surgical rubber latex Gloves (Powderfree Gloves) 1. Manufactured in an ISO 9001:2015, 13485: 2016 & 14001:2015 2. Sterilized as per the validation of ISO 11135:2007 3. Anatomically shaped with Textured surface, cuffed 4. ISI marked/CE certified 5. Each pair individually packed. Each in donning. 6. For Powder free glove Latex Protein less than 50 mu gram/decimeter square 7. Length of the glove not less than 280mm 8. AQL of Pinhole less than 1 9. Minimum thickness at cuff 0.13 mm 10. Weight of pair of bare gloves should not be less than 20 gms.

**Note:** - All other terms & condition will be remain unchanged. Corrigendum must be uploaded along with technical bid as acceptance.

**V. Sitaramu**  
**Stores Officer (H)**  
**AIIMS, Raipur (C.G)**