



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)

## **All India Institute of Medical Sciences, Raipur**

### खंडन

यह निविदा अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छ.ग.) के लिये बोलीदाताओं/फर्म / एजेंसी इत्यादी से प्रस्ताव नहीं बल्की प्रस्ताव प्राप्त करने का निमंत्रण है। संविदात्मक दायित्व तब तक नहीं होगा जब तक औपचारिक अनुबंध पर हस्ताक्षर नहीं किया जाता और चयनित बोलीदाताओं/फर्म/ एजेंसी इत्यादी के साथ एम्स रायपुर के विविध अधिकृत अधिकारियों के द्वारा निष्पादित किया गया हो।

### **DISCLAIMER**

**This tender is not an offer by the All India Institute of Medical Sciences, Raipur, but an invitation to receive offer from bidders/firm/agency etc. No contractual obligation whatsoever shall arise from this tender process unless and until a formal contract is signed and executed by duly authorised officers of AIIMS, Raipur with the selected bidder/firm/agency.**

**Tatibandh, G.E. Road, Raipur – 492099, Chhattisgarh**

**Tele: 0771- 2577279,**

Website: [www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in) / [www.eprocure.gov.in](http://www.eprocure.gov.in)

email: [store@aiimsraipur.edu.in](mailto:store@aiimsraipur.edu.in)

**Notice Inviting Tender**  
**For**  
**"Equipment for Dental Lab in the Dentistry Department"**  
**At**  
**All India Institute of Medical Sciences, Raipur**

**CRITICAL DATE SHEET**

Published Date	04.12.2019 at 10:30AM
Bid Document Download / Sale Start Date	04.12.2019 at 10:30AM
Pre bid meeting	11.12.2019 at 15:30PM
Bid Submission Start Date	20.12.2019 at 10:00AM
Bid Document Download / Sale End Date	26.12.2019at 15:00PM
Bid Submission End Date	26.12.2019 at 15:00PM
Bid Opening Date	27.12.2019 at 15:30PM



**अखिल भारतीय आयुर्विज्ञान संस्थान,  
रायपुर, छत्तीसगढ़**

All India Institute of Medical Sciences, Raipur (Chhattisgarh)  
Tatibandh, GE Road, Raipur-492 099 (CG)

Website : [www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in)

Tele: 0771- 2577279, e-mail: [store@aiimsraipur.edu.in](mailto:store@aiimsraipur.edu.in)

S.No.	Name of the Items	Qty	EMD in ₹
01	Equipment for Dental Lab	As per Annexure -I	₹ 2,25,000.00

- Online bids are invited on single stage two bid system “**Supply of Equipment for Dental Lab** on behalf of the Director AIIMS, Raipur for Dentistry Department”. Manual bids shall not be accepted.
- Tender document may be downloaded from AIIMS web site [www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in) (for reference only) and CPPP site <https://eprocure.gov.in/eprocure/app> as per the schedule as given in CRITICAL DATE SHEET as under.
- Bid shall be submitted online at CPPP website: <https://eprocure.gov.in/eprocure/app>.
- Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- Tenderer who has downloaded the tender from the **AIIMS web site** [www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in) and Central Public Procurement Portal (CPPP) website <https://eprocure.gov.in/eprocure/app> OR <https://eprocure.gov.in/epublish/app> **shall not tamper/modify the tender form including downloaded price bid template in any manner.** In case if the same is found to be tempered/modified in any manner, tender shall be completely rejected and EMD would be forfeited and tenderer is liable to be banned from doing business with AIIMS Raipur.

The Technical bid should include the detailed s of main item/equipment and its accessories. All items should be numbered as indicated in the Annexure-I (Any deviation should be clearly mentioned and supporting document should be submitted).

- Manual bid shall not be accepted in any circumstance.**
- The complete bidding process in online bidding, Bidder should be possession of valid digital Signature Certificate (DSC) for online submission of bids. Prior to bidding DSC need to be registered on the website mentioned above.
- Tenderers are advised to follow the instructions provided in the ‘Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app>’.**

9. **Quotations should be valid for 180 days** from the tender due date i.e. tender opening date. The bidder should clearly indicate the period of delivery, AMC & warranty terms etc whichever is applicable.
10. Relevant literature pertaining to the items quoted with full s should be uploaded, where ever applicable.
11. Tenderer must provide evidence of having supplied government hospital / reputed private hospital organizations in India similar nature of items of at least ` **37, 50,000.00** for Supply of Equipment of Dental Lab of Tender value in the last three years and the copy of the same should be uploaded.
12. The firm should be registered and should have the average annual turnover at least ` **75,00,000.00** of the bidder in the last three financial years. Copies of authenticated balance sheet for the past three financial years should be uploaded.
13. The tender document must be accompanied by copy of PAN, Certificate of firm/company registration, GST Registration Certificate.
14. The quantity shown against each item is approximate and may vary as per demand of the Institute at the time of placement of order.
15. The bidder must be able to provide the product/items within specified time period as prescribed in the Purchase Order, failing which the EMD will be forfeited. Furthermore on completion of the stipulated time period, Purchase Order will be cancelled and award will be given to another qualified bidder with the negotiated terms & conditions as per Institutes norms.
16. In the event of any dispute or difference(s) between the vendee (AIIMS Raipur) and the vendor(s) arising out of non-supply of material or supplies not found according to the s or any other cause what so ever relating to the supply or purchase order before or after the supply has been executed, shall be referred to the Director/AIIMS/Raipur who may decide the matter himself or may appoint arbitrator(s) under the arbitration and conciliation Act 1996. The decision of the arbitrator shall be final and binding on both the parties.
17. The place of arbitration and the language to be used in arbitral proceedings shall be decided by the arbitrator.
18. All disputes shall be subject to Raipur Jurisdiction only.
19. **AIIMS Raipur reserves the rights to accept/reject any bid in full or in part or accept any bid other than the lowest bid without assigning any reason thereof. Any bid containing incorrect and incomplete information shall be liable for rejection.**
20. The Tender/Bid will be opened on Store office at AIIMS Raipur Premises.
  - i) Only those financial bids will be opened whose technical bids are found suitable by the expert committee appointed for the concerned instrument/equipment.
  - ii) No separate information shall be given to individual bidders. In incomparable situation, the committee may negotiate price with the technically and financially qualified bidder before awarding the bid.
21. Copies of original documents defining the constitution or legal status, place of registration and principal place of business of the company or firm or partnership, etc.

**22. Award of Contract**

The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has bided the lowest evaluated quotation price.

- i) Not with standing the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
- ii) The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the bid validity period. The terms of the accepted bid shall be incorporated in the purchase order.

**23.** Normal comprehensive warranty/guarantee and AMC (if applicable) shall be applicable to the supplied goods as per Annexure-I.

**24.** Rates should be quoted inclusive of packing, forwarding, postage and transportation charges etc.

**25.** The competent authority reserves all rights to reject the goods if the same are not found in accordance with the required description / s/quality.

**26. A brochure displaying clearly the product is to be attached with the tender if required.**

**27. The amount mentioned for tender cost on the portal are totally tentative and it should not be submitted as per provision of GFR-2017.**

**28. Earnest Money:**

Earnest money **Rs. 2,25000.00** by means of a Bank Demand Draft/ FD, a scanned copy to be enclosed. It is also clarified that the bids submitted without earnest money will be summarily rejected. The DD/FD may be prepared in the name of "All India Institute of Medical Sciences, Raipur (AIIMS RAIPUR)". The used instrument must reach at officer of the Stores Officer Gate no. 5, Medical College Building, 2<sup>nd</sup> Floor, AIIMS, Raipur before opening of tender.

- i) No request for transfer of any pervious deposit of earnest money or security deposit or payment of any pending bill held by the AIIMS Raipur in respect of any previous supply will be entertained. Tenderer shall not be permitted to withdraw his bid or modify the terms and conditions thereof. In case the tenderer fail to observe and comply with stipulations made herein or backs out after quoting the rates, the aforesaid amount of earnest money will be forfeited.
- ii) Tenders without Earnest Money will be summarily rejected.
- iii) No claim shall lie against the AIIMS Raipur in respect of erosion in the value or interest on the amount of EMD.
- iv) If MSME firm is registered for above tendered item, then the firm will be exempted for submission of EMD amount. Firm must upload scanned copy of following documents in support of exemption.
  - (1) National Small Industries Corporation (NSIC)
- v) The earnest money will be returned/refund to the unsuccessful tenderers after the tender is decided.

- vi) EMD should remain valid for a period of 45 days beyond the final bid validity period. When the tenderer agrees to extend the validity of bid, he shall also extend the validity of EMD suitably.
- 29.** In case the supplier requires any elucidation regarding the tender documents, they are requested to contact to the Store Officer, AIIMS Raipur through **e-mail: store@aiimsraipur.edu.in** on or before end date of clarification as per critical date sheet.
- 30.** The EMD of the successful bidder will be returned to them without any interest after the submission of Security deposit/PSD.
- 31.** Other terms and condition applicable as per manual for procurement of goods 2017, GFR-2017 etc.

**Stores Officer,  
AIIMS, Raipur**

**Other Terms & Conditions:****1. Pre-Qualification Criteria:**

- a. Bidder should be the manufacturer/authorized dealer/Distributor/Trader/Supplier. Letter of Authorization from Manufacturer for the same and specific to the tender should be uploaded in the prescribed place.
- b. An undertaking from the original Manufacturer is required stating that they would facilitate the bidder on regular basis with technology/product updates and extend support for the warranty as well. The scanned copy of same to be uploaded (if applicable).

**2. Performance Security Deposit (PSD):**

- a. The successful bidder shall have to submit a Performance Security Deposit (PSD) within 30 days from the date of issue of Letter of Award (LOA). Extension of time for submission of PSD beyond 30 days band up to 60 days from the date of issue of LOA may be given by the competent authority to sign the contract agreement however a penal interest of 15% per annum shall be charged for the delay beyond 30 days. i.e. 31<sup>st</sup> day after the date of issue of LOA. In case of the contract fails to submit the requisite PSD even after 60 days from the date of issue of LOA the contract shall be terminated duly forfeiting the EMD and other dues if any payable against the contract. The failed contractor shall be debarred from participating in re-tender (if any) for that item. Performance Guarantee Bond is mandatory.
- b. Successful supplier/firm should submit Performance Security Deposit (PSD) as prescribed in favour of "AIIMS, Raipur" and to be received in the Store Office, 2<sup>nd</sup> Floor, Medical College Building, Tatibandh, Raipur (C.G) Pin-492099 before the date of commencement of supply or 30 days from the date of acceptance of the purchase order, whichever is earlier. The Performance Security Deposit (PSD) to be furnished in the form of Bank Guarantee DD/FD& Performance Guarantee as per given Proforma of the tender documents, for an amount covering 10% of the contract value.
- c. The Performance Security Deposit (PSD) should be established in favour of "AIIMS Raipur" through any Schedule Bank with a clause to enforce the same on their local branch at Raipur.
- d. Validity of the Performance Security Deposit (PSD) shall be for a period of 60 days beyond of entire warranty period from the date of issue of installation & commissioning. Certificate & CMC

**3. Delivery& Installation (If applicable):** The successful bidder should strictly adhere to the following delivery schedule supply, installation & commissioning should be effected within 6 weeks from the date of purchase order and this clause should be strictly adhere to failing which administrative action as deemed fit under rules will be taken against the defaulter. Otherwise Liquidation Damages will be imposed as per clause no. 4. Purchase order will be placed as required by consignee.

**4. Penalty:** If the suppliers fails to deliver and supply Installation commissioning place any or all the Equipment or perform the service by the specified date as mention in purchase order, penalty at the rate of 0.5% per week of delayed value of goods subject to the maximum of 10% of delayed goods value will be deducted, afterwards another penalty may be imposed.

5. **Training and Demonstration (If required):** Suppliers needs to provide adequate training and demonstration at AIIMS Raipur to the nominated person of AIIMS Raipur at their cost. AIIMS Raipur will not bear any training or living expenditure in this regard. The Supplier should arrange for regular weekly visit to the AIIMS, Raipur campus by its technical team and assist in maintenance of the item/equipment within warranty period. Assistance limited to locking companies with manufacturer will not be considered sufficient.
6. **Right of Acceptance:** AIIMS, Raipur reserves the right to accept or reject any or all/bids/tenders/quotations without assigning any reason there of and also does not bind itself to accept the lowest quotation or any tender. AIIMS, Raipur also reserves the rights to accept all the equipment/instruments in the given tender or only part of it in any given schedule without assigning any reason.
7. **Validity of the bids:** The bids shall be valid for a period of 180 days from the date of opening of the tender. This has to be so specified by the tenderer in the commercial bid which may be extended, if required.
8. **Risk Purchase & Recovery of sums due:**
  - Failure or delay in supply of any or all items as per Requisition / Purchase Order, or Brand prescribed in the tender, shall be treated as 'non compliance' or 'breach of contract' and the order in part of full be arranged from alternative source(s) at the discretion of the hospital authority and the difference in price has to be recovered from the tenderer as mentioned elsewhere.
  - The amount will be recovered from any of his subsequent / pending bills or security Deposit.
  - In case the sum of the above is insufficient to cover the full amount recoverable, the contractor shall pay to the purchaser, on demand the remaining balance due.
9. **Installation &Warranty Declaration:** Suppliers must give the comprehensive onsite warranty as required from the date of successful installation of item/equipment against any manufacturing defects. In the installation report the model number of instrument and all spares parts/ accessories numbers should be in the line of purchase order. And suppliers must be written in the warranty declaration that “everything to be supplied by us hereunder shall be free from all defects and faults in material, workmanship and shall be of the highest quality and material of the type ordered, shall be in full conformity with the and shall be completed enough to carry out the experiments, as specified in the tender document.” If any item covered under warranty fails, the same shall be replaced free of cost including all the applicable charges (shipping cost both ways). **Installation must be done within stipulated time period from the date of delivery of the item/ equipment as specified in the purchase order.**
10. **Communication of Acceptance:** AIIMS, Raipur reserves all right to reject any tender including of those tenderers who fails to comply with the instructions without assigning any reason whatsoever and does not bind itself to accept the lowest or any specific tender. The decision of this Institute in this regard will be final and binding.
11. **Guarantee/Warranty, Service, Maintenance:** The tenderers must quote for **5 years** onsite warranty for **All “Equipment of Dental Lab”** from the date of completion of the satisfactory installation as certified by the stipulated committee. The warranty charges shall not be quoted separately otherwise the



bid shall be summarily rejected. Also the Bidders should submit their quote for subsequent **5 years** on site CMC for **All “Equipment of Dental Lab”** but it should not be more than 7% per year of quoted unit price otherwise offer mar summarily rejected. Failure to comply this condition will entail the rejection of the Bids. The price comparsion shall be made taking into account on basic price and post warranty CMC. The Rate Contracting Authority reserves the right to award CMC (with spare parts) shall be quoted for equipment. So the price of CMC should be quoted according to the cost of equipments. The amount of CMC would be released to the supplier on successful completion of the maintenance of that particular year duly certified by the user department.

**12. Insolvency etc.:** In the event of the firm being adjudged insolvent or having a receiver appointed for it by a court or any other under the Insolvency Act made against them or in the case of a company the passing any resolution or making of any order for winding up, whether voluntary or otherwise, or in the event of the firm failing to comply with any of the conditions herein specified AIIMS, Raipur shall have the power to terminate the contract without any prior notice.

**13. Force Majeure:** If, at any time during the subsistence of this contract, the performance in whole or in part by either party of any obligation under this contract is prevented or delayed by reasons of any war or hostility, act of public enemy, civil commotion, sabotage, fire, floods, exception, epidemics, quarantine restriction, strikers lockout or act of God (hereinafter referred to as events) provided notice of happening of any such eventuality is given by party to other within 21 days from the date of occurrence thereof, neither party hall by reason of such event be entitled to terminate this contract nor shall either party have any claim for damages against other in respect of such non-performance or delay in performance and deliveries have been so resumed or not shall be final and conclusive.

Further, that if the performance in whole or in part of any obligation under this contract is prevented or delayed by reason of any such event for a period exceeding 60 days, AIIMS, Raipur party may, at least option to terminate the contract.

**14. Breach of Contracts/Agreement:** In case of breach of any terms and conditions as mentioned above, , the Competent Authority, will have the right to cancel the contract/agreement without assigning any reasons thereof and nothing will be payable by AIIMS, Raipur. In that event the security deposit shall also stand forfeited.

**15. Subletting of contract:** The firm shall not assign or sublet the contract or any part of it to any other person or party without having prior permission from AIIMS, Raipur, which will be at liberty to refuse if thinks fit.

**16. Right to call upon information regarding status of contract:** The AIIMS, Raipur will have the right to call upon information regarding status of contract at any point of time.

**17. Payment Terms:**

Payment shall be made subject to recoveries, if any, by way of liquidated damages or any other charges as per terms & conditions of contract in the following manner.

**A) Payment for Indegenious Goods**

Payment shall be made in Indian Rupees as specified in the contract in the following manner:

- (a) 70% payment of the equipment price shall be paid on receipt of goods in good condition at the consignee premises and upon the submission of the following documents
  - i) Four copies of suppliers invoice showing contract number, goods description, quantity, unit price and total amount with revenue stamp.
  - ii) Two copies of packing list identifying contents of each package
  - iii) Certificate of origin and certificate of guarantee and warrantee.
  - iv) Consignee receipt certificate in original issued by the authorised representative of the consignee.
- (b) Balance equipment cost 30% payment would be made against 'Final Acceptance Certificate' of goods to be issued by the consignees subject to recoveries, if any, either on account of non-rectification of defects/deficiencies not attended by the supplier or otherwise.

**B) Payment for Imported Goods:**

Payment of foreign currency portion shall be made in the currency as specified in the contract in the following manner:

**(a) On Shipment:**

Seventy (70)% of the CIP (Indian Agent Commission) destination price of the goods shipped shall be paid through irrevocable ,non-transferable Letter of Credit (LC) in favour of the supplier in a bank in his country in case of Foreign Tenderer and upon submission of documents specified here under:

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, Unit price and total amount with revenue stamp.
- (ii) Original and four copies of the negotiable clean, on-board Bill of Lading/Airway bill, marked freight pre-paid and four copies of non-negotiable Bill of Lading/Airway Bill.
- (iii) Four copies of packing list identifying contents of each package.
- (iv) Insurance Certificate and a documents also to be submitted for paymeny of LC confirming that dispatch documents has already been sent to all concerned as per the contract within 24 hours.
- (v) Manufacturer's/Supplier's warranty certificate.
- (vi) Certificate of origin.

**(b) On Acceptance:**

Balance payment of 30% of net CIP price of goods would be made against 'Final Acceptance Certificate' to be issued by the consignee through irrevocable, non-transferable Letter of Credit (LC) opened in favour of the Foreign Principal in a bank in his country, subject to recoveries, if any.

**(c) Payment of Indian Agent Commission:**

Indian Agency Commission will be paid to the manufacturer's agent in the local currency for an amount in Indian rupees indicated in the relevant Price Schedule

(as per prevailing rate of exchange ruling on the date of contract) and shall not be subject to further escalation/exchange variation. Payment shall be paid in Indian Rupees to the Indian Agent on proof of 100% payment to the Foreign Principal.

- 17.1** The supplier shall not claim any interest on payment in any circumstance.
- 17.2** Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other tax as applicable will be made from the bills payable to the supplier rates as notified from time to time.
- 17.3** No payment shall be made for rejected stores. Rejected equipment's must be removed by the supplier within two weeks of the date of issue of rejection advice at their own cost & replace immediately. In case these are not removed these will be auctioned at the risk and responsibility of the suppliers without notice.
- 17.4** The consignee will extra in to CMC with the supplier at the total cost in the count. The payment of CMC will be made on yearly Basis after satisfactory completion of said period duly certified of the concerned department.

### **18.Compulsory Enlistment of Indian Agents**

As per the Compulsory Enlistment Scheme of the Department of Expenditure, Ministry of Finance, it is compulsory for Indian agents who desire to quote directly on behalf of their foreign manufacturers/principals, to get themselves enlisted with the Department of Expenditure, through the Central Purchase Organization (e.g. DGS&D).

The compulsory enlistment of Indian Agents under the scheme of Ministry of Finance is simpler and differs from the registration of Indian Agents with the Central Purchase Organization (e.g. DGS&D) described in the earlier paragraphs.

The registration of the foreign manufacturer is not a must for enlisting the Indian Agent under this scheme. No Inspection Report in respect of the foreign manufacturer/principal is necessary.

The enlistment under the scheme is not equivalent to the Registration with DGS&D. Such firms do not enjoy the same status as that of DGS&D registered suppliers. A note to this effect is given in the Enlistment Letter to the firm.

### **19.GST**

GSt rates applicable on your quoted item may please be informed. Please confirm if there is any (Upward/Reduction) in your Basic Price structure. And you are also requested to pass the Input Credit as per the following Anti Profiteering Clause of GST. **“Upon Implementation of GST, any reduction in the rate of tax on supply of goods or service or the benefit of input tax credit shall be passed on to AIIMS Raipur by way of commensurate reduction in the prices”.**

In the event of increase in price, detailed justification and supporting evidence may be submitted for our consideration.

### **20.Custom Duty on Imported Goods**

In respect of imported goods, the tenderers shall also specify separately the total amount of **custom duty included in the quoted price**. The tenderers should also indicate correctly the rate of custom duty applicable for the goods in question and the corresponding Indian Customs Tariff Number. Where customs duty is payable, the contract should clearly stipulate the quantum of duty payable etc. in unambiguous terms. AIIMS, Raipur is exempted from payment of

excise duty and is eligible for concessional rate of custom duty. Necessary certificate will be issued as demand. AIIMS, Raipur will not make necessary arrangement clearance of imported goods at the airport.

## **21 Custom Duty Reimbursement:**

The supplier will pay the customs duty wherever applicable, which will be reimbursed by purchaser as per documentary evidence. The custom duty exemption certificate will be provided to the supplier as and when required.

## **22 Fall Clause:**

1. Prices charged for supplies under Rate Contract by the supplier should in no event exceed the lowest prices at which he bids to sell or sells the stores of identical description to any other State Government/DGS&D/Public Undertaking during the period of the contract.
2. If at any time during the period of contract, the prices of tendered items is reduced or brought down by any law or Act of the Central or State government, the supplier shall be bound to inform Purchasing Authority immediately about such reduction in the contracted prices, in case the supplier fails to notify or fails to agree for such reduction of rates, the Purchasing authority will revise the rates on lower side. If there is a price increase for any product after quoting the rates, the bidder will have to supply the item as per quoted rates. This office will not accept any higher rates afterwards.
3. If at any time during the period of contract, the supplier quotes the sale price of such goods to any other State Govt./DGS&D and Public Undertakings at a price lower than the price chargeable under the rate contract he shall forthwith notify such reduction to Purchasing Authority and the prices payable under the rate contract for the equipment's supplied from the date of coming into force of such price stands correspondingly reduced as per above stipulation.

**23.** Rate wise comparison of the quotes will be made and L1\* for each item will be determined accordingly. In this context, final decision of the committee will be binding to all and no claim in this regard can be entertained. The quantity indicated is tentative and may vary, and any decision in this regard by Director AIIMS Raipur shall be final.

- L-1 = Total Item cost + Total Amount FOR AIIMS Raipur Including of all taxes CMC (L-1 will be decided on total item cost + CMC)

**Stores Officer,  
AIIMS Raipur**

**Technical Bid**

The following documents are required to upload by the Bidder along with Technical Bid as per the tender document:

- a) Scanned Copy of EMD Cost must be uploaded.
- b) Please mention that the bidder is Manufacture /Distributor /Dealer / Trader/Supplier relevant document should be uploaded.
- c) In case of distributor/dealer/trader/supplier must be upload tender specific authorization certificate from OEM/ manufacturer (Form C) should be uploaded.
- d) Copy of PAN Card should be uploaded.
- e) Firm/Company registration certificate should be uploaded.
- f) The GST registration details may please be furnished.**
- g) In the event of increase in price detailed justification and supporting evidence may be submitted for our consideration.**
- h) Income Tax Return of last three years should be uploaded.
- i) Tenderer must provide evidence of experience/supplied materials as mentioned in tender document should be uploaded
- j) Annual turnover & balance sheet of last three year duly certified by CA as mentioned in tender document should be uploaded.
- k) Certificate of BIS/ISO /European CE should be uploaded as per mentioned in Annexure-1.
- l) "Declaration by the Bidder "(Form B) should be uploaded as mentioned in tender document should be uploaded.
- m) Relevant brochure/catalogue pertaining to the items quoted with full s etc.
- n) An undertaking of manufacturer as per serial no. 1b of tender document page no. 07 in case of Distributor /Dealer / Trader/Supplier should be uploaded.
- o) Form A with duly filled by bidder should be uploaded.
- p) Technical s Compliance Report.
- q) Have you previously supplied these items to any government/ reputed private organization? If yes, attach the relevant poof. Please provide a certificate on letter head that you have not quoted the price higher than previously supplied to any government Institute/Organisation/reputed Private Organisation or DGS&D rate in recent past. If you don't fulfil this criteria, your tender will be out rightly rejected.

**PRICE BID**

- (a) Price bid in the form of BOQ\_XXXX .xls
- (b) Custom Duty Tariff.
- (c) CMC Price BID

## **PARTICULAR PERFORMANCE GUARANTEE BOND**

**(To be typed on Non-judicial stamp paper of the value of Indian Rupees of Two Hundred)**  
 (TO BE ESTABLISHED THROUGH ANY OF THE SCHEDULED BANK (WHETHER SITUATED AT RAIPUR OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT RAIPUR. BONDS ISSUED BY CO- OPERATIVE BANKS ARE NOT ACCEPTED)

To,  
 The Director  
 All India Institute of Medical Sciences (AIIMS),  
 Tatibandh, GE Road, Raipur-492 099 (CG)

### **LETTER OF GUARANTEE**

WHERE AS All India Institute of Medical Sciences (AIIMS) Raipur (Buyer) have invited Tenders vide Tender No.....Dt.....for purchase of.....AND WHERE AS the said tender document requires the supplier/firm(seller)whose tender is accepted for the supply of instrument/machinery, etc. in response there to shall establish an irrevocable Performance Guarantee Bond in favour of "AIIMS Raipur" in the form of Bank Guarantee for Rs.....[10% (ten percent)of the purchase value] which will be valid for entire warranty period from the date of installation & commissioning, the said Performance Guarantee Bond is to be submitted within 30(Thirty) days from the date of Acceptance of the Purchase Order.

NOW THIS BANKHERE BY GUARANTEES that in the event of the said supplier/firm (seller) failing to abide by any of the conditions referred to intender document/purchase order/performance of the instrument/machinery, etc. This Bank shall pay to All India Institute of Medical Sciences (AIIMS) Raipur on demand and without protest or demur ..... (Rupees.....).

This Bank further agrees that the decision of All India Institute of Medical Sciences (AIIMS) Raipur(Buyer) as to whether the said supplier/firm (Seller) has committed a breach of any of the conditions referred in tender document/ purchase order shall be final and binding.

We,.....(name of the Bank& branch) here by further agree that the Guarantee herein contained shall not be affected by any change in the constitution of the supplier/firm(Seller)and/or All India Institute of Medical Sciences (AIIMS) Raipur(Buyer).

Not with standing anything contained herein:

- a. Our liability under this Bank Guarantee shall not exceed`..... (Indian Rupees.....only).
- b. This Bank Guarantee shall be valid upto..... (date) and Claim period should be beyond six month of validity.
- c. We are liable to pay the guaranteed amount or any part thereof under this bank guarantee only and only if AIIMS Raipur serve upon us a written claim or demand on or before..... (Date)

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office at .....situated at..... (Address of local branch).

Yours truly,

Signature and seal of the Guarantor

Name of the Bank:.....

Complete Postal Address: .....

**Form-A****PARTICULAR REFUND OF EMD TO SUCCESSFUL/UNSUCCESSFUL BIDDER  
RTGS/National Electronic Fund Transfer(NEFT)Mandate Form**

1	Name of the Bidder	
2	Permanent Account No(PAN)	
3	Particulars of Bank Account	
	a) Name of the Bank	
	b) Name of the Branch	
	c) Branch Code	
	d) Address	
	e) City Name	
	f) Telephone No	
	g) NEFT/IFSC Code	
	h) RTGS Code	
	i) 9 Digit MICR Code appearing on the cheque book	
	j) Type of Account	
	k) Account No.	
4	Email id of the Bidder	
5	Complete Postal Address of the bidder	

**FORM-B**

**Declaration by the Bidder:**

1. I/We have downloaded the tender from the internet site and I/We have not tampered /modified the tender documents in any manner. In case the same is found tampered/ modified, I/We understand that my/our offer shall be summarily rejected and I/We are liable to be banned from doing business with AIIMS Raipur and/or prosecuted as per laws.
2. I/We have read and fully understood all the terms and conditions contained in Tender document regarding terms & conditions of the contract& rules and I/we agree to abide them.
3. The bidder should not have been blacklisted before at any government organisation
4. No other charges would be payable by Client and there would be no increase in rates during the Contract period.

Place:.....

(Signature of Bidder with seal)

Date:.....

Name :

Seal :

Address :



**Form-C**

**MANUFACTURER's / PRINCIPAL's AUTHORIZATION FORM**

To  
The Stores Officer,  
All India Institute of Medical Sciences Raipur

Dear Sir,

TENDER: \_\_\_\_\_.

we, \_\_\_\_\_, who are  
established and reputable manufacturers of \_\_\_\_\_, having  
factories at \_\_\_\_\_ and \_\_\_\_\_, hereby  
authorize Messrs. (Authorised Dealer/Sole Distributor/Supplier) \_\_\_\_\_  
(name and address of agents) to bid, negotiate and conclude the contract with you  
against  
Tender No. \_\_\_\_\_ for the above goods manufactured by  
us. No company or firm or individual other than Messrs.  
\_\_\_\_\_ are authorized to bid, negotiate and  
conclude the contract in regard to this business against this specific  
tender.

We hereby extend our full guarantee and warranty as per the conditions  
of tender for the goods bided for supply against this tender by the above  
firm.

The authorization is valid up to \_\_\_\_\_

Yours faithfully,

(Name)

For and on behalf of M/s. \_\_\_\_\_  
(Name of manufacturers)/Principal

**Technical for Equipment for Dental Lab:**

**Must be USFDA or European CE or Indian BIS quality standard certified - applicable for all**

**1. Wax dipping pot**

- Must offer the preheating function.
- Unit should have three wax pots with separate control.
- Unit must offer individual setting for various wax consistency
- The depth of the wax pot should be ideal for dipping copings
- Unit must have LED display for input values
- Should conform to FDA or CE standards
- Technical s
  - Permitted mains voltage / frequency 220–240 V, 50/60 Hz
  - Power consumption 85 W

**2. Electric Wax Knife**

- The unit should be easy to use and have a heat resistant, insulated and sturdy body.
- The unit should have digital temperature display in either celcius or farhenheit with touch control temperature settings.
- The tip should have an insulated grip handle for better grip and temperature transfer.
- The tip should have excellent heat conductivity and accurately maintain the desired temperature. The heating of the tip should range between 50° to 200 ° Celsius.
- Different wax tips minimum (2 nos) that can be easily attached to handle should he available along with the unit.
- Two line circuit for simultaneous working.
- Should conform to FDA or CE standards
- Technical
  - i. Power input to be 220-240 VAC, 50 Hz

**3. Pin Drill Machine – 1 unit**

- ii. Easy to use
- iii. The machine must allow drilling precision holes in the lower part of the model.
- iv. Changing and adjusting the drill bit must be easy
- v. The machine must works silently and without vibration.
- vi. The laser in the upper part of the machine must guide exactly where to place the drill.
- vii. The machine should offer variable drill depth of 0-20mm
- viii. The machine must be factory supplied with two pin drills
- ix. Should conform to FDA or CE standards
- x. Technical
- xi. Power input to be 220-240 VAC, 50 Hz

**4. Palatal Trimmer**

- Compact functional unit made of stainless steel.
- It has large model resting surface
- Equipped with powerful motor with rpm over 2500 to ensure optimum cutting power and smooth operation.

- The trimmer is designed to work with variable height
- The worktable should be perforated to drain off the dust.
- Should conform to FDA or CE standards
- Technical Characteristics:
  - i. Supply voltage with earth connection: 220-240 V, 50/60 Hz

#### **5. for Steam Cleaner**

- Heavy-duty stainless steel construction for long life.
- Cool grip handpiece.
- Low water level indicator.
- Steam flow control.
- Pressure gauge manometer.
- Operating pressure of 4-5 Bar (50psi).
- Dual water storage tanks with combined capacity of 2-5 ltr continuous supply of steam
- High level of safety features such as safety cap, fuse etc.
- Safe for operator with good quality insulation system to prevent accidental burns
- Should conform to FDA or CE standards
- Technical Characteristics: Supply voltage with earth connection: 220-240 V, 50/60 Hz

#### **6. Sand Blaster**

- Fully automatic blasting device with high-performance filter module.
- Machine has separate jar two different grain size.
- Machine should either have separate nozzle different grain size sands or one automatic swivel nozzle.
- It should have lighting of minimum 4500lux in the blasting chamber for un-obstructed view of object.
- Nozzle should enable exacts positioning of the work piece in the abrasive flow for quick and effective sand blasting.
- The viewing is abrasive resistance toughened glass automatic interruption during blasting, if glass got opened.
- Must be supplied with a suction unit
- Operates between 1-8 bar pressure.
- Machine should have either inbuilt compressor or if separate compressor is required it should be supplied along with machine.
- Machine should have a foot control or nozzle control.
- Blasting material of particle size 50um, 110um and 250um each of minimum quantity of 6Kg. should be supplied
- Should conform to FDA or CE standards

#### **7. Burn Out Furnace**

- Must have Low consumption of electrical energy.
- Must have Best quality heating elements used for better & longer life.
- Must have a simple and Compact designed.
- Must have a easy read out digital controller
- Must be provided with exhaust system. For reduction of unpleasant odors and smoke
- Should conform to FDA or CE standards
- Technical s:
  - i. Permissible mains voltage / frequency 220–240 V, 50/60 Hz | 230 V, 50 Hz
  - ii. Power consumption 1900 W

- iii. Temperature range 0°–1100 °C
- iv. Programmable heating rate 0°–9 °C/min
- v. Max. heat-up rate in 1 hour 900 °C
- vi. Number of programmable stage programs 99

## **8. Pressure Casting Machine**

- Machine should be capable of processing all precious and non-precious dental alloys
- Machine should be compact bench top model
- Machine should have a microprocessor controlled induction generator
- It should offer Alloys to be melted under vacuum and with argon gas
- The machine should achieve a maximum temperature 2,000°C
- The final casting should offer homogeneity even in cases of minimal wall thickness
- It should be compatible with all muffle sizes.
- It should be easy to operate
- It should have optional temperature control
- Machine should have digital display with power control
- Machine should be supplied with External water tank for cooling.
- Compatible Oil free Vacuum pump must be supplied along with the casting unit.
- Muffle tong casting rings should be supplied along with the machine.
- 2 compatible crucibles must be supplied along with the unit.
- Technical
  - i. Power: 3 – 3.5kW
  - ii. Voltage: 220 – 240V / 60 Hz

## **9. Porcelain Furnace For Porcelain Fused To Metal**

- Dental Porcelain Furnace to be used for layering of metal ceramics or all ceramic restorations.
- It should have provisions of firing the porcelain under vacuum.
- Automatic temperature adjustment at the start of each and every program (temperature accuracy should be +/-1degree Celsius).
- It should have the flexibility to add new modules at any time.
- It should have a separate touch screen system.
- To be supplied with compatible voltage stabilizer.
- USB connection to view patient's pictures.
- Integrated error notifications with help messages.
- Power back up so that firing should not be interrupted during the procedure.
- Electronically operated.
- Automatic calibration.
- Should conform to FDA or CE standards
- Technical s
  - i. Power supply 200 – 240 V, 50 – 60 Hz
  - ii. Max. power consumption 8.5 A at 200 – 240 V
  - iii. Vacuum pump Max. power consumption: 250 W

## **10. Consumable Metal Porcelain**

- The material should have stability of colour and shape even after several firings
- The material should be compatible with conventional and CAD/CAM PFM alloys

- The material should have a CTE range of 13.5 to 14.8 x 10<sup>-6</sup> K<sup>-1</sup>
- The Material should be capable of mimicking the optical properties of natural teeth
- The material should have a True-to-nature shade system with opalescence powders and stains.
- The material to be supplied should include the following
  - i. 30 x Base opaque, 6g
  - ii. 15 x A1 Shade Paste Opaque, 6g
  - iii. 30 x A2 Shade Paste Opaque, 6g
  - iv. 15 x A3 Shade Paste Opaque, 6g
  - v. 10 x A3.5 Shade Paste Opaque, 6g
  - vi. 5 x A4 Shade Paste Opaque, 6g
  - vii. 10 x B1 Shade Paste Opaque, 6g
  - viii. 10 x B2 Shade Paste Opaque, 6g
  - ix. 5 x B3 Shade Paste Opaque, 6g
  - x. 5 x C1 Shade Paste Opaque, 6g
  - xi. 5 x C2 Shade Paste Opaque, 6g
  - xii. 5 x C3 Shade Paste Opaque, 6g
  - xiii. 10 x Paste Opaque Liquid, 20ml
  - xiv. 1 x A1 Opaque Dentin, 50g
  - xv. 3 x A2 Opaque Dentin, 50g
  - xvi. 2 x A3 Opaque Dentin, 50g
  - xvii. 1 x A4 Opaque Dentin, 50g
  - xviii. 1 x A3.5 Opaque Dentin, 50g
  - xix. 1 x B1 Opaque Dentin, 50g
  - xx. 1 x B2 Opaque Dentin, 50g
  - xxi. 1 x B3 Opaque Dentin, 50g
  - xxii. 1 x C1 Opaque Dentin, 50g
  - xxiii. 1 x C2 Opaque Dentin, 50g
  - xxiv. 1 x C3 Opaque Dentin, 50g
  - xxv. 5 x A1 Dentin / Body, 50g
  - xxvi. 10 x A2 Dentin / Body, 50g
  - xxvii. 5 x A3 Dentin / Body, 50g
  - xxviii. 2 x A4 Dentin / Body, 50g
  - xxix. 3 x A3.5 Dentin / Body, 50g
  - xxx. 3 x B1 Dentin / Body, 50g
  - xxxi. 3 x B2 Dentin / Body, 50g
  - xxxii. 2 x B3 Dentin / Body, 50g
  - xxxiii. 2 x C1 Dentin / Body, 50g
  - xxxiv. 2 x C2 Dentin / Body, 50g
  - xxxv. 1 x C3 Dentin / Body, 50g
  - xxxvi. 15 x corresponding Enamel Shade, 50g
  - xxxvii. 5 x Translucent Shade, 50g
  - xxxviii. 5 x Gum Shades, 50g
  - xxxix. 10 x Colour Shades, 15g
  - xl. 10 x Mixing Liquid, 500ml

#### 11. **s of ceramic Brushes, instruments and ceramic palette**

- A Ceramic Palette should have ergonomic design with self-moistening glass mixing tray
- The approximate tray dimension ceramic palate should be 220 x 4 x 120 mm
- The mixing tray for porcelain stains should have at least 15 sloped well stains along with a separate well for mixing liquid
- Ceramic Brush kit comprising one each of brush sizes, 2, 4, 6, 8.
- The brush tips should be made from high quality, natural hair brushes

**12. Ringless System for all metal and porcelain fused to metal**

- One complete set
- Universally applicable to almost all casting systems.
- Can be used with phosphate bonded investment materials.
- Easy operation of mold and ring.
- Available in sizes of capacity 100gms, 200gms and 300gm mold formation

**13. Consumable Cast Metal Framework**

- Investment Material
  - i. Coarse grain and compatible investment material supplied for investing wax pattern and pattern resins. 50 packets of 400gms. Each.
  - ii. Shelf life minimum of two years.
  - iii. Compatible with ring and ringless system.
  - iv. To be supplied with compatible mixing liquid.
- Alloy casting Non Precious Alloy for metal ceramic Prosthesis
  - i. Base alloy with Nickel and Chrome as the principal components.
  - ii. Casting temperature must be: 1400-1480degree Celsius.
  - iii. Burnout Temperature must be: 800-900degree Celsius.
  - iv. Melting Temperature must be: 1220-1350degree Celsius.
  - v. Beryllium free type 5 or type 4 alloys.
  - vi. All metal, metal ceramic and cast partial denture framework.
  - vii. Corrosion resistant, biocompatible.
  - viii. Secure bonding with ceramics.
  - ix. Low thermal conductivity and high modulus of elasticity.
  - x. Coefficient of thermal expansion compatible with ceramics and implant superstructure.

**14. Waxes**

- Wax wire for Sprues 1 set
- It should be easy to shape, should not bend up and burns without residue.
- 1 roll = 250g, medium-hard, color: blue
- Following sizes are required
- 10 gauge / 2.5 mm, approx. 50 m : 1 rolls
- 9 gauge / 3.0 mm, approx. 36 m : 1 rolls
- i. 7 gauge / 3.5 mm, approx. 28 m : 1 rolls

**15. Crown & Bridge Waxes – 1 set**

- The waxes should have low shrinkage
- Waxes must be of high quality and must not chip easily
- The following waxes are required
- Dipping Wax, 200g – 1 packs
- Modelling Wax, 80g – 4 packs
- Margin / CervicalWax, 80g – 1 pack

**16. Art Carver Waxing Instruments**

- Metal Hollow Instruments designed by P. K. Thomas
- Stainless Steel Tip durability and affordability
- One kit contains in a single kit the following instruments
- Double Side Dropper
- Carver and Dropper
- Cone Carver
- Hollen Back Carver
- Ridge Carver
- Modified Lecron Carver
- Double Ended Ball Dropper
- Carver & Ball Dropper

**17. rotary instruments**

- The rotary instruments must be on high quality.
- One each of the following must be included in the set
- Diamond Disc for a quick and smooth plaster sectioning.
  - i. ultrathin Diamond Disc for separation and contouring of porcelain
  - ii. Set of 5 Tungsten Carbide trimmer metal framework
  - iii. set of 3 shapes Abrasive trimmer with natural diamond grit. Ideal for initial contouring without heat
  - iv. Set of 6 ceramic finishers and polishers

**18. Isolating Agent**

- A Thin film should help isolate plaster from wax or porcelain
- The film once applied must be effective for days
- Bottle of 30ml

**19. Wetting Agent**

- Wetting agent for investment and releasing the surface tension of silicone duplicating moulds.
- It should eliminate the water-repellent effects of the wax pattern ensuring smooth casting surfaces.
- 1 bottle = 500ml – 2 bottles
- 1 spray bottle = 75ml. (for refilling) – 1 bottle

**20. Base former for fixed prosthesis models**

- A base former for use with Die pins.
- Must be made of silicone.
- Must have a very high flexibility and long life.

**21. Die Pins and Corresponding Sleeves**

- Die pin use in model die preparation in dental laboratories.
- Double pin system with metal sleeve high precision and can be reused
- Packing : Box of 1000 pcs + Sleeves

**22. Model Saws and Saw Blades**

- The hand-guided saw should be designed in order to avoid damage on the die margins.
- The blades should be made of high quality steel
- The blade should be of flexible material to reduce danger of fracture

- The saw should offer an elastic quick-fit frame
- Simple procedure for changing of blades
- 50 blades should be supplied along with the saw (0.18 x 3 mm)

**23. crown and Bridge calipers**

- The measuring instrument should have a precise analog dial
- The instrument should have interchangeable tips
- The instrument should have standard tip measuring thickness of dental restorations
- The instrument should have special slender tip use in thin anterior crowns
- The instrument should have measuring disc for wax
- It should be ergonomic and easy to use

**24. Ceramic Workstation double unit**

- Impact & solvent resistant Post formed wooden top of 25 mm thickness
- MS sheet fabrication with electrostatic powder coating.
- 2 X storage unit with smooth sliding movement of the unit
- 1.5 mm ID - 2 nos air syringe connected to a 6 mm hose.
- Ease handling of Air Syringe with a suitable Air Gun Holder essential
- Input Voltage: 220 - 230 V, 50/60 Hz.
- 1 X 16 A switch & socket, 2nos 6A switch & socket connected via a safe cable management system.
- 2 X 3W LED working light with 90° rotatable feature
- 2 X cooling trays
- 2 X SS working top with vinyl mat
- 1 X Magnifier with 3 times magnification and lamp
- 2 x working chair for technician
- Table should have inbuilt Suction area
- Table should be supplied along with suction unit
- Technical Details:
- Length: 70" - 72"
- Breadth: 22"- 26"
- Height: 32"

**25. Polymerization Acrylizer and dewaxing unit**

- Should be made of stainless steel body
- Should be able to accommodate 6-8 flasks with clamp
- Should be equipped with a processor to change the temperature according to a pre- set program
- Digital display for time and temperature
- A control for the desired holding time in hours and minutes required for each stage
- Warning buzzer at end of program required
- Unit should be CE/FDA/ ISO compliant
- The unit should provide protection against voltage variations and electrical power cut.
- Technical Details: Supply voltage: 220-230V, 50/60 Hz  
Rated power: 1750 W



**26. for Acrylic Polisher with suction**

- Compact machine made of stainless steel / Corrosion resistant alloy
- Must be equipped with 1 left and 1 Right hand thread brush holder
- Must have a variable speed selector
- Must have two rubber screens in the polishing area to collect heavy particles.
- Both working ends must have Protective covering
- It is equipped with lighting by means of two antifatigue lamps.
- It is equipped quiet self - contained suction unit with collection of particles by filter
- General shock protection by means of fuses
- Safeguard against untimely start - ups.
- Must have Rpm.: 1500/3000, 50 Hz 1800/3600, 60 Hz
- Suction: 500 m<sup>3</sup>/h
- Technical Characteristics:
- Supply voltage with earth connection: 220-230 V, 50/60 Hz
- To be supplied with the machine compatible polishing buff dry and wet polishing and polishing paste( 5 Each)

### **Instruction Online Bid Submission:**

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app>.

#### **REGISTRATION**

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link “Online bidder Enrollment” on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

#### **SEARCHING FOR TENDER DOCUMENTS**

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

#### **PREPARATION OF BIDS**

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the
- 3) Number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

- 4) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 5) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” or “Other Important Documents” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

## **SUBMISSION OF BIDS**

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as “offline” to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 6) The server time (which is displayed on the bidders’ dashboard) will be considered as the standard time for referencing the deadline submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 7) The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key.
- 8) Further this key is subjected to asymmetric encryption using buyers/bid opener’s public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 9) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

- 10) Upon the successful and timely submission of bids (ie after Clicking “Freeze Bid Submission” in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 11) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pas any bid opening meetings.

**ASSISTANCE TO BIDDERS**

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120-4001002.

Wax dipping pot
Electric Wax Knife
Pin Drill Machine – 1 unit
Palatal Trimmer
Steam Cleaner
Sand Blaster
Burn Out Furnace
Pressure Casting Machine
Porcelain Furnace For Porcelain Fused To Metal
Consumable Metal Porcelain
ceramic Brushes, instruments and ceramic palette
Ringless System for all metal and porcelain fused to metal
Consumable Cast Metal Framework
Waxes
Crown & Bridge Waxes – 1 set
Art Carver Waxing Instruments
Rotary instruments
Isolating Agent
Wetting Agent
Base former for fixed prosthesis models
Die Pins and Corresponding Sleeves
Model Saws and Saw Blades
Crown and Bridge calipers
Ceramic Workstation double unit
Polmerization Acrylizer and dewaxing unit
Acrylic Polisher with suction