

# ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

OFFICE OF THE EXECUTIVE ENGINEER PROJECT CELL AIIMS, RAIPUR

# **NOTICE INVITING e-TENDER**

N.I.T. NO. 37/EE/AIIMS/RPR/2019-20 (2<sup>nd</sup> call)

- NAME OF WORK: -"Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur."
- ESTIMATED COST: Rs. 19, 23,830.00
- EARNEST MONEY: Rs.38, 500.00
- CONTRACT PERIOD: 180 Days

**Executive Engineer (Civil)** 

AIIMS, Raipur

#### INDEX

# Name of Work: - "Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur."

SI.	Particulars	Page	e No.
No			
1	Cover Page	1	
2	Index	2	
3	Instructions for online bid submission	3	5
4	Notice Inviting e-Tender	6	
5	INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING	7	11
6	List of Mandatory Documents to be filled in by the bidders in various forms to be scanned	12	
	and uploaded within the period of bid submission		
7	LETTER OF TRANSMITTAL(Annexure-A)	13	
8	FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details) (Annexure-B)	14	
9	STRUCTURE & ORGANISATION (Annexure-C)	15	
10	DECLARATION(Annexure-D)	16	
11	INTEGRITY PACT(Annexure-E)	17	
12	Acknowledgement & Acceptance Letter(Annexure-F)	18	
13	CONSENT LETTER(Annexure-G)	19	
14	INTEGRITY AGREEMENT	20	24
15	Percentage Rate Tender/ Item RateTender& Contract for Works	25	26
16	GENERAL PARTICULAR & ADDITIONAL CONDITIONS OF CONTRACT	27	31
17	Form of Earnest Money Deposit (Bank Guarantee Bond)Annexure-I	32	
18	FORM OF PERFORMANCE GUARANTEE BANK GUARANTEE	33	34
19	SPECIAL CONDITIONS OF CONTRACT	35	39
20	FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME (Part I)	40	
21	FORM OF APPLICATION OF THE CONTRACTOR FOR SEEKING RESCHEDULING OF THE	41	
	MILESTONES		
22	GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER	42	43
	COMPLETION IN RESPECT OF WATER PROOFING WORKS		
23	LIST OF SPECIALIZED ITEMS / JOBS	44	47
24	No Claim Certificate (On company letterhead)	48	
25	APPROVED MATERIALS LIST (CIVIL)	49	52
26	PROFORMA OF SCHEDULES (A To F)	53	57
27	Schedule of Quantity	58	64

#### Instructions for Online Bid Submission

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

#### **REGISTRATION:**

- Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

#### SEARCHING FOR TENDER DOCUMENTS:

- There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

#### **PREPARATION OF BIDS:**

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the Number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

#### SUBMISSION OF BIDS:

- Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

- 7) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 8) The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key.
- 9) Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 10) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 11) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 12) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

#### ASSISTANCE TO BIDDERS:

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120-4001002.
- 3) For any further assistance, please contact to the office of Executive Engineer, AIIMS Raipur.

# ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

#### **NOTICE INVITING e-TENDER**

(a)	Name of Work	" Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur ."
(b)	Tender No.	37/EE/AIIMS/RPR/2019-20
(c)	Contract Period	180 days
(d)	Estimated Cost	Rs.19,23,830.00
(e)	Earnest Money Deposit( <b>Mandatory to</b> submit EMD for participating in bid.)	Rs. 38,500.00 <u>(to be submitted in the form an account payee demand draft, fixed</u> deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India in favour of AIIMS, Raipur in the office of Project Cell, AIIMS, Raipur before the last date of opening of Bid .)
(f)	Performance Guarantee	5% of Tendered value.
(g)	Security Deposit	2.5% of the Tendered Value.
(h)	Tender documents may be seen on	AIIMS web site <u>www.aiimsraipur.edu.in</u> and CPPP site <u>https://eprocure.gov.in/eprocure/app</u>
(j)	Last Date &Time of Submission	By 07-02-2020 UP TO 11:00 Hours through online.
(k)	Date & Time for opening ofTechnical & financial Bid	On 08-02-2020 at 11:30 Hours.

- 1. The indenting Bidder must read the Terms &conditions carefully. He/ She should only submit bid if consider himself/herself eligible and bidder in possession of all the documents required.
- 2. Information and Instructions for bidders posted on website shall from part of bid document.
- 3. The Bid documents consisting of specifications, the schedule of quantities of various types of items to be executed and the set of terms &conditions of the contract to be complied with and other necessary documents can be seen and downloaded from websitewww.aiimsraipur.edu.inOrhttps://eprocure.gov.in/eprocure/app.

Executive Engineer (Civil) AIIMS, Raipur

#### INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING

The Executive Engineer (Civil), AIIMS, Raipur on behalf of Director, AIIMS, Raipur invites online **Percentage Rate bids in two bid system (Technical cum Eligibility & Financial )** from eligible and experienced contractors of appropriate list of CPWD , M.E.S., BSNL, Railway, Chhattisgarh State P.W.D. (B&R) for the following work(s):-

Sl. No.	Description	Details
(a)	NIT No.	37/EE/AIIMS/RPR/2019-20
(b)	Name of Work:	" Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur".
(c)	Estimated Cost	Rs.19,23,830.00
(d)	Earnest Money(Mandatory to submit EMD for participating in bid.)	Rs.38, 500.00(EMD original to be submitted during Office hours before opening of Bid.)
(e)	Period of Completion	180 days
(f)	Last Date &Time of Submission	By 07-02-2020 UP TO 11:00 Hours through online.
	Date & Time for opening of Technical & financial Bid	On 08-02-2020 at 11:30 Hours.

- **1.** The intending bidder must read the terms and conditions of Tender document carefully. Bidder may submit bid having all required documents.
- 2. Intending bidders shall have to register at CPPP portal to participate in the tendering process. For details kindly visit website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> or In case the bidder requires any elucidation regarding the tender documents, may contact to the office of Project Cell, AIIMS Raipur before the opening of tender date.
- **3.** For e-tendering of this tender, downloaded from AIIMS Raipur website and Central Public Procurement Portal (CPPP) e-Procurement website.
- 4. The intending bidders must have valid class-III digital signature to submit the bid. <u>Manual bid shall not be</u> <u>accepted in any circumstance</u>. The complete bidding process is online bidding; Bidder should have valid digital Signature Certificate (DSC) for online submission of bids.
- **5.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website http:// eprocure.gov.in/eprocure/appfree of cost.
- **6.** The bid can be submitted only after uploading the mandatory scanned documents up to 100 dpi Copies of eligibility documents and EMD as specified on the e-tendering website within the period of tender submission. Bidders can upload documents in the form of JPG format, PDF format and any other format as permissible by the e-tendering portal.
- **7.** Bidders must ensure to quote rate of each item. If any cell is left blank the same shall be treated as"0".Therefore, If any cell is left blank and no rate is quoted by the bidder, rate of such item shall be

treated as "0"(ZERO). After submission of the bid online the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.

- **8.** After submission of bid online, it can be revised any number of times before specified time on last date of submission of bid. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
- **9.** Financial bids shall be opened online only for bidders for whom EMD and other uploaded documents are found in order and who are found to be eligible to bid for work. On opening date, the bidder can log in and see the bid opening process. After opening of bid he/she will receive the competitor bid sheets.
- **10.** If the bidder is found ineligible after opening of bid, bid shall become invalid.
- 11. The Bidders shall have to submit original instrument for EMD before the last date of opening of Bid to the office of Tender Opening Authority. The bid security is to remain valid for a period of 45 (forty-five) days beyond the final bid validity period. Bid security will be refunded to the successful bidder on receipt of a performance security. Bid securities of the unsuccessful bidders should be returned at the earliest after L1 decided by Committee of AIIMS Raipur.

A bidder's bid security will be forfeited if the bidder:

- i) withdraws or amends its/ his tender;
- ii) impairs or derogates from the tender in any respect within the period of validity of the tender;
- iii) If the bidder does not accept the correction of his bid price during evaluation; and
- iv) If the successful bidder fails to sign the contract or furnish the required performance security within the specified period.
- **12.** The Eligible bid shall be opened first on due date and time as mentioned above. Opening of financial bids of contractors qualifying the eligibility shall be opened at a later date.
- **13.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.
- 14. <u>Performance Guarantee</u>: The successful contractor will be required to furnish a Performance guarantee of 5% (Five Percent) of Tendered Value after receiving notification of award in the form of an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ <u>confirmed from any of the commercial bank in India</u> in the name of the "All India Institute of Medical Sciences, Raipur" which shall be kept valid for a period of Six (06) months beyond completion of all the contractual obligations. The Performance Guarantee can be forfeited in the event of any breach or negligence or non–observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract. Performance Security will be released after successful completion of work under the contract. In case the contractor fails to deposit the said performance guarantee within the period including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with tender shall be returned after receiving the aforesaid performance guarantee.

#### 15. Sources and Verification of Bank Guarantees

Bank Guarantee for Bid Security (EMD) or Performance Guarantee (Security Deposit) should be irrevocable and operative Bank Guarantee (BG) as per format enclosed in the Bid Document and should be issued by a Scheduled Commercial (i.e. Indian or Foreign Banks included in the Second Schedule of Reserve Bank of India Act, 1934 excluding Co-operative banks or Regional Rural Banks). In case of foreign bidders or in case of GTE, if Bank Guarantee is from a foreign bank branch situated outside India, the

Bank Guarantee must be issued through any of the Scheduled Commercial Bank. In case BG is issued directly by a bank outside India, it should be executed on letter Head of the Bank and should be advised and made payable through their Indian Branch/Corresponding Bank in India. The Issuing Bank should also state the name and designation of the next Higher Authority of the Officials who have issued the Bank Guarantee. Bank guarantees submitted by the tenderers/ contractors as EMD/ performance securities need to be immediately verified from the issuing bank **before acceptance**. There may not be any need to get the Bank Guarantee vetted from legal/ finance authority if it is in the specified format. Guidelines for verification of BGs submitted by the bidders/ contractors against EMD/ performance security/ advance payments and for various other purposes are as follows:

- i) BG shall be as per the prescribed formats;
- ii) The BG contains the name, designation and code number of the Bank officer(s) signing the guarantee(s);
- iii) The address and other details (including telephone no.) of the controlling officer of the bank are obtained from the branch of the bank issuing the BG (this should be included in all BGs). The confirmation from the issuing branch of the bank is obtained in writing though registered post/ speed post/ courier. The bank should be advised to confirm the issuance of the BGs specifically quoting the letter of Procurement Entity on the printed official letterhead of the bank indicating address and other details (including telephone nos.) of the bank and the name, designation and code number of the officer(s) confirming the issuance of the BG; Pending receipt of confirmation as above, confirmation can also be obtained with the help of responsible officer at the field office, which is close to the issuing branch of the bank, who should personally obtain the confirmation from issuing branch of the bank and forward the confirmation report to the concerned procurement entity.
- 16. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost, all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions.
- **17.** The Tender paper/documents can be seen / downloaded from Official website & submitted through Online or Site.
- **18.** The competent authority on behalf of the Director, AIIMS, Raipur does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **19.** Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- **20.** The Competent Authority, The **Engineer-In-Charge**, reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- **21.** The contractor shall not be permitted to bid for works in the AIIMS, Raipur responsible for award and execution of contracts, in which his near relative is posted as an officer in any capacity between the

grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in the AIIMS, Raipur. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.

- **22.** The bid for the works shall remain open for acceptance for a period of **90 days** from the date of opening of bids.
- **23.** This notice inviting bid shall form a part of the contract document. The successful bidder/ contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of "The Notice Inviting bid, all the documents including additional conditions, specifications and drawings, GCC, if any, forming part of the bid as uploaded at the time of invitation of bid and rate quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.

#### 24. Eligibility of Bidders

- (a) All eligible bidders meeting the eligibility can participate in the tender. The applicant should be a private or government-owned legal entity;
- (b) For package size exceeding certain values [say Rs. 10 (ten) Crore], Joint Ventures may be allowed. Maximum number of partners in Joint Ventures shall be limited (say three). In case of Joint Ventures, all the partners shall be jointly and severally liable for the successful completion of the work;
- (c) A firm that has been engaged by Ministry/ Department to provide consultancy services for the preparation or implementation of a project, and any of its affiliates (associates, Subsidiary, Joint Ventures partner), shall not be eligible for subsequently providing goods or works (other than a continuation of the firm's earlier consultancy services) for the same project;
- (d) A firm determined non-performing by the Procuring Entity shall not be eligible to bid during the period so determined;
- (e) The bidder must not have in his employment:
  a) The near relations (defined as first blood relations, and their spouses, of the bidder or the bidder's spouse) of persons involved in decision making in the procurement.
  b) Without Government permission, any person who retired as gazetted officer within the last two years of the rank and from the departments.
- (f) Goods and services Tax (GST)
  - (i) GST Registration Certificate of the State in which the work is to be taken up, if already obtained by the bidder.
  - (ii) If the bidder has not obtained GST registration in the State in which the work is to be taken up, or as required by GST authorities then in such a case the bidder shall scan and upload following under taking along with other bid documents.

"If work is awarded to me, I/we shall obtain GST registration Certificate of the State, in which work is to be taken up, within one month from the date of receipt of award letter or before release of any payment by AIIMS, whichever is earlier, failing which I/We shall be responsible for any delay in payments which will be due towards me/us on a/c of the work executed and/or for any action taken by AIIMS or GST department in this regard.

#### 25. Signing of bid document :

**a)** If the bidder is an individual, the bid shall be signed by him above his full type written name and current address.

**b)** If the bidder is a proprietary firm, the bid shall be signed by the proprietor above his full type written name and the full name of his firm with its current address.

c) If the bidder is a firm in partnership, the bid shall be signed by all the partners of the firm above their full type written names and current addresses, or, alternatively, by a partner holding power of attorney for the firm. In the later case a certified copy of the power of attorney should accompany the application. In both cases a certified copy of the partnership deed and current address of all the partners of the firm should accompany the application.

**d)** If the bidder is a limited company or a corporation, the bid shall be signed by a duly authorized person holding power of attorney for signing the application accompanied by a copy of the power of attorney. The bidder should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.

# List of Mandatory Documents to be filled in by the bidders in various forms to be scanned and uploaded within the period of bid submission

1	<b>EMD</b> in the form of <u>an account payee demand draft, fixed deposit receipt from a commercial bank,</u> <u>bank guarantee issued/ confirmed from any of the commercial bank in India</u> in the name of the
	"All India Institute of Medical Sciences, Raipur"
2	Enlistment Order for the Contractor
3	Letter of transmittal (Annexure-A)
4	Vendor Details as per (Annexure-B)
5	Structure & Organization (Annexure-C)
6	Declaration by Bidder (Annexure-D)
7	Acknowledgement & Acceptance Letter (Annexure-F)

Executive Engineer (Civil) AIIMS, Raipur

# (Annexure-A)

### LETTER OF TRANSMITTAL

From:

То

The Executive Engineer,

Project Cell, AIIMS, Raipur (C.G.)

Subject: Submission of bids for the work of .....

Sir,

Having examined the details given in the bid document for the above work, I/we hereby submit the relevant information.

- 1. I/we hereby certify that all the statement made and information supplied in the enclosed forms A to G and accompanying statement are true and correct.
- 2. I/we have furnished all information and details necessary for eligibility and have no further pertinent information to supply.
- 3. I/we authorize Engineer-In-Charge or his representative to approach individuals, employers, firms and corporation to verify our competence and general reputation.

Certificate: It is certified that the information given in the enclosed eligibility bid are correct. It is also certified that I / We shall be liable to be debarred, disqualified / cancellation of enlistment in case any information furnished by me / us is found to be incorrect.

Enclosures:

Signature(s) of Bidder(s). Seal of bidder

Date of submission:

## <u>Annexure-B</u>

# FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details)

1.	Name of the Bidder	
2.	Permanent Account No (PAN)	
3.	Particulars of Bank Account	
	a) Name of the Bank	
	b) Name of the Branch	
	c) Branch Code	
	d) Address	
	e) City Name	
	f) Telephone No	
4.	Legal status of the bidder (attach copies of original document defining the legal	
	a) An Individual	
	b)A proprietary firm	
	c)A firm in partnership	
	d) A limited company or Corporation	
5.	GST Registration Certificate No	
6.	Valid Email ID of the Bidder	
7.	Complete Postal Address of the bidder	

## Annexure-C

# **STRUCTURE & ORGANISATION**

- 1. (a) Name
  - (b) Address of the bidder
- 2. (a)Telephone no.
  - (b) Telex no.
  - (c) Fax no.
  - (d) E-mail
- 3. Legal status of the bidder (attach copies of original document defining the legal status)
  - (a) An Individual
  - (b) A proprietary firm
  - (c) A firm in partnership
  - (d) A limited company or Corporation
- 4. Particulars of registration with various Government Bodies if any (attach attested photocopy)

**Registration No.** 

- 1.
- 2.
- 3.
- 5. Names and titles of Directors & Officers with designation to be concerned with this work.

Signature of Bidder(s)

### Annexure-D

### DECLARATION

It is to certify that:

- 1) I/We agree with the terms and conditions of it and understood that it will form part of the agreement.
- 2) I hereby certify that none of my Relative(s) are employed in AIIMS Raipur, Chhattisgarh. In case at any stage, it is found that the information given by me is false/incorrect, AIIMS shall have the absolute right to take any action as deemed fit without any prior intimation to me".
- 3) I/We undertake and confirm that eligible Work(s) has/have not been got executed through another contractor on back to back basis. Further, it is stated that, if such a violation comes to the notice of Department, than I/We shall be debarred for bidding in AIIMS in future forever. Also, if such a violation comes to the notice of AIIMS, Raipur before date of start of work, the Engineer-In-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.
- 4) I / We have signed (with stamp) all the pages of the tender document before submitting the same.
- 5) All the information and documents given/ uploaded for bids are true.
- 6) I / We have submitted the EMD.
- 7) I / We have provided our e-Mail id for any communication in this regard.
- 8) I have read carefully & understood the important instructions to the all bidders.

Date.....

Contractor (Sign with Seal)

E-Mail:

# Annexure-E

#### **INTEGRITY PACT**

Τo,

# Sub: NIT No. 37/EE/AIIMS/RPR/2019-20 for the work of "Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur."

Dear Sir,

It is here by declared that AIIMS is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender / bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the AIIMS Raipur.

Yours faithfully,

**Executive Engineer** 

Project Cell, AIIMS Raipur

## (Annexure-F)

## Acknowledgement & Acceptance Letter

Τo,

The Executive Engineer,

Project Cell, AIIMS Raipur

Sub: Submission of Tender for the work"Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur."

Dear Sir,

I / We acknowledge that AIIMS is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I / We agree that the Notice Inviting e-Tender is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by AIIMS Raipur. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, AIIMS Raipur shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

# (Annexure-G)

#### **CONSENT LETTER**

I/We hereby give my/ our consent to work as contractor till the completion of work and I/we will be responsible for execution of work only by skilled persons in the field of **related work** as per satisfaction of Engineer-In-Charge.

I/We will produce computerized measurement sheets of work before covering hidden work / job and other exposed works in time as per clause 6A otherwise measurement will be recorded by the representative of Engineer-In-Charge under clause 6 which will be bound to me and I/We am/are agree to made recovery of amount as per clause 36 of GCC for each running and final bill for not producing measurement and bill. Final measurement with bill will be produced by me/us within one month after completion date otherwise representative of Engineer-In-Charge will prepare the same under clause 6 which will be acceptable and bound to me/us and no any claim in this regard will be made by me/us.

I/We will provide all invoices and related test certificates of materials as required by E-In-C. All Analysis of rates for Extra, Substitute, Deviation items etc. will be produced by me/us in consultation with representative of Engineer-In- Charge on time for getting approval from Competent Authority of AIIMS before execution of work.

I/We will submit Pay Roll and Fort Night Labour Report with every bill duly certified by Junior Engineer. I will pay all the wages to the workers in bank account otherwise necessary action will be taken with penalty as decided by Engineer-In-Charge and is bound to me/ us. I/We will maintain all the registers etc. as mentioned in General Condition of Contract for workers and employees. The registers will be presented to Junior Engineer for verification from time to time.

I/we will also engage suitable and skill Engineer(s) for the work as per condition of work.

I further certify that the above particulars pertaining to me are correct.

I/We will produce all uploaded documents in original for physical verification before issue of Letter of Acceptance or / and as demanded by Engineer-In Charge before the payment .

I/We will submit "No Claim Certificate" in the approved format in company letter head after receiving final bill payment.

Signature of contractor

# To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of AIIMS Raipur.

#### **INTEGRITY AGREEMENT**

This Integrity Agreement is made at ......2019

#### BETWEEN

AllMS Raipur through Executive Engineer,....., (Name of Division)

AIIMS,...., (Hereinafter referred as the (Address of Division)

**'Principal / Owner'**, which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

#### AND

(Name and Address of the Individual/firm/Company)

through.....(hereinafter referred to as the (Details of duly authorized signatory)

"Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

#### Preamble

WHEREAS the Principal /Owner has floated the e-Tender (NIT No.37/EE/AIIMS/RPR/2019-20) (hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for "Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur." Hereinafter referred to as the "Contract".

AND WHEREAS the Principal / Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

#### Article 1: Commitment of the Principal / Owner

1) ThePrincipal/Owner commits itself to take all measures necessary toprevent corruption and to observe the following principles:

(a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

(b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.

(c) The Principal / Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.

2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC) / Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal / Ownerwill inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

#### Article 2: Commitment of the Bidder (s) / Contractor (s)

- It is required that each Bidder / Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s) / Contractor(s) commit himself to take all measuresnecessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
  - a) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal / Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

The Bidder(s) / Contractor (s) will not enter with other Bidder (s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.

b) The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s) / Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- c) The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents / representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- d) The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose (with each tender as per Performaenclosed) any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract
- 3) The Bidder(s) / Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake / forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his / her reputation or property to influence their participation in the tendering process).

#### Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal / Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder / Contractor accepts and undertakes to respect and uphold the Principal / Owner's absolute right:

1) If the Bidder (s) / Contractor(s), either before award or during execution of Contract has committeda transgression through a violation of Article 2 above

or

in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers

to

disqualifythe Bidder(s)/Contractor(s) from the Tender process or terminate / determine the Contract, if already executed or exclude the Bidder/Contractor

from

future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal / Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

#### 2) Forfeiture of EMD/Performance Guarantee/Security Deposit:

If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder / Contractor.

#### 3) **Criminal Liability:**

If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of Indian Penal code (IPC)/Prevention of Corruption Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

#### Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or StateGovernment or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holding listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

#### Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- The Bidder(s) / Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder / Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub- contractors/sub-vendors.
- 2) The Principal / Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal / Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

#### Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor / Vendor 12 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, AIIMS Raipur.

#### **Article 7- Other Provisions**

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the **Headquarters of the Division** of the Principal / Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.

- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this **Integrity Agreement/ Pact or interpretation** there of shall not be subject to arbitration.

#### Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender / Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and or	behalf of	Principal/	Owner)
-------------	-----------	------------	--------

(For and on be	half of Bid	der/ Contractor)
WITNESSES:		
	1.	(Signature, name and address)
	2.	(Signature, name and address)
Place:-		

Dated:

# ALL INDIA INSTITUTE OF MEDICAL SCIENCE RAIPUR Percentage Rate Tender/ ItemRate Tender& Contract for Works

# Tender for the work of : "Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur."

#### e- T E N D E R

I/We have read and examined the notice inviting tender, schedule, A,B,C,D,E & F, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the AIIMS Raipur within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for **ninety (90) days** from the due date of opening of financial bid and not to make any modification in its terms and conditions.

A sum of Rs.38,500.00 is hereby forwarded in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank as earnest money. A copy of the earnest money in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank is submitted with tender. If I/We, fail to furnish the prescribed performance guarantee within prescribed tender, I/we agree that the said President of India or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that President of India or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said Performance Guarantee shallbe guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the General Conditions of Contracts (CPWD). Further, I/we agree that in case of forfeiture of earnest money or performance guarantee as aforesaid, I/We shall be debarred for participation in the retendering process of the work.

I/We undertake and confirm that eligible similar work(s) has / have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in AIIMS Raipur in future forever. Also, if such a violation comes to the notice of Department before date of start of work, The Engineer – in – Charge shall be free to forfeit the entire amount of Earnest Money Deposited / Performance Guarantee.

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived therefrom to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated #.....

Signature of Contractor# Postal Address#

Witness : #	e-Mail id#
Address: #	
Occupation : #	# To be filled in by the contractor/witness as applicable
	ACCEPTANCE
The above tender (as modified vide	letters mentioned hereunder) is accepted by me for and on behalf of the AIIMS
Raipur for a sum of ₹*_	
(Rupees*_	)
The letters referred to below shall fo	orm part of this contract Agreement:-
a)	*
b)	
c)	For & on behalf of the AIIMS Raipur.
	For a on benañ or the Anivis Raipur.
	Signature
Dated *	Designation

#### A. GENERAL CONDITIONS

- 1. Name of Work:" Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur."
- 2. For all items of **Civil/Electrical/AC&R**;- CPWD specifications with up to date correction slips up to receipt of tender shall be followed. For the items which are not covered under CPWD specifications; B.I.S. specifications shall apply. In this regard the decision of Engineer-in- charge shall be final.
- 3. Wherever any reference is made of any Indian Standard, it shall be taken as reference to the latest edition with all amendments / revision issued thereto up to the date of receipt of tenders.
- 4. Unless otherwise specified, the agreement rates for all items of work of the schedule of quantities are for all heights, depths, leads and lifts involved in the execution of work.
- 5. Other agencies working at site will also simultaneously execute the work entrusted to them and the contractor shall offer necessary co-operation wherever required to other agencies.
- 6. On account of security consideration, there could be some restrictions on the working hours, movement of vehicles for transportation of materials. The contactor shall be bound to follow all such restrictions and adjust the program for execution accordingly, for which nothing extra shell be paid.
- 7. The work shall be carried out in a manner complying in all respects with the requirements of relevant bye laws of the local bodies, Labour Laws, minimum wages act, workmen compensation act and other statutory laws enacted by Central Govt. as well as State Govt.
- 8. All melba/rubbish/silt/waste, garbage etc. generated due to any operation from buildings/houses/hostels and other open spaces whatsoever shall be disposed off on daily basis by the contractor to the specified common disposal point. After the collection of full truck load of the said Melba (approx. 4.5 cubic meters), the same shall be disposed off by the contractor to the authorized municipal dumping ground and nothing extra shall be paid on this account. In case of non- removal/disposal in the specified period, the same would be disposed at risk & cost of contractor.
- 9. No residential accommodation shall be provided to any of the staffengaged bythe contractor. The contractor shall not be allowed to erect any temporary set up for staff in the campus.
- 10.No claims of the labours shall be entertained by the Department including that of providing employment, regularization of services etc.
- 11.All required register will be issued by Engineer-in-Charge/Executive Engineer duly marked in chronological order but the contractor will have to arrange all such registers/stationery etc. Nothing extra shall be paid on this account.
- 12. The contractor shall have registration with Employee's Provident Fund commissioner and Employee's state Insurance Corporation for safe guarding interest of his workmen. He shall obtain all other necessary approvals from statutory bodies as per law in vogue.
- 13.All T&P, scaffoldings, ladders/Hydra etc, instruments/meters for maintenance, consumable and Contingent Articles required for execution of the work shall be arranged by the contractor.
- 14.The contractor shall make all safety arrangement required for the labor engaged by him at his own cost. All consequences due to negligence or due to lapse of security/safety or otherwise shall remain with the contractor. The department shall not be responsible for any mishap, injury, accident or death of the contractor's staff. No claim in this regard shall be entertained / accepted by the department. Also Contractor is responsible to the

damage caused to any man/material other that his team during execution and AIIMS will not be responsible forthat.

- 15.Contractor shall be fully responsible for any damages caused to govt. property or allotter's property by his or his labor in carrying out the work and shall be rectified by the contractor at his own cost.
- 16.GST and other Taxes as applicable shall be recovered/ paid from the contractor's bill as per Govt. of India/AIIMS Rules. GST amount will be reimbursed only after submission of GST deposition proof.
- 17. Chases, holes & drilling works etc. shall be done using power operated tools in the cost of Contract. No extra will be paid for the same.
- 18. The agency shall restore back the premises and other articles provided by the department to the department at the time of closure of the contract.
- 19.In the case of discrepancy between the schedule of quantities, the Specifications and/or the Drawings, the following order of preference shall be observed :-
  - (a) Description of schedule of quantities.
  - (b) Additional specifications and special conditions, if any.
  - (c) Contract clauses of General conditions of contract for Central P.W.D. works. (iv) CPWD specifications.
  - (d) Architectural drawings.
  - (e) Indian standards specifications/ BIS. (vii) Sound engineering practice. Any reference made to any Indian standards specifications in these documents, shall imply to the latest version of that standard, including such revisions/amendments as issued by the Bureau of Indian Standards up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian Standards applicable to the work at site.
- 20.The contractor and /or his authorized agent should see the site order book every day and get the compliance of instruction given by the JE/AE/Engineer-in-charge(E-I/C) as per time schedule.
- 21. The contractor will not pitch up tents for laborers, materials and his stores etc.
- 22.No permanently / temporary huts / structures shall be constructed by the contractor at the site of work or at any government land / premises. Such structures, if any, found at the site or at AIIMS, Raipur land shall be demolished and removed at the cost of the agency without any notice.
- 23.Any damage to the building structure, fittings or any other articles etc. done by the contractor or his workman during the execution of the work shall be made good by the contractor at his own cost.
- 24. The contractor shall clear the site properly after the completion of the work.
- 25. The Agency shall be solely responsible for compliance to the provisions of various Labor and industrial laws, such as, wages, allowances, compensations, EPF, Bonus. Gratuity, ESI etc. relating to personnel deployed by it at AIIMS, Raipur site or for any accident caused tothem andthe institute shallnot be liable to bear anyexpense in this regard. The Agency shall make payment of wages to workers engaged by it by the stipulated date irrespective of any delay in settlement of its bill by AIIMS, Raipur for whatever reason. The Agency shall also be responsible

Forthe insurance of its personnel. The Agency shall specifically ensure compliance of various Laws / Acts, including but not limited to with their re-enactments / amendments / modifications etc. (a) The Payment of Wages Act 1936.

- (b) The Employees Provident Fund & MP Act, 1952.
- (c) The Contract Labor (Regulation) Act, 1970.
- (d) The Payment of Bonus Act, 1965.
- (e) The Payment of Gratuity Act, 1972.
- (f) The Employees State Insurance Act, 1948.
- (g) The Employment of Children Act, 1938.

(h) The Motor Vehicle Act, 1988.(i) Minimum Wages Act, 1948.

- 26.Breach of Terms and Conditions: Noncompliance of any terms and conditions enumerated in the contract shall be treated as breach of contract. Or In Case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by AIIMS, Raipur in that event the EMD and /or Performance Guarantee and/or security deposit shall also stands forfeited.
- 27.Termination of Contract: AIIMS, Raipur would have the right to terminate the contract by giving one month's notice before the expiry of the term, in case the work performance is not up to the standard, or in case there is any violation of AIIMS, Raipur rules & regulations, or if there is any lapse in compliance of any labor legislation, or if there is any incident of indiscipline on the part of the bidder or his staff and the agreement may be terminated by either party by giving one month's notice to the institution. The decision of AIIMS, Raipur's management in this regard would be final and binding on the bidder . In such an event, AIIMS, Raipur shall have the right to engage any other bidder to carry out the task.
- 28.Arbitration: The Arbitration shall be held in accordance with the provision of the Arbitration and conciliations Act, 1996 and the venue of arbitration shall be at Raipur. The decision of the Arbitrator shall be final and binding on the both parties.
- 29.Dispute Settlement: It is mutually agreed that all differences and disputes arising out of or in connection with this agreements shall be settled by mutual discussions and negotiations if such disputes and differences cannot be settled and resolved by discussions and negotiations then the same shall be referred to the sole Arbitrator appointed by the Director, AIIMS, RAIPUR whose decision shall be final and binding on both the parties. The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing.
- 30.Guidelines issued by Hon'ble National Green Tribunal in O.A. No. 21 of 2015 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & other and Sanjay Kulshreshtha Vs Union of India & ors : Air Pollution of Dust from Construction and Demolition activity reg. issued vide letter No. DPCC/EIA/Ref-001 to 172/NGT-21/2015/225-408 dt. 17/04/2015 shall be complied by the Bidders.

#### B.GENERAL CONDITIONS FOR SUPPLY OF MATERIAL

- 1. The material shall be as per CPWD specifications with up to date correction slip and BISSpecifications wherever mentioned and as per List of approved makes (enclosed).
- 2. In the event of any variation between CPWD specifications and that in the IS Code the former shall take precedent over the later. In the event of variation between he nomenclature of item asperschedule of quantities and specifications, the former shall prevail.
- 3. Material will be supplied by the contractor within 03 days after giving he requirement otherwise suitable amount imposed as a penalty shall be recovered from contractor's bill after giving notice as decided by the Engineer incharge. However, the materials in urgent nature shall be supplied within 02-03 Hours.
- 4. The sample of all the items shall have to be got approved by the Contractor from the Engineer-in-Charge/Executive Engineer or his Representative before the supply commences, the approval of sample shall be only in respect of workmanship and finish, and shall be without prejudice to the right of Engineer- in-Charge to get random samples tested out of the actual lot received as per additional conditions. This decision is the Prerogative of Engineer-in-Charge.
- 5. The contractor shall if required furnish the manufacturer's certificate that the material supplied satisfy the requirements of the relevant specifications.
- 6. The Engineer-in-Charge shall be at liberty to test respective sample (s) of each item of schedule of quantity in

any approved laboratory as decided by him. The sample for testing shall be provided by the contractor. If the test proves satisfactory and the material is accepted, the testing charge in respect of satisfactory test shall be borne by the department.

All other expenditure required to be incurred for making available the sample, conveyance and packing etc, shall be borne by the contractor himself. In case any sample of particular lot fails in testing the contractor shall be bound to replace the entire lot with fresh material of prescribed specifications and the rejected lot shall only be returned to the contractor after fresh lot is supplied. Testing charges in respect of failed sample will be borne by the contractor himself.

- 7. Rejected materials shall have to be removed by the contractor at his own cost within a week of the instructions of doing so. Also go down rent as decided by Engineer-in-Charge shall be charged by the department.
- 8. In case of any dispute regarding rejection of quantity of materials the decision of Engineer-in- Charge shall be final and binding upon the contractor.
- 9. Conditional tenders are liable to be summarily rejected.
- 10. The rates shall be quoted only in the schedule of quantities attached with the tender and nowhere else i.e. letter heads etc.
- 11. The contractors are specifically required to quote only one rate against each item. The rate Quoted for any item of material shall conform to the prescribed specifications.
- 12. The quantities are approximate and are liable to change up to any extent on either side. The Engineer- in-Charge reserves right to order deviation from the quantities mentioned in the tender. The contractor shall supply the additional quantity on the rates quoted in the tender documents irrespective of deviation limit mentioned elsewhere in the agreement. The contractor shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which might have derive from the execution of supply in full as mentioned in tender but which did not derive any consequence of the full supply of material mentioned in tender not having been ordered. It is not necessary to use all items in the BOQ/Schedule during contract Period. The use shall be based on the requirement at Site. Contractor cannot claim Payment against Storage of items to maintain the deadline of completion of work as per Tender.
- 13. The maker of material shall be same as that of actually installed/fixed at site. But, in case of non- availability or due to any reason, Engineer-in-Charge can take decision to install equivalent/new items available in the BOQ/Schedule. In case of any dispute the decision of Engineer-in-Charge shall be final with regards to make/brand of material.
- 14. For materials used in this work, the record shall be maintained at site in a standard Performa to watch quality and consumption of the material.

#### 15. SPECIALIZED WORK EXECUTION

**Specialized Works:** Specialized works /items/ jobs are those works that requires expertise/specialized skill and are executed after prequalification of agencies. They require special T&P and/or specialized skill.

#### Specialized works to be executed through- specialized agencies

Specialized works are those works for which there are specialized agencies available in the market to execute them. These works are listed in NIT. These works should be got executed through such agencies only to ensure a proper quality of work.

Agencies acceptable to the department In a tender where there are components of such specialized nature of works and such works should be got executed only through associated agencies specialized in these fields. The contractor shall indicate the name(s) and address with experience certificates of his associated specialized agencies those fulfilling the above conditions as early as possible and within one month of award of work.

Agencies engaged by the main contractor are required to fulfill the laid down criteria. In case the main contractor himself meets the required eligibility criteria as laid down by the Department for specialized work, he is allowed to execute the same after due verification etc. The main contractor gives detailed execution programme of the work which forms part of his agreement with the department. He indicates in the programme, the time/stage of the

work when the agencies of specialized components of works will be deployed by him. The main contractor enters into MOU with agencies associated by him for execution of specialized component as per conditions laid by Engineer-In-Charge.

The specialized firms satisfies the following eligibility criteria: Experience of having successfully completed works during last seven years ending on previous day of last day of submission of tender Three similar works each of value not less than 40% of the estimated cost put to tender. OR Two similar works each of value not less than 60% of the estimated cost put to tender. OR One similar work of value not less than 80% of the estimated cost put to tender. All amounts rounded off to a nearest convenient figure.

The main contractor has to associate agencies for specialized component(s) conforming to eligibility criteria and has to submit detail of such agency(s) to Engineer-in-charge of relevant component(s).within prescribed time. Name of the agency(s) to be associated shall be approved by Engineer-in-charge of relevant component(s).

In case the main contractor intends to change any of the above agency/agencies during the operation of the contract, he shall obtain prior approval of Engineer-in-charge of relevant specialized component(s).

The new agency/agencies shall also have to satisfy the laid down eligibility criteria. In case Engineer-in-charge is not satisfied with the performance of any agency, he can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.

The main contractor has to enter into MoU with agency(s) associated by him . Copy of such MoU shall be submitted to Engineer- in-charge of each relevant component . In case of change of associate contractor, the main agency(s) has to enter into MoU /agreement with the new contractor associated by him.

Executive Engineer (Civil)

AIIMS, Raipur

#### Form of Earnest Money Deposit

#### (Bank Guarantee Bond)

(1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;

(2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:

(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required; OR

(b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,

We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date\* ...... after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in- Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE .....SIGNATURE OF THE BANK

WITNESS .....

SEAL (SIGNATURE, NAME AND ADDRESS)

\*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

#### Annexure II

#### FORM OF PERFORMANCE GUARANTEE BANK GUARANTEE

(On a stamp paper of appropriate value from any Nationalized Bank or Scheduled Bank)

To Executive Engineer, AIIMS RAIPUR, TATIBANDH, RAIPUR – 492099

Dear Sir,

In consideration of the AIIMS RAIPUR, having offered to except the terms and conditions of the proposed agreement between..... &M/S (hereinafter referred to as "the said Contractor (s)", which expression shall include his and assignees) for the work of successor Contract No in terms inter alia, of Letter No.\_ dated and the General Conditions of Contract and upon the the condition of the Contractor's furnishing Security for the performance of the Contractor's obligations and discharge of the Contractor's liability under and in connection with the said Contract upto a sum of Rs. (Rupees only) amounting to percent of the total Contract value.

- 1 We, \_\_\_\_\_\_\_(hereinafter called `The Bank' which expression shall include its successors and assignees) hereby jointly and severally undertake to guarantee the payment to the Employer in rupees forthwith on demand in writing and without protest or demur or any and all moneys payable by the Contractor to the Employer in respect of or in connection with the said Contract inclusive of all the Employer's losses and damages and costs, (inclusive between attorney and client) charges and expenses and other moneys payable in respect of the above as specified in any notice of demand made by the Employer to the Bank with reference to this guarantee upto an aggregate limit of Rs. \_\_\_\_\_\_ (Rupees \_\_\_\_\_\_\_ only).
- 2 We\_\_\_\_\_\_Bank Ltd. further agree that the Employer shall be sole judge of and as to whether the said Contractor has committed any breach or breaches of any of the terms and conditions of the saidContract and the extent of loss, damage, cost, charges and expenses caused to or suffered by or that may be caused to or suffered by the Employer on account thereof and the decision of the Employer that the said Contractor has committed such breach or breaches and as to the amount or amounts of loss, damage, costs, charges and expenses caused to or suffered by the Employer from time to time shall be final and binding on us.
- 3 The Employer shall be at liberty without reference to the Bank and without affecting the full liability of the Bank hereunder to take any other Security in respect of the Contractor's obligations and liabilities hereunder or to vary the Contract or the work to be done there under vis-a-vis the Contractor or to grant time or indulgence to the Contractor or to reduce or to increase or otherwise vary the prices of the total Contract value or to release or to forbear from enforcement of all or any of the Security and/or any other Security(ies) now or hereafter held by The Employer and no such dealing(s) reduction(s) increase(s) or other indulgence(s) or arrangements with the

Contractor or release or forbearance whatsoever shall absolve the bank of the full liability to the Employer hereunder or prejudice the rights of the Employer against the bank.

- 4 This guarantee shall not be determined or affected by the liquidation or winding up, dissolution, or change of constitution or insolvency of the Contractor but shall in all respects and for all purposes be binding and operative until payment of all monies payable to the Employer in terms thereof.
- 5 The bank hereby waives all rights at any time inconsistent with the terms of this guarantee and the obligations of the Bank in terms hereof shall not be anywise affected or suspended by reason of any dispute or disputes having

been raised by the Contractor stopping or preventing or purporting to stop or prevent any payment by the Bank to the Employer in terms hereof.

- 6 The amount stated in any notice of demand addressed by the Employer to the Bank as liable to be paid to the Employer by the Contractor or as suffered or incurred by the Employer on account of any losses or damages or costs, charges and/or expenses shall be conclusive evidence of the amount so liable to be paid to the Employer or suffered or incurred by the Employer as the case may be and shall be payable by the Bank to The Employer in terms hereof.
- 7 This guarantee shall be a continuing guarantee and shall remain valid and irrevocable for all claims of the Employer and liabilities of the Contractor arising upto and until midnight of \_\_\_\_\_\_.
- 8 This guarantee is valid till \_\_\_\_\_\_(date to be mentioned) (Sixty days beyond the stipulated date of completion or the extended period, thereof)
- 9 This guarantee shall be in addition to any other guarantee or Security whatsoever that the Employer may now or at any time anywise may have in relation to the Contractor's obligations/or liabilities under and/or in connection with the said Contract, and the Employer shall have full authority to have recourse to or enforce this Security in preference to any other guarantee or Security which the Employer may have or obtain and no forbearance on the part of the Employer in enforcing or requiring enforcement of any other Security shall have the effect of releasing the Bank from its full liability hereunder.
- 10 It shall not be necessary for the Employer to proceed against the said Contractor before proceeding against the Bank and the Guarantee herein contained shall be enforceable against the Bank notwithstanding that any Security which The Employer may have obtained or obtain from the Contractor shall at the time when proceedings are taken against the said bank hereunder be outstanding or unrealized.
- 11 We, the said Bank undertake not to revoke this guarantee during its currency except with the consent of the Employer in writing and agree that any change in the constitution of the said Contractor or the said bank shall not discharge our liability hereunder.
- 12 We\_\_\_\_\_\_ the said Bank further that we shall pay forthwith the amount stated in the notice of demand notwithstanding any dispute/difference pending between the parties before the arbitrator and/or that any dispute is being referred to arbitration.
- 13 Notwithstanding anything contained herein above, our liability under this guarantee shall be restricted to Rs.\_\_\_\_\_\_(Rupees\_\_\_\_\_\_) and this guarantee shall remain in force till\_\_\_\_\_\_\_ and unless a claim is made on us within 3 months from that date, that is before \_\_\_\_\_\_ all the claims under this guarantee shall be forfeited and we shall be relieved of and discharged from our liabilities there under.

Dated\_\_\_\_\_\_day of\_\_\_\_\_\_20

For and on behalf of Bank.

Issued under seal

#### 1. GENERAL

- 1.1 Wherever any reference to any Indian Standard Specifications of BIS or other International standards of ASTM / BS/EN occurs in the documents relating to this contract, the same shall be inclusive of all amendments issued there-to or revisions thereof, if any, up to the date of receipt of tenders.
- 1.2 The contractor shall work according to the programme of work as approved by the Engineer-in-charge, for which purpose, the contractor shall submit a programme of the work within 07 days from the stipulated date of start of the work based on computer software and shall update the same every fortnight.
- 1.3 The contractor shall take instructions from the Engineer-in-charge for stacking of materials at site. No excavated earth or building materials shall be stacked on areas where the buildings, roads, services or compound walls are to be constructed.
- 1.4 If as per Municipal or prevailing rules of the secured campuses owned by paramilitary forces, Institutions etc, the huts for labour are not to be erected at the site of work by the contractors, the contractors shall provide such accommodation at such locations as are acceptable to local bodies with all provisions concerning labour safety & sanitation as contained in the relevant clause of the contract, for which nothing shall be payable.
- 1.5 Unless otherwise provided in the Schedule of quantities, the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing shall be payable to him on this account.
- 1.6 The working drawings appearing at para 8.1(iii) of conditions of contract in the form CPWD-7/8, shall mean to include both architectural and structural drawings respectively. The structural and architectural drawings shall be properly correlated before executing the work. In case of any difference noticed between architectural and structural drawings, final decision, in writing of the Engineer-in-charge shall be obtained by the contractor before proceeding further.
- 1.7 Some restrictions may be imposed by the security staff etc. on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restriction / instructions including issue of identity cards to all persons authorized by him to do work / visit the work site and nothing shall be payable on this account.
- 1.8 The contractor shall make his own arrangements for obtaining electric connections, if required, and make necessary payments directly to the department concerned.
- 1.9 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor (s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed, so as not to interfere with the operations of other contractors, or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of Engineer-in-Charge. The contractor shall be responsible for any damage due to hindrance caused by him.
- 1.10 Cast iron pipes and fittings without ear shall be used. However, pipes and fittings with ears may be accepted without any extra payment. In such cases, clamps are not required and no extra payment shall be made for fixing the pipes in a different manner.
- 1.11 Any cement slurry added over base surface for bond or for continuation of concreting, for protecting reinforcement bars, its cost shall be deemed to have been included in the respective items, unless specified otherwise and nothing extra shall be payable nor extra cement shall be considered in the cement consumption on this account.
- 1.12 Stacking of materials and excavated earth including its disposal shall be done as per the directions of the Engineer-in-Charge. Double handling of materials or excavated earth if required at any stage shall have to be done by the contractor at his own cost.
- 1.13 No claim for idle establishment &labour, machinery &equipments, tools & plants and the like, for any reason whatsoever, shall be admissible during the execution of work as well as after its completion.
- 1.14 Only Star headed Stainless Steel screws shall be used unless otherwise specified.

- 1.15 Work shall be carried out in professional manner with finished product serving the intended purpose with specified strength, durability and aesthetics.
- 1.16 Work activities shall be executed in well thought out sequences such that consequent activities not adversely affecting previously done work. Nothing extra shall be payable to protect the works already done.
- 1.17 The contractor shall prepare all the needed shop drawings well in advance and get them approved before placing the order and execution of the item.
- 1.18 The contractor shall, at his risk and cost, make all arrangements and shall provide all facilities as the Engineerin-Charge may require for collecting, and preparing the required number of samples for such tests at such time and to such place or places as may be directed by the Engineer - in -Charge and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications.

## 2. <u>RATES</u>

- 2.1 The rates quoted by the Contractor are deemed to be inclusive of site clearance, setting out work, profile, setting lay out on ground, establishment of reference bench mark(s), installing various signage, taking spot levels, survey with total station, construction of all safety and protection devices, compulsory use of helmet and safety shoes, and other appropriate safety gadgets by workers, imparting continuous training for all the workers, barriers, preparatory works, construction of clean, hygienic and well ventilated workers housings in sufficient numbers as per drawing supplied by Engineer in charge, working during monsoon or odd season, working beyond normal hours, working at all depths, height, lead, lift, levels and location etc. and any other unforeseen but essential incidental works required to complete this work. Nothing extra shall be payable on this account and no extension of time for completion of work shall be granted on these accounts.
- 2.2 The rates quoted by the bidder, shall be firm and inclusive of all taxes and levies.
- 2.3 No foreign exchange shall be made available by the Department for importing (purchase) of equipment, plants, machinery, materials of any kind or any other items required to be carried out during execution of the work. No delay and no claim of any kind shall be entertained from the Contractor, on account of variation in the foreign exchange rate.
- 2.4 All ancillary and incidental facilities required for execution of work like labour camp, stores, fabrication yard, offices for Contractor, watch and ward, temporary ramp required to be made for working at the basement level, temporary structure for plants and machineries, water storage tanks, installation and consumption charges of temporary electricity, telephone, water etc. required for execution of the work, liaison and pursuing for obtaining various No Objection Certificates, completion certificates from local bodies etc., protection works, testing facilities / laboratory at site of work, facilities for all field tests and for taking samples etc. during execution or any other activity which is necessary (for execution of work and as directed by Engineer-in-Charge), shall be deemed to be included in rates quoted by the Contractor, for various items in the schedule of quantities. Nothing extra shall be payable on these accounts. Before start of the work, the Contractor shall submit to the Engineer-in-Charge, a site / construction yard layout, specifying areas for construction, site office, positioning of machinery, material yard, cement & other storage, fabrication yard, site laboratory, water tank etc.
- 2.5 For completing the work in time, the Contractor might be required to work in two or more shifts (including night shifts). No claim whatsoever shall be entertained on this account, not with-standing the fact that the Contractor may have to pay extra amounts for any reason, to the labourers and other staff engaged directly or indirectly on the work according to the provisions of the labour and other statutory bodies regulations and the agreement entered upon by the Contractor with them.
- 2.6 All material shall only be brought at site as per program finalized with the Engineer-in-Charge. Any pre-delivery of the material not required for immediate consumption shall not be accepted and thus not paid for.

#### 3. CLEANLINESS OF SITE

The Contractor shall not stack building material / malba / muck/ rubbish on the land or road of the local development authority or on the land owned by the others, as the case may be. So the muck, rubbish etc. shall be removed periodically as directed by the Engineer-in-Charge, from the site of work to the approved dumping

grounds as per the local byelaws and regulations of the concerned authorities and all necessary permissions in this regard from the local bodies shall be obtained by the Contractor. Nothing extra shall be payable on this account. In case, the Contractor is found stacking the building material / malba as stated above, the Contractor shall be liable to pay the stacking charges / penalty as may be levied by the local body or any other authority and also to face penal action as per the rules, regulations and bye-laws of such body or authority. The Engineer –in-Charge shall be at liberty to recover, such sums due but not paid to the concerned authorities on the above counts, from any sums due to the Contractor including amount of the Security Deposit and performance guarantee in respect of this contract agreement.

## 4. INSPECTION OF WORK

In addition to the provisions of relevant clauses of the contract, the work shall also be open to inspection by the Engineer-In-Charge, AIIMS Raipur and other senior officers of AIIMS Raipur and his authorized representative. The contractor shall at times during the usual working hours and at all times at which reasonable notices of the intention of the Engineer-in-Charge or other officers as stated above to visit the works shall have been given to the Contractor, either himself be present to receive the orders and instructions or have a responsible Site Engineer duly accredited in writing, to be present for that purpose Senior Officers of AIIMS Raipur Authorities shall also be inspecting the on-going work at site at any time with or without prior intimation.

## 5. CO-OPERATION WITH OTHER CONTRACTORS/SPECIALIZED AGENCIES / SUB - CONTRACTORS

5.1 The Contractor shall take all necessary precautions to prevent any nuisance or inconvenience to the owners, tenants or occupants of the adjacent properties and to the public in general .The Contractor shall take all care, as not to damage any other adjacent property or other services running adjacent to the plot. If any damage is done, the same shall be made good by the Contractor at his own cost and to the entire satisfaction of the Engineer-in-Charge. The Contractor shall use such methodology and equipments for execution of the work, so as to cause minimum environmental pollution of any kind during construction. Further, the Contractor shall take all precautions to abide by the environmental related restrictions imposed by Madhya Pradesh Pollution control board, Govt. of Madhya Pradesh.

Utmost care shall be taken to keep the noise level to the barest minimum so that no disturbance as far as possible is caused to the occupants / users of adjoining buildings. No claim what so ever on account of site constraints mentioned above or any other site constraints, inadequate availability of skilled, semi-skilled or unskilled workers in the near vicinity, non-availability of construction machinery spare parts and any other constraints not specifically stated here, shall be entertained from the Contractor. Therefore, the Tenderers are advised to visit site and get first-hand information of site constraints. Accordingly, they should quote their tenders. Nothing extra shall be payable on this account.

5.2 The Contractor shall cooperate with and provide the facilities to the sub-Contractors and other agencies working at site for smooth execution of the work. The contractor shall indemnify STC, BSF, authorities.

Against any claim(s) arising out of such disputes. The Contractor shall:

- (i) Allow use of scaffolding, toilets, sheds etc.
- (ii) Properly co-ordinate their work with the work of other Contractors.
- (iii) Provide control lines and benchmarks to his Sub-Contractors and the other Contractors.
- (iv) Provide electricity and water at mutually agreed rates.
- (v) Provide hoist and crane facilities for lifting material at mutually agreed rates.
- (vi) Co-ordinate with other Contractors for leaving inserts, making chases, alignment of services etc. at site.
- (vii) Adjust work schedule and site activities in consultation with the Engineer-in-Charge and other Contractors to suit the overall schedule completion.
- (viii) Resolve the disputes with other Contractors/ sub-contractors amicably and the Engineer-in-Charge shall not be made intermediary or arbitrator.
- 5.3 The work should be planned in a systematic manner so as to ensure proper co-ordination of various disciplines viz. sanitary & water supply, drainage, rain water harvesting, electrical, firefighting, information technology, communication & electronics and any other services.

- 5.4 Other agencies will also simultaneously execute and install the works of sub-station / generating sets, airconditioning, lifts, etc. for the work and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. shall be supplied free of cost by the department unless otherwise specifically mentioned) and the contractor shall fix the same at time of casting of concrete, stone work and brick work, if required, and nothing extra shall be payable on this account.
- 5.5 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor(s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed so as not to interfere with the operations of other contractor or he shall arrange his work with that of the others in an acceptable and in a proper co-ordinate manner and shall perform it in proper sequence to the complete satisfaction of others.

## 6. SAFETY MEASURES AT CONSTRUCTION SITE

In order to ensure safe construction, following shall be adhered for strict compliance at the site:-

- (i) The work site shall be properly barricaded.
- (ii) Adequate singnages indicating 'Work in Progress Inconvenience caused is Regretted' or Diversion Signs shall be put on the sites conspicuously visible to the public even during night hours. These are extremely essential where works are carried out at public places in use by the public.
- (iii) The construction malba at site shall be regularly removed on daily basis.
- (iv) All field officials and the workers must be provided with safety helmets, safety shoes and safety belts.
- (v) Proper MS pipe scaffoldings with work platforms and easy-access ladders shall be provided at site to avoid accidents.

Necessary First-Aid kit shall be available at the site. The above provisions shall be followed in addition to the provisions of General Condition of Contract.

### 7. Field testing instruments

(Following instruments in sufficient quantity as directed by the Engineer- in- Charge shall be made available by the contractor. It shall be ensured that the instruments always remain in serviceable condition else the same will be replaced. In case of non-availability of instrument Engineer-In-Charge will purchase the same and the invoice amount will be deducted from the bill and will be bound to contractor in the interest of work.

- (1) Steel tapes 3 m / 5m / 7.5m / 15m / 30m
- (2) Vernier Calipers.
- (3) Micrometer screw 25 mm gauge.
- (4) A good quality plumb bob.
- (5) Spirit level, minimum 30 cms long with 3 bubbles for horizontal vertical.
- (6) Wire gauge (circular type) disc.
- (7) Foot rule.
- (8) Long nylon thread.
- (9) Rebound hammer for testing concrete
- (10) Dynamic penetrometer.
- (11) Magnifying glass
- (12) Screw driver 30 cms long
- (13) Ball pin hammer, 100 gms.
- (14) Plastic bags for taking samples
- (15) Moisture meter for timber
- (16) Earth resistance tests (for Electrical Divisions)
- (17) Multimeter, Meggar (for Electrical Divisions)
- (18) Total station

## 8. The contractor shall submit 'Method Statement' for the approval soon after the award of work

'Method Statement' is a statement by which the construction procedures for important activities of construction are stated, checked and approved. Method Statement shall have description of the item with elaborate procedures in steps to implement the same. The specification of the materials involved their testing and acceptance criteria, equipments to be used, precautions to be taken, mode of measurements etc.

# 9. TESTING OF MATERIALS

- 9.1 The contractor shall arrange carrying out of all tests required under the agreement through the laboratory as approved by the Engineer-in-Charge and shall bear all charges in connection therewith including fee for testing unless specified otherwise. In all cases cost of samples and to & fro carriage shall be borne by the contractor. Contractor shall establish a laboratory at site of work at his own cost. The laboratory shall be equipped with all necessary equipment as per requirement of specification or as per direction of Engineer-in-Charge. A list of laboratory equipment to be maintained by the contractor is enclosed at Para 13 page 40 & 41. Establishing the laboratory at site shall not absolve the contractor from fulfilling the criteria of getting the test done in independent approved laboratories as per DG, CPWD, O.M. No. DG/MAN/308 dated 29.05.2014. The decision of the Engineer-in-Charge of allowing any test in the site laboratory shall be final.
- 9.2 Even ISI marked materials may be subjected to quality test at the discretion of the Engineer-in-Charge besides testing of other materials as per the specifications described for the item/material. Whenever ISI marked materials are brought to the site of work the contractor shall, if required by the Engineer-in-Charge, furnish manufacturer test certificate or test certificate from approved testing laboratory to establish that the material procured by the contractor for incorporation in the work satisfy the provisions of IS codes relevant to the material and/or the work done.
- 9.3 Substandard Material/Work: In case any material/work is found substandard the same shall be rejected by the Engineer-in-Charge and the same shall be removed from the site of work within 48 hour, failing which the same shall be got removed by the Engineer-in-Charge at the risk and cost of the contractor without giving any further notice and time.

## FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME

(PART-I)

- 1. Name of contractor
- 2. Name of work as given in the agreement
- 3. Agreement no.
- 4. Estimated amount put tender
- 5. Date of commencement of work as per agreement
- 6. Period allowed for completion of work as per agreement
- 7. Date of completion stipulated in agreement
- 8. Period for which extension of time has been given previously:

	EE's letter no. and date	Extension granted	
		Months	Days
(a) 1st extension			
(b) 2nd extension			
(c) 3rd extension			
d) 4th extension			
(e) Total extension previously given			

- 9. Reasons for which extension have been previously given (copies of the previous applications should be attached)
- 10. Period for which extension if applied for
- 11. Hindrances on account of which extension is applied for with dates on which hindrances occurred and the period for which these are likely to last.

Serial	Nature of	Date of	Period for	Period for	Overlapping	Net	Remarks,
no	hindrance	occurrence	which it is	which	period if any,	extension	if any
			likely to last	extension	with reference	applied for	
				required for	to item.		
				this			
				particular			
				hindrance			
а	b	С	d	е	f	g	h

Total period on account of hindrances mentioned above...... Months ..... Days

12.Extension of time required for extra work.

13.Details of extra work and the amount involved:

a.Total value of extra work

b.Proportionate period of extension of time based on estimated amount put to tender on account of extra work.

14. Total extension of time required for 11 & 12

Submitted to the Sub Divisional Officer .....

Signature of contractor Dated:.....

# FORM OF APPLICATION OF THE CONTRACTOR FOR SEEKING RESCHEDULING OF THE MILESTONES

- 1. Name of contractor
- 2. Name of work as given in the agreement
- 3. Agreement no.
- 4. Estimated amount put tender
- 5. Date of commencement of work as per agreement
- 6. Period allowed for completion of work as per agreement

## 7. Date of completion stipulated in agreement

### 8. Rescheduling of milestones done previously

Milestone No. Already Rescheduled	EE's Letter No. and Date	Reschedulir	ng Of Milestones Done
		Original Date	Rescheduled Date
(A) 1st Milestone			
(B) 2nd Milestone			

# Rescheduling of milestone applied for

Milestone No. For Which Rescheduling is Applied	Original/ Rescheduled Date	Details And Period of Hindrances	Comments of Executive Engineer	Proposed Rescheduled Date of
(A) 1st Milestone				
(B) 2nd Milestone				

# GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS

The Agreement made this ...... day of ..... two thousand and ..... between ..... son of ..... of ..... of ..... (hereinafter called the Guarantor of the one part) and the PRESIDENT OF INDIA (hereinafter called Government of the other part).

WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract) dated .....and made between the GUARANTOR of the one part and the Government of the other part, whereby the Contractor, inter alia, undertook to render the buildings and structures in the said contract recited completely water and leak-proof.

AND WHEREAS GUARANTOR agreed to give a guarantee to the effect that the said structures will remain water and leak-proof for five years from the date of giving of water proofing treatment.

NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the maintenance period prescribed in the contract.

Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:

(a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;

(b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;

(c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.

During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer- in-Charge as to the cost, payable by the Guarantor shall be final and binding.

That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-Charge will be final and binding on the parties.

IN WITNESS WHEREOF these presents have been executed by the Obligor .....and by .....and for and on behalf of the PRESIDENT OF INDIA on the day, month and year first above written.

Signed, sealed and delivered by OBLIGOR in the presence of

1.

2.

Signed for and on behalf of THE PRESIDENT OF INDIA by ..... in the presence of

1.



## LIST OF SPECIALIZED ITEMS / JOBS

### List I - Civil Works

- 1. \*\* Water proofing treatment work.
- 2. Steel work in steel bridge work, space frames for long span structures, steel towers.
- 3. \*\* Special foundations including all types of piles.
- 4. RCC Overhead Tank with independent staging.
- 5. Structural Repair and Rehabilitation/ Retrofitting works.
- 6. Soil Investigation and Survey Work.
- 7. \*\* Facade cleaning system and façade cleaning.
- 8. Custom made wooden furniture (factory made).
- 9. Diaphragm walls.
- 10. Post construction Anti-termite chemical treatment.
- 11. Water Treatment Plants
- 12. Security to vacant bungalows/premises.
- 13. Tentage works.
- 14. Washing/dry cleaning works.
- 15. Synthetic play area surface for games.
- 16. Electronic / Digital Signages.
- 17. Environment Impact Assessment Study and Environment Clearance.
- 18. Mechanized Housekeeping Work .

### Note:

\*\*For these works, Specialized Agencies shall have to be associated by the duly approved specialized agency by Enginerr-In-Charge in case the Contractor does not possess the requisite eligibility and experience as per the NIT conditions to carry out these works..

# **Electrical Works**

# LIST- II(A)

- S. No. Supplying /fabrication, installation, testing and commissioning of the following
- 1. Kitchen equipment
- 2. Lifts, escalators and conveyors
- 3. Simultaneous interpretation systems
- 4. Gas plants.
- 5. Cold storage plant
- 6. Hot Water/Steam Boilers
- 7. Public address system; conferencing system, automatic vote recording system, recorders
- 8. Stage lighting
- 9. Projector and other special equipment for theatre
- 10. Repairs and calibration of various types of measuring instruments and relays etc.
- 11. Testing of transformer oil and dehydration and other type of high potential test.
- 12. Frequency Convertor
- 13. Temporary illumination, security lighting and wiring for power outlets for metal detectors in connection with Republic Day and Independence Day Celebrations.
- 14. EPBAX system (equipments).
- 15. EPBAX system (cabling and wiring).
- 16. Illumination of heritage caves and fiber optic lighting system
- 17. Security system and alarm
- 18. Building Automation System
- 19. Hydraulic platform /Lift
- 20. Incinerator
- 21. Laundry equipment
- 22. Centralized clock system.
- 23. Interior/exterior flood lighting of heritage/Monumental buildings/structures involving Computer aided design and evolution of special mounting arrangements for luminaries:

- 24. Gas pipe line
- 25. Modular OT
- 26. Electrically Operated Gate
- 27. Fountain Work
- 28. Water supply motors and pumps of 100 hp or more
- 29. Mechanized Car Parking Systems
- 30. VRV/VRF Type Air-Conditioning Systems
- 31. Oxygen Generation Plant
- 32. CCTV and Allied Equipments
- 33. Access Control System
- 34. Hydro Pneumatic Pumps
- 35. Providing and fixing of Sensor operated Gates
- 36. Precision Air Conditioning System
- 37. LAN System
- 38. SITC of active power factor filter
- 39. SITC of Solar Photo Voltaic Power generation system

# LIST-II (B)

- S. No. Supplying /fabrication, installation, testing and commissioning of the following
- 1. Diesel Generating Set
- 2. Heating, Ventilation and Air-conditioning System
- 3. Sub-station equipment
- 4. Fire fighting system (including wet riser and sprinkler system, portable fire extinguishers)
- 5. Fire detection and alarm system

# List -III Horticulture Works

(1) Construction of Vertical Green Wall.

# LIST -IV Concurrent list of Specialized items/ jobs

(1) Sewage Treatment Plant

(2) Outsourcing of Day to Day Maintenance Work\*

\*Note :

(a) For Outsourcing of Day to Day Maintenance Work, Provision is to be made in the NIT for specialized agency duly approved by Engineer-In-Charge, not having the requisite eligibility and experience as per the NIT conditions, to execute the Comprehensive Maintenance Work by associating Agencies Specialized in Day to Day Maintenance Work.

(b) Outsourcing of Day to Day Maintenance Work is the "Specialized Work" for the purpose of association only and not for awarding work on standalone basis.

## No Claim Certificate

## (On company letter head)

To,

The Executive Engineer,

Project Cell, AIIMS, Raipur

Name of Work-

Agreement No. -

Sub: No claim declaration / certificate

We have received the sum of Rs. (Rupees ...... only) in full and final settlement of all the payments due to us for the above stated work under the above mentioned contract agreement, between us and AIIMS, Raipur. We hereby unconditionally, and without any reservation whatsoever, certify that with this payment, we shall have no claim whatsoever, of any description, on any account, against Procuring Entity, against aforesaid contract agreement executed by us. We further declare unequivocally, that with this payment, we have received all the amounts payable to us, and have no dispute of any description whatsoever, regarding the amounts worked out as payable to us and received by us, and that we shall continue to be bound by the terms and conditions of the contract agreement, as regards performance of the contract.

Yours faithfully,

Signatures of contractor

or Officer authorised to sign the contract documents

on behalf of the contractor

(Company stamp)

Date: .....

Place: .....

#### APPROVED MATERIALS LIST (CIVIL)

Note :

- 1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender, shall be used in the work.
- 2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
- 3. Whenever the specified brand of material is not available then, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

1 1		
1.	Acid/Alkali Resistant Tile	Somany/ Nitco/ Kajariya/ Bell
2.	Premium Acrylic Emulsion Paint: Interior	Asian (Royale)/ ICI (Velvet)/ Berger (Luxol Silk)/ Nerolac Impression
3.	Admixures& Epoxy	FOSROC/ Aquomix/ BAL-ENDURA/ROFF/Dr.Fixit/CICO/SIKA/BASF
4.	Aluminium Composite Panel	Alpolic/ Aluco Bond/ Reynobond/ Euro bond/ Al-strong/Aludewr
5.	Aluminium Extrusions/ Sections	Hindalco/ Indalco/ Jindal/Indian Aluminium Co.
6.	P.T.M.T. Accessories	Prayag, PRAKASH, SHURYA/Supreme/Kingston
7.	Annealed Float Glass	Saint Gobain/ Modi Guard/ Hindustan Pilkington/TATA
8.	Centrifugally Cast Iron Pipe & Fittings	Neco/ RIF/ Kapilansh/ BIC/SKF/Electrosteel
9.	Ceramic Tiles	Kajaria/ Somany/ Nitco/ Orient Bell/
		Johnson/Varmora/AGL/OASIS/Marbito
10.	Cement Concrete Chequrred tiles	Raj-Tiles/ Bharat/ Rigid Tiles/Advance/Ultra Tiles/NITCO
11.	CP Bottle Trap	Parryware / Hindware/ Jaquar/ GRAFDOER by VMS BathwarePvt. Ltd.
12.	CP Brass Bibcock/ Pillarcock/ Stopcock/ Angle Valve/	Marc(oriental series)/ Parko/ Jaquar (Continental series)/SPRING
ľ	Concealed Stop Cock & CP fittings	COLLECTION OF PRIMA /GEM/ESS/Plumber/ GRAFDOER by VMS
		BathwarePvt. Ltd. /L&K Metro/Vardhman/'Coral' series of
ľ	(Normal Range)	parryware/'JOY' & 'VINTAGE' series of KEROVIT by Kajaria
	(Normar Kange)	
13.	CP Waste Coupling	Mark/ GRAFDOER by VMS BathwarePvt. Ltd./ Parko or equivalent
14.	Curtain Carrier	Vista levlor or equivalent.
15.	Dash fastener/ Expansion Bolt/Stone Cladding Clamp	M/s DevAshish/HILTI/Fischer/Bosch/Wurth/Trixel.
16.	Door closer/ floor springs	Dorma/ Haffle/ Falcon/Godrej/Dorset/Kich/Sandhu/Hardwyn
17.	Drapery Rod	Vista Levlor or equivalent.
18.	Flushing cistern (single/Dual Flush) as per IS: 7231	Sleek Dual flush PVC cistern of Hindware / 'Slimline'ofParryware.
19.	EPDM Gasket	AnandLescuyer or equivalent.
20.	Epoxy Primer & Paints	Berger/ Pidilite/ CICO/ BASF/ SIKA/Asian/Nerolac/ICI Kansai Akzo
		Nobel.
21.	Fibre Glass Shelf	Kamal/ Bath King or equivalent.
22.	Float/Clear/Frosted/Toughened/Refractive Glass	Modi Float/ Saint Gobain/ Asahi/AIS/Modiguard.
23.	Flush Doors / Shutters as per IS: 2202	Kutty flush door/ Anchor/ Century/ Kitlam/Archid/JAYNA/Ashiyana
23.	Flush Doors / Shutters as per IS: 2202	Kutty flush door/ Anchor/ Century/ Kitlam/Archid/JAYNA/Ashiyana Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply
23.	Flush Doors / Shutters as per IS: 2202	
23.	Flush Doors / Shutters as per IS: 2202	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply
23.	Flush Doors / Shutters as per IS: 2202 Flush Valve	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt.
		Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/Durian
24.	Flush Valve	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/Durian Aquel/ Marc/ Parryware/ Jaquar.
24.	Flush Valve	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/Durian Aquel/ Marc/ Parryware/ Jaquar. Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/
24. 25.	Flush Valve FRP Shutters/frame	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/Durian Aquel/ Marc/ Parryware/ Jaquar. Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.
24. 25. 26.	Flush Valve FRP Shutters/frame Galvanized/Stainless Steel Anchor Fasteners	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/Durian Aquel/ Marc/ Parryware/ Jaquar. Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company. Shakti/ Arrow/ Hilti/ Fischer
24. 25. 26. 27. 28.	Flush Valve FRP Shutters/frame Galvanized/Stainless Steel Anchor Fasteners GI fitting GI Pipe	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/Durian Aquel/ Marc/ Parryware/ Jaquar. Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company. Shakti/ Arrow/ Hilti/ Fischer Tata/ Jindal/ Zenith/UNIK/AVR/Zoloto. Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.
24. 25. 26. 27.	Flush Valve FRP Shutters/frame Galvanized/Stainless Steel Anchor Fasteners GI fitting GI Pipe Glass Mosaic Tile	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.
24. 25. 26. 27. 28. 29. 30.	Flush Valve FRP Shutters/frame Galvanized/Stainless Steel Anchor Fasteners GI fitting GI Pipe Glass Mosaic Tile Gun Metal Gate Valve	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINT
24. 25. 26. 27. 28. 29.	Flush Valve FRP Shutters/frame Galvanized/Stainless Steel Anchor Fasteners GI fitting GI Pipe Glass Mosaic Tile	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.
24. 25. 26. 27. 28. 29. 30. 31.	Flush Valve         FRP Shutters/frame         Galvanized/Stainless Steel Anchor Fasteners         GI fitting         GI Pipe         Glass Mosaic Tile         Gun Metal Gate Valve         False Ceiling system	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINTBoral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/Interarch
24. 25. 26. 27. 28. 29. 30. 31. 31.	Flush Valve         FRP Shutters/frame         Galvanized/Stainless Steel Anchor Fasteners         GI fitting         GI Pipe         Glass Mosaic Tile         Gun Metal Gate Valve         False Ceiling system         Hardner	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINTBoral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/InterarchHard crete of Snowcem India/ MC Deritop F.H.
24. 25. 26. 27. 28. 29. 30. 31. 31. 32. 33.	Flush Valve         FRP Shutters/frame         Galvanized/Stainless Steel Anchor Fasteners         GI fitting         GI Pipe         Glass Mosaic Tile         Gun Metal Gate Valve         False Ceiling system         Hardner         Jet Assembly for EWC	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINTBoral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/InterarchHard crete of Snowcem India/ MC Deritop F.H.Parryware/ Jaquar/ Grohe/ Kohler
24. 25. 26. 27. 28. 29. 30. 31. 31.	Flush Valve         FRP Shutters/frame         Galvanized/Stainless Steel Anchor Fasteners         GI fitting         GI Pipe         Glass Mosaic Tile         Gun Metal Gate Valve         False Ceiling system         Hardner	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINTBoral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/InterarchHard crete of Snowcem India/ MC Deritop F.H.Parryware/ Jaquar/ Grohe/ KohlerMarino/ Greenlam/ Decolam/ Century/ Formica/ Kitlam/Action
24. 25. 26. 27. 28. 29. 30. 31. 31. 32. 33. 33. 34.	Flush Valve         FRP Shutters/frame         Galvanized/Stainless Steel Anchor Fasteners         GI fitting         GI Pipe         Glass Mosaic Tile         Gun Metal Gate Valve         False Ceiling system         Hardner         Jet Assembly for EWC         Laminate	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINTBoral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/InterarchHard crete of Snowcem India/ MC Deritop F.H.Parryware/ Jaquar/ Grohe/ KohlerMarino/ Greenlam/ Decolam/ Century/ Formica/ Kitlam/Action TESA/Sunmica/Durian
24. 25. 26. 27. 28. 29. 30. 31. 31. 32. 33.	Flush Valve         FRP Shutters/frame         Galvanized/Stainless Steel Anchor Fasteners         GI fitting         GI Pipe         Glass Mosaic Tile         Gun Metal Gate Valve         False Ceiling system         Hardner         Jet Assembly for EWC	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINTBoral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/InterarchHard crete of Snowcem India/ MC Deritop F.H.Parryware/ Jaquar/ Grohe/ KohlerMarino/ Greenlam/ Decolam/ Century/ Formica/ Kitlam/Action TESA/Sunmica/DurianSleek model Cistern of PVC of Hindware or 'Slimline' model of
24. 25. 26. 27. 28. 29. 30. 31. 31. 32. 33. 34. 35.	Flush Valve         FRP Shutters/frame         Galvanized/Stainless Steel Anchor Fasteners         GI fitting         GI Pipe         Glass Mosaic Tile         Gun Metal Gate Valve         False Ceiling system         Hardner         Jet Assembly for EWC         Laminate         Low Level PVC Cistern Single flush	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINTBoral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/InterarchHard crete of Snowcem India/ MC Deritop F.H.Parryware/ Jaquar/ Grohe/ KohlerMarino/ Greenlam/ Decolam/ Century/ Formica/ Kitlam/Action TESA/Sunmica/DurianSleek model Cistern of PVC of Hindware or 'Slimline' model of Parryware, JINDAL.
24. 25. 26. 27. 28. 29. 30. 31. 31. 32. 33. 34.	Flush Valve         FRP Shutters/frame         Galvanized/Stainless Steel Anchor Fasteners         GI fitting         GI Pipe         Glass Mosaic Tile         Gun Metal Gate Valve         False Ceiling system         Hardner         Jet Assembly for EWC         Laminate	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINTBoral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/InterarchHard crete of Snowcem India/ MC Deritop F.H.Parryware/ Jaquar/ Grohe/ KohlerMarino/ Greenlam/ Decolam/ Century/ Formica/ Kitlam/Action TESA/Sunmica/DurianSleek model Cistern of PVC of Hindware or 'Slimline' model of Parryware, JINDAL.Melamine Gold of Asian Paint/Wudfinof pidilite/Timbertone of ICI
24. 25. 26. 27. 28. 29. 30. 31. 31. 32. 33. 34. 35.	Flush Valve         FRP Shutters/frame         Galvanized/Stainless Steel Anchor Fasteners         GI fitting         GI Pipe         Glass Mosaic Tile         Gun Metal Gate Valve         False Ceiling system         Hardner         Jet Assembly for EWC         Laminate         Low Level PVC Cistern Single flush	Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. Itd./Duro/DurianAquel/ Marc/ Parryware/ Jaquar.Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.Shakti/ Arrow/ Hilti/ FischerTata/ Jindal/ Zenith/UNIK/AVR/Zoloto.Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.Bissazza/ Saon or equivalent.Zoloto/ Leader/ SAINTBoral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/InterarchHard crete of Snowcem India/ MC Deritop F.H.Parryware/ Jaquar/ Grohe/ KohlerMarino/ Greenlam/ Decolam/ Century/ Formica/ Kitlam/Action TESA/Sunmica/DurianSleek model Cistern of PVC of Hindware or 'Slimline' model of Parryware, JINDAL.

39.	Modular SS Railing System	Metallica India / Stark steel Fabricator / D-line International Denmark / Mobel Hardware.
40.	M.S .Pipe (Railing)	Jindal / Prakash Surya/ Tata/ RINIL
41.	Marine Plywood / BWP Ply	Kitply / Duro / Century/ Greenlam/ Durian
42.	Non asbestos high impact polypropelene reinforced Cement sheet	Everest or equivalent
43.	Oil Bound Distemper/Dry Distemper	Asian (Professional Acrylic Distemper)/Maxilite of ICI / Bisan of Berger/Nerolac (Beauty Acrylic Distemper)
44.	Water closet (Orissa Pan/Indian type) & fittings, accessories as per IS : 2556	Parryware / Hindware /'KEROVIT' by Kajaria/ESSCO by Jaquar.
45.	PE-AL-PE Composite pipes	Jindal or equivalent.
46.	Plastic Connection Pipe	Parryware/Kamal Delux or equivalent.
47.	Plywood/Veneer	Archid/ Kitply/ Green ply/ Century/JAYNA/Green Ply/Merino/Duro/Durian
48.	Polyester Powder Coating	Nerolac/ Berger/ J&N
49.	Poly Sulphide Sealant	PIDISEALbyM/s Pidilite Industry/RDL941- TECHSEALChokseyChemicals/BASF/SIKA/Fosroc
50.	Polymer Modified Cementitious grout	BalEndura/ PidiliteKeroKoal/Ultratech/Ardex/Ferrous Crete.
51.	Pre-laminated Particle Board IS : 12823 (Gr-I/ Type-II)	Kitlam/ Tesa/ Archidply/Eco brand/Century/Bhutan board/Action Tesa/Greenlam/Merino
52.	Primer (Cement Primer)	Decoprime WT of Asian/ white primer of ICI/BP white of Berger/ Nerolac
53.	PVC Rain Water Pipe & Fitting	Finolex/ Classic of Kisan/ Kasta/ Supreme/AKG.
54.	PVC Shutter and frames	Rajshri/ Sintex/Polyline/Duroplast/Jain wood Industries.
55.	PVC Tiles	Arm Strong/ LG or equivalent.
56.	Screws	GKW / Nettle Fold or equivalent.
57.	Silicon Sealant	G.E./ DOW Corning/Waker/BASF/Pidilite/ROFF
58.	Solid Plastic Seat Cover for EWC	EWC standard seat cover white of Parryware/Hindware/'KEROVIT' by Kajaria
59.	Stainless Steel	Jindal Stainless Steel/ Salem Steel
60.	Stainless Steel Screws	Kundan/ Arrow or equivalent.
61.	Stainless steel Sink with or without Draining board.	Nirali/ Hindware/ Frankee/ Cobra/AMC/ GRAFDOER by VMS
62	Chrystevel Cilizer Coolert	BathwarePvt. Ltd./Parryware/Neelkanth/Nirali
62. 63.	Structural Silicon Sealant Structural steel	Dow Corning/ Wacker/ GE/ Du-pont
64.		TATA/ SAIL/ RINL/TISCO/JSW Steel ltd./Jindal steel & Power ltd. MC Baucheme/ Sika/ Fosroc
65.	Super plasticizer Synthetic Enamel Paints	Gloss Synthetic Enamel of ICI(Dulux)/Asian (Apcolite Premium
66.	Terrazzo tiles /Mosaic Tiles	gloss)/Berger (Luxol Hi Gloss)/ Synthetic Hi Gloss of Nerolac Raj-Tiles/ Bharat/ Rigid Tiles/NIC/A-1/GTC
67.	Cement Concrete Paver Block &Kerb stone	Rigid Tiles/ Raj-Tiles/Advance
68.	Textured Exterior wall paint	Spectrum/ Ultratech / Heritage by Bakelite coating and paints/Asian paint/Berger/Nerolac/Luxture.
69.	Towel Ring/Towel Rod/Towel Rack	Kamal/ Marc or equivalent.
70.	Pre-Painted/powder coated CRC windows	M/s classic engineers and fabricators/ M/s JK Enterprises Jaipur/ Nclalltek&seccolor ltd. Hydrabad/ ultimate safety metals.
71.	Veneer	Archid/ SUN/ Durian/ Ventura/ NLDK
72.	Virtuosos China Wash Basin Oval	Hindware / Parryware /KEROVIT' by Kajaria/CERA/Jaguar/ESSCO by Jaquar.
73.	Vitreous China Floor moulded European with Cistern Complete	Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar.
74.	Vitreous China Floor Mounted European W.C. without cistern	Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar.
75.	Vitreous China Half stall Urinal	Model No. 6002 Urinal flat back large of Hindware or magnum of Parryware/ ESSCO by Jaquar.
76.	Vitreous China laboratory Sink	Hindware / Parryware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar.
77. 78.	Vitreous China Low Level Cistern for European W.C. Vitreous China Pedestal for Wash Basin	<ul> <li>Hindware / Parryware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar.</li> <li>Pedstal of Parryware / Hindware or equivalent/ CERA/Jaguar/ ESSCO</li> </ul>
78.	Vitreous China Wall Mounted W.C. with vitreous Cistern	by Jaquar. Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by
79. 80.	(component) Vitreous China Wall Mounted W.C. without Cistern.	Jaquar. Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by
ου.		Jaquar.

		Jaguar.
82.	Vitrified /Porcelain Tile	Marbogranit/ Euro/ Somany/ diamond of Naveen /Granamite of Bell
		/OASIS/ceramic/ Granito/ Kajaria/ M/s Restile//Rak/ Johnson/Nitco/
		Varmora/AGL/Marbito.
83.	Waste Pipe	Kamal with brass checknut/Viking
84.	Water Proofing Compound (Liquid)	Pidiproof Ltd./CICO/ Super plast by M/s Structural water proofing/
		Impermo/FOSROC/Dr.Fixit (Pidilite
		Industries))/BASF/ROFF/SIKA/ArdexEndura (BalEndura).
85.	White Cement	JK White/ Birla White.
86.	CPVC Pipes as per IS: 15778	AKG/Ashirvad/PRIME FLOW OF KRISHI POLYMERS/Supreme/KSR by
07	Teak wood/hard wood wire mesh & panel doors	Kisan irrigation/Flowguard plus by finolex/Prince A-1 Teak product Indore or equivalent.
87.		
88.	Reinforcement steel	Tata/Sail/RINL/Jindal/Jindal steel & power ltd.
89.	Block Boards as per IS: 1659	JAYNA/Century/Greenply/Archid/Kitply or equivalent.
90.	Brass bib cocks/stop cock	Marc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS : 781 or
91.	Brass ball cocks (Float valve)	equivalent. Marc/Parko/Jaquar /SPRING COLLECTION OF PRIMA as per IS:1703 or
91.	Blass ball cocks (Float valve)	equivalent.
92.	Water meter	SPRING COLLECTION OF PRIMA as per IS: 779 or equivalent.
93.	HDPE Pipes as per IS:4984	KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Reliance/Jain
94.	uPVC Pipes as per IS: 4985	KRISHNA plast pipes/AKG/ KSR by Kisan
	process and a second	irrigation/Supreme/Astral/Prince/Ashirwad
95.	uPVC Screen and casing pipes for bore well/tube well as	KRISHNA plast pipes/KSR by Kisan irrigation/Supreme.
	per IS : 12818	
96.	uPVC-SWR Pipes SN 8 as per IS: 13592	KRISHNA plast pipes/KSR by Kisan
		irrigation/Finolex/AKG/Supreme/Prince/Ashirwad/Astral
97.	Wooden Shutter with frame	Siesto Brand by Bramsaria doors or equivalent.
98.	uPVC Windows/Doors	SIESTO Brand by Bhimsaria
		Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast
99.	Cement (OPC/PPC)	A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement
100	Commented CI Chapter	and Cement Corporation of India.
	Corrugated GI Sheets	Tata, Essar , Sail JSW, Bhusan
101		Tata (Ezydeck)/Lloyd Superdeck/JSW/Jindal Tata, Modiguard, Saint Gobain
102 103	Aluminium doors & window fittings (Heavy duty)	Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco
103		ICI delux, nerolac, berger, asian
104		HPCI, IOCL
	PVC water storage tanks	Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme
	Bitumen VG-30, VG-10 etc.	As per particular specification of item from IOCL, BPCL, HPCL.
	Rigid Phenolic foam for cold and hot insulation as per IS:	Phenotherm manufactured by Bakelite Hylam ltd
	13204	
109	Surface Texture Finishes	Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent
110	EPB Chhailas	
	FRP Chhajjas	Selected Products Company or equivalent.
111	FRP Porta cabin	Selected Products Company or equivalent. Selected Products Company or equivalent.
	FRP Porta cabin G.I. Wire-mesh/Netting	Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent.
111	FRP Porta cabin	Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK
111 112 113	FRP Porta cabin G.I. Wire-mesh/Netting Wall Putty (White Cement based)	Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete
111 112 113 114	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block	Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.
111 112 113 114 115	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings	Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent.
111 112 113 114 115	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per	Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.
111 112 113 114 115 116	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per IS:15328	Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent. KSR by Kisan irrigation/Finolex/AKG/Supreme.
111 112 113 114 115	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades	Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent.
111 112 113 114 115 116 117	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per         IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.
111 112 113 114 115 116	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per         IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work	Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent. KSR by Kisan irrigation/Finolex/AKG/Supreme.
111 112 113 114 115 116 117 118	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work         Fabrication of aluminium structural glazing and aluminium doors & windows.	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.
111 112 113 114 115 116 117 118	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work         Fabrication of aluminium structural glazing and aluminium	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.
111 112 113 114 115 116 117 117 118 119	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work         Fabrication of aluminium structural glazing and aluminium doors & windows.         Processing and fabrication of glass (toughened, DGU and	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.
111 112 113 114 115 116 117 117 118 119	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work         Fabrication of aluminium structural glazing and aluminium doors & windows.         Processing and fabrication of glass (toughened, DGU and lamination	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.         Wadhwa Glass Works (P) Ltd., Raipur or equivalent.
111 112 113 114 115 116 117 117 118 119	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work         Fabrication of aluminium structural glazing and aluminium doors & windows.         Processing and fabrication of glass (toughened, DGU and lamination	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.         Wadhwa Glass Works (P) Ltd., Raipur or equivalent.         'Diamond' manufactured by Diamond International Inexpvt.
111 112 113 114 115 116 117 118 119 120	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work         Fabrication of aluminium structural glazing and aluminium doors & windows.         Processing and fabrication of glass (toughened, DGU and lamination         Glass reinforced Gypsum (GRG) false ceiling	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.         Wadhwa Glass Works (P) Ltd., Raipur or equivalent.         'Diamond' manufactured by Diamond International Inexpvt.         Ltd/Gyproc by Saint Gobain.
111 112 113 114 115 116 117 118 119 120 121	FRP Porta cabin         G.I. Wire-mesh/Netting         Wall Putty (White Cement based)         AAC block         UPVC Agriculture/Pressure pipes and fittings         UPVC underground drainage & sewerage pipes SN 8 as per         IS:15328         Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing work         Fabrication of aluminium structural glazing and aluminium doors & windows.         Processing and fabrication of glass (toughened, DGU and lamination         Glass reinforced Gypsum (GRG) false ceiling         Wooden shutter with frame	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.         Wadhwa Glass Works (P) Ltd., Raipur or equivalent.         'Diamond' manufactured by Diamond International Inexpvt.         Ltd/Gyproc by Saint Gobain.         'Bhimsaria' or equivalent
111 112 113 114 115 116 117 118 119 120 121 122	FRP Porta cabinG.I. Wire-mesh/NettingWall Putty (White Cement based)AAC blockUPVC Agriculture/Pressure pipes and fittingsUPVC underground drainage & sewerage pipes SN 8 as perIS:15328Fabrication of aluminium& UPVC doors, windows, Facadesincluding ACP and glazing workFabrication of aluminium structural glazing and aluminiumdoors & windows.Processing and fabrication of glass (toughened, DGU andlaminationGlass reinforced Gypsum (GRG) false ceilingWooden shutter with framePPR-C pipes as per IS: 15801PVC fittings as per IS: 10124 and IS: 7834PVC underground draingae pipes (structured wall type) as	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         Wadhwa Glass Works (P) Ltd., Raipur or equivalent.         'Diamond' manufactured by Diamond International Inexpvt.         Ltd/Gyproc by Saint Gobain.         'Bhimsaria' or equivalent         KSR brand/Supreme
111 112 113 114 115 116 117 118 117 118 119 120 121 122 123 124	FRP Porta cabinG.I. Wire-mesh/NettingWall Putty (White Cement based)AAC blockUPVC Agriculture/Pressure pipes and fittingsUPVC underground drainage & sewerage pipes SN 8 as per IS:15328Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing workFabrication of aluminium structural glazing and aluminium doors & windows.Processing and fabrication of glass (toughened, DGU and laminationGlass reinforced Gypsum (GRG) false ceilingWooden shutter with frame PPR-C pipes as per IS: 15801PVC fittings as per IS: 10124 and IS: 7834PVC underground draingae pipes (structured wall type) as per IS: 16098	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.         'Diamond' manufactured by Diamond International Inexpvt.         Ltd/Gyproc by Saint Gobain.         'Bhimsaria' or equivalent         KSR brand/Supreme         KSR brand or equivalent         Supreme or equivalent
111 112 113 114 115 116 117 118 117 118 119 120 121 122 123 124 125	FRP Porta cabinG.I. Wire-mesh/NettingWall Putty (White Cement based)AAC blockUPVC Agriculture/Pressure pipes and fittingsUPVC underground drainage & sewerage pipes SN 8 as per IS:15328Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing workFabrication of aluminium structural glazing and aluminium doors & windows.Processing and fabrication of glass (toughened, DGU and laminationGlass reinforced Gypsum (GRG) false ceilingWooden shutter with frame PPR-C pipes as per IS: 15801PVC fittings as per IS: 10124 and IS: 7834PVC underground draingae pipes (structured wall type) as per IS: 16098 PVC septic tanks	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.         'Diamond' manufactured by Diamond International Inexpvt.         Ltd/Gyproc by Saint Gobain.         'Bhimsaria' or equivalent         KSR brand or equivalent         Supreme or equivalent         Supreme or equivalent         'Safegard' by Supreme or equivalent
111 112 113 114 115 116 117 118 117 118 119 120 121 122 123 124 125	FRP Porta cabinG.I. Wire-mesh/NettingWall Putty (White Cement based)AAC blockUPVC Agriculture/Pressure pipes and fittingsUPVC underground drainage & sewerage pipes SN 8 as per IS:15328Fabrication of aluminium& UPVC doors, windows, Facades including ACP and glazing workFabrication of aluminium structural glazing and aluminium doors & windows.Processing and fabrication of glass (toughened, DGU and laminationGlass reinforced Gypsum (GRG) false ceilingWooden shutter with frame PPR-C pipes as per IS: 15801PVC fittings as per IS: 10124 and IS: 7834PVC underground draingae pipes (structured wall type) as per IS: 16098	Selected Products Company or equivalent.         Selected Products Company or equivalent.         Selected Products Company or equivalent.         Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK         white/Berger/Asian paints/ferrous Crete         'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.         AKG Extrusion Pvt Ltd. or equivalent.         KSR by Kisan irrigation/Finolex/AKG/Supreme.         Skyler World or equivalent.         KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.         'Diamond' manufactured by Diamond International Inexpvt.         Ltd/Gyproc by Saint Gobain.         'Bhimsaria' or equivalent         KSR brand/Supreme         KSR brand or equivalent         Supreme or equivalent

128	PVC chambers & Manholes	Supreme or equivalent
129	Pre-Painted/powder coated CRC windows	M/s classic engineers and fabricators/ M/s JK Enterprises Jaipur/
		Nclalltek&seccolor ltd. Hydrabad/ ultimate safety metals.
130	White cement based polymer modified self curringmortor	Ultratech/Dr.Fixit/ Sika/ Fosroc
131	Gypsum plaster	Ferrous crete/ Gyproc (Elite-90)/ Ultratech
132	Tile Adhesive	Ferrous Crete / Ardex/ Endure (Gold Star)/ Pidilite (Fevimatex)/ Weabr (Saint Gobain)
133	Integral water proofing compound with cement (for plaster & mortar)	FOSROC/ Conplast 421/Dr.fixit : LW+/ Sika : sikacim/Asian Paints: Smart care vitalia& equivalent product of BASF/CICO/ArdexEndura
134	Water proofing for bathroom/toilet/balcony & other wet areas.	Fosroc: Brush Bond/CICO:Tapecrete/Dr.fixti : Pidilite 2k/Sika: Nito Bond/Asian Paints: Damp Block 2k & Equivalent Product of BASF/Ardex endure
135	Crystalline water proofing compound.	Fosroc : Fosroc crystalline/Dr.Fixit: Dr.fixit crystalline/Sika: Sika Crystalline/Asian Paints:Crystalline Quart & Equivalent Product of BASF/CICO/ArdexEndura
136	Polycarbonate sheet	GE Plastic/Lexan/MG Polyplast
137	Fire rated doors	Signum fire protection/Shakti Metdoor/NAVAIR/Sukri/Promat International
138	Stainless steel railing Accessories	Jindal/Dorma/Kich/GEZE/Godrej/Hardwyn
139	Stainless steel door & windows fittings	Jindal/Dorma/Kich/Dorset/Godrej/Ozone
140	Acrylic Distemper 1 <sup>st</sup> quality (washable/Readymix/Low VOC)	Asian Paints (Tractor Aqua Lock Paint)/ Berger: commando or equivalent paints of Nerolac or ICI-Dulux.
141	Plastic emulsion plaint	Asian paint: (Apcolite Heavy Duty Premium Emulsion paint)/ Nerolac :Impressio/Berger:Easy clean/ICI-Dulax:Velvet touch
142	Acrylic Smooth Exterior Paint	Asian Paint : (Apex/ Professional Premium Exterior Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled
143	Premium Acrylic Smooth Exterior Paint with Silicon Additive	Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max
144	Fire paint	Asian paints/Akzo Nobel Coatings India Itd./ PROMAT/Jotun
145	D.I. Pipes & fittings	Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom
146	C.I. manhole covers, frames & CI Gratings	Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh
147	SFRC manhole cover & Grating	K.K./Jain Pragati
148	C.P. Brass fittings (Superior Range)	Jaquar/Grohe/Roca
149		Kohler/Roca/Hindware/Parryware
	Mirror glass	Atul/Modi Guard/Golden Fish
151		Dow Corning/Supreme/Taxes/Analco
152	Heat Resistant Tiles	Swastik/Thermatek
153	Floor Hardener	Ironite/Ferrok/Hardonate
	Modular Expansion Joint	Herculus/Sanfield India Ltd. Vexcolt
	Glass Wool	Dow Coring/ U.P. Twinga/Isover
	UPVC Doors and window hardware	Rotto/Dorset/Kinlong
	AAC Block adhesive	Ecorex/Ultratech/ArdexEndura/Ferrous Crete
	Ready Mix Plaster	Ultratech/Ferrous Crete/Saint Gobain
	Post tension slab	Ultracon technology limited/Tech-9/CRUX
160	Acoustical Wall paneling	Hush or equivalent to be decided by Engineer-in-charge.

### PROFORMA OF SCHEDULES (A To F)

## SCHEDULE 'A'

Schedule of quantities (as per PWD-3)

#### : (Attached in CPP Portal)

#### SCHEDULE 'B'

Schedule of materials to be issued to the contractor: -

SR. NO.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of Issue		
1	2	3	4	5		
	→ NIL ←					

#### SCHEDULE 'C'

Tools and plants to be hired to the contractor: -

Sr. No.	Description	Hire charges per day	Place of issue	
1	2	3	4	
→ NIL ←				

#### SCHEDULE 'D'

Extra schedule for specific requirements / document : As attached in tender form for the work, if Any. for the work, if any

:

•

:

#### SCHEDULE 'E'

Reference to General Conditions of contract

NAME OF WORK:

Estimated cost of work

₹ 19,23,830.00

5% of Tendered Value

2.5% of Tendered Value

₹38,500.00

CPWD General Conditions of Contract 2014 Corrected as per

"Construction of RCC Bridge for connecting Medical College and Animal House building at AIIMS Raipur."

CON Circular up to last date of submission of bid.

- (i) Earnest Money
- (ii) Performance Guarantee
- (iii) Security Deposit
- SCHEDULE 'F'

#### **GENERAL RULES & DIRECTIONS**

# Officer inviting tender : Executive Engineer (Civil), AIIMS Raipur on behalf of Director AIIMS Raipur Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3 : See below

53 | Page

# **DEFINITIONS:** -

2(viii) 2(v) 2(x) 2(xi)	Accepting Authority Engineer -in- Charge (EIC) Percentage on cost of materials and Labour to cover all overheads and profits Standard Schedule of Rates	::	Executive Engineer, AIIMS Raipur (C.G.) Executive Engineer, AIIMS Raipur (C.G.) <b>15%</b> For Civil- Delhi Schedule of Rates 2016 With cost index
			119(for Raipur) ,up to the last date of Submission of NIT) & Market Rate.
2(xii) 9(ii)	Department Standard CPWD Contract Form	:	Project Cell, AIIMS Raipur All uploaded documents
Clause	1		
(1)	Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance	:	07 Days
(2)	Maximum allowable extension with late	:	07 Days
	fee at 0.1% / day of PG amount beyond the period provided in (i) above.		
Clause	2		
Author	ity for fixing compensation under Clause- 2	:	Superintending Engineer/ Director, AIIMS Raipur
Clause	2A		
Wheth	er Clause 2A shall be applicable	:	Not Applicable
Clause			
	er of days from the date of issue of letter of ance for reckoning date of start	•	14 Days
Time a	llowed for execution of work – <b>180 days</b>		
Author	ity to decide:		
(i)	Extension of time	:	Executive Engineer, AIIMS Raipur
(ii) (iii)	Rescheduling of mile-stones Shifting of date of start in case of delay in handing over the site.	:	Superintending Engineer/ Director, AIIMS Raipur Superintending Engineer/ Director, AIIMS Raipur
Clause	6. 6A		
	applicable - (6 or 6A)	:	6A/6 (Both Applicable)

#### Clause 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment.	:	Estimate cost put to tender i. Upto Rs. 10 lacs – Nil ii. More than Rs. 10 and upto 50 lacs – Rs. 15 lacs iii. More than Rs. 50 lacs – Rs. 25 lacs
Clause 10A		
List of testing equipment to be provided by the contractor at site laboratory.	:	Applicable
Clause 10B		
Whether Clause 10 B (i) shall be applicable	:	Applicable
Whether Clause 10 B (ii) shall be applicable		: Not Applicable

#### Clause 10C

Component of labour expressed as per-cent of value : 25% of work

#### Clause 10CA

: Not applicable

Sr. No.	Material	Nearest Materials (other than cement,	Base price and its corresponding period
	covered under	reinforcement bars and the structural	of all materials covered under clause 10
	this clause	steel) for which All India Wholesale Price	CA *
		Index to be followed	
		Nil	

#### Clause 10CC

Clause 10 CC to be applicable in contracts with : Not Applicable stipulated period of completion exceeding the period shown in next column

#### Clause 11

Specifications to be followed for execution of work : OPWD Specifications 2009 Vol-I & II, (up to date of receiving : of tender) and, Technical Specifications as mentioned in tender documents. Clause 12

Type of Work

: Original Work

#### 12.2 & 12.3:

Deviation Limit beyond which clauses 12.2 & 12.3 shall : As per CPWD Works manual-2019 apply.

#### 12.5:

- (i) Deviation Limit beyond which Clause 12.2 & 12.3 shall apply for : As per CPWD Works manual-2019 Foundation Work (Except Earth Work).
- (ii) Deviation Limit for items in earth work subhead of DSR or related : As per CPWD Works manual-2019. items.

#### Clause 16

Competent Authority for deciding reduced rates. : Superintending Engineer/ Director, AIIMS Raipur

#### Clause 18

List of mandatory machinery, tools & plants to be : As required by Engineer -in- Charge deployed by the contractor at site

#### Clause 25

Constitution of Dispute Redressal Committee (DRC): AIIMS, Raipur

#### Clause 36 (i)

: Applicable

Requirement of Technical Representative(s) and recovery rate

SNo	Minimum Qualification of Technical Representative	Discipline	Designation (Principal Technical / Technical	Minimum experience	Number	made from the event of not fu of Clause 36(i)	recovery shall be contractor in the Ifilling provision
			representative)			Figures	Words
1	Graduate	Civil	Principal	2 - years	ONE	Rs. 15,000/-	Rupees Fifteen
	Engineer		Technical			PM	Thousand Per
			Representative				Month each
OR	Diploma	Civil	(Project	5-years	ONE	Rs.15000/-	Rupees Fifteen
	Engineer		Planning/ Site/			PM.	Thousand Per
			billing Engineer)				Month each

- 1. Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers
- 2. Diploma holder with 10 years relevant experience with a reputed construction company can be treated at par with graduate Engineer for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50% of the requirement of Graduate Engineers.

:

#### Clause 42

i) (a) Schedule / statement for determining theoretical quantity of cement & bitumen

Applicable

On the basis of **Delhi schedule of Rates 2016** with up to date correction slips.

II) Variations permissible on theoretical quantities.

a)	Cement for works with estimated cost put	3% Plus/minus
	to tender not more than Rs. 5 lakhs	
	for works with estimated cost put to	2 % plus/minus.
	tender more than Rs. 5 lakhs	
b)	Bitumen for all works	2.5% plus only &Nil on minus side.
c)	Steel Reinforcement and structural steel	
	sections for each diameter, section and	2% plus/minus
	category.	
d)	All other materials	Nil.

# RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

SI	Description of item	Rates in figure	s and words at which
51		Rates in figure	s and words at which
No.		recovery shall	be made from the
		Contractor	
		Excess beyond	Less use beyond
		permissible variation	the permissible variation
1.	Cement	N.A.	NA
2.	Steel Reinforcement	N.A.	NA

Schedule of Quantity						
	of Work: Construction of RCC Bridge for conn	ecting Me	dical Colleg	ge and Anin	nal House	
buildi	ng at AIIMS Raipur.		1			
Sr.No	ltem	Qty	Unit	Rate	Amount	
Subhae	ed I - Carriage of Materials					
1.1	By Mechanical Transport including loading, unloading and					
	stacking upto 5 km lead					
1.1.1	Lime, moorum, building rubbish	10.00	cum	161.46	1614.60	
	ed II - Earth Work					
2.1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.					
2.1.1	All kinds of soil.	18.00	cum	252.30	4541.40	
Subhae	ed III - Concrete Work					
3.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :					
3.1.1	1:3:6 (1 Cement : 3 coarse sand (zone-III) : 6 graded stone aggregate 20 mm nominal size)	2.00	cum	6259.10	12518.20	
Subhae	ed IV - Reinforced Cement Concrete					
4.1	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :					
4.1.2	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size)	9.00	cum	7718.25	69464.25	
4.2	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement :					
4.2.1	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size)	10.00	cum	9306.00	93060.00	
4.3	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size).	16.00	cum	9763.80	156220.80	

4.4	Centering and shuttering including strutting, propping etc. and removal of form for :				
4.4.1	Foundations, footings, bases of columns, etc. for mass concrete	25.00	sqm	284.85	7121.25
4.4.2	Suspended floors, roofs, landings, balconies and access platform	57.00	sqm	693.05	39503.85
4.4.3	Lintels, beams, plinth beams, girders, bressumers and cantilevers	83.00	sqm	552.05	45820.15
4.4.4	Columns, Pillars, Piers, Abutments, Posts and Struts	105.00	sqm	733.70	77038.50
4.5	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
4.5.1	Thermo-Mechanically Treated bars of grade Fe-500D or more.	4375.00	Kg	83.50	365312.50
	ed V - Masonry Work				
5.1	Brick work with non modular fly ash bricks conforming to IS:12894, class designation 7.5 average compressive strength in super structure above plinth level up to floor V level in :				
5.1.1	Cement mortar 1:6 (1 cement : 6 Coarse sand)	55.00	cum	7280.70	400438.50
Subha	ed VI - Wood and PVC Work				
6.1	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
6.1.1	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	6.00	sqm	1819.80	10918.80
6.2	Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).	6.00	sqm	93.65	561.90
6.3	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :				
6.3.1	300x16 mm	4.00	each	257.15	1028.60
6.4	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				

611	200x10 mm	2.00	oach	00.00	180.00
6.4.1	200x10 mm	2.00	each	90.00	10.00
	Providing and fixing aluminium handles, ISI marked,				
	anodised (anodic coating not less than grade AC 10 as				
6.5	per IS : 1868) transparent or dyed to required colour or				
	shade, with necessary screws etc. complete :				
6.5.1	125 mm	8.00	each	59.65	477.20
	Providing and fixing aluminium hanging floor door				
	stopper, ISI marked, anodised (anodic coating not less				
6.6	than grade AC 10 as per IS : 1868) transparent or dyed				
	to required colour and shade, with necessary screws etc.				
	complete.				
6.6.1	Twin rubber stopper	4.00	each	62.05	248.20
6.7	Providing and fixing casement handle made of zinc				
	alloyed (white powder coated) for uPVC casement	20.00		107.75	2755.00
	window with necessary screws etc.	20.00	each	187.75	3755.00
	complete.				
Subha	ed VII - Steel Work				
7.1	Structural steel work in single section, fixed with or				
	without connecting plate, including cutting, hoisting,				
	fixing in position and applying a priming	310.00	kg	86.05	26675.50
	coat of approved steel primer all complete.				
7.2	Providing and fixing pressed steel door frames				
	conforming to IS: 4351, manufactured from				
	commercial mild steel sheet of 1.60 mm thickness,				
	including hinges, jamb, lock jamb, bead and if required				
	angle threshold of mild steel angle of section 50x25				
	mm, or base ties of 1.60 mm, pressed mild steel welded				
	or rigidly fixed together by mechanical means,				
	including M.S. pressed butt hinges 2.5 mm thick with				
	mortar guards, lock strike-plate and shock absorbers as				
	specified and applying a coat of approved steel primer				
	after pre-treatment of the surface as directed by				
	Engineer-in-charge:				
7.2.1	Profile B				
	Fixing with carbon steel galvanised dash fastener of	11.00	moder-	400.00	
7.2.1.1	required dia and size (to be paid for separately)	11.00	metre	406.90	4475.90
7.3	Providing and fixing stainless steel (Grade 304) railing				
	made of Hollow tubes, channels, plates etc., including				
	welding, grinding, buffing, polishing and making				
	curvature (wherever required) and fitting the same with				
	necessary stainless steel nuts and bolts complete, i/c				
	fixing the railing with necessary accessories & stainless				
	steel dash fasteners, stainless steel bolts etc., of	40- 6-			77605
	required size, on the top of the floor or the side of waist	135.00	kg	575.45	77685.75
	slab with suitable arrangement as per approval of				
	Engineer-incharge, (for payment purpose only weight of				
	stainless steel members shall be considered excluding				
	fixing accessories such as nuts, bolts, fasteners etc.).				
	1				1

Subhaed VIII	- Flooring				
	ng and laying vitrified floor tiles in different				
	nickness to be specified by the manufacturer)				
	tter absorption less than 0.08% and conforming				
	5622, of approved make, in all colours and				
shades,					
	20mm thick cement mortar 1:4 (1 cement : 4				
	and), jointing with grey cement slurry @ 3.3 kg/				
-	luding grouting the joints with white cement				
	ching pigments etc., complete.				
	ile 600x600 mm	42.00	sqm	1500.55	63023.10
8.2					
Providi	ng and laying Vitrified tiles in different sizes				
(thickne	ss to be specified by the manufacturer), with				
water a	osorption less than 0.08% and conforming to IS:				
15622, (	of approved brand & manufacturer, in all colours				
and sha	de, in skirting, riser of steps, laid with cement				
	gh polymer modified quick set tile adhesive				
	based) conforming to IS: 15477, in average 6 mm				
-	s, including grouting of joints (Payment for				
	g of joints to be made separately).				
	ile 600x600 mm	5.00	sqm	1734.00	8670.00
Subhaed IX - ]					
	ng and fixing precoated galvanised iron profile				
sheets (	size, shape and pitch of corrugation as approved by				
	r-in-charge) 0.50 mm (+ 0.05 %) total coated				
-	s with zinc coating 120 grams per sqm as per IS:				
	40 mpa steel grade, 5-7 microns epoxy primer on				
	e of the sheet and polyester top coat 15-18				
	Sheet should have protective guard film of 25				
	minimum to avoid scratches during transportation				
	uld be supplied in single length upto 12 metre or as				
	by Engineerin- charge. The sheet shall be fixed using	59.00	sqm	627.55	37025.45
	ng /self tapping screws of size (5.5x 55 mm) with				
	eal, complete upto any pitch in horizontal/vertical				
	eal, complete upto any pitch in horizontal/ vertical d surfaces, excluding the cost of purlins, rafters and				
or curve	d surfaces, excluding the cost of purlins, rafters and				
or curve trusses a	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever				
or curve	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever				
or curve trusses a	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever				
or curve trusses a	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever				
or curve trusses required	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever				
or curve trusses required 9.2 Providin	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever I.				
9.2 Providing	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever I.				
9.2 Providin roofing thickness	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever I. ang and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated				
9.2 Providin roofing 240 mpa	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. ag and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both				
9.2 Providin roofing thickness 240 mpa side of t	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. mg and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns				
9.2 Providin roofing thickness 240 mpa side of t	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. ag and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both				
9.2 Providin roofing thickness 240 mpa side of t	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. mg and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns				
9.2 Providin roofing thickness 240 mpa side of t using se	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. ag and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns If drilling/ self tapping screws complete :	22.00	metre	416.30	9158.60
9.2 Providin roofing thickness 240 mpa side of tusing se 9.2.1 Ridges 1 9.3 Providin	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. ag and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns if drilling/ self tapping screws complete : plain (500 - 600mm) mg and Fixing 15 mm thick densified tegular edged		metre	416.30	9158.60
9.2 Providin roofing thickness 240 mpa side of t using se 9.2.1 Ridges 9.3 Providin eco frien	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. ag and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns If drilling/ self tapping screws complete : <u>blain (500 - 600mm)</u> ag and Fixing 15 mm thick densified tegular edged adly light weight calcium silicate false ceiling tiles of		metre	416.30	9158.60
9.2 Providin roofing thickness 240 mpa side of tusing se 9.3 Providin eco frien approve	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever h. and and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns If drilling/ self tapping screws complete : blain (500 - 600mm) ng and Fixing 15 mm thick densified tegular edged ndly light weight calcium silicate false ceiling tiles of d texture of		metre	416.30	9158.60
9.2 Providin roofing thickness 240 mpa side of tusing se 9.3 Providin eco frien approve	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. ag and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns If drilling/ self tapping screws complete : <u>blain (500 - 600mm)</u> ag and Fixing 15 mm thick densified tegular edged adly light weight calcium silicate false ceiling tiles of		metre	416.30	9158.60
9.2 Providin roofing thickness 240 mpa side of t using se 9.3 Providin eco frien approve size 595	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever h. and and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns If drilling/ self tapping screws complete : blain (500 - 600mm) ng and Fixing 15 mm thick densified tegular edged ndly light weight calcium silicate false ceiling tiles of d texture of		metre	416.30	9158.60
9.2 Providin roofing thickness 240 mpa side of t using se 9.3 Providin eco frien approve size 595 inter loc	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. ng and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns If drilling/ self tapping screws complete : <u>plain (500 - 600mm)</u> ng and Fixing 15 mm thick densified tegular edged ndly light weight calcium silicate false ceiling tiles of d texture of x 595 mm in true horizontal level, suspended on		metre	416.30	9158.60
9.2 Providin roofing a thickness 240 mpa side of t using se 9.2.1 Ridges 9.3 Providin eco frien approve size 595 inter loo sections	d surfaces, excluding the cost of purlins, rafters and and including cutting to size and shapewherever l. ag and fixing precoated galvanised steel sheet accessories 0.50 mm (+0.05 %) total coated s, Zinc coating 120 grams per sqm as per IS: 277, in a steel grade, 5-7 microns epoxy primer on both he sheet and polyester top coat 15-18 microns If drilling/ self tapping screws complete : <u>blain (500 - 600mm)</u> ng and Fixing 15 mm thick densified tegular edged ndly light weight calcium silicate false ceiling tiles of d texture of x 595 mm in true horizontal level, suspended on king metal grid of hot dipped galvanised steel		metre	416.30	9158.60

	runner suitably spaced at joints to get required length and				
	of size 24x38 mm made from 0.33 mm thick (minimum)				
	sheet, spaced 1200 mm centre to centre, and cross "T" of				
	size 24x28 mm made out of 0.33 mm (Minimum) sheet,				
	1200 mm long spaced between main'T' at 600 mm centre				
	to centre to form a grid of 1200x600 mm				
	and secondary cross 'T' of length 600 mm and size 24 x28				
	mm				
	made of 0.33 mm thick (Minimum) sheet to be inter locked				
	at middle of the 1200x 600 mm panel to from grid of size				
	600x600 mm, resting				
	on periphery walls /partitions on a Perimeter wall angle pre-				
	coated steel of size(24x24X3000 mm made of 0.40 mm				
	thick (minimum) sheet with the help of rawl plugs at 450				
	mm centre to centre with 25				
	mm long dry wall screws @ 230 mm interval and laying 15				
	required. Main 'T' runners to be suspended from ceiling				
	using G.I. slotted cleats of size 25x35x1.6 mm fixed to				
	ceiling with 12.5 mm				
	dia and 50 mm long dash fasteners, 4 mm G.I. adjustable				
	rods with galvanised steel level clips of size 85 x 30 x 0.8				
	mm, spaced at 1200 mm centre to centre along main 'T',	42.00	sqm	1643.95	69045.90
	bottom exposed with 24 mm of all Tsections shall be pre-	42.00	5411	1043.55	050-15.50
	painted with polyster baked paint,				
	for all heights, as per specifications, drawings and as				
	directed by Engineer-in-Charge.				
	ed X - Finishing				
10.1	12 mm cement plaster of mix :				
10.1 10.1.1	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand)	119.00	sqm	266.85	31755.15
10.1	<ul><li>12 mm cement plaster of mix :</li><li>1:4 (1 cement: 4 fine sand)</li><li>18 mm cement plaster in two coats under layer 12 mm</li></ul>	119.00	sqm	266.85	31755.15
10.1 10.1.1	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand)	119.00	sqm	266.85	31755.15
10.1 10.1.1	<ul><li>12 mm cement plaster of mix :</li><li>1:4 (1 cement: 4 fine sand)</li><li>18 mm cement plaster in two coats under layer 12 mm</li></ul>	119.00 86.00	sqm	266.85 416.55	31755.15 35823.30
10.1 10.1.1	12 mm cement plaster of mix :1:4 (1 cement: 4 fine sand)18 mm cement plaster in two coats under layer 12 mmthick cement plaster 1:5 (1 cement : 5 coarse sand) and				
10.1 10.1.1	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand) 18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3				
10.1 10.1.1	12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand) 18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3				
10.1 10.1.1 10.2	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> </ul>				
10.1 10.1.1 10.2 10.3	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> </ul>	86.00	sqm	416.55	35823.30
10.1 10.1.1 10.2 10.3 10.3.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> </ul>	86.00	sqm	416.55	35823.30
10.1 10.1.1 10.2 10.3 10.3.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> </ul>	86.00	sqm	416.55	35823.30
10.1 10.1.1 10.2 10.3 10.3.1 10.4	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10</li> </ul>	86.00	sqm	416.55	35823.30
10.1 10.1.1 10.2 10.3 10.3.1 10.4	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer</li> </ul>	86.00 197.00	sqm sqm	416.55 227.35	35823.30 44787.95
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> </ul>	86.00 197.00	sqm sqm	416.55 227.35	35823.30 44787.95
10.1 10.1.1 10.2 10.3 10.3.1 10.4	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of</li> </ul>	86.00 197.00	sqm sqm	416.55 227.35	35823.30 44787.95
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare</li> </ul>	86.00 197.00	sqm sqm	416.55 227.35	35823.30 44787.95
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.</li> <li>Wall painting with premium acrylic emulsion paint of</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.</li> <li>Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.</li> <li>Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.</li> <li>Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.</li> <li>Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.</li> <li>Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1 10.5	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.</li> <li>Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even</li> </ul>	86.00 197.00 174.00	sqm sqm	416.55 227.35 164.70	35823.30 44787.95 28657.80
10.1 10.1.1 10.2 10.3 10.3.1 10.4 10.4.1 10.5 10.6	<ul> <li>12 mm cement plaster of mix :</li> <li>1:4 (1 cement: 4 fine sand)</li> <li>18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.</li> <li>6 mm cement plaster of mix :</li> <li>1:3 (1 cement : 3 fine sand)</li> <li>Finishing walls with Acrylic Smooth exterior paint of required shade :</li> <li>New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)</li> <li>Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.</li> <li>Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour.</li> </ul>	86.00 197.00 174.00 119.00	sqm sqm sqm	416.55 227.35 164.70 115.15	35823.30 44787.95 28657.80 13702.85

	[]				
11.1	Demolishing cement concrete manually/ by mechanical				
	means including disposal of material within 50 metres				
	lead as per direction of Engineer - in - charge.				
11.1.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent				
	design mix)	12.00	cum	1737.45	20849.40
11.2	Demolishing brick work manually/ by mechanical				
11.2	means including stacking of serviceable material and				
	disposal of unserviceable material within 50 metres				
	lead as per direction of Engineer-in-charge.				
11 2 1	In cement mortar	4.00	cum	1469.90	5879.60
	ed XII - Road Work	4.00	cum	1405.50	3873.00
12.1	Laying old cement cocrete interlocking paver blocks of				
12.1	any design/ shape laid in required line, level, curvature,				
	colour and pattern over and including 50 mm thick				
	compacted bed of coarse sand, filling the joints with	37.00	sqm	324.20	11995.40
	fine sand etc. all complete as per the direction of				
	Engineerin-				
	charge. (Old CC paver blocks shall be supplied by the				
	department free of cost).				
	ed XIII - Aluminium Work				
13.1	Providing and fixing aluminium work for doors,				
	windows, ventilators and partitions with extruded built				
	up standard tubular sections/ appropriate Z sections and				
	other sections of approved make				
	conforming to IS: 733 and IS: 1285, fixing with dash				
	fasteners of required dia and size, including necessary				
	filling up the gaps at junctions, i.e. at top, bottom and				
	sides with required EPDM rubber/ neoprene gasket etc.				
	Aluminium sections shall be smooth, rust free, straight,				
	mitred and jointed mechanically wherever required				
	including				
	cleat angle, Aluminium snap beading for glazing /				
	paneling, C.P. brass / stainless steel screws, all				
	complete as per architectural drawings and the				
	directions of Engineer-in-charge. (Glazing, paneling				
	and dash fasteners to be paid for separately):				
13.1.1	For fixed portion				
13.1.1.	Powder coated aluminium (minimum	81.00	ka	456.30	36960.30
1	thickness of powder coating 50 micron)	01.00	kg	430.30	30300.30
13.2	For shutters of doors, windows & ventilators including				
	providing and fixing hinges/ pivots and making				
	provision for fixing of fittings wherever required				
	including the cost of EPDM rubber / neoprene gasket				
	required (Fittings shall be paid for separately)				
13.2.1	Powder coated aluminium (minimum	122.00	ka	EAC OF	
L	thickness of powder coating 50 micron)	122.00	kg	546.35	66654.70
13.3	Providing and fixing glazing in aluminium door,				
	window, ventilator shutters and partitions etc. with				
	EPDM rubber / neoprene gasket etc. complete as per				
	the architectural drawings and the directions of				
	engineer-in-charge . (Cost of aluminium snap beading				
	shall be paid in basic item):				
	simil se puie in suble itemi).		1		

13.3.1	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)	18.00	sqm	1296.40	23335.20
	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				
13.4.1	Upto 5mm depth and 5 mm width	54.00	metre	79.45	4290.30
	Total in Rs				1923829.95
	Say				1923830.00