

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

OFFICE OF THE EXECUTIVE ENGINEER PROJECT CELL AIIMS, RAIPUR

NOTICE INVITING e-TENDER

N.I.T. NO. 04/EE/AIIMS/RPR/2020-21

NAME OF WORK: -"Up-gradation of 52no Toilets and providing bathing facility at private rooms, DD1 block 3rd floor, AIIMS Raipur."

ESTIMATED COST: Rs. 50, 26,156.00

EARNEST MONEY: Rs.1, 00,600.00

CONTRACT PERIOD: 120 Days

Type of work: Construction

Executive Engineer (Civil)

AIIMS, Raipur

INDEX

Name of Work: - "Up-gradation of 52no Toilets and providing bathing facility at private rooms, DD1 block 3rd floor, AIIMS Raipur."

SI.	Particulars	Page	e No.
No		From	To
1	Cover Page	1	
2	Index	2	
3	Instructions for online bid submission	3	5
4	Notice Inviting e-Tender	6	
5	INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING	7	11
6	List of Mandatory Documents to be filled in by the bidders in various forms to be scanned	11	
	and uploaded within the period of bid submission		
7	LETTER OF TRANSMITTAL(Annexure-A)	12	
8	FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details) (Annexure-B)	13	
9	STRUCTURE & ORGANISATION (Annexure-C)	14	
10	DECLARATION(Annexure-D)	15	
11	INTEGRITY PACT(Annexure-E)	16	
12	Acknowledgement & Acceptance Letter(Annexure-F)	17	
13	CONSENT LETTER(Annexure-G)	18	
14	INTEGRITY AGREEMENT	19	23
15	Percentage Rate Tender/ Item RateTender& Contract for Works	24	25
16	GENERAL PARTICULAR & ADDITIONAL CONDITIONS OF CONTRACT	26	30
17	Form of Earnest Money Deposit (Bank Guarantee Bond)Annexure-I	31	
18	FORM OF PERFORMANCE GUARANTEE BANK GUARANTEE	32	33
19	SPECIAL CONDITIONS OF CONTRACT	34	39
20	FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME (Part I)	40	
21	FORM OF APPLICATION OF THE CONTRACTOR FOR SEEKING RESCHEDULING OF THE MILESTONES	41	
22	GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS	42	43
23	LIST OF SPECIALIZED ITEMS / JOBS	44	47
24	No Claim Certificate (On company letterhead)	48	17,
25	APPROVED MATERIALS LIST CIVIL & ELECTRICAL)	49	54
26	PROFORMA OF SCHEDULES (A To F)	55	59
27	Schedule of Quantity	60	65

Instructions for Online Bid Submission

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

REGISTRATION:

- 1) Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS:

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS:

1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.

- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the Number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS:

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 7) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 8) The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized

persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key.

- 9) Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 10) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 11) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 12) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS:

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120-4001002.
- 3) For any further assistance, please contact to the office of Executive Engineer, AIIMS Raipur.

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

NOTICE INVITING e-TENDER

(a)	Name of Work	" Up-gradation of 52no Toilets and providing bathing facility at private rooms, DD1 block 3 rd floor, AIIMS Raipur ."
(b)	Tender No.	04/EE/AIIMS/RPR/2020-21
(c)	Contract Period	120 days
(d)	Estimated Cost	Rs.50,26,156.00
(e)	Earnest Money Deposit(Mandatory to submit EMD for participating in bid.)	Rs. 1,00,600.00(to be submitted in the form an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India in favour of AIIMS, Raipur in the office of Project Cell, AIIMS, Raipur before the last date of opening of Bid .)
(f)	Performance Guarantee	5% of Tendered value.
(g)	Security Deposit	2.5% of the Tendered Value.
(h)	Tender documents may be seen on	AllMS web site <u>www.aiimsraipur.edu.in</u> and CPPP site <u>https://eprocure.gov.in/eprocure/app</u>
(j)	Last Date &Time of Submission	By 27-04-2020 UP TO 11:00 Hours through online.
(k)	Date & Time for opening of Technical & financial Bid	On 28-04-2020 at 11:30 Hours.

- 1. The indenting Bidder must read the Terms &conditions carefully. He/ She should only submit bid if consider himself/herself eligible and bidder in possession of all the documents required.
- 2. Information and Instructions for bidders posted on website shall from part of bid document.
- 3. The Bid documents consisting of specifications, the schedule of quantities of various types of items to be executed and the set of terms &conditions of the contract to be complied with and other necessary documents can be seen and downloaded from websitewww.aiimsraipur.edu.inOrhttps://eprocure.gov.in/eprocure/app.

Executive Engineer (Civil)
AIIMS, Raipur

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING

The Executive Engineer (Civil), AIIMS, Raipur on behalf of Director, AIIMS, Raipur invites online **Percentage Rate bids in single bid system (Technical cum Eligibility & Financial)** from eligible and experienced contractors of appropriate list of CPWD , M.E.S., BSNL, Railway, Chhattisgarh State P.W.D. (B&R) for the following work(s):-

Sl. No.	Description	Details
(a)	NIT No.	04/EE/AIIMS/RPR/2020-21
(b)	Name of Work:	" Up-gradation of 52no Toilets and providing bathing facility at private rooms, DD1 block 3 rd floor, AIIMS Raipur ."
(c)	Estimated Cost	Rs. 50,26,156.00
(d)	Earnest Money (Mandatory to submit EMD for participating in bid.)	Rs.1,00,600.00(EMD original to be submitted during Office hours before opening of Bid.)
(e)	Period of Completion	120 days
(f)	Last Date &Time of Submission	By 27-04-2020 UP TO 11:00 Hours through online.
	Date & Time for opening of Technical & financial Bid	On 28-04-2020 at 11:30 Hours.

- **1.** The intending bidder must read the terms and conditions of Tender document carefully. Bidder may submit bid having all required documents.
- 2. Intending bidders shall have to register at CPPP portal to participate in the tendering process. For details kindly visit website http://eprocure.gov.in/eprocure/app or In case the bidder requires any elucidation regarding the tender documents, may contact to the office of Project Cell, AIIMS Raipur before the opening of tender date.
- **3.** For e-tendering of this tender, downloaded from AIIMS Raipur website and Central Public Procurement Portal (CPPP) e-Procurement website.
- **4.** The intending bidders must have valid class-III digital signature to submit the bid. <u>Manual bid shall not be accepted in any circumstance</u>. The complete bidding process is online bidding; Bidder should have valid digital Signature Certificate (DSC) for online submission of bids.
- **5.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website http://eprocure.gov.in/eprocure/appfree of cost.
- **6.** The bid can be submitted only after uploading the mandatory scanned documents up to 100 dpi Copies of eligibility documents and EMD as specified on the e-tendering website within the period of tender submission. Bidders can upload documents in the form of JPG format, PDF format and any other format as permissible by the e-tendering portal.

- **7.** Bidders must ensure to quote rate of each item. If any cell is left blank the same shall be treated as "O". Therefore, If any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "O"(ZERO). After submission of the bid online the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
- **8.** After submission of bid online, it can be revised any number of times before specified time on last date of submission of bid. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
- **9.** Financial bids shall be opened online only for bidders for whom EMD and other uploaded documents are found in order and who are found to be eligible to bid for work. On opening date, the bidder can log in and see the bid opening process. After opening of bid he/she will receive the competitor bid sheets.
- **10.** If the bidder is found ineligible after opening of bid, bid shall become invalid.
- 11. The Bidders shall have to submit original instrument for EMD before the last date of opening of Bid to the office of Tender Opening Authority. The bid security is to remain valid for a period of 45 (forty-five) days beyond the final bid validity period. Bid security will be refunded to the successful bidder on receipt of a performance security. Bid securities of the unsuccessful bidders should be returned at the earliest after L1 decided by Committee of AIIMS Raipur.

A bidder's bid security will be forfeited if the bidder:

- i) withdraws or amends its/ his tender;
- ii) impairs or derogates from the tender in any respect within the period of validity of the tender;
- iii) If the bidder does not accept the correction of his bid price during evaluation; and
- iv) If the successful bidder fails to sign the contract or furnish the required performance security within the specified period.
- **12.** The Eligible bid shall be opened first on due date and time as mentioned above. Opening of financial bids of contractors qualifying the eligibility shall be opened at a later date.
- **13.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.
- 14. Performance Guarantee: The successful contractor will be required to furnish a Performance guarantee of 5% (Five Percent) of Tendered Value after receiving notification of award in the form of an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/confirmed from any of the commercial bank in India in the name of the "All India Institute of Medical Sciences, Raipur" which shall be kept valid for a period of Six (06) months beyond completion of all the contractual obligations. The Performance Guarantee can be forfeited in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract. Performance Security will be released after successful completion of work under the contract. In case the contractor fails to deposit the said performance guarantee within the period including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with tender shall be returned after receiving the aforesaid performance guarantee.
- 15. Sources and Verification of Bank Guarantees

 Bank Guarantee for Bid Security (EMD) or Performance Guarantee (Security Deposit) should be irrevocable and operative Bank Guarantee (BG) as per format enclosed in the Bid Document and should be issued by a Scheduled Commercial (i.e. Indian or Foreign Banks included in the Second Schedule of Reserve Bank of India Act, 1934 excluding Co-operative banks or Regional Rural Banks). In case of foreign bidders or in case of GTE, if Bank Guarantee is from a foreign bank branch situated outside India, the

Bank Guarantee must be issued through any of the Scheduled Commercial Bank. In case BG is issued directly by a bank outside India, it should be executed on letter Head of the Bank and should be advised and made payable through their Indian Branch/Corresponding Bank in India. The Issuing Bank should also state the name and designation of the next Higher Authority of the Officials who have issued the Bank Guarantee. Bank guarantees submitted by the tenderers/ contractors as EMD/ performance securities need to be immediately verified from the issuing bank **before acceptance.** There may not be any need to get the Bank Guarantee vetted from legal/ finance authority if it is in the specified format. Guidelines for verification of BGs submitted by the bidders/ contractors against EMD/ performance security/ advance payments and for various other purposes are as follows:

- i) BG shall be as per the prescribed formats;
- ii) The BG contains the name, designation and code number of the Bank officer(s) signing the guarantee(s);
- The address and other details (including telephone no.) of the controlling officer of the bank are obtained from the branch of the bank issuing the BG (this should be included in all BGs). The confirmation from the issuing branch of the bank is obtained in writing though registered post/ speed post/ courier. The bank should be advised to confirm the issuance of the BGs specifically quoting the letter of Procurement Entity on the printed official letterhead of the bank indicating address and other details (including telephone nos.) of the bank and the name, designation and code number of the officer(s) confirming the issuance of the BG; Pending receipt of confirmation as above, confirmation can also be obtained with the help of responsible officer at the field office, which is close to the issuing branch of the bank, who should personally obtain the confirmation from issuing branch of the bank and forward the confirmation report to the concerned procurement entity.
- 16. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost, all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions.
- **17.** The Tender paper/documents can be seen / downloaded from Official website & submitted through Online or Site.
- 18. The competent authority on behalf of the Director, AIIMS, Raipur does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **19.** Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- **20.** The Competent Authority, The **Engineer-In-Charge**, reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.

- 21. The contractor shall not be permitted to bid for works in the AIIMS, Raipur responsible for award and execution of contracts, in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in the AIIMS, Raipur. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- **22.** The bid for the works shall remain open for acceptance for a period of **90 days** from the date of opening of bids.
- 23. This notice inviting bid shall form a part of the contract document. The successful bidder/ contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of "The Notice Inviting bid, all the documents including additional conditions, specifications and drawings, GCC, if any, forming part of the bid as uploaded at the time of invitation of bid and rate quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.

24. Eligibility of Bidders

- (a) All eligible bidders meeting the eligibility can participate in the tender. The applicant should be a private or government-owned legal entity;
- (b) For package size exceeding certain values [say Rs. 10 (ten) Crore], Joint Ventures may be allowed. Maximum number of partners in Joint Ventures shall be limited (say three). In case of Joint Ventures, all the partners shall be jointly and severally liable for the successful completion of the work;
- (c) A firm that has been engaged by Ministry/ Department to provide consultancy services for the preparation or implementation of a project, and any of its affiliates (associates, Subsidiary, Joint Ventures partner), shall not be eligible for subsequently providing goods or works (other than a continuation of the firm's earlier consultancy services) for the same project;
- (d) A firm determined non-performing by the Procuring Entity shall not be eligible to bid during the period so determined;
- (e) The bidder must not have in his employment:
 - a) The near relations (defined as first blood relations, and their spouses, of the bidder or the bidder's spouse) of persons involved in decision making in the procurement.
 - b) Without Government permission, any person who retired as gazetted officer within the last two years of the rank and from the departments.
- (f) Goods and services Tax (GST)
 - (i) GST Registration Certificate of the State in which the work is to be taken up, if already obtained by the bidder.
 - (ii) If the bidder has not obtained GST registration in the State in which the work is to be taken up, or as required by GST authorities then in such a case the bidder shall scan and upload following under taking along with other bid documents.

"If work is awarded to me, I/we shall obtain GST registration Certificate of the State, in which work is to be taken up, within one month from the date of receipt of award letter or before release of any payment by AIIMS, whichever is earlier, failing which I/We shall be responsible for any delay in payments which will be due towards me/us on a/c of the work executed and/or for any action taken by AIIMS or GST department in this regard.

25. Signing of bid document:

- a) If the bidder is an individual, the bid shall be signed by him above his full type written name and current address.
- **b)** If the bidder is a proprietary firm, the bid shall be signed by the proprietor above his full type written name and the full name of his firm with its current address.
- c) If the bidder is a firm in partnership, the bid shall be signed by all the partners of the firm above their full type written names and current addresses, or, alternatively, by a partner holding power of attorney for the firm. In the later case a certified copy of the power of attorney should accompany the application. In both cases a certified copy of the partnership deed and current address of all the partners of the firm should accompany the application.
- **d)** If the bidder is a limited company or a corporation, the bid shall be signed by a duly authorized person holding power of attorney for signing the application accompanied by a copy of the power of attorney. The bidder should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.

List of Mandatory Documents to be filled in by the bidders in various forms to be scanned and uploaded within the period of bid submission

1	EMD in the form of an account payee demand draft, fixed deposit receipt from a commercial bank,		
	bank guarantee issued/ confirmed from any of the commercial bank in India in the name of the		
	"All India Institute of Medical Sciences, Raipur"		
2	Enlistment Order for the Contractor		
3	Letter of transmittal (Annexure-A)		
4	Vendor Details as per (Annexure-B)		
5	Structure & Organization (Annexure-C)		
6	Declaration by Bidder (Annexure-D)		
7	Acknowledgement & Acceptance Letter (Annexure-F)		
8	Consent Letter(Annexure-G)		
9	Registration of ESIC & EPFO details		

(Annexure-A)

LETTER OF TRANSMITTAL

	From:	
	То	
	The Executive Engineer,	
	Project Cell, AIIMS, Raipur (C.G.)	
	Subject : Submission of bids for the work of	
	Sir,	
	Having examined the details given in the bid document for the above submit the relevant information.	work, I/we hereby
2.	I/we hereby certify that all the statement made and information supp forms A to G and accompanying statement are true and correct. I/we have furnished all information and details necessary for eligifurther pertinent information to supply. I/we authorize Engineer-In-Charge or his representative to appendicularly employers, firms and corporation to verify our competence and general	bility and have no
	Certificate: It is certified that the information given in the enclosure correct. It is also certified that I / We shall be liable to be debated and cancellation of enlistment in case any information furnished by be incorrect. Enclosures:	arred, disqualified
	LIICIOSUI ES.	
	Date of submission:	Signature(s) of Bidder(s). Seal of bidder

Annexure-B

FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details)

1.	Name of the Bidder	
2.	Permanent Account No (PAN)	
3.	Particulars of Bank Account	
	a) Name of the Bank	
	b) Name of the Branch	
	c) Branch Code	
	d) Address	
	e) City Name	
	f) Telephone No	
4.	Legal status of the bidder (attach copies of original document defining the legal	
	a) An Individual	
	b)A proprietary firm	
	c)A firm in partnership	
	d) A limited company or Corporation	
5.	GST Registration Certificate No	
6.	Valid Email ID of the Bidder	
7.	Complete Postal Address of the bidder	

(Authorized Signature of the Bidder with Seal)

Annexure-C

STRUCTURE & ORGANISATION

	1.	(a) Name
		(b) Address of the bidder
	2.	(a)Telephone no.
		(b) Telex no.
		(c) Fax no.
3.		 (d) E-mail Legal status of the bidder (attach copies of original document defining the legal status) (a) An Individual (b) A proprietary firm (c) A firm in partnership
		(d) A limited company or Corporation
4.		Particulars of registration with various Government Bodies if any (attach attested photocopy)
		Organization/Place of registration Registration No.
		1.
		2.
		3.
5.		Names and titles of Directors & Officers with designation to be concerned with this work.
		Signature of Bidder(s)

Annexure-D

DECLARATION

l+	ic	tο	ce	rtif	ĥ٠	th	at	ŀ٠
ш	15	10	\Box	ш	ıv	u	ıaı	١.

- 1) I/We agree with the terms and conditions of it and understood that it will form part of the agreement.
- 2) I hereby certify that none of my Relative(s) are employed in AIIMS Raipur, Chhattisgarh. In case at any stage, it is found that the information given by me is false/incorrect, AIIMS shall have the absolute right to take any action as deemed fit without any prior intimation to me".
- 3) I/We undertake and confirm that eligible Work(s) has/have not been got executed through another contractor on back to back basis. Further, it is stated that, if such a violation comes to the notice of Department, than I/We shall be debarred for bidding in AIIMS in future forever. Also, if such a violation comes to the notice of AIIMS, Raipur before date of start of work, the Engineer-In-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.
- 4) I / We have signed (with stamp) uploaded documents of the tender before submitting the same.
- 5) All the information and documents given/uploaded for bids are true.
- 6) I / We have submitted the EMD.
- 7) I / We have provided our e-Mail id for any communication in this regard.
- 8) I have read carefully & understood the important instructions to the all bidders.

Date	Contractor
E-Mail:	(Sign with Seal)

Annexure-E

INTEGRITY PACT

To,

Sub: NIT No. **04/EE/AIIMS/RPR/2020-21 for the work of "Up-gradation of 52no Toilets and providing bathing facility at private rooms, DD1 block 3rd floor, AIIMS Raipur."**

Dear Sir,

It is here by declared that AIIMS is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender / bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the AIIMS Raipur.

Yours faithfully,

Executive Engineer

Project Cell, AIIMS Raipur

(Annexure-F)

Acknowledgement & Acceptance Letter

To,

The Executive Engineer,

Project Cell, AIIMS Raipur

Sub: Submission of Tender for the work"Up-gradation of 52no Toilets and providing bathing facility at private rooms, DD1 block 3rd floor, AIIMS Raipur."

Dear Sir,

I / We acknowledge that AIIMS is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I / We agree that the Notice Inviting e-Tender is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by AIIMS Raipur. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, AIIMS Raipur shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

(Annexure-G)

CONSENT LETTER

I/We hereby give my/ our consent to work as contractor till the completion of work and I/we will be responsible for execution of work only by skilled persons in the field of **related work** as per satisfaction of Engineer-In-Charge.

I/We will produce computerized measurement sheets of work before covering hidden work / job and other exposed works in time as per clause 6A otherwise measurement will be recorded by the representative of Engineer-In-Charge which will be bound to me and I/We am/are agree to made recovery of amount as per clause 32 of GCC for each running and final bill for not producing measurement and bill. Final measurement with bill will be produced by me/us within one month after completion date otherwise representative of Engineer-In-Charge will prepare the same which will be acceptable and bound to me/us and no any claim in this regard will be made by me/us.

I/We will provide all invoices and related test certificates of materials as required by E-In-C. All Analysis of rates for Extra, Substitute, Deviation items etc. will be produced by me/us in consultation with representative of Engineer-In- Charge on time for getting approval from Competent Authority of AIIMS before execution of work or otherwise the same will be prepared by the department and will be bound to me/us.

I/We will submit Pay Roll and Fort Night Labour Report with every bill duly certified by Junior Engineer. I will pay all the wages to the workers in bank account otherwise necessary action will be taken with penalty as decided by Engineer-In-Charge and is bound to me/ us. I/We will maintain all the registers etc. as mentioned in General Condition of Contract for workers and employees. The registers will be presented to Junior Engineer for verification from time to time.

I/we will also engage suitable and skill Engineer(s) for the work as per condition of work.

I further certify that the above particulars pertaining to me are correct.

I/We will produce all uploaded documents in original for physical verification before issue of Letter of Acceptance or / and as demanded by Engineer-In Charge before the payment .

I/We will submit "No Claim Certificate" in the approved format in company letter head after receiving final bill payment.

To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of AIIMS Raipur.

INTEGRITY AGREEMENT

This Integrity Agreement is made at	on this day of2019
	BETWEEN
AIIMS Raipur through Executive Engineer,	,
	(Name of Division)
AIIMS,	, (Hereinafter referred as the
(Address of Division)	
'Principal / Owner', which expression shall un	less repugnant to the meaning or context hereof include its successors
and permitted assigns)	
	AND
	dress of the Individual/firm/Company)
through	(hereinafter referred to as the
(Details of duly authorized signato	ry)
"Bidder/Contractor" and which expression sl	hall unless repugnant to the meaning or context hereof include its
successors and permitted assigns)	

Preamble

WHEREAS the Principal /Owner has floated the e-Tender (NIT No.04/EE/AIIMS/RPR/2020-21) (hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for "Up-gradation of 52no Toilets and providing bathing facility at private rooms, DD1 block 3rd floor, AIIMS Raipur." Hereinafter referred to as the "Contract".

AND WHEREAS the Principal / Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal / Owner

- 1) The Principal/Owner commits itself to take all measures necessary toprevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal / Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC) / Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal / Ownerwill inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder (s) / Contractor (s)

- 1) It is required that each Bidder / Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s) / Contractor(s) commit himself to take all measuresnecessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal / Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - The Bidder(s) / Contractor (s) will not enter with other Bidder (s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - b) The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s) / Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - c) The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents /

representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.

- d) The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose (with each tender as per Performaenclosed) any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract
- 3) The Bidder(s) / Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake / forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his / her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal / Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder / Contractor accepts and undertakes to respect and uphold the Principal / Owner's absolute right:

1) If the Bidder (s) / Contractor(s), either before award or during execution of Contract has committeda transgression through a violation of Article 2 above

or

in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers

to

disqualifythe Bidder(s)/Contractor(s) from the Tender process or terminate / determine the Contract, if already executed or exclude the Bidder/Contractor

from

future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal / Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

2) Forfeiture of EMD/Performance Guarantee/Security Deposit:

If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the

Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder / Contractor.

3) Criminal Liability:

If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of Indian Penal code (IPC)/Prevention of Corruption Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or StateGovernment or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holding listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s) / Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder / Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub- contractors/sub-vendors.
- 2) The Principal / Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal / Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor / Vendor 12 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, AIIMS Raipur.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the **Headquarters of the Division** of the Principal / Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.

- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation there of shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender / Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on bel	nalf of Prir	ncipal/ Owner)
(For and on bel	nalf of Bid	der/ Contractor)
WITNESSES:		
	1.	(Signature, name and address)
	2.	(Signature, name and address)
Place:-		
Dated:		

ALL INDIA INSTITUTE OF MEDICAL SCIENCE RAIPUR Percentage Rate Tender/ Item Rate Tender& Contract for Works

Tender for the work of: "Up-gradation of 52no Toilets and providing bathing facility at private rooms, DD1 block 3rd floor, AIIMS Raipur."

e-TENDER

I/We have read and examined the notice inviting tender, schedule, A,B,C,D,E & F, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the AIIMS Raipur within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for **ninety (90) days** from the due date of opening of financial bid and not to make any modification in its terms and conditions.

A sum of Rs.1,00,600.00 is hereby forwarded in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank as earnest money. A copy of the earnest money in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank is submitted with tender. If I/We, fail to furnish the prescribed performance guarantee within prescribed tender, I/we agree that the said President of India or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that President of India or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said Performance Guarantee shall be guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the General Conditions of Contracts (CPWD). Further, I/we agree that in case of forfeiture of earnest money or performance guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

I/We undertake and confirm that eligible similar work(s) has / have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in AIIMS Raipur in future forever. Also, if such a violation comes to the notice of Department before date of start of work, The Engineer – in – Charge shall be free to forfeit the entire amount of Earnest Money Deposited / Performance Guarantee.

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived therefrom to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated #	Signature of Contractor# Postal Address#
Witness : # Address: # Occupation : #	e-Mail id# # To be filled in by the contractor/witness as applicable
	<u>ACCEPTANCE</u>
The above tender (as modified vide Raipur for a sum of ₹*	letters mentioned hereunder) is accepted by me for and on behalf of the AIIMS
(Rupees*_	
The letters referred to below shall for	orm part of this contract Agreement:-
a)	*
b)	
c)	For & on behalf of the AIIMS Raipur.
	Signature
Dated *	Designation

GENERAL PARTICULAR & ADDITIONAL CONDITIONS OF CONTRACT

A. GENERAL CONDITIONS

- 1. Name of Work: "Up-gradation of 52no Toilets and providing bathing facility at private rooms, DD1 block 3rd floor, AIIMS Raipur."
- 2. For all items of Civil/Electrical/AC&R;- CPWD specifications with up to date correction slips up to receipt of tender shall be followed. For the items which are not covered under CPWD specifications; B.I.S. specifications shall apply. In this regard the decision of Engineer-in- charge shall be final.
- 3. Wherever any reference is made of any Indian Standard, it shall be taken as reference to the latest edition with all amendments / revision issued thereto up to the date of receipt of tenders.
- 4. Unless otherwise specified, the agreement rates for all items of work of the schedule of quantities are for all heights, depths, leads and lifts involved in the execution of work.
- 5. Other agencies working at site will also simultaneously execute the work entrusted to them and the contractor shall offer necessary co-operation wherever required to other agencies.
- 6. On account of security consideration, there could be some restrictions on the working hours, movement of vehicles for transportation of materials. The contactor shall be bound to follow all such restrictions and adjust the program for execution accordingly, for which nothing extra shell be paid.
- 7. The work shall be carried out in a manner complying in all respects with the requirements of relevant bye laws of the local bodies, Labour Laws, minimum wages act, workmen compensation act and other statutory laws enacted by Central Govt. as well as State Govt.
- 8. All melba/rubbish/silt/waste, garbage etc. generated due to any operation from buildings/houses/hostels and other open spaces whatsoever shall be disposed off on daily basis by the contractor to the specified common disposal point. After the collection of full truck load of the said Melba (approx. 4.5 cubic meters), the same shall be disposed off by the contractor to the authorized municipal dumping ground and nothing extra shall be paid on this account. In case of non- removal/disposal in the specified period, the same would be disposed at risk & cost of contractor.
- 9. No residential accommodation shall be provided to any of the staff engaged by the contractor. The contractor shall not be allowed to erect any temporary set up for staff in the campus.
- 10.No claims of the labours shall be entertained by the Department including that of providing employment, regularization of services etc.
- 11.All required register will be issued by Engineer-in-Charge/Executive Engineer duly marked in chronological order but the contractor will have to arrange all such registers/stationery etc. Nothing extra shall be paid on this account.
- 12. The contractor shall have registration with Employee's Provident Fund commissioner and Employee's state Insurance Corporation for safe guarding interest of his workmen. He shall obtain all other necessary approvals from statutory bodies as per law in vogue.
- 13.All T&P, scaffoldings, ladders/Hydra etc, instruments/meters for maintenance, consumable and Contingent Articles required for execution of the work shall be arranged by the contractor.
- 14. The contractor shall make all safety arrangement required for the labor engaged by him at his own cost. All consequences due to negligence or due to lapse of security/safety or otherwise shall remain with the contractor. The department shall not be responsible for any mishap, injury, accident or death of the contractor's staff. No claim in this regard shall be entertained / accepted by the department. Also Contractor is responsible to the damage caused to any man/material other that his team during execution and AIIMS will not be responsible for

that.

- 15. Contractor shall be fully responsible for any damages caused to govt. property or allotter's property by his or his labor in carrying out the work and shall be rectified by the contractor at his own cost.
- 16.GST and other Taxes as applicable shall be recovered/ paid from the contractor's bill as per Govt. of India/AIIMS Rules. GST amount will be reimbursed only after submission of GST deposition proof.
- 17. Chases, holes & drilling works etc. shall be done using power operated tools in the cost of Contract. No extra will be paid for the same.
- 18. The agency shall restore back the premises and other articles provided by the department to the department at the time of closure of the contract.
- 19.In the case of discrepancy between the schedule of quantities, the Specifications and/or the Drawings, the following order of preference shall be observed:-
 - (a) Description of schedule of quantities.
 - (b) Additional specifications and special conditions, if any.
 - (c) Contract clauses of General conditions of contract for Central P.W.D. works. (iv) CPWD specifications.
 - (d) Architectural drawings.
 - (e) Indian standards specifications/ BIS. (vii) Sound engineering practice. Any reference made to any Indian standards specifications in these documents, shall imply to the latest version of that standard, including such revisions/amendments as issued by the Bureau of Indian Standards up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian Standards applicable to the work at site.
- 20. The contractor and /or his authorized agent should see the site order book every day and get the compliance of instruction given by the JE/AE/Engineer-in-charge(E-I/C) as per time schedule.
- 21. The contractor will not pitch up tents for laborers, materials and his stores etc.
- 22.No permanently / temporary huts / structures shall be constructed by the contractor at the site of work or at any government land / premises. Such structures, if any, found at the site or at AIIMS, Raipur land shall be demolished and removed at the cost of the agency without any notice.
- 23. Any damage to the building structure, fittings or any other articles etc. done by the contractor or his workman during the execution of the work shall be made good by the contractor at his own cost.
- 24. The contractor shall clear the site properly after the completion of the work.
- 25.The Agency shall be solely responsible for compliance to the provisions of various Labor and industrial laws, such as, wages, allowances, compensations, EPF, Bonus. Gratuity, ESI etc. relating to personnel deployed by it at AIIMS, Raipur site or for any accident caused to them and the institute shall not be liable to bear any expense in this regard. The Agency shall make payment of wages to workers engaged by it by the stipulated date irrespective of any delay in settlement of its bill by AIIMS, Raipur for whatever reason. The Agency shall also be responsible

For the insurance of its personnel. The Agency shall specifically ensure compliance of various Laws / Acts, including but not limited to with their re-enactments / amendments / modifications etc.

- (a) The Payment of Wages Act 1936.
- (b) The Employees Provident Fund & MP Act, 1952.
- (c) The Contract Labor (Regulation) Act, 1970.
- (d) The Payment of Bonus Act, 1965.
- (e) The Payment of Gratuity Act, 1972.
- (f) The Employees State Insurance Act, 1948.
- (g) The Employment of Children Act, 1938.

- (h) The Motor Vehicle Act, 1988.
- (i) Minimum Wages Act, 1948.
- 26.Breach of Terms and Conditions: Noncompliance of any terms and conditions enumerated in the contract shall be treated as breach of contract. Or In Case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by AIIMS, Raipur in that event the EMD and /or Performance Guarantee and/or security deposit shall also stands forfeited.
- 27.Termination of Contract: AIIMS, Raipur would have the right to terminate the contract by giving one month's notice before the expiry of the term, in case the work performance is not up to the standard, or in case there is any violation of AIIMS, Raipur rules & regulations, or if there is any lapse in compliance of any labor legislation, or if there is any incident of indiscipline on the part of the bidder or his staff and the agreement may be terminated by either party by giving one month's notice to the institution. The decision of AIIMS, Raipur's management in this regard would be final and binding on the bidder. In such an event, AIIMS, Raipur shall have the right to engage any other bidder to carry out the task.
- 28.Arbitration: The Arbitration shall be held in accordance with the provision of the Arbitration and conciliations Act, 1996 and the venue of arbitration shall be at Raipur. The decision of the Arbitrator shall be final and binding on the both parties.
- 29.Dispute Settlement: It is mutually agreed that all differences and disputes arising out of or in connection with this agreements shall be settled by mutual discussions and negotiations if such disputes and differences cannot be settled and resolved by discussions and negotiations then the same shall be referred to the sole Arbitrator appointed by the Director, AIIMS, RAIPUR whose decision shall be final and binding on both the parties. The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing.
- 30. Guidelines issued by Hon'ble National Green Tribunal in O.A. No. 21 of 2015 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & other and Sanjay Kulshreshtha Vs Union of India & ors: Air Pollution of Dust from Construction and Demolition activity reg. issued vide letter No. DPCC/EIA/Ref-001 to 172/NGT-21/2015/225-408 dt. 17/04/2015 shall be complied by the Bidders.

B.GENERAL CONDITIONS FOR SUPPLY OF MATERIAL

- 1. The material shall be as per CPWD specifications with up to date correction slip and BIS Specifications wherever mentioned and as per List of approved makes (enclosed).
- 2. In the event of any variation between CPWD specifications and that in the IS Code the former shall take precedent over the later. In the event of variation between he nomenclature of item as per schedule of quantities and specifications, the former shall prevail.
- 3. Material will be supplied by the contractor within 03 days after giving he requirement otherwise suitable amount imposed as a penalty shall be recovered from contractor's bill after giving notice as decided by the Engineer incharge. However, the materials in urgent nature shall be supplied within 02-03 Hours.
- 4. The sample of all the items shall have to be got approved by the Contractor from the Engineer-in-Charge/Executive Engineer or his Representative before the supply commences, the approval of sample shall be only in respect of workmanship and finish, and shall be without prejudice to the right of Engineer-in-Charge to get random samples tested out of the actual lot received as per additional conditions. This decision is the Prerogative of Engineer-in-Charge.
- 5. The contractor shall if required furnish the manufacturer's certificate that the material supplied satisfy the requirements of the relevant specifications.
- 6. The Engineer-in-Charge shall be at liberty to test respective sample (s) of each item of schedule of quantity in

any approved laboratory as decided by him. The sample for testing shall be provided by the contractor. If the test proves satisfactory and the material is accepted, the testing charge in respect of satisfactory test shall be borne by the department.

All other expenditure required to be incurred for making available the sample, conveyance and packing etc, shall be borne by the contractor himself. In case any sample of particular lot fails in testing the contractor shall be bound to replace the entire lot with fresh material of prescribed specifications and the rejected lot shall only be returned to the contractor after fresh lot is supplied. Testing charges in respect of failed sample will be borne by the contractor himself.

- 7. Rejected materials shall have to be removed by the contractor at his own cost within a week of the instructions of doing so. Also go down rent as decided by Engineer-in-Charge shall be charged by the department.
- 8. In case of any dispute regarding rejection of quantity of materials the decision of Engineer-in- Charge shall be final and binding upon the contractor.
- 9. Conditional tenders are liable to be summarily rejected.
- 10. The rates shall be quoted only in the schedule of quantities attached with the tender and nowhere else i.e. letter heads etc.
- 11. The contractors are specifically required to quote only one rate against each item. The rate Quoted for any item of material shall conform to the prescribed specifications.
- 12. The quantities are approximate and are liable to change up to any extent on either side. The Engineer- in-Charge reserves right to order deviation from the quantities mentioned in the tender. The contractor shall supply the additional quantity on the rates quoted in the tender documents irrespective of deviation limit mentioned elsewhere in the agreement. The contractor shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which might have derive from the execution of supply in full as mentioned in tender but which did not derive any consequence of the full supply of material mentioned in tender not having been ordered. It is not necessary to use all items in the BOQ/Schedule during contract Period. The use shall be based on the requirement at Site. Contractor cannot claim Payment against Storage of items to maintain the deadline of completion of work as per Tender.
- 13. The maker of material shall be same as that of actually installed/fixed at site. But, in case of non- availability or due to any reason, Engineer-in-Charge can take decision to install equivalent/new items available in the BOQ/Schedule. In case of any dispute the decision of Engineer-in-Charge shall be final with regards to make/brand of material.
- 14. For materials used in this work, the record shall be maintained at site in a standard Performa to watch quality and consumption of the material.

15. SPECIALIZED WORK EXECUTION

Specialized Works: Specialized works /items/ jobs are those works that requires expertise/specialized skill and are executed after prequalification of agencies. They require special T&P and/or specialized skill.

Specialized works to be executed through-specialized agencies

Specialized works are those works for which there are specialized agencies available in the market to execute them. These works are listed in NIT. These works should be got executed through such agencies only to ensure a proper quality of work.

Agencies acceptable to the department In a tender where there are components of such specialized nature of works and such works should be got executed only through associated agencies specialized in these fields. The contractor shall indicate the name(s) and address with experience certificates of his associated specialized agencies those fulfilling the above conditions as early as possible and within one month of award of work.

Agencies engaged by the main contractor are required to fulfill the laid down criteria. In case the main contractor himself meets the required eligibility criteria as laid down by the Department for specialized work, he is allowed to execute the same after due verification etc. The main contractor gives detailed execution programme of the work which forms part of his agreement with the department. He indicates in the programme, the time/stage of the

work when the agencies of specialized components of works will be deployed by him. The main contractor enters into MOU with agencies associated by him for execution of specialized component as per conditions laid by Engineer-In-Charge.

The specialized firms satisfies the following eligibility criteria: Experience of having successfully completed works during last seven years ending on previous day of last day of submission of tender Three similar works each of value not less than 40% of the estimated cost put to tender. OR Two similar works each of value not less than 60% of the estimated cost put to tender. OR One similar work of value not less than 80% of the estimated cost put to tender. All amounts rounded off to a nearest convenient figure.

The main contractor has to associate agencies for specialized component(s) conforming to eligibility criteria and has to submit detail of such agency(s) to Engineer-in-charge of relevant component(s). within prescribed time. Name of the agency(s) to be associated shall be approved by Engineer-in-charge of relevant component(s).

In case the main contractor intends to change any of the above agency/agencies during the operation of the contract, he shall obtain prior approval of Engineer-in-charge of relevant specialized component(s).

The new agency/agencies shall also have to satisfy the laid down eligibility criteria. In case Engineer-in-charge is not satisfied with the performance of any agency, he can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.

The main contractor has to enter into MoU with agency(s) associated by him. Copy of such MoU shall be submitted to Engineer- in-charge of each relevant component. In case of change of associate contractor, the main agency(s) has to enter into MoU /agreement with the new contractor associated by him.

Executive Engineer (Civil)

AIIMS, Raipur

Form of Earnest Money Deposit

(Bank Guarantee Bond)

WHEREAS, contractor (Name of contractor) (Hereinafter called "the contractor") has submitted his tender dated
KNOW ALL PEOPLE by these presents that we
SEALED with the Common Seal of the said Bank thisday of
(1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
(2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required; OR
(b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,
We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.
This Guarantee will remain in force up to and including the date* after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in- Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.
DATESIGNATURE OF THE BANK
WITNESS
SEAL (SIGNATURE, NAME AND ADDRESS)
*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

FORM OF PERFORMANCE GUARANTEE BANK GUARANTEE

(On a stamp paper of appropriate value from any Nationalized Bank or Scheduled Bank)

To

Executive Engineer,

AIIMS RAIPUR, TATIBANDH, **RAIPUR - 492099** Dear Sir, In consideration of the AIIMS RAIPUR, having offered to except the terms and conditions of the proposed agreement between..... &M/S (hereinafter referred to as "the said Contractor (s)", which include his for expression shall successor assignees) the work Contract No in terms inter alia, of dated and the General Conditions of Contract and upon the the _____ Letter No._ condition of the Contractor's furnishing Security for the performance of the Contractor's obligations and discharge of the Contractor's liability under and in connection with the said Contract upto a sum of Rs. only) amounting to _____ percent of the total Contract value. (Rupees _____ _____(hereinafter called `The Bank' which expression shall include its successors and assignees) hereby jointly and severally undertake to guarantee the payment to the Employer in rupees forthwith on demand in writing and without protest or demur or any and all moneys payable by the Contractor to the Employer in respect of or in connection with the said Contract inclusive of all the Employer's losses and damages and costs, (inclusive between attorney and client) charges and expenses and other moneys payable in respect of the above as specified in any notice of demand made by the Employer to the Bank with reference to this guarantee upto an aggregate limit of Rs. (Rupees only).

- We______Bank Ltd. further agree that the Employer shall be sole judge of and as to whether the said Contractor has committed any breach or breaches of any of the terms and conditions of the saidContract and the extent of loss, damage, cost, charges and expenses caused to or suffered by or that may be caused to or suffered by the Employer on account thereof and the decision of the Employer that the said Contractor has committed such breach or breaches and as to the amount or amounts of loss, damage, costs, charges and expenses caused to or suffered by the Employer from time to time shall be final and binding on us.
- The Employer shall be at liberty without reference to the Bank and without affecting the full liability of the Bank hereunder to take any other Security in respect of the Contractor's obligations and liabilities hereunder or to vary the Contract or the work to be done there under vis-a-vis the Contractor or to grant time or indulgence to the Contractor or to reduce or to increase or otherwise vary the prices of the total Contract value or to release or to forbear from enforcement of all or any of the Security and/or any other Security(ies) now or hereafter held by The Employer and no such dealing(s) reduction(s) increase(s) or other indulgence(s) or arrangements with the

Contractor or release or forbearance whatsoever shall absolve the bank of the full liability to the Employer hereunder or prejudice the rights of the Employer against the bank.

- 4 This guarantee shall not be determined or affected by the liquidation or winding up, dissolution, or change of constitution or insolvency of the Contractor but shall in all respects and for all purposes be binding and operative until payment of all monies payable to the Employer in terms thereof.
- The bank hereby waives all rights at any time inconsistent with the terms of this guarantee and the obligations of the Bank in terms hereof shall not be anywise affected or suspended by reason of any dispute or disputes having been raised by the Contractor stopping or preventing or purporting to stop or prevent any payment by the Bank to

the Employer in terms hereof.

The amount stated in any notice of demand addressed by the Employer to the Bank as liable to be paid to the Employer by the Contractor or as suffered or incurred by the Employer on account of any losses or damages or costs, charges and/or expenses shall be conclusive evidence of the amount so liable to be paid to the Employer or suffered or incurred by the Employer as the case may be and shall be payable by the Bank to The Employer in terms hereof

	hereof.
7	This guarantee shall be a continuing guarantee and shall remain valid and irrevocable for all claims of the Employer and liabilities of the Contractor arising upto and until midnight of
8	This guarantee is valid till(date to be mentioned) (Sixty days beyond the stipulated date of completion or the extended period, thereof)
9	This guarantee shall be in addition to any other guarantee or Security whatsoever that the Employer may now or at any time anywise may have in relation to the Contractor's obligations/or liabilities under and/or in connection with the said Contract, and the Employer shall have full authority to have recourse to or enforce this Security in preference to any other guarantee or Security which the Employer may have or obtain and no forbearance on the part of the Employer in enforcing or requiring enforcement of any other Security shall have the effect of releasing the Bank from its full liability hereunder.
10	It shall not be necessary for the Employer to proceed against the said Contractor before proceeding against the Bank and the Guarantee herein contained shall be enforceable against the Bank notwithstanding that any Security which The Employer may have obtained or obtain from the Contractor shall at the time when proceedings are taken against the said bank hereunder be outstanding or unrealized.
11	We, the said Bank undertake not to revoke this guarantee during its currency except with the consent of the Employer in writing and agree that any change in the constitution of the said Contractor or the said bank shall not discharge our liability hereunder.
12	We the said Bank further that we shall pay forthwith the amount stated in the notice of demand notwithstanding any dispute/difference pending between the parties before the arbitrator and/or that any dispute is being referred to arbitration.
13	Notwithstanding anything contained herein above, our liability under this guarantee shall be restricted to Rs
Date	edday of20
For	and on behalf of Bank.
Issu	ed under seal

SPECIAL CONDITIONS OF CONTRACT

1. GENERAL

- 1.1 Wherever any reference to any Indian Standard Specifications of BIS or other International standards of ASTM / BS/EN occurs in the documents relating to this contract, the same shall be inclusive of all amendments issued there-to or revisions thereof, if any, up to the date of receipt of tenders.
- 1.2 The contractor shall work according to the programme of work as approved by the Engineer-in-charge, for which purpose, the contractor shall submit a programme of the work within 07 days from the stipulated date of start of the work based on computer software and shall update the same every fortnight.
- 1.3 The contractor shall take instructions from the Engineer-in-charge for stacking of materials at site. No excavated earth or building materials shall be stacked on areas where the buildings, roads, services or compound walls are to be constructed.
- 1.4 If as per Municipal or prevailing rules of the secured campuses owned by paramilitary forces, Institutions etc, the huts for labour are not to be erected at the site of work by the contractors, the contractors shall provide such accommodation at such locations as are acceptable to local bodies with all provisions concerning labour safety & sanitation as contained in the relevant clause of the contract, for which nothing shall be payable.
- 1.5 Unless otherwise provided in the Schedule of quantities, the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing shall be payable to him on this account.
- 1.6 The working drawings appearing at para 8.1(iii) of conditions of contract in the form CPWD-7/8, shall mean to include both architectural and structural drawings respectively. The structural and architectural drawings shall be properly correlated before executing the work. In case of any difference noticed between architectural and structural drawings, final decision, in writing of the Engineer-in-charge shall be obtained by the contractor before proceeding further.
- 1.7 Some restrictions may be imposed by the security staff etc. on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restriction / instructions including issue of identity cards to all persons authorized by him to do work / visit the work site and nothing shall be payable on this account.
- 1.8 The contractor shall make his own arrangements for obtaining electric connections, if required, and make necessary payments directly to the department concerned.
- 1.9 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor (s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed, so as not to interfere with the operations of other contractors, or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of Engineer-in-Charge. The contractor shall be responsible for any damage due to hindrance caused by him.
- 1.10 Cast iron pipes and fittings without ear shall be used. However, pipes and fittings with ears may be accepted without any extra payment. In such cases, clamps are not required and no extra payment shall be made for fixing the pipes in a different manner.
- 1.11 Any cement slurry added over base surface for bond or for continuation of concreting, for protecting reinforcement bars, its cost shall be deemed to have been included in the respective items, unless specified otherwise and nothing extra shall be payable nor extra cement shall be considered in the cement consumption on this account.

- 1.12 Stacking of materials and excavated earth including its disposal shall be done as per the directions of the Engineer-in-Charge. Double handling of materials or excavated earth if required at any stage shall have to be done by the contractor at his own cost.
- 1.13 No claim for idle establishment &labour, machinery &equipments, tools & plants and the like, for any reason whatsoever, shall be admissible during the execution of work as well as after its completion.
- 1.14 Only Star headed Stainless Steel screws shall be used unless otherwise specified.
- 1.15 Work shall be carried out in professional manner with finished product serving the intended purpose with specified strength, durability and aesthetics.
- 1.16 Work activities shall be executed in well thought out sequences such that consequent activities not adversely affecting previously done work. Nothing extra shall be payable to protect the works already done.
- 1.17 The contractor shall prepare all the needed shop drawings well in advance and get them approved before placing the order and execution of the item.
- 1.18 The contractor shall, at his risk and cost, make all arrangements and shall provide all facilities as the Engineer-in-Charge may require for collecting, and preparing the required number of samples for such tests at such time and to such place or places as may be directed by the Engineer in -Charge and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications.

2. RATES

- 2.1 The rates quoted by the Contractor are deemed to be inclusive of site clearance, setting out work, profile, setting lay out on ground, establishment of reference bench mark(s), installing various signage, taking spot levels, survey with total station, construction of all safety and protection devices, compulsory use of helmet and safety shoes, and other appropriate safety gadgets by workers, imparting continuous training for all the workers, barriers, preparatory works, construction of clean, hygienic and well ventilated workers housings in sufficient numbers as per drawing supplied by Engineer in charge, working during monsoon or odd season, working beyond normal hours, working at all depths, height, lead, lift, levels and location etc. and any other unforeseen but essential incidental works required to complete this work. Nothing extra shall be payable on this account and no extension of time for completion of work shall be granted on these accounts.
- 2.2 The rates quoted by the bidder, shall be firm and inclusive of all taxes and levies.
- 2.3 No foreign exchange shall be made available by the Department for importing (purchase) of equipment, plants, machinery, materials of any kind or any other items required to be carried out during execution of the work. No delay and no claim of any kind shall be entertained from the Contractor, on account of variation in the foreign exchange rate.
- 2.4 All ancillary and incidental facilities required for execution of work like labour camp, stores, fabrication yard, offices for Contractor, watch and ward, temporary ramp required to be made for working at the basement level, temporary structure for plants and machineries, water storage tanks, installation and consumption charges of temporary electricity, telephone, water etc. required for execution of the work, liaison and pursuing for obtaining various No Objection Certificates, completion certificates from local bodies etc., protection works, testing facilities / laboratory at site of work, facilities for all field tests and for taking samples etc. during execution or any other activity which is necessary (for execution of work and as directed by Engineer-in-Charge), shall be deemed to be included in rates quoted by the Contractor, for various items in the schedule of quantities. Nothing extra shall be payable on these accounts. Before start of the work, the Contractor shall submit to the Engineer-in-Charge, a site / construction yard layout, specifying areas for construction, site office, positioning of machinery, material yard, cement & other storage, fabrication yard, site laboratory, water tank etc.
- 2.5 For completing the work in time, the Contractor might be required to work in two or more shifts (including night shifts). No claim whatsoever shall be entertained on this account, not with-standing the fact that the

Contractor may have to pay extra amounts for any reason, to the labourers and other staff engaged directly or indirectly on the work according to the provisions of the labour and other statutory bodies regulations and the agreement entered upon by the Contractor with them.

2.6 All material shall only be brought at site as per program finalized with the Engineer-in-Charge. Any predelivery of the material not required for immediate consumption shall not be accepted and thus not paid for.

3. CLEANLINESS OF SITE

The Contractor shall not stack building material / malba / muck/ rubbish on the land or road of the local development authority or on the land owned by the others, as the case may be. So the muck, rubbish etc. shall be removed periodically as directed by the Engineer-in-Charge, from the site of work to the approved dumping grounds as per the local byelaws and regulations of the concerned authorities and all necessary permissions in this regard from the local bodies shall be obtained by the Contractor. Nothing extra shall be payable on this account. In case, the Contractor is found stacking the building material / malba as stated above, the Contractor shall be liable to pay the stacking charges / penalty as may be levied by the local body or any other authority and also to face penal action as per the rules, regulations and bye-laws of such body or authority. The Engineer —in-Charge shall be at liberty to recover, such sums due but not paid to the concerned authorities on the above counts, from any sums due to the Contractor including amount of the Security Deposit and performance guarantee in respect of this contract agreement.

4. INSPECTION OF WORK

In addition to the provisions of relevant clauses of the contract, the work shall also be open to inspection by the Engineer-In-Charge, AIIMS Raipur and other senior officers of AIIMS Raipur and his authorized representative. The contractor shall at times during the usual working hours and at all times at which reasonable notices of the intention of the Engineer-in-Charge or other officers as stated above to visit the works shall have been given to the Contractor, either himself be present to receive the orders and instructions or have a responsible Site Engineer duly accredited in writing, to be present for that purpose Senior Officers of AIIMS Raipur Authorities shall also be inspecting the on-going work at site at any time with or without prior intimation.

5. CO-OPERATION WITH OTHER CONTRACTORS/SPECIALIZED AGENCIES / SUB - CONTRACTORS

5.1 The Contractor shall take all necessary precautions to prevent any nuisance or inconvenience to the owners, tenants or occupants of the adjacent properties and to the public in general .The Contractor shall take all care, as not to damage any other adjacent property or other services running adjacent to the plot. If any damage is done, the same shall be made good by the Contractor at his own cost and to the entire satisfaction of the Engineer-in-Charge. The Contractor shall use such methodology and equipments for execution of the work, so as to cause minimum environmental pollution of any kind during construction. Further, the Contractor shall take all precautions to abide by the environmental related restrictions imposed by Madhya Pradesh Pollution control board, Govt. of Madhya Pradesh.

Utmost care shall be taken to keep the noise level to the barest minimum so that no disturbance as far as possible is caused to the occupants / users of adjoining buildings. No claim what so ever on account of site constraints mentioned above or any other site constraints, inadequate availability of skilled, semi-skilled or unskilled workers in the near vicinity, non-availability of construction machinery spare parts and any other constraints not specifically stated here, shall be entertained from the Contractor. Therefore, the Tenderers are advised to visit site and get first-hand information of site constraints. Accordingly, they should quote their tenders. Nothing extra shall be payable on this account.

5.2 The Contractor shall cooperate with and provide the facilities to the sub-Contractors and other agencies working at site for smooth execution of the work. The contractor shall indemnify STC, BSF, authorities.

Against any claim(s) arising out of such disputes. The Contractor shall:

- (i) Allow use of scaffolding, toilets, sheds etc.
- (ii) Properly co-ordinate their work with the work of other Contractors.
- (iii) Provide control lines and benchmarks to his Sub-Contractors and the other Contractors.
- (iv) Provide electricity and water at mutually agreed rates.
- (v) Provide hoist and crane facilities for lifting material at mutually agreed rates.
- (vi) Co-ordinate with other Contractors for leaving inserts, making chases, alignment of services etc. at site.
- (vii) Adjust work schedule and site activities in consultation with the Engineer-in-Charge and other Contractors to suit the overall schedule completion.
- (viii) Resolve the disputes with other Contractors/ sub-contractors amicably and the Engineer-in-Charge shall not be made intermediary or arbitrator.
- 5.3 The work should be planned in a systematic manner so as to ensure proper co-ordination of various disciplines viz. sanitary & water supply, drainage, rain water harvesting, electrical, firefighting, information technology, communication & electronics and any other services.
- 5.4 Other agencies will also simultaneously execute and install the works of sub-station / generating sets, air-conditioning, lifts, etc. for the work and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. shall be supplied free of cost by the department unless otherwise specifically mentioned) and the contractor shall fix the same at time of casting of concrete, stone work and brick work, if required, and nothing extra shall be payable on this account.
- 5.5 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor(s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed so as not to interfere with the operations of other contractor or he shall arrange his work with that of the others in an acceptable and in a proper co-ordinate manner and shall perform it in proper sequence to the complete satisfaction of others.

6. SAFETY MEASURES AT CONSTRUCTION SITE

In order to ensure safe construction, following shall be adhered for strict compliance at the site:-

- (i) The work site shall be properly barricaded.
- (ii) Adequate singnages indicating 'Work in Progress Inconvenience caused is Regretted' or Diversion Signs shall be put on the sites conspicuously visible to the public even during night hours. These are extremely essential where works are carried out at public places in use by the public.
- (iii) The construction malba at site shall be regularly removed on daily basis.
- (iv) All field officials and the workers must be provided with safety helmets, safety shoes and safety belts.
- (v) Proper MS pipe scaffoldings with work platforms and easy-access ladders shall be provided at site to avoid accidents.

Necessary First-Aid kit shall be available at the site.

The above provisions shall be followed in addition to the provisions of General Condition of Contract.

7. Field testing instruments

(Following instruments in sufficient quantity as directed by the Engineer- in- Charge shall be made available by the contractor. It shall be ensured that the instruments always remain in serviceable condition else the same will be replaced. In case of non-availability of instrument Engineer-In-Charge will purchase the same and the invoice amount will be deducted from the bill and will be bound to contractor in the interest of work.

- (1) Steel tapes 3 m / 5m / 7.5m / 15m / 30m
- (2) Vernier Calipers.
- (3) Micrometer screw 25 mm gauge.
- (4) A good quality plumb bob.
- (5) Spirit level, minimum 30 cms long with 3 bubbles for horizontal vertical.
- (6) Wire gauge (circular type) disc.
- (7) Foot rule.
- (8) Long nylon thread.
- (9) Rebound hammer for testing concrete
- (10) Dynamic penetrometer.
- (11) Magnifying glass
- (12) Screw driver 30 cms long
- (13) Ball pin hammer, 100 gms.
- (14) Plastic bags for taking samples
- (15) Moisture meter for timber
- (16) Earth resistance tests (for Electrical Divisions)
- (17) Multimeter, Meggar (for Electrical Divisions)
- (18) Total station

8. The contractor shall submit 'Method Statement' for the approval soon after the award of work

'Method Statement' is a statement by which the construction procedures for important activities of construction are stated, checked and approved. Method Statement shall have description of the item with elaborate procedures in steps to implement the same. The specification of the materials involved their testing and acceptance criteria, equipments to be used, precautions to be taken, mode of measurements etc.

9. TESTING OF MATERIALS

- 9.1 The contractor shall arrange carrying out of all tests required under the agreement through the laboratory as approved by the Engineer-in-Charge and shall bear all charges in connection therewith including fee for testing unless specified otherwise. In all cases cost of samples and to & fro carriage shall be borne by the contractor. Contractor shall establish a laboratory at site of work at his own cost. The laboratory shall be equipped with all necessary equipment as per requirement of specification or as per direction of Engineer-in-Charge. A list of laboratory equipment to be maintained by the contractor is enclosed at Para 13 page 40 & 41. Establishing the laboratory at site shall not absolve the contractor from fulfilling the criteria of getting the test done in independent approved laboratories as per DG, CPWD, O.M. No. DG/MAN/308 dated 29.05.2014. The decision of the Engineer-in-Charge of allowing any test in the site laboratory shall be final.
- 9.2 Even ISI marked materials may be subjected to quality test at the discretion of the Engineer-in-Charge besides testing of other materials as per the specifications described for the item/material. Whenever ISI marked materials are brought to the site of work the contractor shall, if required by the Engineer-in-Charge, furnish manufacturer test certificate or test certificate from approved testing laboratory to establish that

- the material procured by the contractor for incorporation in the work satisfy the provisions of IS codes relevant to the material and/or the work done.
- 9.3 Substandard Material/Work: In case any material/work is found substandard the same shall be rejected by the Engineer-in-Charge and the same shall be removed from the site of work within 48 hour, failing which the same shall be got removed by the Engineer-in-Charge at the risk and cost of the contractor without giving any further notice and time.



FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME

(PART - I)

- 1. Name of contractor
- 2. Name of work as given in the agreement
- 3. Agreement no.
- 4. Estimated amount put tender
- 5. Date of commencement of work as per agreement
- 6. Period allowed for completion of work as per agreement
- 7. Date of completion stipulated in agreement
- 8. Period for which extension of time has been given previously:

	EE's letter no. and date	Extension granted	
		Months	Days
(a) 1st extension			
(b) 2nd extension			
(c) 3rd extension			
d) 4th extension			
(e) Total extension previously given			

- 9. Reasons for which extension have been previously given (copies of the previous applications should be attached)
- 10. Period for which extension if applied for
- 11. Hindrances on account of which extension is applied for with dates on which hindrances occurred and the period for which these are likely to last.

Serial	Nature of	Date of	Period for	Period for	Overlapping	Net	Remarks,
no	hindrance	occurrence	which it is likely to last	which extension required for this particular hindrance	period if any, with reference to item.	extension applied for	if any
а	b	С	d	е	f	g	h

Total period on account of hindrances mentioned above...... Months Days

14. Fotal extension of time required for 11 & 12
--

Signature of	contractor
Dated:	

^{12.}Extension of time required for extra work.

^{13.} Details of extra work and the amount involved:

a. Total value of extra work

b.Proportionate period of extension of time based on estimated amount put to tender on account of extra work.

FORM OF APPLICATION OF THE CONTRACTOR FOR SEEKING RESCHEDULING OF THE MILESTONES

- 1. Name of contractor
- 2. Name of work as given in the agreement
- 3. Agreement no.
- 4. Estimated amount put tender
- 5. Date of commencement of work as per agreement
- 6. Period allowed for completion of work as per agreement
- 7. Date of completion stipulated in agreement
- 8. Rescheduling of milestones done previously

Milestone No. Already Rescheduled	EE's Letter No. and Date	Rescheduling Of Milestones Done		
		Original Date	Rescheduled Date	
(A) 1st Milestone				
(B) 2nd Milestone				

Rescheduling of milestone applied for

Original/	Details And Period	Comments of	Proposed
Rescheduled Date	of Hindrances	Executive Engineer	Rescheduled Date
			of
	•		

GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS

between son of of (hereinafter called the Guarantor of the

Contractor, inter alia, undertook to render the buildings and structures in the said contract recited

The Agreement made this day of two thousand and

one part) and the PRESIDENT OF INDIA (hereinafter called Government of the other part).

completely water and leak-proof.

water and leak-proof for five years from the date of giving of water proofing treatment.
NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the maintenance period prescribed in the contract.
Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:
(a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;
(b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;
(c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.
During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer- in-Charge as to the cost, payable by the Guarantor shall be final and binding.
That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-Charge will be final and binding on the parties.
IN WITNESS WHEREOF these presents have been executed by the Obligorand by and

for and on behalf of the PRESIDENT OF INDIA on the day, month and year first above written.

Signed, sealed and delivered by OBLIGOR in the presence of

1.

2.

Signed for and on behalf of THE PRESIDENT OF INDIA by in the presence of

1.

LIST OF SPECIALIZED ITEMS / JOBS

List I - Civil Works

- 1. ** Water proofing treatment work.
- 2. Steel work in steel bridge work, space frames for long span structures, steel towers.
- 3. ** Special foundations including all types of piles.
- 4. RCC Overhead Tank with independent staging.
- 5. Structural Repair and Rehabilitation/ Retrofitting works.
- 6. Soil Investigation and Survey Work.
- 7. ** Facade cleaning system and façade cleaning.
- 8. Custom made wooden furniture (factory made).
- 9. Diaphragm walls.
- 10. Post construction Anti-termite chemical treatment.
- 11. Water Treatment Plants
- 12. Security to vacant bungalows/premises.
- 13. Tentage works.
- 14. Washing/dry cleaning works.
- 15. Synthetic play area surface for games.
- 16. Electronic / Digital Signages.
- 17. Environment Impact Assessment Study and Environment Clearance.
- 18. Mechanized Housekeeping Work.

Note:

^{**}For these works, Specialized Agencies shall have to be associated by the duly approved specialized agency by Enginerr-In-Charge in case the Contractor does not possess the requisite eligibility and experience as per the NIT conditions to carry out these works..

Electrical Works

LIST- II(A)

- S. No. Supplying /fabrication, installation, testing and commissioning of the following
- 1. Kitchen equipment
- 2. Lifts, escalators and conveyors
- 3. Simultaneous interpretation systems
- 4. Gas plants.
- 5. Cold storage plant
- 6. Hot Water/Steam Boilers
- 7. Public address system; conferencing system, automatic vote recording system, recorders
- 8. Stage lighting
- 9. Projector and other special equipment for theatre
- 10. Repairs and calibration of various types of measuring instruments and relays etc.
- 11. Testing of transformer oil and dehydration and other type of high potential test.
- 12. Frequency Convertor
- 13. Temporary illumination, security lighting and wiring for power outlets for metal detectors in connection with Republic Day and Independence Day Celebrations.
- 14. EPBAX system (equipments).
- 15. EPBAX system (cabling and wiring).
- 16. Illumination of heritage caves and fiber optic lighting system
- 17. Security system and alarm
- 18. Building Automation System
- 19. Hydraulic platform /Lift

- 20. Incinerator 21. Laundry equipment
- 22. Centralized clock system.
- 23. Interior/exterior flood lighting of heritage/Monumental buildings/structures involving Computer aided design and evolution of special mounting arrangements for luminaries:
- 24. Gas pipe line
- 25. Modular OT
- 26. Electrically Operated Gate
- 27. Fountain Work
- 28. Water supply motors and pumps of 100 hp or more
- 29. Mechanized Car Parking Systems
- 30. VRV/VRF Type Air-Conditioning Systems
- 31. Oxygen Generation Plant
- 32. CCTV and Allied Equipments
- 33. Access Control System
- 34. Hydro Pneumatic Pumps
- 35. Providing and fixing of Sensor operated Gates
- 36. Precision Air Conditioning System
- 37. LAN System
- 38. SITC of active power factor filter
- 39. SITC of Solar Photo Voltaic Power generation system

LIST-II (B)

- S. No. Supplying /fabrication, installation, testing and commissioning of the following
- 1. Diesel Generating Set
- 2. Heating, Ventilation and Air-conditioning System

- 3. Sub-station equipment
- 4. Fire fighting system (including wet riser and sprinkler system, portable fire extinguishers)
- 5. Fire detection and alarm system

List -III Horticulture Works

(1) Construction of Vertical Green Wall.

LIST -IV Concurrent list of Specialized items/ jobs

- (1) Sewage Treatment Plant
- (2) Outsourcing of Day to Day Maintenance Work*
- *Note:
- (a) For Outsourcing of Day to Day Maintenance Work, Provision is to be made in the NIT for specialized agency duly approved by Engineer-In-Charge, not having the requisite eligibility and experience as per the NIT conditions, to execute the Comprehensive Maintenance Work by associating Agencies Specialized in Day to Day Maintenance Work.
- (b) Outsourcing of Day to Day Maintenance Work is the "Specialized Work" for the purpose of association only and not for awarding work on standalone basis.

No Claim Certificate

(On company letter head)

To,
The Executive Engineer,
Project Cell, AIIMS, Raipur
Name of Work-
Agreement No
Sub: No claim declaration / certificate
We have received the sum of Rs. (Rupees
Yours faithfully,
Signatures of contractor
or Officer authorised to sign the contract documents
on behalf of the contractor
(Company stamp)
Date:
Place:

APPROVED MATERIALS LIST (CIVIL)

Note:

- 1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender, shall be used in the work.
- 2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
- 3. Whenever the specified brand of material is not available then, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

	and its non-availability to his satisfaction.	
1.	Acid/Alkali Resistant Tile	Somany/ Nitco/ Kajariya/ Bell
2.	Premium Acrylic Emulsion Paint: Interior	Asian (Royale)/ ICI (Velvet)/ Berger (Luxol Silk)/ Nerolac Impression
3.	Admixures& Epoxy	FOSROC/ Aquomix/ BAL-ENDURA/ROFF/Dr.Fixit/CICO/SIKA/BASF
4.	Aluminium Composite Panel	Alpolic/ Aluco Bond/ Reynobond/ Euro bond/ Al-strong/Aludewr
5.	Aluminium Extrusions/ Sections	Hindalco/ Indalco/ Jindal/Indian Aluminium Co.
6.	P.T.M.T. Accessories	Prayag, PRAKASH, SHURYA/Supreme/Kingston
7.	Annealed Float Glass	Saint Gobain/ Modi Guard/ Hindustan Pilkington/TATA
8.	Centrifugally Cast Iron Pipe & Fittings	Neco/ RIF/ Kapilansh/ BIC/SKF/Electrosteel
9.	Ceramic Tiles	Kajaria/ Somany/ Nitco/ Orient Bell/
-		Johnson/Varmora/AGL/OASIS/Marbito
10.	Cement Concrete Chequired tiles	Raj-Tiles/ Bharat/ Rigid Tiles/Advance/Ultra Tiles/NITCO
11.	CP Bottle Trap	Parryware / Hindware / Jaquar / GRAFDOER by VMS Bathware Pvt. Ltd.
12.	CP Brass Bibcock/ Pillarcock/ Stopcock/ Angle Valve/ Concealed Stop Cock & CP fittings (Normal Range)	Marc(oriental series)/ Parko/ Jaquar (Continental series)/SPRING COLLECTION OF PRIMA /GEM/ESS/Plumber/ GRAFDOER by VMS BathwarePvt. Ltd. /L&K Metro/Vardhman/'Coral' series of parryware/'JOY' & 'VINTAGE' series of KEROVIT by Kajaria
13.	CP Waste Coupling	Mark/ GRAFDOER by VMS BathwarePvt. Ltd./ Parko or equivalent
14.	Curtain Carrier	Vista levlor or equivalent.
15.	Dash fastener/ Expansion Bolt/Stone Cladding Clamp	M/s DevAshish/HILTI/Fischer/Bosch/Wurth/Trixel.
16.	Door closer/ floor springs	Dorma/ Haffle/ Falcon/Godrej/Dorset/Kich/Sandhu/Hardwyn
17.	Drapery Rod	Vista Levlor or equivalent.
18.	Flushing cistern (single/Dual Flush) as per IS: 7231	Sleek Dual flush PVC cistern of Hindware / 'Slimline' of Parryware.
19.	EPDM Gasket	AnandLescuyer or equivalent.
20.	Epoxy Primer & Paints	Berger/ Pidilite/ CICO/ BASF/ SIKA/Asian/Nerolac/ICI Kansai Akzo Nobel.
21.	Fibre Glass Shelf	Kamal/ Bath King or equivalent.
22.	Float/Clear/Frosted/Toughened/Refractive Glass	Modi Float/ Saint Gobain/ Asahi/AIS/Modiguard.
23.	Flush Doors / Shutters as per IS: 2202	Kutty flush door/ Anchor/ Century/ Kitlam/Archid/JAYNA/Ashiyana Brand by Evergreen Industries/ Bhimsaria Door/ Century/ Greenply /Archid/Kitply/Selected Products Company/Jain Doors pvt. ltd./Duro/Durian
24.	Flush Valve	Aquel/ Marc/ Parryware/ Jaquar.
25.	FRP Shutters/frame	Fibre Glass Engineers/ Raipur/ Aashoo Model or equivalent/JAYNA/ Selected Products Company.
26.	Galvanized/Stainless Steel Anchor Fasteners	Shakti/ Arrow/ Hilti/ Fischer
27.	GI fitting	Tata/ Jindal/ Zenith/UNIK/AVR/Zoloto.
28.	GI Pipe	Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.
29.	Glass Mosaic Tile	Bissazza/ Saon or equivalent.
30.	Gun Metal Gate Valve	Zoloto/ Leader/ SAINT
31.	False Ceiling system	Boral Gypsum / India Gypsum/ Laffarge/ St. Gobain(Gyproc)/ Armstrong/Hunter Dougals/Aearolite/Gridsquare/Interarch
32.	Hardner	Hard crete of Snowcem India/ MC Deritop F.H.
33.	Jet Assembly for EWC	Parryware/ Jaquar/ Grohe/ Kohler
34.	Laminate	Marino/ Greenlam/ Decolam/ Century/ Formica/ Kitlam/Action TESA/Sunmica/Durian

35.	Low Level PVC Cistern Single flush	Sleek model Cistern of PVC of Hindware or 'Slimline' model of Parryware, JINDAL.
36.	Melamine Polish	Melamine Gold of Asian Paint/Wudfinof pidilite/Timbertone of ICI Dullex/ Beegel.
37.	Metal False Ceiling	Nittobo / Armstrong / Trac / Durlum / Huntordonglas/Aerolite
38.	Mineral Fibre/Calcium silicate Ceiling	Armstrong / Nitobo / Daiken / Hunter Douglas/ Aerolite
39.	Modular SS Railing System	Metallica India / Stark steel Fabricator / D-line International Denmark / Mobel Hardware.
40.	M.S.Pipe (Railing)	Jindal / Prakash Surya/ Tata/ RINIL
41.	Marine Plywood / BWP Ply	Kitply / Duro / Century/ Greenlam/ Durian
42.	Non asbestos high impact polypropelene reinforced Cement sheet	Everest or equivalent
43.	Oil Bound Distemper/Dry Distemper	Asian (Professional Acrylic Distemper)/Maxilite of ICI / Bisan of Berger/Nerolac (Beauty Acrylic Distemper)
44.	Water closet (Orissa Pan/Indian type) & fittings, accessories as per IS: 2556	Parryware / Hindware /'KEROVIT' by Kajaria/ESSCO by Jaquar.
45.	PE-AL-PE Composite pipes	Jindal or equivalent.
46.	Plastic Connection Pipe	Parryware/Kamal Delux or equivalent.
47.	Plywood/Veneer	Archid/ Kitply/ Green ply/ Century/JAYNA/Green Ply/Merino/Duro/Durian
48.	Polyester Powder Coating	Nerolac/ Berger/ J&N
49.	Poly Sulphide Sealant	PIDISEALbyM/s Pidilite Industry/RDL941- TECHSEALChokseyChemicals/BASF/SIKA/Fosroc
50.	Polymer Modified Cementitious grout	BalEndura/ PidiliteKeroKoal/Ultratech/Ardex/Ferrous Crete.
51.	Pre-laminated Particle Board IS: 12823 (Gr-I/ Type-II)	Kitlam/ Tesa/ Archidply/Eco brand/Century/Bhutan board/Action Tesa/Greenlam/Merino
52.	Primer (Cement Primer)	Decoprime WT of Asian/ white primer of ICI/BP white of Berger/ Nerolac
53.	PVC Rain Water Pipe & Fitting	Finolex/ Classic of Kisan/ Kasta/ Supreme/AKG.
54.	PVC Shutter and frames	Rajshri/ Sintex/Polyline/Duroplast/Jain wood Industries.
55.	PVC Tiles	Arm Strong/ LG or equivalent.
56. 57.	Screws Silicon Sealant	GKW / Nettle Fold or equivalent.
58.	Solid Plastic Seat Cover for EWC	G.E./ DOW Corning/Waker/BASF/Pidilite/ROFF EWC standard seat cover white of Parryware/Hindware/'KEROVIT' by
	Chairless Charl	Kajaria
59. 60.	Stainless Steel Stainless Steel Screws	Jindal Stainless Steel/ Salem Steel Kundan/ Arrow or equivalent
61.	Stainless steel Sink with or without Draining board.	Kundan/ Arrow or equivalent. Nirali/ Hindware/ Frankee/ Cobra/AMC/ GRAFDOER by VMS
01.	Stanless steel slik with or without Draining board.	BathwarePvt. Ltd./Parryware/Neelkanth/Nirali
62.	Structural Silicon Sealant	Dow Corning/ Wacker/ GE/ Du-pont
63.	Structural steel	TATA/ SAIL/ RINL/TISCO/JSW Steel ltd./Jindal steel & Power ltd.
64.	Super plasticizer	MC Baucheme/ Sika/ Fosroc
65.	Synthetic Enamel Paints	Gloss Synthetic Enamel of ICI(Dulux)/Asian (Apcolite Premium gloss)/Berger (Luxol Hi Gloss)/ Synthetic Hi Gloss of Nerolac
66.	Terrazzo tiles /Mosaic Tiles	Raj-Tiles/ Bharat/ Rigid Tiles/NIC/A-1/GTC
67.	Cement Concrete Paver Block &Kerb stone	Rigid Tiles/ Raj-Tiles/Advance
68.	Textured Exterior wall paint	Spectrum/ Ultratech / Heritage by Bakelite coating and paints/Asian paint/Berger/Nerolac/Luxture.
69.	Towel Ring/Towel Rod/Towel Rack	Kamal/ Marc or equivalent.
70.	Pre-Painted/powder coated CRC windows	M/s classic engineers and fabricators/ M/s JK Enterprises Jaipur/ Nclalltek&seccolor ltd. Hydrabad/ ultimate safety metals.
71.	Veneer	Archid/ SUN/ Durian/ Ventura/ NLDK
72.	Virtuosos China Wash Basin Oval	Hindware / Parryware /KEROVIT' by Kajaria/CERA/Jaguar/ESSCO by Jaquar.
73.	Vitreous China Floor moulded European with Cistern Complete	Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar.
74.	Vitreous China Floor Mounted European W.C. without cistern	Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaquar.
75.	Vitreous China Half stall Urinal	Model No. 6002 Urinal flat back large of Hindware or magnum of Parryware/ ESSCO by Jaquar.

Vitreous China Iabovatory Sink Vitreous China Low Level Cistern for European W.C. Jaquar. Vitreous China Low Level Cistern for European W.C. Jaquar. Vitreous China Low Level Cistern for European W.C. Jaquar. Vitreous China Pedestal for Wash Basin Vitreous China Wall Mounted W.C. with vitreous Cistern (component) Vitreous China Wall Mounted W.C. with vitreous Cistern Jaquar. Vitreous China Wall Mounted W.C. without Cistern. Jaquar. Vitreous China Wash Basin Rectangular without Pedestal Vitrified /Porcelain Tile Wash Pipe Wash Pipe Wash Wash Pipe W			
Vitreous China Low Level Cistern for European W.C. Jaquar.	76.	Vitreous China laboratory Sink	, , , , , , , , , , , , , , , , , , , ,
Vitreous China Pedestal for Wash Basin Pedstal of Parryware J Hindware or equivalent, CERA/Jaguar / ESSCO by Jaguar.	77.	Vitreous China Low Level Cistern for European W.C.	Hindware / Parryware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by
Vitreous China Wall Mounted W.C. with vitreous Cistern (component) Paryware / Hindware / KEROVIT by Kajaria/ CERA/Jaguar / ESSCO by Jaguar.	78.	Vitreous China Pedestal for Wash Basin	Pedstal of Parryware / Hindware or equivalent/ CERA/Jaguar/ ESSCO
Section Sect	79.		Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by
Vitreous China Wash Basin Rectangular without Pedestal Jaguar. Sindware / Parryware / KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by Jaguar.	80.	, , ,	Parryware / Hindware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by
82. Vitrified /Porcelain Tile Marbogranit/ Euro/, Somany, diamond of Naveen /Granamite of Bell / OASIS/ceram/c Granito/ Kajaria/ M/s Restile/Rak/ Johnson/Nitco/ Varmora/AGL/Marbito. 83. Waste Pipe 84. Water Proofing Compound (Liquid) Pidiproof ttd. (CiCO/ Super plast by M/s Structural water proofing/ impermo/POSROC/Dr. Fixit (Pidlite industries)/BASF/RORF/SIKA/ArdesEndura (BalEndura). 85. White Cement 86. CPVC Pipes as per IS: 15778 86. CPVC Pipes as per IS: 15778 87. Teak wood/hard wood wire mesh & panel doors 87. Teak wood/hard wood wire mesh & panel doors 88. Reinforcement steel 89. Block Boards as per IS: 1559 90. Brass bil cocks / Stop cock 90. Brass bil cocks / Stop cock 91. Brass bil cocks / Float valve) 91. Brass bil cocks / Float valve) 92. Water meter 93. HDPP Pipes as per IS: 4984 86. KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Reliance/Jain 87. Teak mode of the with frame 94. uPVC Pipes as per IS: 4985 87. KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Prince/Ashirwad/Astral 95. uPVC SWR Pipes SN 8 as per IS: 13592 87. Wooden Shutter with frame 98. uPVC Windows/Doors 99. Cement (OPC/PPC) 90. Cement (OPC/PPC) 10. Colour coated profile sheets 10. Colour coated profile sheets 10. Float Glass Profile sheets 10. Colour coated profile sheets 10. Siesto Brand by Bramsaria doors or equivalent. 10. Siesto Brand by Bramsaria doors or equivalent. 10. Colour coated profile sheets 10. Float Glass Profile sheets 10. Float Glass Profile sheets 10. Gledux, nerolac, being erick of shirt with frame 10. Colour coated profile sheets 10. Float Glass Profile sheets 10. Float Glass Profile sheets 10. Float Glass Profile sheets 10. Siesto Brand by Bramsaria doors or equivalent. 10. Siesto Brand by Bramsaria doors or equivalent. 10. Float Glass Profile sheets 10. Siesto Brand by	81.	Vitreous China Wash Basin Rectangular without Pedestal	Hindware / Parryware /KEROVIT' by Kajaria/ CERA/Jaguar/ ESSCO by
Waste Pipe Kamal with brass checknut/Viking	82.	Vitrified /Porcelain Tile	Marbogranit/ Euro/ Somany/ diamond of Naveen /Granamite of Bell /OASIS/ceramic/ Granito/ Kajaria/ M/s Restile//Rak/ Johnson/Nitco/
Water Proofing Compound (Liquid) Pidiproof Ltd./CLO/ Super plast by M/s Structural water proofing/ Impernof/PSORC/Or Fist (Pidilite Industries))/BASF/ROFF/SIKA/ArdexEndura (BalEndura). Jk White Cement Jk White Elow Or KRISHI POLYMERS/Supreme/KSR by Kisan Irrigation/Flowguard plus by finolex/Prince A-1 Teak product Indore or equivalent. Amarc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS: 781 or equivalent. Amarc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS: 1703 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1703 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SPRING COLLECTION OF PRIMA as per IS: 1709 or equivalent. SP	83.	Waste Pipe	
86. CPVC Pipes as per IS: 15778 AKG/Ashirvad/PRIME FLOW OF KRISHI POLYMERS/Supreme/KSR by Kisan irrigation/Flowguard plus by finolex/Prince 87. Teak wood/hard wood wire mesh & panel doors 88. Reinforcement steel 89. Block Boards as per IS: 1659 JAYNA/Century/Greenply/Archid/Kitply or equivalent. 90. Brass bil cocks/stop cock Marc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS: 781 or equivalent. 91. Brass ball cocks (Float valve) Water meter 92. Water meter SPRING COLLECTION OF PRIMA as per IS: 1779 or equivalent. 83. HDDE Pipes as per IS: 4985 KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Reliance/Jain 84. uPVC Pipes as per IS: 4985 WPVC Screen and casing pipes for bore well/tube well as per IS: 12818 95. uPVC Screen and casing pipes for bore well/tube well as per IS: 12818 96. uPVC-SWR Pipes SN 8 as per IS: 33592 KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Prince/Ashirwad/ 87. Wooden Shutter with frame Siesto Brand by Bramsaria doors or equivalent. 98. uPVC Windows/Doors 99. Cement (OPC/PPC) A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement and Cement Corporation of India. 100 Corrugated GI Sheets Tata, Essar, Sail ISW, Bhusan 101 Colour coated profile sheets Tata, Essar, Sail ISW, Bhusan 102 Float Glass Profile Sheet TATA (transparent) 103 Aluminium doors & window fittings (heavy duty) 104 Steel/Wood primer / paint 105 Bitumen 85/25 HPCI, IOCI 106 PVC water storage tanks Sintex, water well, Siltank, Polywell/Plastof 'SILTANK' by Supreme 107 Bitumen VG-30, VG-10 etc. As per particular specification of item from IOCL, BPCL. Phenotherm manufactured by Bakelite Coatings & paints Itd. or equivalent. 116 FRP Phorta cabin Selected Products Company or equivalent. 117 FRP Phorta cabin Selected Products Company or equivalent. 118 FRP Phorta cabin Selected Products Company or equivalent. 119 GRPC Well well as paints Itd. or equivalent. 110 GRPC Well well as paints Itd. or equivalent. AKC Extrusion Pvt Ltd. or equivalent. AKC Extrusion Pvt	84.	Water Proofing Compound (Liquid)	Impermo/FOSROC/Dr.Fixit (Pidilite
Kisan irrigation/Flowguard plus by finolex/Prince 87. Teak wood/hard wood wire mesh & panel doors 88. Reinforcement steel 88. Reinforcement steel 89. Block Boards as per IS: 1659 90. Brass bib cock/stop cock 91. Marc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS: 781 or equivalent. 91. Brass ball cocks (Float valve) 92. Water meter 93. HDPE Pipes as per IS: 4984 94. UPVC Screen and casing pipes for bore well/fube well as per IS: 12818 95. UPVC Screen and casing pipes for bore well/fube well as per IS: 12818 96. UPVC SWR Pipes SN 8 as per IS: 13592 Wooden Shutter with frame 97. Wooden Shutter with frame 98. UPVC Windows/Doors 99. Cement (OPC/PPC) A.C.C., Jaypee Cement, Ufsrayard, Sir Johnson of India. 100. Corrugated GI Sheets 101. Coloru coated profile sheets 102. Float Glass Profile Sheet TATA (transparent) 103. Aluminium doors & window fittings (Heavy duty) 104. Steel/Wood primer / paint 105. Bittumen VG-30, VG-10 etc. 106. PVC water storage tanks 107. Sir Johnson Selected Products Suppley Right India (PPC). 108. Rigid Phenolic foam for cold and hot insulation as per IS: 1329 109. Surface Texture Finishes 100. Herrich Corrugated Sheets 101. Goloru coated profile sheets 102. Float Glass Profile Sheet TATA (transparent) 103. Steel/Wood primer / paint 104. Steel/Wood primer / paint 105. Bittumen VG-30, VG-10 etc. 106. Steel/Wood primer / paint 107. Holoru coated profile sheets 108. Steel St	85.		JK White/ Birla White.
88. Reinforcement steel Tata/Sail/RinII/Jindal/Jindal steel & power ltd. 88. Reinforcement steel Tata/Sail/RinII/Jindal/Jindal steel & power ltd. 89. Block Boards as per IS: 1559 JAYNA/Century/Greenply/Archick/Kitply or equivalent. 90. Brass bib cocks/stop cock Marc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS: 781 or equivalent. 91. Brass ball cocks (Float valve) Marc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS: 1703 or equivalent. 92. Water meter SPRING COLLECTION OF PRIMA as per IS: 779 or equivalent. 93. HDPE Pipes as per IS: 4985 KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Reliance/Jain KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Reliance/Jain irrigation/Supreme/Astral/Prince/Ashirwad 95. uPVC Screen and casing pipes for bore well/tube well as per IS: 12818 96. uPVC-SVR Pipes SN 8 as per IS: 13592 KRISHNA plast pipes/KSR by Kisan irrigation/Supreme. 97. Wooden Shutter with frame Siesto Brand by Bramsaria doors or equivalent. 98. uPVC Windows/Doors SIESTO Brand by Brimsaria Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast Tata (Ezydeck/)Lloyd Superdeck/JSW/Jindal Tata (Edydeck/)Lloyd Superdeck/JSW/Jindal Tata (Edydeck/	86.	CPVC Pipes as per IS: 15778	
88. Reinforcement steel 89. Block Boards as per IS: 1659 90. Brass bib cocks/stop cock 91. Brass bib cocks/stop cock 92. Marc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS: 781 or equivalent. 93. HDPE Pipes as per IS: 4984 94. UPVC Pipes as per IS: 4985 95. UPVC Screen and casing pipes for bore well/tube well as per IS: 13592 96. WOOden Shutter with frame 97. Wooden Shutter with frame 98. UPVC Windows/Doors 99. Cement (OPC/PPC) 99. Cement (OPC/PPC) 100 Corrugated GI Sheets 101 Colour coated profile sheets 102 Float Glass Profile Sheet TATA (transparent) 103 Aluminium doors & window fittings (Heavy duty) 105 Bitumen 85/25 106 PVC water storage tanks 107 Surface Texture Finishes 108 Heritage manufactured by Bakelitet Option 109 Selected Products Company or equivalent. 100 Selected Products Company or equivalent. 101 G.I. Wire-mesh/Netting 102 Selected Products Company or equivalent. 103 Surface Texture Finishes 104 Heritage manufactured by Bakelitet Option 105 Selected Products Company or equivalent. 106 Selected Products Company or equivalent. 107 Selected Products Company or equivalent. 108 Surface Texture Finishes 109 Selected Products Company or equivalent. 100 Selected Products Company or equivalent. 101 Selected Products Company or equivalent. 102 Selected Products Company or equivalent. 103 Surface Texture Finishes 104 Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent. 105 Selected Products Company or equivalent. 106 Selected Products Company or equivalent. 107 Selected Products Company or equivalent. 108 Builder Heritage Products Company or equivalent. 109 Surface Texture Finishes 100 Selected Products Company or equivalent. 101 Selected Products Company or equivalent. 102 Selected Products Company or equivalent. 103 Selected Products Company or equivalent. 104 Selected Products Company or equivalent. 105 Selected Products Company or equivalent. 106 Selected Products Company or equivalent. 107 Selected Products Company or equivalent			
89. Block Boards as per IS: 1659 Brass bib cocks/stop cock Marc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS: 781 or equivalent. 91. Brass ball cocks (Float valve) Marc/Parko/Jaquar/SPRING COLLECTION OF PRIMA as per IS: 781 or equivalent. 92. Water meter SPRING COLLECTION OF PRIMA as per IS: 1703 or equivalent. 93. HDPE Pipes as per IS:4984 KRISHNA plast pipes/KSC Rb y Kisan irrigation/Supreme/Reliance/Jain KRISHNA plast pipes/KSC Rb y Kisan irrigation/Supreme/Reliance/Jain kRISHNA plast pipes/KSC Rb y Kisan irrigation/Supreme/Reliance/Jain kRISHNA plast pipes/KSC Rb y Kisan irrigation/Supreme/Astral/Prince/Ashirwad 95. uPVC Screen and casing pipes for bore well/tube well as per IS: 12818 96. uPVC-SWR Pipes SN 8 as per IS: 13592 KRISHNA plast pipes/KSC Rb y Kisan irrigation/Supreme. 97. Wooden Shutter with frame Siesto Brand by Bramsaria doors or equivalent. 98. uPVC Windows/Doors SIESTO Brand by Brimsaria Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast 99. Cement (OPC/PPC) A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement and Cement Corporation of India. 100. Corrugated GI Sheets Tata, Essar, Sail JSW, Bhusan 101. Colour coated profile sheets Tata, Essar, Sail JSW, Bhusan 102. Float Glass Profile Sheets Tata, Essar, Sail JSW, Bhusan 103. Aluminium doors & window fittings (Heavy duty) Jyoti, Argent, Everest/Kilong/Alualpha/classic/Ebco 104. Steel/Wood primer / paint ICI delux, nerolac, berger, asian HPCI, IOCL Bitumen WS-30, VG-10 etc. As per particular specification of item from IOCL, BPCL, HPCL. Phenotherm manufactured by Bakelite Hylam Itd 13204 109. Surface Texture Finishes Heritage manufactured by Bakelite Hylam Itd 13204 1405 FRP Orta cabin Selected Products Company or equivalent. 151. FRP Porta cabin Selected Products Company or equivalent. 151. Will Per Porta cabin Selected Products Company or equivalent. 152. Will Pylic Agriculture/Pressure pipes and fittings AKG Extrusion Pyl Ltd. or equivalent.	87.	Teak wood/hard wood wire mesh & panel doors	A-1 Teak product Indore or equivalent.
90. Brass bib cocks/stop cock 91. Brass ball cocks (Float valve) 92. Water meter 93. HDPE Pipes as per IS:4984 94. uPVC Pipes as per IS:4985 95. uPVC Screen and casing pipes for bore well/tube well as per IS: 12818 96. uPVC-SWR Pipes SN 8 as per IS: 13592 Wooden Shutter with frame 97. wooden Shutter with frame 98. uPVC Windows/Doors 99. Cement (OPC/PPC) 100. Corrugated GI Sheets 101. Colour coated profile sheets 102. Float Glass Profile Sheet KTAT (transparent) 103. Aluminium doors & window fittings (Heavy duty) 103. Aluminium doors & window fittings (Heavy duty) 105. Bitumen 85/25 106. PVC water storage tanks 107. Glass Profile Sheet TATA (transparent) 108. Bitumen 85/25 109. Brass ball cocks (Float valve) 109. Surface Texture Finishes 100. Surface Texture Finishes 101. Glass Profile Sheet She	88.	Reinforcement steel	Tata/Sail/RINL/Jindal/Jindal steel & power ltd.
91. Brass ball cocks (Float valve) 92. Water meter 93. HDPE Pipes as per IS:4984 94. UPVC Pipes as per IS:4985 95. UPVC Screen and casing pipes for bore well/tube well as per IS: 1818 96. UPVC-SWR Pipes SS 8 as per IS: 33592 97. Wooden Shutter with frame 98. UPVC Windows/Doors 99. Cement (OPC/PPC) 90. Cement (OPC/PPC) 90. Cement (OPC/PPC) 90. Cement (OPC/PPC)	89.	Block Boards as per IS: 1659	JAYNA/Century/Greenply/Archid/Kitply or equivalent.
92. Water meter 93. HDPE Pipes as per IS:4984 84. KRISHNA plast pipes/KSR by Kisan irrigation/Supreme/Reliance/Jain 94. uPVC Pipes as per IS: 4985 85. KRISHNA plast pipes/ASTA J/Prince/Ashirwad 95. uPVC Screen and casing pipes for bore well/tube well as per IS: 12818 96. uPVC Screen and casing pipes for bore well/tube well as per IS: 12818 97. uPVC SWR Pipes SN 8 as per IS: 13592 88. uPVC-SWR Pipes SN 8 as per IS: 13592 89. uPVC Windows/Doors 99. cement (OPC/PPC) 99. cement (OPC/PPC) A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement and Cement Corporation of India. 100 Corrugated GI Sheets 101 Colour coated profile sheets 102 Float Glass Profile Sheet TATA (transparent) 103 Aluminium doors & window fittings (Heavy duty) 104 Steel/Wood primer / paint 105 Bitumen 85/25 HPC, IOCL 106 PVC water storage tanks 107 Situmen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 118 Glass Products Company or equivalent. 119 Surface Texture Finishes 110 FRP Chhajjas 111 FRP Porta cabin 112 Glave (Withe Cement based) 113 Wall Putty (White Cement based) 114 AAC block 115 UPVC Agriculture/Pressure pipes and fittings 115 UPVC Agriculture/Pressure pipes and fittings 116 AKG Extrusion Pvt Ltd. or equivalent. 117 DPVC Agriculture/Pressure pipes and fittings 117 ACC portugated Frouts or equivalent. 118 UPVC Agriculture/Pressure pipes and fittings 119 ACC portugated GI Sheets 110 ACC products Company or equivalent. 111 DPVC Agriculture/Pressure pipes and fittings 119 ACC portugated GI Sheets 110 ACC products Company or equivalent. 111 ACC products Company or equivalent. 112 GL. Wive-mesh/Netting 114 AAC block 115 UPVC Agriculture/Pressure pipes and fittings 116 ACC products Company or equivalent. 117 ACC products Company or equivalent. 118 UPVC Agriculture/Pressure pipes and fittings 119 ACC products Company or equivalent. 110 OPVC Agriculture/Pressure pipes and fittings 110 ACC products Company or equivalent. 1110 ACC products Company or equivalent. 1111 ACC products Company	90.	Brass bib cocks/stop cock	
93. HDPE Pipes as per IS: 4985 94. uPVC Pipes as per IS: 4985 95. uPVC Screen and casing pipes for bore well/tube well as per IS: 12818 96. uPVC-SWR Pipes SN 8 as per IS: 13592 97. Wooden Shutter with frame 98. uPVC Windows/Doors 98. uPVC Windows/Doors 99. Cement (OPC/PPC) 100 Corrugated GI Sheets 101 Colour coated profile sheets 102 Float Glass Profile Sheet TATA (transparent) 103 Aluminium doors & window fittings (Heavy duty) 103 Aluminium doors & window fittings (Heavy duty) 104 Steel/Wood primer / paint 105 Bitumen 85/25 106 Bitumen 85/25 107 Bitumen 85/25 108 Rigid Phenolic foam for cold and hot insulation as per IS: 118 Selected Products Company or equivalent. 119 FRP Chhajjas 120 Verve Super Sewer (Price Ashirwad/Astral) 121 Selected Products Company or equivalent. 122 Gl. Wire-mesh/Netting 123 Wall Putty (White Cement based) 124 AAC block 125 UPVC Agriculture/Pressure pipes and fittings 126 AKE Statusion Pvt Ltd. or equivalent. 127 LUPVC Agriculture/Pressure pipes and fittings 128 AKE Statusion Pvt Ltd. or equivalent. 129 LUPVC Agriculture/Pressure pipes and fittings 140 AKE Statusion Pvt Ltd. or equivalent. 141 AAC block 142 GLEVER STATE (Librory Captured Price AKE (Librory Captured Price) AKE (Librory Captured Prince/Ashirwad Ake (Librory Captured Prince/Ashirwad (L	91.	Brass ball cocks (Float valve)	
94. uPVC Pipes as per IS: 4985 KRISHNA plast pipes/AKG/ KSR by Kisan irrigation/Supreme/Astral/Prince/Ashirwad 95. uPVC Screen and casing pipes for bore well/tube well as per IS: 12818 96. uPVC-SWR Pipes SN 8 as per IS: 13592 KRISHNA plast pipes/KSR by Kisan irrigation/Supreme. 97. Wooden Shutter with frame Siesto Brand by Brimsaria doors or equivalent. 98. uPVC Windows/Doors SIESTO Brand by Bhimsaria Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement and Cement Corporation of India. 100 Corrugated GI Sheets Tata, Essar, Sail JSW, Bhusan 101 Colour coated profile sheets Tata, Essar, Sail JSW, Bhusan 102 Float Glass Profile Sheet TATA (transparent) Tata, Modiguard, Saint Gobain 103 Aluminium doors & window fittings (Heavy duty) Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco 104 Steel/Wood primer / paint 105 Bitumen 85/25 HPC, IOCL 106 PVC water storage tanks Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme 107 Bitumen VG-30, VG-10 etc. As per particular specification of item from IOCL, BPCL, HPCL. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 122 G.I. Wire-mesh/Netting Selected Products Company or equivalent. 110 G.I. Wire-mesh/Netting Selected Products Company or equivalent. 111 FRP Porta cabin Selected Products Company or equivalent. 112 G.I. Wire-mesh/Netting Selected Products Company or equivalent. 113 Wall Putty (White Cement based) Buildwell (Walplast Products PV. Ltd.)/Birla wall care/JK white/Berger/Akain paints/ferrous Crete 'Ecorew' manufactured by Ecores Buildtechpyt. Ltd. or equivalent. 115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.	92.	Water meter	
irrigation/Supreme/Astral/Prince/Ashirwad	93.		
per IS : 12818 96. uPVC-SWR Pipes SN 8 as per IS: 13592 Wooden Shutter with frame 97. Wooden Shutter with frame 98. uPVC Windows/Doors SIESTO Brand by Bramsaria doors or equivalent. 99. Cement (OPC/PPC) A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement and Cement Corporation of India. 100 Corrugated GI Sheets 101 Colour coated profile sheets 102 Float Glass Profile Sheet TATA (transparent) 103 Aluminium doors & window fittings (Heavy duty) 104 Steel/Wood primer / paint 105 Bitumen 85/25 HPCI, IOCL 106 PVC water storage tanks Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme As per particular specification of item from IOCL, BPCL, HPCL. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 119 Surface Texture Finishes Heritage manufactured by Bakelite Coatings & paints Itd. or equivalent. 110 FIRP Porta cabin Selected Products Company or equivalent. 111 FRP Porta cabin Selected Products Company or equivalent. 112 G.I. Wire-mesh/Netting Wall Putty (White Cement based) White/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by Eccressuildtechput. Ltd. or equivalent. 115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.	94.	uPVC Pipes as per IS: 4985	
irrigation/Finolex/AKG/Supreme/Prince/Ashirwad/Astral 97. Wooden Shutter with frame Siesto Brand by Bramsaria doors or equivalent. 98. uPVC Windows/Doors SIESTO Brand by Bhimsaria Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast 99. Cement (OPC/PPC) A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement and Cement Corporation of India. 100 Corrugated GI Sheets Tata, Essar , Sail JSW, Bhusan 101 Colour coated profile sheets Tata (Ezydeck)/Lloyd Superdeck/JSW/Jindal 102 Float Glass Profile Sheet TATA (transparent) Tata, Modiguard, Saint Gobain 103 Aluminium doors & window fittings (Heavy duty) Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco 104 Steel/Wood primer / paint ICI delux, nerolac, berger, asian 105 Bitumen 85/25 HPCI, IOCL 106 PVC water storage tanks Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme 107 Bitumen VG-30, VG-10 etc. As per particular specification of item from IOCL, BPCL, HPCL. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 Phenotherm manufactured by Bakelite Coatings & paints ltd. or equivalent 109 Surface Texture Finishes Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent 110 FRP Chhajjas Selected Products Company or equivalent. 111 FRP Porta cabin Selected Products Company or equivalent. 112 G.I. Wire-mesh/Netting Selected Products Company or equivalent. 113 Wall Putty (White Cement based) Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK White/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. 115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.	95.		KRISHNA plast pipes/KSR by Kisan irrigation/Supreme.
98. uPVC Windows/Doors SIESTO Brand by Bhimsaria Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement and Cement Corporation of India. 100 Corrugated GI Sheets Tata, Essar , Sail JSW, Bhusan 101 Colour coated profile sheets Tata (Ezydeck)/Lloyd Superdeck/JSW/Jindal 102 Float Glass Profile Sheet TATA (transparent) Tata, Modiguard, Saint Gobain 103 Aluminium doors & window fittings (Heavy duty) Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco 104 Steel/Wood primer / paint ICI delux, nerolac, berger, asian 105 Bitumen 85/25 HPCI, IOCL 106 PVC water storage tanks Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme 107 Bitumen VG-30, VG-10 etc. As per particular specification of item from IOCL, BPCL, HPCL. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes Heritage manufactured by Bakelite Hylam Itd 110 FRP Chhajjas Selected Products Company or equivalent. 111 FRP Porta cabin Selected Products Company or equivalent. 112 G.I. Wire-mesh/Netting Selected Products Company or equivalent. 113 Wall Putty (White Cement based) Buildwell (Wallplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 'Écorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. 115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.	96.	uPVC-SWR Pipes SN 8 as per IS: 13592	
Polymers/Duroplast/Fenesta/Komerling/Wintech/Aluplast 99. Cement (OPC/PPC) A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement and Cement Corporation of India. 100 Corrugated GI Sheets Tata, Essar, Sail JSW, Bhusan 101 Colour coated profile sheets Tata (Ezydeck)/Lloyd Superdeck/JSW/Jindal 102 Float Glass Profile Sheet TATA (transparent) Tata, Modiguard, Saint Gobain Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco 104 Steel/Wood primer / paint ICI delux, nerolac, berger, asian HPCI, IOCL 105 Bitumen 85/25 HPCI, IOCL Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme 107 Bitumen VG-30, VG-10 etc. As per particular specification of item from IOCL, BPCL, HPCL. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes Heritage manufactured by Bakelite Hylam Itd 110 FRP Chhajjas Selected Products Company or equivalent. 111 FRP Porta cabin Selected Products Company or equivalent. 112 G.I. Wire-mesh/Netting Selected Products Company or equivalent. 113 Wall Putty (White Cement based) White/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. 115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.	97.	Wooden Shutter with frame	
99. Cement (OPC/PPC) A.C.C., Jaypee Cement, Ultratech, Shri Cement, GujratAmbuja Cement and Cement Corporation of India. 100 Corrugated GI Sheets Tata, Essar , Sail JSW, Bhusan Tata (Ezydeck)/Lloyd Superdeck/JSW/Jindal 102 Float Glass Profile Sheet TATA (transparent) Tata, Modiguard, Saint Gobain 103 Aluminium doors & window fittings (Heavy duty) Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco 104 Steel/Wood primer / paint ICI delux, nerolac, berger, asian HPCI, IOCL 106 PVC water storage tanks Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme 107 Bitumen VG-30, VG-10 etc. As per particular specification of item from IOCL, BPCL, HPCL. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent 110 FRP Chhajjas Selected Products Company or equivalent. 111 FRP Porta cabin Selected Products Company or equivalent. 112 G.I. Wire-mesh/Netting Selected Products Company or equivalent. 113 Wall Putty (White Cement based) Wall Putty (White Cement based) White/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent.	98.	uPVC Windows/Doors	
and Cement Corporation of India. 100 Corrugated GI Sheets Tata, Essar, Sail JSW, Bhusan 101 Colour coated profile sheets Tata (Ezydeck)/Lloyd Superdeck/JSW/Jindal 102 Float Glass Profile Sheet TATA (transparent) Tata, Modiguard, Saint Gobain 103 Aluminium doors & window fittings (Heavy duty) Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco 104 Steel/Wood primer / paint 105 Bitumen 85/25 106 PVC water storage tanks Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme 107 Bitumen VG-30, VG-10 etc. As per particular specification of item from IOCL, BPCL, HPCL. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent 110 FRP Chhajjas Selected Products Company or equivalent. 111 FRP Porta cabin Selected Products Company or equivalent. 112 G.I. Wire-mesh/Netting Selected Products Company or equivalent. 113 Wall Putty (White Cement based) White/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. 115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.			• • • • • • • • • • • • • • • • • • • •
100 Corrugated GI Sheets 101 Colour coated profile sheets 102 Float Glass Profile Sheet TATA (transparent) 103 Aluminium doors & window fittings (Heavy duty) 104 Steel/Wood primer / paint 105 Bitumen 85/25 106 PVC water storage tanks 107 Bitumen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes 100 Surface Texture Finishes 110 FRP Orhajjas 111 FRP Porta cabin 112 G.I. Wire-mesh/Netting 113 Wall Putty (White Cement based) 114 AAC block 115 UPVC Agriculture/Pressure pipes and fittings 116 Tata, Essar , Sail JSW, Bhusan 117 Tata, (Ezydeck)/Lloyd Superdeck/JSW/Jindal 118 Jasar , Sail JSW, Bhusan 118 Tata, Essar , Sail JSW, Bhusan 119 Tata, Modiguard, Saint Gobain 110 Tata, Modiguard, Saint Gobain 110 Tata, Modiguard, Saint Gobain 110 Jasar (Ezydeck)/Lloyd Superdeck/JSW/Jindal 110 Jasar (Face Static Files) 110 Lata, Resear , Sail JSW, Bhusan 111 Tata, Modiguard, Saint Gobain 112 Gelest/JsW/Jindal 113 Tata, (Ezydeck)/Lloyd Superdeck/JSW/Jindal 114 AAC block 115 UPVC Agriculture/Pressure pipes and fittings 116 Tata, Modiguard, Saint Gobain 117 Tata, Modiguard, Saint Gobain 118 Tata, Modiguard, Saint Gobain 119 Jasar (Face Static Files) Supermedeck/JSW/Jindal 110 Jasar (Face Static Files) Supermedeck/JSW/Jindal 111 Jasar (Face Static Files) Supermedeck/JSW/Jindal 112 Jasar (Face Static Files) Supermedeck/JSW/Jindal 113 Jasar (Face Static Files) Supermedeck/JSW/Jindal 114 Jasar (Face Static Files) Supermedeck/JSW/Jindal 115 Jasar (Face Static Files) Supermedeck/JSW/Jindal 116 Jasar (Face Static Files) Supermedeck/JSW/Jindal 117 Jasar (Face Static Files) Supermedeck/JSW/Jindal 118 Jasar (Face Static Files) Supermedeck/JSW/Jindal 119 Jasar (Face Static Files) Supermedeck/JSW/Jindal 110 Jasar (Face Static Files) Supermedeck/JSW/Jindal 111 Jasar (Face Static Files) Supermedeck/JSW/Jindal 112 Jasar (Face Static Files) Jasar (Face St	99.	Cement (OPC/PPC)	
101 Colour coated profile sheets 102 Float Glass Profile Sheet TATA (transparent) 103 Aluminium doors & window fittings (Heavy duty) 104 Steel/Wood primer / paint 105 Bitumen 85/25 106 PVC water storage tanks 107 Bitumen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes 110 FRP Chhajjas 111 FRP Porta cabin 112 G.I. Wire-mesh/Netting 113 Wall Putty (White Cement based) 105 Bitumen VG-30, VG-10 etc. 106 PVC water storage tanks 107 Bitumen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 140 Surface Texture Finishes 151 Selected Products Company or equivalent. 152 G.I. Wire-mesh/Netting 153 Selected Products Company or equivalent. 164 AAC block 175 Secret Manual Expression Pvt Ltd. or equivalent. 176 Secret Manual Expression Pvt Ltd. or equivalent. 177 Secret Manual Expression Pvt Ltd. or equivalent. 188 AKG Extrusion Pvt Ltd. or equivalent. 189 AKG Extrusion Pvt Ltd. or equivalent.	100	Corrugated GI Shoots	
102 Float Glass Profile Sheet TATA (transparent) 103 Aluminium doors & window fittings (Heavy duty) 104 Steel/Wood primer / paint 105 Bitumen 85/25 106 PVC water storage tanks 107 Bitumen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes 110 FRP Chhajjas 121 FRP Porta cabin 122 G.I. Wire-mesh/Netting 123 Wall Putty (White Cement based) 124 AAC block 125 Li delux, nerolac, berger, asian 1CI delux, nerolace, berger, asian 1CI delux, nerolace, perger asian 1CI delux, nerolace, perger asian 1CI delux, nerolace, perger asian 1CI delux, nerolace, perge			
103 Aluminium doors & window fittings (Heavy duty) 104 Steel/Wood primer / paint 105 Bitumen 85/25 106 PVC water storage tanks 107 Bitumen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes 110 FRP Chhajjas 121 FRP Porta cabin 122 G.I. Wire-mesh/Netting 123 Aluminium doors & window fittings (Heavy duty) 134 JAC block 135 Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco 1CI delux, nerolac, berger, asian HPCI, IOCL Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme As per particular specification of item from IOCL, BPCL, HPCL. Phenotherm manufactured by Bakelite Hylam Itd Phenotherm manufactured by Bakelite Coatings & paints Itd. or equivalent Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Company or equivalent. Selected Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent.	-		
104 Steel/Wood primer / paint 105 Bitumen 85/25 106 PVC water storage tanks 107 Bitumen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes 110 FRP Chhajjas 111 FRP Porta cabin 112 G.I. Wire-mesh/Netting 113 Wall Putty (White Cement based) 114 AAC block 115 UPVC Agriculture/Pressure pipes and fittings 116 PVC water storage tanks Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme 107 As per particular specification of item from IOCL, BPCL, HPCL. 116 As per particular specification of item from IOCL, BPCL, HPCL. 117 Phenotherm manufactured by Bakelite Hylam Itd 118 Selected Products Company or equivalent. 119 Selected Products Company or equivalent. 110 Selected Products Company or equivalent. 111 Suildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK 113 Wall Putty (White Cement based) 114 AAC block 115 UPVC Agriculture/Pressure pipes and fittings 116 AKG Extrusion Pvt Ltd. or equivalent. 117 AS Selected Products Pvt. Ltd. or equivalent. 118 AKG Extrusion Pvt Ltd. or equivalent.	-		
105 Bitumen 85/25 106 PVC water storage tanks 107 Bitumen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes 110 FRP Chhajjas 111 FRP Porta cabin 112 G.I. Wire-mesh/Netting 113 Wall Putty (White Cement based) 114 AAC block 115 UPVC Agriculture/Pressure pipes and fittings HPCI, IOCL Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme As per particular specification of item from IOCL, BPCL, HPCL. Phenotherm manufactured by Bakelite Hylam Itd Selected Products Company or equivalent. Selected Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent.			
106 PVC water storage tanks 107 Bitumen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes 110 FRP Chhajjas 111 FRP Porta cabin 112 G.I. Wire-mesh/Netting 113 Wall Putty (White Cement based) 114 AAC block 115 UPVC Agriculture/Pressure pipes and fittings Sintex, water well, Siltank, Polywell/Plasto/ 'SILTANK' by Supreme As per particular specification of item from IOCL, BPCL, HPCL. As per particular specification of item from IOCL, BPCL, HPCL. Phenotherm manufactured by Bakelite Hylam Itd Phenotherm manufactured by Bakelite Coatings & paints Itd. or equivalent Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent.			
107 Bitumen VG-30, VG-10 etc. 108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes 110 FRP Chhajjas 111 FRP Porta cabin 112 G.I. Wire-mesh/Netting 113 Wall Putty (White Cement based) 114 AAC block 115 UPVC Agriculture/Pressure pipes and fittings As per particular specification of item from IOCL, BPCL, HPCL. As per particular specification of item from IOCL, BPCL, HPCL. Phenotherm manufactured by Bakelite Hylam ltd Phenotherm manufactured by Bakelite Coatings & paints ltd. or equivalent Selected Products Company or equivalent. Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent.			
108 Rigid Phenolic foam for cold and hot insulation as per IS: 13204 109 Surface Texture Finishes Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent 110 FRP Chhajjas Selected Products Company or equivalent. 111 FRP Porta cabin Selected Products Company or equivalent. Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 114 AAC block Fecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. AKG Extrusion Pvt Ltd. or equivalent.			
109 Surface Texture Finishes Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent 110 FRP Chhajjas Selected Products Company or equivalent. 111 FRP Porta cabin Selected Products Company or equivalent. 112 G.I. Wire-mesh/Netting Selected Products Company or equivalent. 113 Wall Putty (White Cement based) Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. 115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.		Rigid Phenolic foam for cold and hot insulation as per IS:	
110FRP ChhajjasSelected Products Company or equivalent.111FRP Porta cabinSelected Products Company or equivalent.112G.I. Wire-mesh/NettingSelected Products Company or equivalent.113Wall Putty (White Cement based)Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK114AAC block'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.115UPVC Agriculture/Pressure pipes and fittingsAKG Extrusion Pvt Ltd. or equivalent.	109		Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent
111FRP Porta cabinSelected Products Company or equivalent.112G.I. Wire-mesh/NettingSelected Products Company or equivalent.113Wall Putty (White Cement based)Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK114AAC block'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.115UPVC Agriculture/Pressure pipes and fittingsAKG Extrusion Pvt Ltd. or equivalent.			
112G.I. Wire-mesh/NettingSelected Products Company or equivalent.113Wall Putty (White Cement based)Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete114AAC block'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.115UPVC Agriculture/Pressure pipes and fittingsAKG Extrusion Pvt Ltd. or equivalent.			
113 Wall Putty (White Cement based) Buildwell (Walplast Products Pvt. Ltd.)/Birla wall care/JK white/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. 115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.			
white/Berger/Asian paints/ferrous Crete 114 AAC block 'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent. 115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.	-		
114AAC block'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or equivalent.115UPVC Agriculture/Pressure pipes and fittingsAKG Extrusion Pvt Ltd. or equivalent.		•	
115 UPVC Agriculture/Pressure pipes and fittings AKG Extrusion Pvt Ltd. or equivalent.	114	AAC block	
116 UPVC underground drainage & sewerage pipes SN 8 as per KSR by Kisan irrigation/Finolex/AKG/Supreme.	115	UPVC Agriculture/Pressure pipes and fittings	
	116	UPVC underground drainage & sewerage pipes SN 8 as per	KSR by Kisan irrigation/Finolex/AKG/Supreme.

	IC-1F220	
	IS:15328	
117	Fabrication of aluminium UPVC doors, windows, Facades including ACP and glazing work	Skyler World or equivalent.
118	Fabrication of aluminium structural glazing and aluminium doors & windows.	KANHA ALU AND FAB PVT. LTD., Raipur or equivalent.
119	Processing and fabrication of glass (toughened, DGU and lamination	Wadhwa Glass Works (P) Ltd., Raipur or equivalent.
120	Glass reinforced Gypsum (GRG) false ceiling	'Diamond' manufactured by Diamond International Inexpvt. Ltd/Gyproc by Saint Gobain.
121	Wooden shutter with frame	'Bhimsaria' or equivalent
	PPR-C pipes as per IS: 15801	KSR brand/Supreme
_	PVC fittings as per IS: 10124 and IS: 7834	KSR brand or equivalent
124	PVC underground draingae pipes (structured wall type) as per IS: 16098	Supreme or equivalent
125	PVC septic tanks	'Safegard' by Supreme or equivalent
	PVC underground water tanks	'Amrutam' by Supreme or equivalent
	PVC readymade toilet blocks	'Cleanage' by Supreme or equivalent
	PVC chambers & Manholes	Supreme or equivalent
	Pre-Painted/powder coated CRC windows	M/s classic engineers and fabricators/ M/s JK Enterprises Jaipur/
120	The Cambod, periods obtained and immedia	Nclalltek&seccolor ltd. Hydrabad/ ultimate safety metals.
130	White cement based polymer modified self curringmortor	Ultratech/Dr.Fixit/ Sika/ Fosroc
_	Gypsum plaster	Ferrous crete/ Gyproc (Elite-90)/ Ultratech
	Tile Adhesive	Ferrous Crete / Ardex/ Endure (Gold Star)/ Pidilite (Fevimatex)/ Weabr
132	The Autresive	(Saint Gobain)
122	Integral water proofing compound with cement (for	FOSROC/ Conplast 421/Dr.fixit: LW+/ Sika: sikacim/Asian Paints:
133	plaster & mortar)	Smart care vitalia& equivalent product of BASF/CICO/ArdexEndura
134	Water proofing for bathroom/toilet/balcony & other wet	Fosroc: Brush Bond/CICO:Tapecrete/Dr.fixti : Pidilite 2k/Sika: Nito
	areas.	Bond/Asian Paints: Damp Block 2k & Equivalent Product of
		BASF/Ardex endure
135	Crystalline water proofing compound.	Fosroc : Fosroc crystalline/Dr.Fixit: Dr.fixit crystalline/Sika: Sika
		Crystalline/Asian Paints:Crystalline Quart & Equivalent Product of
		BASF/CICO/ArdexEndura
	Polycarbonate sheet	GE Plastic/Lexan/MG Polyplast
137	Fire rated doors	Signum fire protection/Shakti Metdoor/NAVAIR/Sukri/Promat International
	Stainless steel railing Accessories	Jindal/Dorma/Kich/GEZE/Godrej/Hardwyn
139	Stainless steel door & windows fittings	Jindal/Dorma/Kich/Dorset/Godrej/Ozone
140	Acrylic Distemper 1 st quality (washable/Readymix/Low	Asian Paints (Tractor Aqua Lock Paint)/ Berger: commando or
	VOC)	equivalent paints of Nerolac or ICI-Dulux.
141	Plastic emulsion plaint	Asian paint: (Apcolite Heavy Duty Premium Emulsion paint)/ Nerolac
		:Impressio/Berger:Easy clean/ICI-Dulax:Velvet touch
142	Acrylic Smooth Exterior Paint	Asian Paint: (Apex/ Professional Premium Exterior Emulsion/ Nerolac:
		XL/Berger: Weather coat/ICI-Dulux: Weather Shieled
143	Premium Acrylic Smooth Exterior Paint with Silicon	Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all
	Additive	guard/ICI dulux: Weather Shield max
144	Fire paint	Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun
	D.I. Pipes & fittings	Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom
	C.I. manhole covers, frames & CI Gratings	Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh
	SFRC manhole cover & Grating	K.K./Jain Pragati
	C.P. Brass fittings (Superior Range)	Jaquar/Grohe/Roca
	Sanitary ware fittings & Accessories (Superior range)	Kohler/Roca/Hindware/Parryware
	Mirror glass	Atul/Modi Guard/Golden Fish
	Extruded Polystyrene Insulation Board	Dow Corning/Supreme/Taxes/Analco
152	Heat Resistant Tiles	Swastik/Thermatek
153	Floor Hardener	Ironite/Ferrok/Hardonate
-		
154	Modular Expansion Joint	Herculus/Sanfield India Ltd. Vexcolt
	Glass Wool	Dow Coring/ U.P. Twinga/Isover
	UPVC Doors and window hardware	Rotto/Dorset/Kinlong
157	AAC Block adhesive	Ecorex/Ultratech/ArdexEndura/Ferrous Crete
158	Ready Mix Plaster	Ultratech/Ferrous Crete/Saint Gobain

159 Post tension slab	Ultracon technology limited/Tech-9/CRUX
160 Acoustical Wall paneling	Hush or equivalent to be decided by Engineer-in-charge.

LIST OF APPROVED MATERIALS (ELECTRICAL)

Note:

- 1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender shall be used in the work.
- 2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
- 3. Whenever the specified brand of material is not available than, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.
- 4. 1) If any makes stated above does not comply with the technical specifications given in the tender then such a make shall not be allowed.

The following are the acceptable makes of Electrical materials as indicated against individual items:

SI.	Item	Acceptable Makes
	item	Acceptable Makes
No.		
1	PVC insulated Copper wire / Telephone wire	HPL / KEI / HAVELLS / RR Kabel / Polycab /
		Finolex/ Anchor/ (All with ISI Marked)
2	MCCB / Switch Gear with Thermomagnetic	L&T/Seimens/Legrand /
	releases	Schneider/Hager/ABB/ GE/C&S Electric
3	MCCB with Variable microprocessors based	L & T (D-Sine) , ABB (ISO Max), Siemens,
	realeases (o/c, s/c, e/f)	Schneider (NS Compact), GE (Recold Plus),
		Legrand (DPX)
4	MCB / MCB Prewired DB / RCCB/ Industrial	Legrand / L&T / Hager / Seimens /
	Socket not less than 10 K.	Schneider/ Havells/ ABB/HPL
5	Steel Conduit.	BEC / AKG / MK / Rama / Finolex
6	PVC Conduit	BEC,AKG, MK, Anchor, Finolex, Steel Craft,
		Saraswati, Swastik , Polycab
7	Casing Caping	Saraswati, Polycab, Precision, Astral
8	Call Bell / Buzzer / Ceiling rose / Electronic	Anchor / Vinay Clair / Polo Rider / North
	Regulator.	West.
9	Brass Batten / Angle Holder.	Kinjal / Antex / Emperor.

10	Modular Switch / Socket / Blanking Plate /PVC Box / Metal (GI)Switch Box (the gauge of GI Box shall not less than 16 SWG/1.2mm, depth≥60mm & of the same make that of Switch) Front Plates, Telephone, T.V. Outlets Socket / Fan Regulator.	Crabtree (Murono), Anchor (Vision), L&T(Entice), MK (Citric), Legrand (Myrius), Schneider (Opale), Siemens.
11	Lamp for (light fittings)	Philips / Osram/ GE/ Bajaj/ Wipro/Crompton.
12	XLPE insulated PVC sheathed 1.1 KV grade Al. conductor armoured UG cable.	Finolex/ Cable Corporation of India / R.R. Kabels/ Universal Cable.
13	Galvanize Octagonal Street light pole/ High Mast & galvonised bracket.	Bajaj/ Transrail/ Valmont/Aster.
14	HRC Protection Fuses/ Fuse Fittings.	Siemens/ L&T/ Schneider /ABB
15	Selector Switches/ Indicating Lamps (LED type)	AE/ Enercon/ L&T/ Neptune/ Conserve/ Secure/ Keycee/ Vaishnav
16	Digital Ammeter/ Voltmeter	Conserve/ Secure/Enercon/AE/ MECO/ Universal/ Rishab/ Yokins
17	Current. Transformer	L&T/ A.E./ Kappa/ IMP/ GE or equivalent
18	LUGS, Thimble, Cable Glands	Dowels/ Multi/ COMET/ Hex/ Jhonson / Gripwell/ Comex/Comed
19	Timer	L&T/ Siemens/ Schinder/ Hager/ Legrand
20	Modular Blanking Plate	Clipsal, Crabtree, MK, Anchor, Legrand, L&T, ROMA, Siemens Northwest
21	G.I. Pipe	Jindal/ Tata/ Prakash/Surya
21	Power contactor	L&T / Siemens / Schinder/Legrand /ABB
22	Fluorescent Tube Fittings	Surya, Keslec, Trilux, Bajaj, Osram, GE , Wipro, Crompton Philips
23	Tap-off Box (Plug in Type), End Feed Unit	C&S Electric & Switchgear, L & T, ABB, Siemens, Schneider, Tricolite
24	LT Panels / Feeder Pillars / Floor Panels for upto 400A i/c switchgear	L & T, ABB, Siemens, Schneider, Tricolite, Adlec, CRS, Sudhir, Jakson, Advance Panel (Narela), Adhunik, Havells.
25	МРСВ	L&T, ABB, Siemens, Schneider
26	LED fittings	Havells/Wipro/CGL/Philips/Bajaj/Osram
27	LED Make	Nichia / citizen/ Lumileds / APT Electronics/Cree/Osram /Bridgelux.
28	Geyser	AO smith/Jaguar/Bajaj/ V-guard
29	Exhaust Fan	Bajaj/Havels/Usha/Crompton

PROFORMA OF SCHEDULES (A To F)

SCHEDULE 'A'

Schedule of quantities (as per PWD-3) : (Attached in e-procurement site)

SCHEDULE 'D'

Extra schedule for specific requirements/ : Nil

document for the work, if any.

SCHEDULE 'E'

Reference to General Conditions of contract: CPWD General Conditions of Contract 2019

modified and amendment up to the last date of

submission of tender.

Name of work - "Up-gradation of 52no Toilets and providing bathing

facility at private rooms, DD1 block 3rd floor, AIIMS

Raipur."

Estimated cost of work : Rs. 50, 26,156.00 (Civil+Electrical)

I. Earnest money: : Rs. 1,00,600.00 (to be returned after receiving

performance guarantee)

II. Performance Guarantee : 5% of tendered value.

III. Security Deposit : 2.5% of tendered value.

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS:

Officer inviting tender : Executive Engineer (Civil), AIIMS Raipur on

behalf of Director AIIMS Raipur.

Maximum percentage for quantity of items of work to be executed beyond which rates

are to be determined in accordance with : See below

Clauses 12.2 & 12.3.

Definitions:

2(v) Engineer-in-Charge : Executive Engineer, AIIMS Raipur (C.G)
2(viii) Accepting Authority : Executive Engineer, AIIMS Raipur (C.G)

2(x) Percentage on cost of materials and labour

to cover all overheads and profits. : 159

2(xi) Standard Schedule of Rates : As per DSR 2018 (up to date of submission of

NIT) & Market Rates

2(xii) Department : Project Cell, AIIMS Raipur.

9(ii) Standard CPWD contract Form : GCC 2019 & CPWD Form-7 as modified &

corrected up to last date of receipt of

Bid/tender.

Clause 1

(i) Time allowed for submission of Performance

Guarantee, programme chart

(Time and progress) and applicable labour

Licenses, registration with EPFO,

ESIC and BOCW welfare board or proof of applying

Thereof from the date of issue of letter of acceptance

(ii) Maximum allowable extension with late fee @ 0.1% per day : 07 Days

of Performance Guarantee amount beyond the period

Provided in (i) above

Clause 2

Authority for fixing compensation under clause 2.

Superintending Engineer / Director,

AIIMS

14 Days

:

07 Days

Clause 5

Number of days from the date of issue of letter of acceptance for reckoning

date of start

Mile stone(s) as per table given below:-

	eterio(e) de per table giveri belevi:		
SI No	Description of Milestone (Physical)	Time allowed in days (from date of start)	Amount to be with- held in case of non- achievement of
1			
2	NIL		
3			
4			\rightarrow

Time allowed for execution of work -120 days.

Authority to decide:

(i) Extension of time : Executive Engineer, AIIMS Raipur (C.G.)

(ii) Rescheduling of mile stones : Superintending Engineer/Director, AIIMS Raipur

(iii) Shifting of date of start in case

of delay in handing over of site : Superintending Engineer/Director, AIIMS Raipur

PROFORMA OF SCHEDULES Clause 5

Schedule of handing over of site

	c of flatiality over or sit		
Part	Portion of Site	Description	Time Period for handing
		•	over reckoned from date
			of issue of letter of Intent.
Part A	Portion without any	26 toilets up gradation	14 days
	hindrance	1 0	
Dowt D		00 tailata ana datian	74 days
Part B	Portions with	26 toilets up gradation	74 days
	encumbrances		
Part C	Portions dependent	NA	NA
	on work of other		
	agencies		

Clause 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment.

Estimate cost put to tender

- i. Up to Rs. 10 lacs Nil
- ii. More than Rs. 10 and up to 50 lacs Rs. 15 lacs
- iii. More than Rs. 50 lacs Rs. 25 lacs

Clause 7 A

No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.

Whether clause 7A shall be applicable : yes

Clause 10A : As required by Engineer-In-Charge

Clause 10B (ii)

Whether Clause 10 B (ii) shall be applicable : Not Applicable

Clause 10C

Component of labour expressed as percent of value of work : Not Applicable

Clause 10CA : Not Applicable

Clause 10CC : Not Applicable

Clause 11

Specifications to be followed for execution of work : CPWD Specifications 2019 Vol-I & Vol-II for

civil work & CPWD Specification (E&M) 2013 for electrical work with modification up to last date of tender submission.

Clause 12

Type of Work : Construction Work

12.2 & 12.3

Deviation Limit beyond which clauses

12.2 & 12.3 shall apply for building work : As per CPWD Works Manual-2019

12.5

(i) Deviation Limit beyond which clauses

12.2 & 12.3 shall apply for foundation work

(except items mentioned in earth work subhead : As per CPWD Works Manual-2019

in DSR and related items)

(ii) Deviation Limit for items mentioned in earth work subhead of DSR and related items

work subhead of DSR and related items : As per CPWD Works Manual-2019

Clause 16

Competent Authority for deciding reduced rates. : Superintending Engineer/ Director, AIIMS Raipur

Clause 18

List of mandatory machinery, tools & plants to be : As required by Engineer -in- Charge deployed by the contractor at site

Clause 19 C	Engineer- in charge (Executive Engineer)
	Engineer- in charge (Executive Engineer)
	Engineer- in charge (Executive Engineer)
	Engineer- in charge (Executive Engineer)

Clause 25

Constitution of Dispute Redressal Committee (DRC): AIIMS, Raipur

Clause 32

Requirement of Technical Representative(s) and recovery Rate

SNo	Minimum	Discipline	Designation	Minimum	Number	Rate at which	recovery shall
	Qualification of		(Principal	experience		be made from	the contractor
	Technical		Technical /			in the event o	f not fulfilling
	Representative		Technical			provision of C	lause 36(i)
			representative)				
						Figures	Words
1	Graduate	Civil/Electrical	Principal	2 - years	ONE	Rs. 15,000/-	Rupees
	Engineer		Technical			PM	Fifteen
			Representative				Thousand Per
							Month each
OR	Diploma	Civil/Electrical	(Project	5-years	ONE	Rs.15000/-	Rupees
	Engineer		Planning/ Site/			PM.	Fifteen
			billing Engineer)				Thousand Per
							Month each

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma holder with minimum 10 year relevant experience with a reputed construction co. can be treated at par with Graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50% of requirement of degree engineers.

Clause 38 **Applicable** :

(i) (a) Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates 2018 printed by C.P.W.D.

(ii) Variations permissible on theoretical quantities:

(a) Cement

> For works with estimated cost put to tender not more than Rs. 25 lakh. For works with estimated cost put to tender more than Rs. 25 lakh.. 2% plus/minus.

3% plus/minus.

Bitumen All Works 2.5% plus & only& (b)

Steel Reinforcement and structural steel sections for each diameter, section and

nil on minus side.

2% plus/minus

(c) category

(d) All other materials. Nil

Schedule of Quantity

Name of Work: Up-gradation of 52 No Toilets and providing bathing facility at Private Rooms, DD1 block 3rd floor, AIIMS Raipur

Sub I	Head: A (Civil)				
I No	Description of item	Unit	Qty	Rate	Amount
1	CONCRETE WORK				
1.1	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
1.1.1	1:2:4 (1 Cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)	cum	1.00	8554.50	8554.50
2	CLADDING WORK				
2.1	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias, and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.				
2.1.1	Granite of any colour and shade			İ	
2.1.1.1	Area of slab upto 0.50 sqm	sqm	8.00	4217.35	33738.80
2.2	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.		570.00	1030.30	587271.00
3	WOOD & P.V.C. WORK				
3.1	Providing and fixing PVC rigid foam sheet 1 mm thick on existing door shutters (bathroom and W.C. doors) using synthetic rubber based adhesive.	sqm	77.00	1200.35	92426.95
3.2	Providing and fixing bright/matt finished Grab Bar (Stainless Steel) of AHS-CHR-1503(Jaquar) or equivalent with required screws and fittings of approved quality & make with necessary screws etc all complete of approved quality & make all complete as per the instructions of Engineer in charge: 450 mm:	each	52.00	1460.04	75922.08

4	FLOORING				
4.1	Providing and laying Ceramic matt finished floor tiles of size	sqm	112.00	926.90	103812.80
	300x300 mm or more (thickness to be specified by the				
	manufacturer) of 1st quality conforming to IS: 15622 of approved				
	make in colours such as White, Ivory, Grey, Fume Red Brown, laid				
	on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand),				
	Jointing with grey cement slurry @ 3.3 kg/sqm including pointing				
	the joints with white cement and matching pigment etc., complete.				
4.2	Providing and fixing PVC flooring mat planks of size 177 x 1219	sqm	92.00	872.32	80253.44
	mm and 1.6 mm thick of approved texture, design and make using				
	synthetic rubber based adhesive etc all complete as per the direction				
	of engineer in charge.				
5	ROOFING				
5.1	Providing and fixing on unplasticised Rigid PVC SWR pipes,				
	including jointing with seal ring, leaving 10 mm gap for thermal				
	expansion, (i) Single socketed pipes.		4.00	207.07	
5.1.1	110 mm diameter	each	4.00	305.05	1220.20
5.2	Providing and fixing on wall face unplasticised - PVC SWR				
	moulded fittings/ accessories for unplasticised Rigid PVC SWR				
	pipes, including jointing with seal ring, leaving 10 mm gap for thermal expansion.				
5.2.1					
5.2.1 5.2.1.1	Bend 87.5° 110 mm bend	aaah	8.00	129.85	1038.80
	Shoe (Plain)	each	8.00	129.83	1038.80
	110 mm Shoe	each	8.00	113.80	910.40
		Cacii	0.00	113.00	7111.411
		0 110 11			, , , , , , ,
6	FINISHING				, , , , ,
	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile				, , , , , , , , , , , , , , , , , , , ,
6	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
6	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
6.1	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.				
6.1.1	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat		190.00	71.80	13642.00
6 6.1	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and				
6.1.1 6.1.1 6.2	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:	sqm	190.00	71.80	13642.00
6.1.1	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work	sqm			
6.1.1 6.2 6.2.1	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:	sqm	190.00	71.80	13642.00 4077.45
6.1.1 6.2 6.2.1 6.3	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat).	sqm	190.00	71.80	13642.00 4077.45
6.1.1 6.2 6.2.1 6.3 7	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING	sqm	190.00	71.80	13642.00 4077.45
6.1.1 6.2 6.2.1 6.3 7	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means	sqm	190.00	71.80	13642.00 4077.45
6.1.1 6.2 6.2.1 6.3 7 7.1	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	sqm	190.00	71.80	13642.00 4077.45
6.1.1 6.2 6.2.1 6.3 7 7.1	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar	sqm sqm	190.00 51.00 95.00	71.80 79.95 110.75	13642.00 4077.45 10521.25
6.1.1 6.2 6.2.1 6.3 7 7.1	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.	sqm sqm	190.00 51.00 95.00	71.80 79.95 110.75	13642.00 4077.45 10521.25
6.1.1 6.2 6.2.1 6.3 7 7.1.1 7.2 7.2.1	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm	sqm sqm	190.00 51.00 95.00 1.00	71.80 79.95 110.75 1737.45	13642.00 4077.45 10521.25 1737.45 31264.50
6.1.1 6.2 6.2.1 6.3 7 7.1 7.1.1 7.2 7.2.1	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm For thickness of tiles above 25 mm and up to 40 mm	sqm sqm sqm	190.00 51.00 95.00	71.80 79.95 110.75	13642.00 4077.45 10521.25
6.1.1 6.2 6.2.1 6.3 7 7.1.1 7.2 7.2.1	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles above 25 mm and up to 40 mm Dismantling C.I. pipes & fittings including excavation and refilling	sqm sqm sqm	190.00 51.00 95.00 1.00	71.80 79.95 110.75 1737.45	13642.00 4077.45 10521.25 1737.45 31264.50
6.1.1 6.2 6.2.1 6.3 7 7.1 7.1.1 7.2 7.2.1 7.2.2	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm For thickness of tiles above 25 mm and up to 40 mm Dismantling C.I. pipes & fittings including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means	sqm sqm sqm	190.00 51.00 95.00 1.00	71.80 79.95 110.75 1737.45	13642.00 4077.45 10521.25 1737.45 31264.50
6.1.1 6.2 6.2.1 6.3 7 7.1 7.1.1 7.2 7.2.1	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm For thickness of tiles above 25 mm and up to 40 mm Dismantling C.I. pipes & fittings including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means breaking lead caulked joints, melting of lead and making into blocks	sqm sqm sqm	190.00 51.00 95.00 1.00	71.80 79.95 110.75 1737.45	13642.00 4077.45 10521.25 1737.45 31264.50
6.1.1 6.2 6.2.1 6.3 7 7.1 7.1.1 7.2 7.2.1	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm For thickness of tiles above 25 mm and up to 40 mm Dismantling C.I. pipes & fittings including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means breaking lead caulked joints, melting of lead and making into blocks including stacking of pipes, fittings & lead at site within 50 metre	sqm sqm sqm	190.00 51.00 95.00 1.00	71.80 79.95 110.75 1737.45	13642.00 4077.45 10521.25 1737.45 31264.50
6.1.1 6.2 6.2.1 6.3 7 7.1 7.1.1 7.2 7.2.1 7.2.2	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm For thickness of tiles above 25 mm and up to 40 mm Dismantling C.I. pipes & fittings including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means breaking lead caulked joints, melting of lead and making into blocks	sqm sqm sqm	190.00 51.00 95.00 1.00	71.80 79.95 110.75 1737.45	13642.00 4077.45 10521.25 1737.45 31264.50
6.1.1 6.2 6.2.1 6.3 7 7.1 7.1.1 7.2 7.2.1 7.2.2	FINISHING Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. One coat Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Melamine polishing on wood work (one or more coat). DISMANTLING AND DEMOLISHING Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm For thickness of tiles above 25 mm and up to 40 mm Dismantling C.I. pipes & fittings including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means breaking lead caulked joints, melting of lead and making into blocks including stacking of pipes, fittings & lead at site within 50 metre	sqm sqm sqm	190.00 51.00 95.00 1.00	71.80 79.95 110.75 1737.45	13642.00 4077.45 10521.25 1737.45 31264.50

8.1 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 8.1.1 Flexible pipe 8.1.1.1 32 mm dia 8.2 Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: 8.2.1 Rectangular shape 453x357 mm 8.3 Providing and fixing soil, waste and vent pipes: 8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter: 8.7.1 100 mm 8.7.2 each 65.00 481.45	9705.60
including P.V.C. waste fittings complete. 8.1.1 Flexible pipe 8.1.1.1 32 mm dia 8.2 Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: 8.2.1 Rectangular shape 453x357 mm 8.3.1 Providing and fixing soil, waste and vent pipes: 8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.00 1092.20 8.4 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6.1 Providing and fixing collar: 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
8.1.1 Flexible pipe 8.1.1.1 32 mm dia 8.2 Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: 8.2.1 Rectangular shape 453x357 mm 8.3 Providing and fixing soil, waste and vent pipes: 8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
8.1.1.1 32 mm dia each 96.00 101.10 8.2 Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: 8.2.1 Rectangular shape 453x357 mm each 52.00 1120.25 8.3 Providing and fixing soil, waste and vent pipes: 8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.00 1092.20 8.4 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
8.2 Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: 8.2.1 Rectangular shape 453x357 mm each 52.00 1120.25 8.3 Providing and fixing soil, waste and vent pipes: 8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.00 1092.20 8.4 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: 8.2.1 Rectangular shape 453x357 mm 8.3.1 Providing and fixing soil, waste and vent pipes: 8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.4.1 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	59252.00
approved make and shade with 6 mm thick hard board backing: 8.2.1 Rectangular shape 453x357 mm 8.3.1 Providing and fixing soil, waste and vent pipes: 8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.4.1 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	50252.00
8.2.1 Rectangular shape 453x357 mm each 52.00 1120.25 8.3 Providing and fixing soil, waste and vent pipes:	50252.00
8.3 Providing and fixing soil, waste and vent pipes: 8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.00 1092.20 8.4 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	50252.00
8.3 Providing and fixing soil, waste and vent pipes: 8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.00 1092.20 8.4 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	つみとうう ロロ
8.3.1 100 mm dia 8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.4 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
8.3.1.1 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 metre 8.00 1092.20 8.4 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
8.4 Providing and fixing plain bend of required degree. 8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS: 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	8737.60
8.4.1 100 mm dia 8.4.1.1 Sand cast iron S&S as per IS : 3989 each 16.00 390.75 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar : 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter :	0737.00
8.4.1.1 Sand cast iron S&S as per IS: 3989 8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 8.6.1 rownward cast iron S&S as per IS - 3989 8.6.1 rownward cast iron S&S as per IS - 3989 8.6.1 rownward cast iron S&S as per IS - 3989 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
8.5 Providing and fixing double equal plain junction of required degree. 8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	6252.00
8.5.1 100x100x100x100 mm 8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar : 8.6.1 100 mm dia 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter :	0232.00
8.5.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 865.70 8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
8.6 Providing and fixing collar: 8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
8.6.1 100 mm dia 8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	6925.60
8.6.1.1 Sand cast iron S&S as per IS - 3989 each 8.00 409.45 8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
8.7 Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:	
(spun) iron pipes and fittings of diameter:	3275.60
8.7.1 100 mm each 65.00 481.45	
	31294.25
8.8 Providing and fixing white viterous china (European type) EWC each 4.00 10809.16	43236.64
Bowl for Coupled WC with PP soft close seat cover, Hinges, Fixing set	
Accessories and Accessories Set of Size: 360x680x765 mm of CNS-	
WHT-755SS9(Jaquar) or equivalent with S trap - 220mm and white	
viterous china Cistern with cistern fittings of CNS-WHT-	
207(Jaquar) or equivalent of approved quality & make all complete	
as per the instructions of Engineer in charge	
8.9 Providing and fixing wash basin with C.I. brackets/fastners, 15 mm each 48.00 6389.33	306687.84
C.P. brass single lever basin mixer with required connection pipes	
of required length, 32 mm C.P. brass waste coupling of ALD-CHR-	
705(Jaquar) or equivalent, including painting of fittings and	
brackets, cutting and making good the walls wherever require:	
White Vitreous China Angle back wash basin size 405 x 400 mm of	
ECS-WHT-841(Essco) or equivalent with 15 mm C.P. brass single	
lever basin mixer with required connection pipes of required length	
of FLR-CHR-5001B(Jaquar) or equivalent of approved quality &	
make all complete as per the instructions of Engineer in charge	
8.10 Providing and fixing Stainless steel Towel Rack 600mm Long each 52.00 2797.21	
without Hangers of ACN-CHR-1181FS(Jaquar) or equivalent with	145454.92
required screws and fittings of approved quality & make all	145454.92
complete as per the instructions of Engineer in charge	145454.92

9	WATER SUPPLY				
9.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes,				
	having thermal stability for hot & cold water supply, including all				
	CPVC plain & brass threaded fittings, i/c fixing the pipe with				
	clamps at 1.00 m spacing. This includes jointing of pipes & fittings				
	with one step CPVC solvent cement and the cost of cutting chases				
	and making good the same including testing of joints complete as				
	per direction of Engineer in Charge.				
	Concealed work, including cutting chases and making good the				
	walls/Floor etc.				
9.1.1	20 mm nominal outer dia Pipes	metre	835.00	478.15	399255.25
9.1.2	32 mm nominal outer dia Pipes	metre	300.00	679.15	203745.00
9.2	Making connection of G.I. distribution branch with G.I. main of				
	following sizes by providing and fixing tee, including cutting and				
	threading the pipe etc. complete :				
9.2.1	25 to 40 mm nominal bore	each	96.00	673.45	64651.20
9.3	Providing and fixing uplasticised PVC connection pipe with brass				
	unions:				
9.3.1	45 cm length				
9.3.1.1	15 mm nominal bore	each	96.00	83.00	7968.00
9.4	Providing and fixing G.I. Union in existing G.I. pipe line, cutting				
	and threading the pipe and making long screws, including				
	excavation, refilling the earth or cutting of wall and making good				
	the same complete wherever required :				
9.4.1	15 mm nominal bore	each	96.00	617.20	59251.20
9.4.2	20 mm nominal bore	each	96.00	642.65	61694.40
9.5	Providing and fixing C.P. brass angle valve for basin mixer and				
	geyser points of approved quality conforming to IS:8931				
9.5.1	15mm nominal bore	each	192.00	532.00	102144.00
9.6	Providing and fixing soap dish holder of ACN-CHR-1131N(Jaquar)	each	52.00	637.44	33146.88
	or equivalent with required screws and fittings of approved quality				
	& make all complete as per the instructions of Engineer in charge				
9.7	Providing and fixing CP Brass Single Lever wall mixer with		48.00	9060.18	434888.64
	Exposed Parts Kit of Hi-flow Divertor Consisting of Operating				
	Lever, Wall Flange (With Seals) & Button Only of FLR-CHR-				
	5079K(Jaquar) or equivalent, Concealed Body for Single Lever				
	High Flow Diverter with Button Assembly, Cartridge Sleeve of				
	ALD-CHR-079(Jaquar) or equivalent, Bathtub Spout with Wall				
	Flange of SPJ-CHR-429(Jaquar) or equivalent, Shower Arm Ø20mm & 450mm Long Round Shape with 90° Bend for Wall Mounted				
	Showers with Flange of SHA-CHR-479L450(Jaquar) or equivalent,				
	Overhead Shower ø100mm Round Shape Single Flow (ABS Body				
	Chrome Plated with Gray Face Plate) with Rubit Cleaning System				
	of OHS-CHR-1989(Jaquar) or equivalent of approved quality &				
	make all complete as per the instructions of Engineer in charge				
	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2				

10	1				1
10.1	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. (The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.)	sqm	16.00	465.60	7449.60
~		Total f	or Subhea	d-A (Civil)	3052399.64
Sub F	Head: B (Electrical)				
I No	Description of item	Unit	Qty	Rate	Amount
1	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit & accessories as required.				
(a)	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	metre	702.00	146.00	102492.00
(b)	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	metre	1741.60	167.00	290847.20
(c)	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	metre	1654.80	200.00	330960.00
(d)	4 X 4 sq. mm + 2 X 4 sq. mm earth wire	metre	1624.00	308.00	500192.00
	H, SOCKET, BLANK PLATE AND GI BOX				
2	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.				
(a)	1 or 2 Module (75mmX75mm)	each	120.00	243.00	29160.00
(b)	3 Module (100mmX75mm)	each	60.00	267.00	16020.00
(d)	6 Module (200mmX75mm)	each	128.00	333.00	42624.00
3	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
(a)	5/6 A switch	each	196.00	85.00	16660.00
(b)	15/16 A switch	each	180.00	132.00	23760.00
(c)	3 pin 5/6 A socket outlet	each	196.00	111.00	21756.00
(d)	6 pin 15/16 A socket outlet	each	180.00	175.00	31500.00
4	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required.	each	60.00	32.00	1920.00
5	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required.	each	60.00	65.00	3900.00

6	Supply and Installation of Exhaust fan suitable for single phase, 230		52.00	1728.68	89891.36	
	volts, 50 Hz, AC supply having RPM 1100 or better, 250 mm					
	sweep, power input = 35W or less, Air delievery ≥ 700 CFM					
	complete with motor, louvers/ shutters etc. as required in the					
	existing window, includes dismembering of window glass,					
	providing and fixing ACP panel (4mm thickness Aluminium					
	composite panel) framing in place of glass, connection, testing,					
	commissioning etc. as required.					
7		1-	52.00	0079.24	472072 69	
/	Supply and Installation of 10 litre capacity Water Geysers in	each	52.00	9078.34	472073.68	
	required location equivalent to Jaquar model- EPM-WHT-V010					
	* 10 liter capacity					
	* Temperature Range:- 25-70°C or better					
	* Wattage:- 2KW or less					
	* 5 star rating					
	* suitable for single phase, 230 volts, 50 Hz, AC supply					
	Total for Subhead-B (Electrical)					
Grand Total for Subhead A+B						
Say						