

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

OFFICE OF THE EXECUTIVE ENGINEER PROJECT CELL AIIMS, RAIPUR

NOTICE INVITING e-TENDER

N.I.T. NO.39/EE/AIIMS/RPR/2020-21

NAME OF WORK: -"C/o shed and miscellaneous civil works for mess at Resident hostel, AIIMS Raipur"

ESTIMATED COST: Rs 2, 60,873.00

EARNEST MONEY: Rs 5300.00

CONTRACT PERIOD: 30 Days

Type of work: Construction

INDEX

Name of Work: - "C/o shed and miscellaneous civil works for mess at Resident hostel, AIIMS Raipur."

S1.	Particulars Particulars	Page	No.
No			То
1	COVER PAGE	1	
2	INDEX	2	
3	INSTRUCTIONS FOR ONLINE BID SUBMISSION	3	5
4	NOTICE INVITING E-TENDER	6	
5	INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR E-TENDERING	7	12
	LIST OF MANDATORY DOCUMENTS TO BE FILLED IN BY THE BIDDERS		
6	IN VARIOUS FORMS TO BE SCANNED AND UPLOADED WITHIN THE	12	
	PERIOD OF BID SUBMISSION		
7	LETTER OF TRANSMITTAL(ANNEXURE-A)	13	
8	FORM FOR DETAILED INFORMATION BY BIDDER (VENDOR DETAILS)	14	
	(ANNEXURE-B)		
9	STRUCTURE & ORGANISATION (ANNEXURE-C)	15	
10	DECLARATION(ANNEXURE-D)	16	
11	INTEGRITY PACT(ANNEXURE-E)	17	
12	ACKNOWLEDGEMENT & ACCEPTANCE LETTER(ANNEXURE-F)	18	
13	CONSENT LETTER(ANNEXURE-G)	19	
14	INTEGRITY AGREEMENT	20	24
15	PERCENTAGE RATE TENDER/ ITEM RATETENDER& CONTRACT FOR WORKS	25	26
16	GENERAL PARTICULAR & ADDITIONAL CONDITIONS OF CONTRACT	27	30
1.77	FORM OF EARNEST MONEY DEPOSIT (BANK GUARANTEE	21	
17	BOND)ANNEXURE-I	31	
18	FORM OF PERFORMANCE GUARANTEE BANK GUARANTEE	32	34
19	SPECIAL CONDITIONS OF CONTRACT	35	40
00	FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING	4.1	
20	EXTENSION OF TIME (PART I)	41	
0.1	FORM OF APPLICATION OF THE CONTRACTOR FOR SEEKING	40	
21	RESCHEDULING OF THE MILESTONES	42	
	GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR		
22	REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER	43	
	PROOFING WORKS		
23	LIST OF SPECIALIZED ITEMS / JOBS	44	47
24	NO CLAIM CERTIFICATE (ON COMPANY LETTER HEAD)	48	
25	APPROVED MATERIALS LIST (CIVIL)	49	55
26	PROFORMA OF SCHEDULES (A TO F)	56	59
27	SCHEDULE OF QUANTITY	60	65

INSTRUCTIONS FOR ONLINE BID SUBMISSION

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

REGISTRATION:

- 1) Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify/nCode /eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS:

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS:

1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.

- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the Number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS:

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 7) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 8) The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is

- maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key.
- 9) Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 10) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 11) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 12) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS:

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120-4001002.
- 3) For any further assistance, please contact to the office of Executive Engineer, AIIMS Raipur.

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

NOTICE INVITING e-TENDER

(a)	Name of Work	" C/o shed and miscellaneous civil works for mess at Resident hostel ,AIIMS Raipur "
(b)	Tender No.	39/EE/AIIMS/RPR/2020-21
(c)	Contract Period	30 days
(d)	Estimated Cost	Rs 2,60,873.00
(e)	Earnest Money Deposit (Mandatory to submit original EMD for participating in bid & no need to submit whole tender hardcopy documents.)	Rs. 5300.00 (to be submitted in the form an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India in favour of AIIMS, Raipur in the office of Project Cell, AIIMS, Raipur before the last date of opening of Bid.)
(f)	Performance Guarantee	5% of Tendered value.
(g)	Security Deposit	2.5% of the Tendered Value.
(h)	Tender documents may be seen on	AIIMS web site www.aiimsraipur.edu.in and CPPP site https://eprocure.gov.in/eprocure/app
(j)	Last Date &Time of Submission	By 21-09-2020 UP TO 11:00 Hours through online.
(k)	Date & Time for opening of Technical Bid	On 22-09-2020 at 11:30 Hours.

- 1. The indenting Bidder must read the Terms &conditions carefully. He/ She should only submit bid if consider himself/herself eligible and bidder in possession of all the documents required.
- 2. Information and Instructions for bidders posted on website shall from part of bid document.
- 3. The Bid documents consisting of specifications, the schedule of quantities of various types of items to be executed and the set of terms &conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website www.aiimsraipur.edu.in Or https://eprocure.gov.in/eprocure/app.
 - 4. For any further assistance, please contact to the office of Executive Engineer, AIIMS Raipur or mail to tenderprojectcell@aiimsraipur.edu.in / ee.civil@aiimsraipur.edu.in.

FORM-6

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING

The Executive Engineer (Civil), AIIMS, Raipur on behalf of Director, AIIMS, Raipur invites online Percentage Rate/ Item Rate bids in single bid system (Technical cum Eligibility & Financial) from registered civil contractors of appropriate list of CPWD, M.E.S., BSNL, Railway, P.W.D. (B&R) for the following work(s):-

S1.	Description	Details
No.		
(a)	NIT No.	39/EE/AIIMS/RPR/2020-21
(b)	Name of Work:	" C/o shed and miscellaneous civil works for mess at Resident hostel ,AIIMS Raipur "
(c)	Estimated Cost	Rs 2,60,873.00
(d)	Earnest Money (Mandatory to submit EMD for participating in bid.)	Rs 5300.00 (EMD original to be submitted during Office hours before opening of Bid.)
(e)	Period of Completion	30 days
(f)	Last Date &Time of Submission	By 21-09-2020 UP TO 11:00 Hours through online.
(g)	Date & Time for opening of Technical Bid	On 22-09-2020 at 11:30 Hours.

- **1.** The intending bidder must read the terms and conditions of Tender document carefully. Bidder may submit bid having all required documents.
- 2. Intending bidders shall have to register at CPPP portal to participate in the tendering process. For details kindly visit website http://eprocure.gov.in/eprocure/app or In case the bidder requires any elucidation regarding the tender documents, may contact to the office of Project Cell, AIIMS Raipur before the opening of tender date.
- **3.** For e-tendering of this tender, downloaded from AIIMS Raipur website and Central Public Procurement Portal (CPPP) e-Procurement website.
- **4.** The intending bidders must have valid class-III digital signature to submit the bid. **Manual bid shall not be accepted in any circumstance**. The complete bidding process is online bidding; Bidder should have valid digital Signature Certificate (DSC) for online submission of bids.
- **5.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website http://eprocure.gov.in/eprocure/appfree of cost.
- **6.** The bid can be submitted only after uploading the mandatory scanned documents up to 100 dpi Copies of eligibility documents and EMD as specified on the e-tendering website within the period of tender submission. Bidders can upload documents in the form of JPG format, PDF format and any other format as permissible by the e-tendering portal.

- **7.** Bidders must ensure to quote rate of each item. If any cell is left blank the same shall be treated as "0". Therefore, If any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0"(ZERO). After submission of the bid online the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
- **8.** After submission of bid online, it can be revised any number of times before specified time on last date of submission of bid. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
- **9.** Financial bids shall be opened online only for bidders for whom EMD and other uploaded documents are found in order and who are found to be eligible to bid for work. On opening date, the bidder can log in and see the bid opening process. After opening of bid he/she will receive the competitor bid sheets.
- **10.** If the bidder is found ineligible after opening of technical cum eligibility, bid shall become invalid.
- 11. The Bidders shall have to submit original instrument for EMD (EMD released of any work will not be accepted again if earlier submitted in any case) before the last date of opening of TECHNICAL Cum Eligibility Bid to the office of Tender Opening Authority. The bid security is to remain valid for a period of 45 (forty-five) days beyond the final bid validity period. Bid security will be refunded to the successful bidder on receipt of a performance security. Bid securities of the unsuccessful bidders should be returned at the earliest after L1 decided by Committee of AIIMS Raipur.
- **12.** The Technical cum Eligibility bid shall be opened first on due date and time as mentioned above. Opening of financial bids of contractors qualifying the eligibility shall be opened at a later date.
- **13.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.
- 14. Performance Guarantee: The successful contractor will be required to furnish a Performance guarantee of 5% (Five Percent) of Tendered Value after receiving notification of award in the form of an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India in the name of the "All India Institute of Medical Sciences, Raipur" which shall be kept valid for a period of Six (06) months beyond completion of all the contractual obligations. The Performance Guarantee can be forfeited in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract. Performance Security will be released after successful completion of work under the contract. In case the contractor fails to deposit the said performance guarantee within the period including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with tender shall be returned after receiving the aforesaid performance guarantee.

15. Sources and Verification of Bank Guarantees

Bank Guarantee for Bid Security (EMD) or Performance Guarantee (Security Deposit) should be irrevocable and operative Bank Guarantee (BG) as per format enclosed in the Bid Document and should be issued by a Scheduled Commercial (i.e. Indian or Foreign Banks included in the Second Schedule of Reserve Bank of India Act, 1934 excluding Co-operative banks or Regional Rural Banks). In case of foreign bidders or in case of GTE, if Bank Guarantee is from a foreign bank branch situated outside India, the Bank Guarantee must be issued through any of the

Scheduled Commercial Bank. In case BG is issued directly by a bank outside India, it should be executed on letter Head of the Bank and should be advised and made payable through their Indian Branch/Corresponding Bank in India. The Issuing Bank should also state the name and designation of the next Higher Authority of the Officials who have issued the Bank Guarantee. Bank guarantees submitted by the tenderers/ contractors as EMD/ performance securities need to be immediately verified from the issuing bank **before acceptance**. There may not be any need to get the Bank Guarantee vetted from legal/ finance authority if it is in the specified format. Guidelines for verification of BGs submitted by the bidders/ contractors against EMD/ performance security/ advance payments and for various other purposes are as follows:

- i) BG shall be as per the prescribed formats;
- ii) The BG contains the name, designation and code number of the Bank officer(s) signing the guarantee(s);
- iii) The address and other details (including telephone no.) of the controlling officer of the bank are obtained from the branch of the bank issuing the BG (this should be included in all BGs). The confirmation from the issuing branch of the bank is obtained in writing though registered post/ speed post/ courier. The bank should be advised to confirm the issuance of the BGs specifically quoting the letter of Procurement Entity on the printed official letterhead of the bank indicating address and other details (including telephone nos.) of the bank and the name, designation and code number of the officer(s) confirming the issuance of the BG; Pending receipt of confirmation as above, confirmation can also be obtained with the help of responsible officer at the field office, which is close to the issuing branch of the bank, who should personally obtain the confirmation from issuing branch of the bank and forward the confirmation report to the concerned procurement entity.
- 16. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost, all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions.
- **17.** The Tender paper/documents can be seen / downloaded from Official website & submitted through Online or Site.
- **18.** The competent authority on behalf of the Director, AIIMS, Raipur does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **19.** Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- **20.** The Competent Authority, The **Engineer-In-Charge**, reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.

- **21.** The contractor shall not be permitted to bid for works in the AIIMS, Raipur responsible for award and execution of contracts, in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in the AIIMS, Raipur. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- **22.** The bid for the works shall remain open for acceptance for a period of **90 days** from the date of opening of bids.
- 23. This notice inviting bid shall form a part of the contract document. The successful bidder/ contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of "The Notice Inviting bid, all the documents including additional conditions, specifications and drawings, GCC, if any, forming part of the bid as uploaded at the time of invitation of bid and rate quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.

24. Eligibility of Bidder

- (a) All eligible bidders meeting the eligibility can participate in the tender. The applicant should be a private or government-owned legal entity;
- (b) For package size exceeding certain values [say Rs. 10 (ten) Crore], Joint Ventures may be allowed. Maximum number of partners in Joint Ventures shall be limited (say three). In case of Joint Ventures, all the partners shall be jointly and severally liable for the successful completion of the work;
- (c) A firm that has been engaged by Ministry/ Department to provide consultancy services for the preparation or implementation of a project, and any of its affiliates (associates,
 - Subsidiary, Joint Ventures partner), shall not be eligible for subsequently providing goods or works (other than a continuation of the firm's earlier consultancy services) for the same project;
- (d) A firm determined non-performing by the Procuring Entity shall not be eligible to bid during the period so determined;
- (e) The bidder must not have in his employment:
 - a) The near relations (defined as first blood relations, and their spouses, of the bidder or the bidder's spouse) of persons involved in decision making in the procurement.
 - b) Without Government permission, any person who retired as gazetted officer within the last two years of the rank and from the departments.
- (f) Goods and services Tax (GST)

25. Signing of bid document:

- a) If the bidder is an individual, the bid shall be signed by him above his full type written name and current address.
- **b)** If the bidder is a proprietary firm, the bid shall be signed by the proprietor above his full type written name and the full name of his firm with its current address.
- c) If the bidder is a firm in partnership, the bid shall be signed by all the partners of the firm above their full type written names and current addresses, or, alternatively, by a partner holding power of attorney for the firm. In the later case a certified copy of the power of attorney

should accompany the application. In both cases a certified copy of the partnership deed and current address of all the partners of the firm should accompany the application.

- **d)** If the bidder is a limited company or a corporation, the bid shall be signed by a duly authorized person holding power of attorney for signing the application accompanied by a copy of the power of attorney. The bidder should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.
- **26.** In the bid documents the word / sentence shall be read as under :-
 - (i) President of India Director, AIIMS, Raipur
 - (ii) The terms Director General includes CPM/ADG region/ SDG PR Special Director General / Additional Director General and CPM/ Chief Engineer of the Zone The terms Director General includes Director/Superintending Engineer/Executive Engineer, AIIMS, Raipur.
 - (iii) CPWD AIIMS, Raipur or vice versa.
- 27. Any dispute or difference arising out of this contract or in connection therewith which cannot be amicably settled between the parties shall be finally settled under the rules of council of Arbitration of India by one or more arbitrator appointed in accordance with the said rules. The arbitration shall take place at Raipur (Chhattisgarh) and the resulting award shall be final and binding upon the parties and shall be in lieu of any other remedy.

List of Mandatory Documents to be filled in by the bidders in various forms to be scanned and uploaded within the period of bid submission

1	EMD in the form of an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank
	<u>in India</u> in the name of the "All India Institute of Medical Sciences, Raipur"
2	Enlistment Order for the Contractor
3	Letter of transmittal (Annexure-A)
4	Vendor Details as per (Annexure-B)
5	Structure & Organization (Annexure-C)
6	Declaration by Bidder (Annexure-D)
7	Acknowledgement & Acceptance Letter (Annexure-F)
8	Consent Letter(Annexure-G)
9	GST Registration Certificate
10	Registration Certificate of EPFO & ESIC

e-sign by Manoj Rastogy
Executive Engineer (Civil)
AIIMS, Raipur

(Annexure-A)

LETTER OF TRANSMITTAL

From:	
То	
The Executive Engineer,	
Project Cell, AIIMS, Raipur (C.G.)	
Subject : Submission of bids for the work of:C/o sh mess at Resident hostel, AIIMS Raipur.	ed and miscellaneous civil works for
Sir,	
Having examined the details given in the bid document the relevant information.	t for the above work, I/we hereby submit
 I/we hereby certify that all the statement made and into A to G (except E) and accompanying statement are true. I/we have furnished all information and details neces pertinent information to supply. I/we authorize Engineer-In-Charge or his representations and corporation to verify our competence and generate are correct. It is also certified that I / We shall be cancellation of enlistment in case any information incorrect. 	e and correct. ssary for eligibility and have no further rive to approach individuals, employers, heral reputation. on given in the enclosed eligibility bid the liable to be debarred, disqualified /
Enclosures:	Cionatana (a) of Diddon(a)
Date of submission:	Signature(s) of Bidder(s Seal of bidder

Annexure-B

FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details)

1.	Name of the Bidder	
2.	Permanent Account No (PAN)	
3.	Particulars of Bank Account	
	a) Name of the Bank	
	b) Name of the Branch	
	c) Branch Code	
	d) Address	
	e) City Name	
	f) Telephone No	
4.	Legal status of the bidder (attach copies of original document defining the legal status)	
	a) An Individual	
	b)A proprietary firm	
	c)A firm in partnership	
	d) A limited company or	
	Corporation	
5.	GST Registration Certificate No	
6.	Valid Email ID of the Bidder	
7.	Complete Postal Address of the bidder	

Annexure-C

STRUCTURE & ORGANISATION

1.	(a) Name
	(b) Address of the bidder
2.	(a)Telephone no.
	(b) Telex no.
	(c) Fax no.
	(d) E-mail
3.	Legal status of the bidder (attach copies of original document defining the legal status)
	(a) An Individual
	(b) A proprietary firm
	(c) A firm in partnership
	(d) A limited company or Corporation
4.	Particulars of registration with various Government Bodies if any (attach attested photocopy)
	Organization/Place of registration Registration No.
	1.
	2.
	3.
5.	Names and titles of Directors & Officers with designation to be concerned with this
work.	

Signature of Bidder(s)

Annexure-D

DECLARATION

It	is	to	certify	that:
ıι	10	w	CCICITY	uiuc

- 1) I/We agree with the terms and conditions of it and understood that it will form part of the agreement.
- 2) I hereby certify that none of my Relative(s) are employed in AIIMS Raipur, Chhattisgarh. In case at any stage, it is found that the information given by me is false/incorrect, AIIMS shall have the absolute right to take any action as deemed fit without any prior intimation to me".
- 3) I/We undertake and confirm that eligible Work(s) has/have not been got executed through another contractor on back to back basis. Further, it is stated that, if such a violation comes to the notice of Department, than I/We shall be debarred for bidding in AIIMS in future forever. Also, if such a violation comes to the notice of AIIMS, Raipur before date of start of work, the Engineer-In-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.
- 4) I / We have signed (with stamp) uploaded documents of the tender before submitting the same.
- 5) All the information and documents given/uploaded for bids are true.
- 6) I / We have submitted the EMD.
- 7) I / We have provided our e-Mail id for any communication in this regard.
- 8) I have read carefully & understood the important instructions to the all bidders.

Date	Contractor
E-Mail:	(Sign with Seal)

Annexure-E

INTEGRITY PACT

To,

Sub: NIT No. **39/EE/AIIMS/RPR/2020-21 for the work of "**C/o shed and miscellaneous civil works for mess at Resident hostel, AIIMS Raipur"

Dear Sir,

It is here by declared that AIIMS is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender / bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the AIIMS Raipur.

Yours faithfully,

e-sign by Manoj Rastogy
Executive Engineer (Civil)
AIIMS, Raipur

(Annexure-F)

ACKNOWLEDGEMENT & ACCEPTANCE LETTER

To,

The Executive Engineer,

Project Cell, AIIMS Raipur

Sub: Submission of Tender for the work "C/o shed and miscellaneous civil works for mess at Resident hostel, AIIMS Raipur"

Dear Sir,

I / We acknowledge that AIIMS is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I / We agree that the Notice Inviting e-Tender is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by AIIMS Raipur. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, AIIMS Raipur shall have unqualified, absolute and unfettered right to disqualify the tenderer/bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours Faithfully

(Duly authorized signatory of the Bidder)

(Annexure-G)

CONSENT LETTER

I/We hereby give my/ our consent to work as contractor till the completion of work and I/we will be responsible for execution of work only by skilled persons in the field of **related work** as per satisfaction of Engineer-In-Charge.

I/We will produce computerized measurement sheets of work before covering hidden work / job and other exposed works in time as per **clause 6** otherwise measurement will be recorded by the representative of Engineer-In-Charge which will be bound to me and I/We am/are agree to made recovery of amount as per **clause 32** of GCC for each running and final bill for not producing measurement and bill. Final measurement with bill will be produced by me/us within one month after completion date otherwise representative of Engineer-In-Charge will prepare the same which will be acceptable and bound to me/us and no any claim in this regard will be made by me/us.

I/We will provide all invoices and related test certificates of materials as required by E-In-C. All Analysis of rates for Extra, Substitute, Deviation items etc. will be produced by me/us in consultation with representative of Engineer-In- Charge on time for getting approval from Competent Authority of AIIMS before execution of work or otherwise the same will be prepared by the department and will be bound to me/us.

I/We will maintain all the registers etc. as mentioned in General Condition of Contract for workers and employees. The registers will be presented to Engineer In-charge or his authorized representative for verification from time to time.

I/we will also engage suitable and skill Engineer(s) for the work as per condition of work.

I further certify that the above particulars pertaining to me are correct.

I/We will produce all uploaded documents in original for physical verification before issue of Letter of Acceptance or / and as demanded by Engineer-In Charge before the payment.

I/We will submit "No Claim Certificate" in the approved format in company letter head after receiving final bill payment.

To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of AIIMS Raipur.

INTEGRITY AGREEMENT

This Integrity Agreement is made at	on this day of 2019
	BETWEEN
AIIMS Raipur through Executive Engin	eer,,
	(Name of Division)
AIIMS,	, (Hereinafter referred as the
(Address of Divis	sion)
'Principal / Owner', which expression	n shall unless repugnant to the meaning or context hereof
include its successors and permitted a	ssigns)
	AND
(Name and Addr	ress of the Individual/firm/Company)
through	(hereinafter referred to as the
(Details of duly authorized s	signatory)
"Bidder/Contractor" and which expr	ession shall unless repugnant to the meaning or context
hereof include its successors and perm	itted assigns)

Preamble

WHEREAS the Principal /Owner has floated the e-Tender (NIT No.39/EE/AIIMS/RPR/2020-21) (hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for "C/o shed and miscellaneous civil works for mess at Resident hostel ,AIIMS Raipur" Hereinafter referred to as the "Contract".

AND WHEREAS the Principal / Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "**Integrity Pact**" or "**Pact**"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

ARTICLE 1: COMMITMENT OF THE PRINCIPAL / OWNER

- 1. The Principal/Owner commits itself to take all measures necessary toprevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal / Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2. If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC) / Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal / Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

ARTICLE 2: COMMITMENT OF THE BIDDER (S) / CONTRACTOR (S)

- 1) It is required that each Bidder / Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s) / Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal / Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

The Bidder(s) / Contractor (s) will not enter with other Bidder (s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.

- b) The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s) / Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses c) of agents / representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- d) The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose (with each tender as per Performa enclosed) any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract
- 3) The Bidder(s) / Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake / forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his / her reputation or property to influence their participation in the tendering process).

ARTICLE 3: CONSEQUENCES OF BREACH

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal / Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder / Contractor accepts and undertakes to respect and uphold the Principal / Owner's absolute right:

1) If the Bidder (s) / Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above

Ωť

in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers

to

Disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate / determine the Contract, if already executed or exclude the Bidder/Contractor

from

Future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal / Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

2) Forfeiture of EMD / Performance Guarantee / Security Deposit:

If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder / Contractor.

3) Criminal Liability:

If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of Indian Penal code (IPC)/Prevention of Corruption Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

ARTICLE 4: PREVIOUS TRANSGRESSION

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holding listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

ARTICLE 5: EQUAL TREATMENT OF ALL BIDDERS/CONTRACTORS/SUBCONTRACTORS

- 1) The Bidder(s) / Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder / Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Subcontractors/sub-vendors.
- 2) The Principal / Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal / Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

ARTICLE 6- DURATION OF THE PACT

This Pact begins when both the parties have legally signed it. It expires for the Contractor / Vendor 12 months after the completion of work under the contract or till the continuation

of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, AIIMS Raipur.

ARTICLE 7- OTHER PROVISIONS

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the **Headquarters of the Division** of the Principal / Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement/Pact, any action taken by the Owner/Principal in accordance with this **Integrity Agreement/ Pact or interpretation** there of shall not be subject to arbitration.

ARTICLE 8 LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender / Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal/ Owner)

(For and on behalf of Bidder/ Contractor)

WITNESSES:		
	1.	(Signature, name and address)
	2.	(Signature, name and address)
Place:-		
Dated:		

ALL INDIA INSTITUTE OF MEDICAL SCIENCE RAIPUR Percentage Rate Tender/ Item Rate Tender & Contract for Works

Tender for the work of: "C/o shed and miscellaneous civil works for mess at Resident hostel, AIIMS Raipur"

e-TENDER

I/We have read and examined the notice inviting tender, schedule, A,B,C,D,E & F, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the AIIMS Raipur within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for **Ninety (90) days** from the due date of opening of financial bid and not to make any modification in its terms and conditions.

A sum of Rs 5300.00 is hereby forwarded in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank as earnest money. A copy of the earnest money in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank is submitted with tender. If I/We, fail to furnish the prescribed performance guarantee within prescribed tender, I/we agree that the said President of India or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that President of India or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said Performance Guarantee shall be guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the General Conditions of Contracts (CPWD). Further, I/we agree that in case of forfeiture of earnest money or performance guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

I/We undertake and confirm that eligible similar work(s) has / have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in AIIMS Raipur in future forever. Also, if such a violation comes to the notice of Department before date of start of work, The

Engineer – in – Charge shall be free to forfeit the entire amount of Earnest Money Deposited / Performance Guarantee.

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived therefrom to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated #	Signature of Contractor# Postal Address#
Witness: # Address: # Occupation: # # T applicable	e-Mail id# Fo be filled in by the contractor/witness as
ACCEPT	<u>rance</u>
The above tender (as modified vide letters menti behalf of the AIIMS Raipur for a sum of ₹	oned hereunder) is accepted by me for and on _*
(Rupees*	
The letters referred to below shall form part of this	contract Agreement:-
a)*	
b)	
c)	For & on behalf of the AIIMS Raipur.
	Signature
Dated	Designation

GENERAL PARTICULAR

- 1.Name of Work: C/o shed and miscellaneous civil works for mess at Resident hostel ,AIIMS Raipur"
- 2. For all items of **Civil/Electrical/AC&R/Horticulture**;- CPWD specifications with up to date correction slips up to receipt of tender shall be followed. For the items which are not covered under CPWD Specifications; B.I.S. specifications shall apply. In this regard the decision of Engineer-in- charge shall be final.
- 3. Wherever any reference is made of any Indian Standard, it shall be taken as reference to the latest edition with all amendments/ revision issued thereto up to the date of receipt of tenders.
- 4. Unless otherwise specified, the agreement rates for all items of work of the schedule of quantities are for all heights, depths, leads and lifts involved in the execution of work.
- 5.Other agencies working at site will also simultaneously execute the work entrusted to them and the contractor shall offer necessary co-operation wherever required to other agencies.
- 6.On account of security consideration, there could be some restrictions on the working hours, movement of vehicles for transportation of materials. The contactor shall be bound to follow all such restrictions and adjust the program for execution accordingly, for which nothing extra shell be paid.
- 7. The work shall be carried out in a manner complying in all respects with the requirements of relevant bye laws of the local bodies, Labour Laws, minimum wages act, workmen compensation act and other statutory laws enacted by Central Govt. as well as State Govt.
- 8.All melba/rubbish/silt/waste, garbage etc. generated due to any operation from buildings/houses/hostels and other open spaces whatsoever shall be disposed off on daily basis by the contractor to the specified common disposal point. After the collection of full truck load of the said Melba (approx. 4.5 cubic meters), the same shall be disposed off by the contractor to the authorized municipal dumping ground and nothing extra shall be paid on this account. In case of non- removal/disposal in the specified period, the same would be disposed at risk & cost of contractor.
- 9. No residential accommodation shall be provided to any of the staff engaged by the contractor. The contractor shall not be allowed to erect any temporary set up for staff in the campus.
- 10. No claims of the labours shall be entertained by the Department including that of providing employment, regularization of services etc.
- 11. All required register will be issued by Engineer-in-Charge/Executive Engineer duly marked in chronological order but the contractor will have to arrange all such registers/stationery etc. Nothing extra shall be paid on this account.
- 12. The contractor shall have registration with Employee's Provident Fund commissioner and Employee's state Insurance Corporation for safe guarding interest of his workmen. He shall obtain all other necessary approvals from statutory bodies as per law in vogue.
- 13. All T&P, scaffoldings, ladders/Hydra etc, instruments/meters for maintenance, consumable and Contingent Articles required for execution of the work shall be arranged by the contractor.
- 14. The contractor shall make all safety arrangement required for the labour engaged by him at

his own cost. All consequences due to negligence or due to lapse of security/safety or otherwise shall remain with the contractor. The department shall not be responsible for any mishap, injury, accident or death of the contractor's staff. No claim in this regard shall be entertained / accepted by the department. Also Contractor is responsible to the damage caused to any man/material other that his team during execution and AIIMS will not be responsible for that.

- 15. Contractor shall be fully responsible for any damages caused to govt. property or allotter's property by his or his labor in carrying out the work and shall be rectified by the contractor at his own cost.
- 16. GST and other Taxes as applicable shall be recovered/ paid from the contractor's bill as per Govt. of India/AIIMS Rules. GST amount will be reimbursed only after submission of GST deposition proof.
- 17. Chases, holes & drilling works etc. shall be done using power operated tools in the cost of Contract. No extra will be paid for the same.
- 18. The agency shall restore back the premises and other articles provided by the department to the department at the time of closure of the contract.
- 19. In the case of discrepancy between the schedule of quantities, the Specifications and/or the Drawings, the following order of preference shall be observed:-
 - (a) Description of schedule of quantities.
 - (b) Additional specifications and special conditions, if any.
 - (c) Contract clauses of General conditions of contract for Central P.W.D. works. (iv) CPWD specifications.
 - (d) Architectural drawings.
 - (e) Indian standards specifications/ BIS. (vii) Sound engineering practice. Any reference made to any Indian standards specifications in these documents, shall imply to the latest version of that standard, including such revisions/amendments as issued by the Bureau of Indian Standards up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian Standards applicable to the work at site.
- 20. The contractor and /or his authorized agent should see the site order book every day and get the compliance of instruction given by the JE/AE/Engineer-in-charge (E-I/C) as per time schedule.
- 21. The contractor will not pitch up tents for laborers, materials and his stores etc.
- 22. No permanently / temporary huts / structures shall be constructed by the contractor at the site of work or at any government land / premises. Such structures, if any, found at the site or at AIIMS, Raipur land shall be demolished and removed at the cost of the agency without any notice.
- 23. Any damage to the building structure, fittings or any other articles etc. done by the contractor or his workman during the execution of the work shall be made good by the contractor at his own cost.
- 24. The contractor shall clear the site properly after the completion of the work.
- 25. The Agency shall be solely responsible for compliance to the provisions of various Labor and industrial laws, such as, wages, allowances, compensations, EPF, Bonus. Gratuity, ESI etc.

relating to personnel deployed by it at AIIMS, Raipur site or for any accident caused to them and the institute shall not be liable to bear any expense in this regard. The Agency shall make payment of wages to workers engaged by it by the stipulated date irrespective of any delay in settlement of its bill by AIIMS, Raipur for whatever reason. The Agency shall also be responsible

For the insurance of its personnel. The Agency shall specifically ensure compliance of various Laws / Acts, including but not limited to with their re-enactments / amendments / modifications etc.

- (a) The Payment of Wages Act 1936.
- (b) The Employees Provident Fund & MP Act, 1952.
- (c) The Contract Labor (Regulation) Act, 1970.
- (d) The Payment of Bonus Act, 1965.
- (e) The Payment of Gratuity Act, 1972.
- (f) The Employees State Insurance Act, 1948.
- (g) The Employment of Children Act, 1938.
- (h) The Motor Vehicle Act, 1988.
- (i) Minimum Wages Act, 1948.
- 26. **Breach of Terms and Conditions**: Noncompliance of any terms and conditions enumerated in the contract shall be treated as breach of contract. Or In Case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by AIIMS, Raipur in that event the EMD and /or Performance Guarantee and/or security deposit shall also stands forfeited.
- 27. **Arbitration**: The Arbitration shall be held in accordance with the provision of the Arbitration and conciliations Act, 1996 and the venue of arbitration shall be at Raipur. The decision of the Arbitrator shall be final and binding on the both parties.
- 28. **Dispute Settlement**: It is mutually agreed that all differences and disputes arising out of or in connection with this agreements shall be settled by mutual discussions and negotiations if such disputes and differences cannot be settled and resolved by discussions and negotiations then the same shall be referred to the sole Arbitrator appointed by the Director, AIIMS, RAIPUR whose decision shall be final and binding on both the parties. The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing.
- 29. Guidelines issued by Hon'ble National Green Tribunal in O.A. No. 21 of 2015 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & other and Sanjay Kulshreshtha Vs Union of India & ors: Air Pollution of Dust from Construction and Demolition activity reg. issued vide letter No. DPCC/EIA/Ref-001 to 172/NGT-21/2015/225-408 dt. 17/04/2015 shall be complied by the Bidders.
- 30. The sample of all the items shall have to be got approved by the Contractor from the Engineer-in-Charge/Executive Engineer or his Representative before the supply commences, the approval of sample shall be only in respect of workmanship and finish, and shall be without prejudice to the right of Engineer-in-Charge to get random samples tested out of the actual lot received as per additional conditions. This decision is the Prerogative of Engineer-in-Charge.
- 31. The contractor shall furnish the manufacturer's certificate that the material supplied

satisfy the requirements of the relevant specifications.

32. The Engineer-in-Charge shall be at liberty to test respective sample (s) of each item of schedule of quantity in any approved laboratory as decided by him. The sample for testing shall be provided by the contractor. If the test proves satisfactory and the material is accepted, the testing charge in respect of satisfactory test shall be borne by the department.

All other expenditure required to be incurred for making available the sample, conveyance and packing etc, shall be borne by the contractor himself. In case any sample of particular lot fails in testing the contractor shall be bound to replace the entire lot with fresh material of prescribed specifications and the rejected lot shall only be returned to the contractor after fresh lot is supplied. Testing charges in respect of failed sample will be borne by the contractor himself.

- 33. Rejected materials shall have to be removed by the contractor at his own cost at once.
- 34. In case of any dispute regarding rejection of quantity of materials the decision of Engineer-in- Charge shall be final and binding upon the contractor.
- 35. Conditional tenders are liable to be summarily rejected.

 Composite register issued by Engineer-In-charge must be maintained by representative of E
 I-C and contractor both. The contractor or his representative is bound to sign the Composite register as and when required by the Engineer-in-Charge and to comply with the remarks therein.

Annexure I

FORM OF EARNEST MONEY DEPOSIT

(Bank Guarantee Bond)
WHEREAS, contractor (Name of contractor) (Hereinafter called "the contractor") has submitted his tender dated
KNOW ALL PEOPLE by these presents that we
SEALED with the Common Seal of the said Bank thisday of
(1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
(2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required; OR
(b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,
We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.
This Guarantee will remain in force up to and including the date*
DATESIGNATURE OF THE BANK
WITNESS

SEAL (SIGNATURE, NAME AND ADDRESS)

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

FORM OF PERFORMANCE GUARANTEE BANK GUARANTEE

(On a stamp paper of appropriate value from any Nationalized Bank or Scheduled Bank)

To
Executive Engineer,
AIIMS RAIPUR,
TATIBANDH,
RAIPUR – 492099

Dear Sir,

In consideration of the AIIMS RAIPUR, having offered to except the terms and conditions of the proposed agreement between & M/S (hereinafter referred				
to as "the said Contractor (s)", which expression shall include his successor and assignees) for the				
work of Contract No terms inter alia, of the Letter No dated and the General Co	ın			
of Contract and upon the condition of the Contractor's furnishing Security for the performance of				
the Contractor's obligations and discharge of the Contractor's liability under and in connection				
with the said Contract upto a sum of Rs.	(Rupees			
only) amounting topercent of the total Contract v	zalue.			
1 We,(hereinafter called `The Bank'	which			
expression shall include its successors and assignees) hereby jointly and severally un	willCii			
to guarantee the payment to the Employer in rupees forthwith on demand in write				
without protest or demur or any and all moneys payable by the Contractor to the Emp	_			
respect of or in connection with the said Contract inclusive of all the Employer's los				
damages and costs, (inclusive between attorney and client) charges and expenses at				
moneys payable in respect of the above as specified in any notice of demand made				
Employer to the Bank with reference to this guarantee upto an aggregate				
Rs	mmic Oi			
	. 1 .			
2 We Bank Ltd. further agree that the Employer shall be sole				
and as to whether the said Contractor has committed any breach or breaches of an	ny of the			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, characteristics.	ny of the rges and			
and as to whether the said Contractor has committed any breach or breaches of arterms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Emp	ny of the rges and ployer on			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, charexpenses caused to or suffered by or that may be caused to or suffered by the Empaccount thereof and the decision of the Employer that the said Contractor has commit-	ny of the rges and bloyer on ted such			
and as to whether the said Contractor has committed any breach or breaches of arterms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Empaccount thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, char	ny of the rges and bloyer on ted such rges and			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, charexpenses caused to or suffered by or that may be caused to or suffered by the Emplaceount thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, charexpenses caused to or suffered by the Employer from time to time shall be final and bit	ny of the rges and bloyer on ted such rges and			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Emp account thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, char expenses caused to or suffered by the Employer from time to time shall be final and bir us.	ny of the rges and ployer on ted such rges and nding on			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Emplaceount thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, char expenses caused to or suffered by the Employer from time to time shall be final and bit us. 3 The Employer shall be at liberty without reference to the Bank and without affecting	ny of the rges and ployer on ted such rges and nding on			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Emp account thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, char expenses caused to or suffered by the Employer from time to time shall be final and bit us. 3 The Employer shall be at liberty without reference to the Bank and without affecting liability of the Bank hereunder to take any other Security in respect of the Contractor has committed and the extent of the Security in respect of the Contractor has committed and the extent of loss, damage, costs, characteristics and the extent of the Employer shall be final and bit us.	ny of the rges and ployer on ted such rges and nding on g the full atractor's			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Emplaceount thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, char expenses caused to or suffered by the Employer from time to time shall be final and bit us. 3 The Employer shall be at liberty without reference to the Bank and without affecting	ny of the rges and ployer on ted such rges and nding on g the full atractor's			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Emp account thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, char expenses caused to or suffered by the Employer from time to time shall be final and bit us. 3 The Employer shall be at liberty without reference to the Bank and without affecting liability of the Bank hereunder to take any other Security in respect of the Contractor has committed and the extent of the Security in respect of the Contractor has committed and the extent of loss, damage, costs, characteristics and the extent of the Employer shall be final and bit us.	ny of the rges and ployer on ted such rges and nding on the full attractor's re under			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Empaccount thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, char expenses caused to or suffered by the Employer from time to time shall be final and bit us. 3 The Employer shall be at liberty without reference to the Bank and without affecting liability of the Bank hereunder to take any other Security in respect of the Contobligations and liabilities hereunder or to vary the Contract or the work to be done the vis-a-vis the Contractor or to grant time or indulgence to the Contractor or to reduce the contractor or to release or to forb	ny of the rges and ployer on ted such rges and nding on the full attractor's re under the or to the rges from			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Emp account thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, char expenses caused to or suffered by the Employer from time to time shall be final and bit us. 3 The Employer shall be at liberty without reference to the Bank and without affecting liability of the Bank hereunder to take any other Security in respect of the Con obligations and liabilities hereunder or to vary the Contract or the work to be done the vis-a-vis the Contractor or to grant time or indulgence to the Contractor or to redu increase or otherwise vary the prices of the total Contract value or to release or to forb enforcement of all or any of the Security and/or any other Security(ies) now or herea	ny of the rges and ployer on ted such rges and nding on the full attractor's re under ace or to ear from fter held			
and as to whether the said Contractor has committed any breach or breaches of an terms and conditions of the said Contract and the extent of loss, damage, cost, char expenses caused to or suffered by or that may be caused to or suffered by the Empaccount thereof and the decision of the Employer that the said Contractor has commit breach or breaches and as to the amount or amounts of loss, damage, costs, char expenses caused to or suffered by the Employer from time to time shall be final and bit us. 3 The Employer shall be at liberty without reference to the Bank and without affecting liability of the Bank hereunder to take any other Security in respect of the Contobligations and liabilities hereunder or to vary the Contract or the work to be done the vis-a-vis the Contractor or to grant time or indulgence to the Contractor or to reduce the contractor or to release or to forb	ny of the rges and ployer on ted such rges and nding on the full attractor's re under ace or to ear from fter held			

arrangements with the Contractor or release or forbearance whatsoever shall absolve the bank of the full liability to the Employer hereunder or prejudice the rights of the Employer against the bank.

- 4 This guarantee shall not be determined or affected by the liquidation or winding up, dissolution, or change of constitution or insolvency of the Contractor but shall in all respects and for all purposes be binding and operative until payment of all monies payable to the Employer in terms thereof.
- 5 The bank hereby waives all rights at any time inconsistent with the terms of this guarantee and the obligations of the Bank in terms hereof shall not be anywise affected or suspended by reason of any dispute or disputes having
 - been raised by the Contractor stopping or preventing or purporting to stop or prevent any payment by the Bank to the Employer in terms hereof.
- The amount stated in any notice of demand addressed by the Employer to the Bank as liable to be paid to the Employer by the Contractor or as suffered or incurred by the Employer on account of any losses or damages or costs, charges and/or expenses shall be conclusive evidence of the amount so liable to be paid to the Employer or suffered or incurred by the Employer as the case may be and shall be payable by the Bank to The Employer in terms hereof.
- This guarantee shall be a continuing guarantee and shall remain valid and irrevocable for all claims of the Employer and liabilities of the Contractor arising upto and until midnight of ______.

 This guarantee is valid till _______(date to be mentioned) (Sixty days beyond the stipulated date of completion or the extended period, thereof)

 This guarantee shall be in addition to any other guarantee or Security whatsoever that the
- 9 This guarantee shall be in addition to any other guarantee or Security whatsoever that the Employer may now or at any time anywise may have in relation to the Contractor's obligations/or liabilities under and/or in connection with the said Contract, and the Employer shall have full authority to have recourse to or enforce this Security in preference to any other guarantee or Security which the Employer may have or obtain and no forbearance on the part of the Employer in enforcing or requiring enforcement of any other Security shall have the effect of releasing the Bank from its full liability hereunder.
- 10 It shall not be necessary for the Employer to proceed against the said Contractor before proceeding against the Bank and the Guarantee herein contained shall be enforceable against the Bank notwithstanding that any Security which The Employer may have obtained or obtain from the Contractor shall at the time when proceedings are taken against the said bank hereunder be outstanding or unrealized.
- 11 We, the said Bank undertake not to revoke this guarantee during its currency except with the consent of the Employer in writing and agree that any change in the constitution of the said Contractor or the said bank shall not discharge our liability hereunder.
- 12 We_____ the said Bank further that we shall pay forthwith the amount stated in the notice of demand notwithstanding any dispute/difference pending between the parties before the arbitrator and/or that any dispute is being referred to arbitration.
- 13 Notwithstanding anything contained herein above, our liability under this guarantee shall be restricted to Rs._____ (Rupees_____ and this guarantee shall remain in force till_____ and unless a claim is made on us within 3 months from

that date, that is before	_ all the claims under this guarantee shall be forfeited
and we shall be relieved of and discharg	ged from our liabilities there under.
Datedday of	20
For and on behalf of Bank.	

Issued under seal

SPECIAL CONDITIONS OF CONTRACT

1. GENERAL

- 1.1 Wherever any reference to any Indian Standard Specifications of BIS or other International standards of ASTM/BS/EN occurs in the documents relating to this contract, the same shall be inclusive of all amendments issued there-to or revisions thereof, if any, up to the date of receipt of tenders.
- 1.2 The contractor shall work according to the programme of work as approved by the Engineer-in-charge, for which purpose, the contractor shall submit a programme of the work within 07 days from the stipulated date of start of the work based on computer software and shall update the same every fortnight.
- 1.3 The contractor shall take instructions from the Engineer-in-charge for stacking of materials at site. No excavated earth or building materials shall be stacked on areas where the buildings, roads, services or compound walls are to be constructed.
- 1.4 If as per Municipal or prevailing rules of the secured campuses owned by paramilitary forces, Institutions etc, the huts for labour are not to be erected at the site of work by the contractors, the contractors shall provide such accommodation at such locations as are acceptable to local bodies with all provisions concerning labour safety & sanitation as contained in the relevant clause of the contract, for which nothing shall be payable.
- 1.5 Unless otherwise provided in the Schedule of quantities, the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing shall be payable to him on this account.
- 1.6 The working drawings appearing at para 8.1(iii) of conditions of contract in the form CPWD-7/8, shall mean to include both architectural and structural drawings respectively. The structural and architectural drawings shall be properly correlated before executing the work. In case of any difference noticed between architectural and structural drawings, final decision, in writing of the Engineer-in-charge shall be obtained by the contractor before proceeding further.
- 1.7 Some restrictions may be imposed by the security staff etc. on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restriction / instructions including issue of identity cards to all persons authorized by him to do work / visit the work site and nothing shall be payable on this account.
- 1.8 The contractor shall make his own arrangements for obtaining electric connections, if required, and make necessary payments directly to the department concerned.
- 1.9 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor (s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed, so as not to interfere with the operations of other contractors, or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of Engineer-in-Charge. The contractor shall be responsible for any damage due to hindrance caused by him.
- 1.10 Cast iron pipes and fittings without ear shall be used. However, pipes and fittings with ears may be accepted without any extra payment. In such cases, clamps are not required and no extra payment shall be made for fixing the pipes in a different manner.
- 1.11 Any cement slurry added over base surface for bond or for continuation of concreting, for protecting reinforcement bars, its cost shall be deemed to have been included in the

- respective items, unless specified otherwise and nothing extra shall be payable nor extra cement shall be considered in the cement consumption on this account.
- 1.12 Stacking of materials and excavated earth including its disposal shall be done as per the directions of the Engineer-in-Charge. Double handling of materials or excavated earth if required at any stage shall have to be done by the contractor at his own cost.
- 1.13 No claim for idle establishment &labour, machinery &equipments, tools & plants and the like, for any reason whatsoever, shall be admissible during the execution of work as well as after its completion.
- 1.14 Only Star headed Stainless Steel screws shall be used unless otherwise specified.
- 1.15 Work shall be carried out in professional manner with finished product serving the intended purpose with specified strength, durability and aesthetics.
- 1.16 Work activities shall be executed in well thought out sequences such that consequent activities not adversely affecting previously done work. Nothing extra shall be payable to protect the works already done.
- 1.17 The contractor shall prepare all the needed shop drawings well in advance and get them approved before placing the order and execution of the item.
- 1.18 The contractor shall, at his risk and cost, make all arrangements and shall provide all facilities as the Engineer-in-Charge may require for collecting, and preparing the required number of samples for such tests at such time and to such place or places as may be directed by the Engineer in -Charge and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications.

2. RATES

- 2.1 The rates quoted by the Contractor are deemed to be inclusive of site clearance, setting out work, profile, setting lay out on ground, establishment of reference bench mark(s), installing various signage, taking spot levels, survey with total station, construction of all safety and protection devices, compulsory use of helmet and safety shoes, and other appropriate safety gadgets by workers, imparting continuous training for all the workers, barriers, preparatory works, construction of clean, hygienic and well ventilated workers housings in sufficient numbers as per drawing supplied by Engineer in charge, working during monsoon or odd season, working beyond normal hours, working at all depths, height, lead, lift, levels and location etc. and any other unforeseen but essential incidental works required to complete this work. Nothing extra shall be payable on this account and no extension of time for completion of work shall be granted on these accounts.
- 2.2 The rates quoted by the bidder, shall be firm and inclusive of all taxes and levies.
- 2.3 No foreign exchange shall be made available by the Department for importing (purchase) of equipment, plants, machinery, materials of any kind or any other items required to be carried out during execution of the work. No delay and no claim of any kind shall be entertained from the Contractor, on account of variation in the foreign exchange rate.
- 2.4 All ancillary and incidental facilities required for execution of work like labour camp, stores, fabrication yard, offices for Contractor, watch and ward, temporary ramp required to be made for working at the basement level, temporary structure for plants and machineries, water storage tanks, installation and consumption charges of temporary electricity, telephone, water etc. required for execution of the work, liaison and pursuing for obtaining various No Objection Certificates, completion certificates from local bodies etc., protection works, testing facilities / laboratory at site of work, facilities for all field

tests and for taking samples etc. during execution or any other activity which is necessary (for execution of work and as directed by Engineer-in-Charge), shall be deemed to be included in rates quoted by the Contractor, for various items in the schedule of quantities. Nothing extra shall be payable on these accounts. Before start of the work, the Contractor shall submit to the Engineer-in-Charge, a site / construction yard layout, specifying areas for construction, site office, positioning of machinery, material yard, cement & other storage, fabrication yard, site laboratory, water tank etc.

- 2.5 For completing the work in time, the Contractor might be required to work in two or more shifts (including night shifts). No claim whatsoever shall be entertained on this account, not with-standing the fact that the Contractor may have to pay extra amounts for any reason, to the labourers and other staff engaged directly or indirectly on the work according to the provisions of the labour and other statutory bodies regulations and the agreement entered upon by the Contractor with them.
- 2.6 All material shall only be brought at site as per program finalized with the Engineer-in-Charge. Any pre-delivery of the material not required for immediate consumption shall not be accepted and thus not paid for.

3. CLEANLINESS OF SITE

The Contractor shall not stack building material / malba / muck/ rubbish on the land or road of the local development authority or on the land owned by the others, as the case may be. So the muck, rubbish etc. shall be removed periodically as directed by the Engineer-in-Charge, from the site of work to the approved dumping grounds as per the local byelaws and regulations of the concerned authorities and all necessary permissions in this regard from the local bodies shall be obtained by the Contractor. Nothing extra shall be payable on this account. In case, the Contractor is found stacking the building material / malba as stated above, the Contractor shall be liable to pay the stacking charges / penalty as may be levied by the local body or any other authority and also to face penal action as per the rules, regulations and bye-laws of such body or authority. The Engineer –in-Charge shall be at liberty to recover, such sums due but not paid to the concerned authorities on the above counts, from any sums due to the Contractor including amount of the Security Deposit and performance guarantee in respect of this contract agreement.

4. INSPECTION OF WORK

In addition to the provisions of relevant clauses of the contract, the work shall also be open to inspection by the Engineer-In-Charge, AIIMS Raipur and other senior officers of AIIMS Raipur and his authorized representative. The contractor shall at times during the usual working hours and at all times at which reasonable notices of the intention of the Engineer-in-Charge or other officers as stated above to visit the works shall have been given to the Contractor, either himself be present to receive the orders and instructions or have a responsible Site Engineer duly accredited in writing, to be present for that purpose Senior Officers of AIIMS Raipur Authorities shall also be inspecting the on-going work at site at any time with or without prior intimation.

5. <u>CO-OPERATION WITH OTHER CONTRACTORS/SPECIALIZED AGENCIES/SUB-CONTRACTORS</u>

5.1 The Contractor shall take all necessary precautions to prevent any nuisance or inconvenience to the owners, tenants or occupants of the adjacent properties and to the

public in general .The Contractor shall take all care, as not to damage any other adjacent property or other services running adjacent to the plot. If any damage is done, the same shall be made good by the Contractor at his own cost and to the entire satisfaction of the Engineer-in-Charge. The Contractor shall use such methodology and equipment's for execution of the work, so as to cause minimum environmental pollution of any kind during construction. Further, the Contractor shall take all precautions to abide by the environmental related restrictions imposed by Madhya Pradesh Pollution control board, Govt. of Madhya Pradesh.

Utmost care shall be taken to keep the noise level to the barest minimum so that no disturbance as far as possible is caused to the occupants / users of adjoining buildings. No claim what so ever on account of site constraints mentioned above or any other site constraints, inadequate availability of skilled, semi-skilled or unskilled workers in the near vicinity, non-availability of construction machinery spare parts and any other constraints not specifically stated here, shall be entertained from the Contractor. Therefore, the Tenderers are advised to visit site and get first-hand information of site constraints. Accordingly, they should quote their tenders. Nothing extra shall be payable on this account.

5.2 The Contractor shall cooperate with and provide the facilities to the sub-Contractors and other agencies working at site for smooth execution of the work. The contractor shall indemnify STC, BSF, authorities.

Against any claim(s) arising out of such disputes. The Contractor shall:

- (i) Allow use of scaffolding, toilets, sheds etc.
- (ii) Properly co-ordinate their work with the work of other Contractors.
- (iii) Provide control lines and benchmarks to his Sub-Contractors and the other Contractors.
- (iv) Provide electricity and water at mutually agreed rates.
- (v) Provide hoist and crane facilities for lifting material at mutually agreed rates.
- (vi) Co-ordinate with other Contractors for leaving inserts, making chases, alignment of services etc. at site.
- (vii) Adjust work schedule and site activities in consultation with the Engineer-in-Charge and other Contractors to suit the overall schedule completion.
- (viii) Resolve the disputes with other Contractors/ sub-contractors amicably and the Engineer-in-Charge shall not be made intermediary or arbitrator.
- 5.3 The work should be planned in a systematic manner so as to ensureproper co-ordination of various disciplines viz. sanitary & water supply, drainage, rain water harvesting, electrical, firefighting, information technology, communication & electronics and any other services.
- 5.4 Other agencies will also simultaneously execute and install the works of sub-station / generating sets, air-conditioning, lifts, etc. for the work and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. shall be supplied free of cost by the department unless otherwise specifically mentioned) and the contractor shall fix the same at time of casting of concrete, stone work and brick work, if required, and nothing extra shall be payable on this account.
- 5.5 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor(s) or by the Engineer-in-

Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed so as not to interfere with the operations of other contractor or he shall arrange his work with that of the others in an acceptable and in a proper co-ordinate manner and shall perform it in proper sequence to the complete satisfaction of others.

6. SAFETY MEASURES AT CONSTRUCTION SITE

In order to ensure safe construction, following shall be adhered for strict compliance at the site:-

- (i) The work site shall be properly barricaded.
- (ii) Adequate singnages indicating 'Work in Progress Inconvenience caused is Regretted' or Diversion Signs shall be put on the sites conspicuously visible to the public even during night hours. These are extremely essential where works are carried out at public places in use by the public.
- (iii) The construction malba at site shall be regularly removed on daily basis.
- (iv) All field officials and the workers must be provided with safety helmets, safety shoes and safety belts.
- (v) Proper MS pipe scaffoldings with work platforms and easy-access ladders shall be provided at site to avoid accidents.

Necessary First-Aid kit shall be available at the site.

The above provisions shall be followed in addition to the provisions of General Condition of Contract.

7. FIELD TESTING INSTRUMENTS

(Following instruments in sufficient quantity as directed by the Engineer- in- Charge shall be made available by the contractor. It shall be ensured that the instruments always remain in serviceable condition else the same will be replaced. In case of non-availability of instrument Engineer-In-Charge will purchase the same and the invoice amount will be deducted from the bill and will be bound to contractor in the interest of work.

- (1) Steel tapes 3 m / 5m / 7.5m / 15m / 30m
- (2) Vernier Calipers.
- (3) Micrometer screw 25 mm gauge.
- (4) A good quality plumb bob.
- (5) Spirit level, minimum 30 cms long with 3 bubbles for horizontal vertical.
- (6) Wire gauge (circular type) disc.
- (7) Foot rule.
- (8) Long nylon thread.
- (9) Rebound hammer for testing concrete
- (10) Dynamic penetrometer.
- (11) Magnifying glass
- (12) Screw driver 30 cms long
- (13) Ball pin hammer, 100 gms.
- (14) Plastic bags for taking samples
- (15) Moisture meter for timber
- (16) Earth resistance tests
- (17) Total station

- (18) Multimeter,
- (19) Meggar
- (20) Refrigerant Leak detector
- (21) Pipe Bender
- (22) Thermometer
- (23) Hygrometer
- (24) CFM Meter
- (25) Step Ladder
- (26) Cordless drill

8. THE CONTRACTOR SHALL SUBMIT 'METHOD STATEMENT' FOR THE APPROVAL SOON AFTER THE AWARD OF WORK

'Method Statement' is a statement by which the construction procedures for important activities of construction are stated, checked and approved. Method Statement shall have description of the item with elaborate procedures in steps to implement the same. The specification of the materials involved their testing and acceptance criteria, equipments to be used, precautions to be taken, mode of measurements etc.

9. TESTING OF MATERIALS

- 9.1 The contractor shall arrange carrying out of all tests required under the agreement through the laboratory as approved by the Engineer-in-Charge and shall bear all charges in connection therewith including fee for testing unless specified otherwise. In all cases cost of samples and to & fro carriage shall be borne by the contractor. Contractor shall establish a laboratory at site of work at his own cost. The laboratory shall be equipped with all necessary equipment as per requirement of specification or as per direction of Engineer-in-Charge. A list of laboratory equipment to be maintained by the contractor is enclosed at Para 13 page 40 & 41. Establishing the laboratory at site shall not absolve the contractor from fulfilling the criteria of getting the test done in independent approved laboratories as per DG, CPWD, O.M. No. DG/MAN/308 dated 29.05.2014. The decision of the Engineer-in-Charge of allowing any test in the site laboratory shall be final.
- 9.2 Even ISI marked materials may be subjected to quality test at the discretion of the Engineer-in-Charge besides testing of other materials as per the specifications described for the item/material. Whenever ISI marked materials are brought to the site of work the contractor shall, if required by the Engineer-in-Charge, furnish manufacturer test certificate or test certificate from approved testing laboratory to establish that the material procured by the contractor for incorporation in the work satisfy the provisions of IS codes relevant to the material and/or the work done.
- 9.3 Substandard Material/Work: In case any material/work is found substandard the same shall be rejected by the Engineer-in-Charge and the same shall be removed from the site of work within 48 hour, failing which the same shall be got removed by the Engineer-in-Charge at the risk and cost of the contractor without giving any further notice and time.

FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME

(PART - I)

- 1. Name of contractor
- 2. Name of work as given in the agreement
- 3. Agreement no.
- 4. Estimated amount put tender
- 5. Date of commencement of work as per agreement
- 6. Period allowed for completion of work as per agreement
- 7. Date of completion stipulated in agreement
- 8. Period for which extension of time has been given previously:

	EE's letter no. and date	Extension g	ranted
		Months	Days
(a) 1st extension			
(b) 2nd extension			
(c) 3rd extension			
d) 4th extension			
(e) Total extension previously			
given			

- 9. Reasons for which extension have been previously given (copies of the previous applications should be attached)
- 10. Period for which extension if applied for
- 11. Hindrances on account of which extension is applied for with dates on which hindrances occurred and the period for which these are likely to last.

Serial	Nature of	Date of	Period	Period for	Overlapping	Net	
no	hindrance	occurrence	for which	which	period if	extension	Remarks,
			it is likely	extension	any, with	applied	if any
			to last	required	reference to	for	
				for this	item.		
				particular			
				hindrance			
а	b	С	d	E	f	g	h

Total •	period	on account	of hindrances	mentioned	above	Months	 Davs

- 12. Extension of time required for extra work.
- 13. Details of extra work and the amount involved:
 - a. Total value of extra work
 - b. Proportionate period of extension of time based on estimated amount put to tender on account of extra work.
- 14. Total extension of time required for 11 & 12

Submitted	to	the	Sub	Divisional	Officer	
-----------	----	-----	-----	------------	---------	--

Signature of contractor	r
Dated:	

FORM OF APPLICATION OF THE CONTRACTOR FOR SEEKING RESCHEDULING OF THE MILESTONES

1. Name of contracto	r
----------------------	---

- 2. Name of work as given in the agreement
- 3. Agreement no.
- 4. Estimated amount put tender
- 5. Date of commencement of work as per agreement
- 6. Period allowed for completion of work as per agreement
- 7. Date of completion stipulated in agreement
- 8. Rescheduling of milestones done previously

Milestone No. Already	EE's Letter No. and	Reschedulir	ng Of Milestones Done
Rescheduled	Date		
		Original Date	Rescheduled Date
(A) 1st Milestone			
(B) 2nd Milestone			

Rescheduling of milestone applied for

Milestone No. For	Original/	Details And	Comments of	Proposed
Which	Rescheduled	Period of	Executive	Rescheduled
Rescheduling is	Date	Hindrances	Engineer	Date of
Applied				
(A) 1st				
Milestone				
(B) 2nd				
Milestone				

Submitted	to the	Sub I	Division	al Officer

Signature of Contractor

Dated

GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS

The Agreement made this day of two thousand and between between son of of (hereinafter called the Guarantor of the one part) and the
PRESIDENT OF INDIA (hereinafter called Government of the other part).
WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract) dated and made between the GUARANTOR of the one part and the Government of the other part, whereby the Contractor, interalia, undertook to render the buildings and structures in the said contract recited completely water and leak-proof.
AND WHEREAS GUARANTOR agreed to give a guarantee to the effect that the said structures will remain water and leak-proof for five years from the date of giving of water proofing treatment.
NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the maintenance period prescribed in the contract.
Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:
(a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;
(b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;
(c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.
During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer- in-Charge as to the cost, payable by the Guarantor shall be final and binding.
That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-Charge will be final and binding on the parties.
IN WITNESS WHEREOF these presents have been executed by the Obligorand by and for and on behalf of the PRESIDENT OF INDIA on the day, month and year first above written.
Signed, sealed and delivered by OBLIGOR in the presence of
1.
2.
Signed for and on behalf of THE PRESIDENT OF INDIA by in the presence of

1.

LIST OF SPECIALIZED ITEMS / JOBS List I - Civil Works

- 1. ** Water proofing treatment work.
- 2. Steel work in steel bridge work, space frames for long span structures, steel towers.
- 3. ** Special foundations including all types of piles.
- 4. RCC Overhead Tank with independent staging.
- 5. Structural Repair and Rehabilitation/ Retrofitting works.
- 6. Soil Investigation and Survey Work.
- 7. ** Facade cleaning system and façade cleaning.
- 8. Custom made wooden furniture (factory made).
- 9. Diaphragm walls.
- 10. Post construction Anti-termite chemical treatment.
- 11. Water Treatment Plants
- 12. Security to vacant bungalows/premises.
- 13. Tentage works.
- 14. Washing/dry cleaning works.
- 15. Synthetic play area surface for games.
- 16. Electronic / Digital Signages.
- 17. Environment Impact Assessment Study and Environment Clearance.
- 18. Mechanized Housekeeping Work.

Note:

**For these works, Specialized Agencies shall have to be associated by the duly approved specialized agency by Engineer-In-Charge in case the Contractor does not possess the requisite eligibility and experience as per the NIT conditions to carry out these works..

Electrical Works

LIST- II (A)

- S. No. Supplying /fabrication, installation, testing and commissioning of the following
- 1. Kitchen equipment
- 2. Lifts, escalators and conveyors
- 3. Simultaneous interpretation systems
- 4. Gas plants.
- 5. Cold storage plant
- 6. Hot Water/Steam Boilers
- 7. Public address system; conferencing system, automatic vote recording system, recorders
- 8. Stage lighting
- 9. Projector and other special equipment for theatre
- 10. Repairs and calibration of various types of measuring instruments and relays etc.
- 11. Testing of transformer oil and dehydration and other type of high potential test.
- 12. Frequency Convertor
- 13. Temporary illumination, security lighting and wiring for power outlets for metal detectors in connection with Republic Day and Independence Day Celebrations.
- 14. EPBAX system (equipments).
- 15. EPBAX system (cabling and wiring).
- 16. Illumination of heritage caves and fiber optic lighting system
- 17. Security system and alarm
- 18. Building Automation System
- 19. Hydraulic platform /Lift
- 20. Incinerator
- 21. Laundry equipment
- 22. Centralized clock system.

- 23. Interior/exterior flood lighting of heritage/Monumental buildings/structures involving Computer aided design and evolution of special mounting arrangements for luminaries:
- 24. Gas pipe line
- 25. Modular OT
- 26. Electrically Operated Gate
- 27. Fountain Work
- 28. Water supply motors and pumps of 100 hp or more
- 29. Mechanized Car Parking Systems
- 30. VRV/VRF Type Air-Conditioning Systems
- 31. Oxygen Generation Plant
- 32. CCTV and Allied Equipments
- 33. Access Control System
- 34. Hydro Pneumatic Pumps
- 35. Providing and fixing of Sensor operated Gates
- 36. Precision Air Conditioning System
- 37. LAN System
- 38. SITC of active power factor filter
- 39. SITC of Solar Photo Voltaic Power generation system

LIST-II (B)

- S. No. Supplying /fabrication, installation, testing and commissioning of the following
- 1. Diesel Generating Set
- 2. Heating, Ventilation and Air-conditioning System
- 3. Sub-station equipment
- 4. Fire fighting system (including wet riser and sprinkler system, portable fire extinguishers)
- 5. Fire detection and alarm system

List -III Horticulture Works

(1) Construction of Vertical Green Wall.

LIST -IV Concurrent list of specialized items/ jobs

- (1) Sewage Treatment Plant
- (2) Outsourcing of Day to Day Maintenance Work*

*Note:

- (a) For Outsourcing of Day to Day Maintenance Work, Provision is to be made in the NIT for specialized agency duly approved by Engineer-In-Charge, not having the requisite eligibility and experience as per the NIT conditions, to execute the Comprehensive Maintenance Work by associating Agencies Specialized in Day to Day Maintenance Work.
- (b) Outsourcing of Day to Day Maintenance Work is the "Specialized Work" for the purpose of association only and not for awarding work on standalone basis.

NO CLAIM CERTIFICATE

(On company letterhead)

To,
The Executive Engineer,
Project Cell, AIIMS, Raipur
Name of Work-
Agreement No
Sub: No claim declaration / certificate
We have received the sum of Rs. (Rupees
Yours faithfully,
Signatures of contractor
or Officer authorised to sign the contract documents
on behalf of the contractor
(Company stamp)
Date:
Place:

APPROVED MATERIALS LIST (CIVIL)

Note:

- 1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender, shall be used in the work.
- 2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
- 3. Whenever the specified brand of material is not available then, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

	the contractor for its equivalence as	, , , , , , , , , , , , , , , , , , ,
1.	Acid/Alkali Resistant Tile	Somany/ Nitco/ Kajariya/ Bell
2.	Premium Acrylic Emulsion Paint:	Asian (Royale)/ ICI (Velvet)/ Berger (Luxol Silk)/
	Interior	Nerolac Impression
3.	Admixures& Epoxy	FOSROC/ Aquomix/ BAL-
		ENDURA/ROFF/Dr.Fixit/CICO/SIKA/BASF
4.	Aluminium Composite Panel	Alpolic/ Aluco Bond/ Reynobond/ Euro bond/ Al-
		strong/Aludewr
5.	Aluminium Extrusions/ Sections	Hindalco/ Indalco/ Jindal/Indian Aluminium Co.
6.	P.T.M.T. Accessories	Prayag, PRAKASH, SHURYA/Supreme/Kingston
7.	Annealed Float Glass	Saint Gobain/ Modi Guard/ Hindustan
		Pilkington/TATA
8.	Centrifugally Cast Iron Pipe &	Neco/ RIF/ Kapilansh/ BIC/SKF/Electrosteel
	Fittings	
9.	Ceramic Tiles	Kajaria/ Somany/ Nitco/ Orient Bell/
		Johnson/Varmora/AGL/OASIS/Marbito
10.	Cement Concrete Chequired tiles	Raj-Tiles/ Bharat/ Rigid Tiles/Advance/Ultra
		Tiles/NITCO
11.	CP Bottle Trap	Parryware / Hindware/ Jaquar/ GRAFDOER by VMS
		BathwarePvt. Ltd.
12.	CP Brass Bibcock/ Pillarcock/	Marc(oriental series)/ Parko/ Jaquar (Continental
	Stopcock/ Angle Valve/ Concealed	series)/SPRING COLLECTION OF PRIMA
	Stop Cock & CP fittings	/GEM/ESS/Plumber/ GRAFDOER by VMS
		BathwarePvt. Ltd. /L&K Metro/Vardhman/'Coral'
	(Normal Range)	series of parryware/'JOY' & 'VINTAGE' series of
		KEROVIT by Kajaria
13.	CP Waste Coupling	Mark/ GRAFDOER by VMS BathwarePvt. Ltd./ Parko
		or equivalent
14.	Curtain Carrier	Vista levlor or equivalent.
15.	Dash fastener/ Expansion	M/s DevAshish/HILTI/Fischer/Bosch/Wurth/Trixel.
	Bolt/Stone Cladding Clamp	
16.	Door closer/ floor springs	Dorma/ Haffle/
		Falcon/Godrej/Dorset/Kich/Sandhu/Hardwyn
17.	Drapery Rod	Vista Levlor or equivalent.
18.	Flushing cistern (single/Dual Flush)	Sleek Dual flush PVC cistern of Hindware /
	as per IS: 7231	'Slimline'ofParryware.
19.	EPDM Gasket	AnandLescuyer or equivalent.
20.	Epoxy Primer & Paints	Berger/ Pidilite/ CICO/ BASF/
		SIKA/Asian/Nerolac/ICI Kansai Akzo Nobel.

21.	Fibre Glass Shelf	Kamal/ Bath King or equivalent.			
22.	Float/Clear/Frosted/Toughened/Ref	Modi Float/ Saint Gobain/ Asahi/AIS/Modiguard.			
	ractive Glass	, , , , ,			
23.	Flush Doors / Shutters as per IS:	Kutty flush door/ Anchor/ Century/			
	2202	Kitlam/Archid/JAYNA/Ashiyana Brand by Evergreen			
		Industries/ Bhimsaria Door/ Century/ Greenply			
		/Archid/Kitply/Selected Products Company/Jain			
		Doors pvt. ltd./Duro/Durian			
24.	Flush Valve	Aquel/ Marc/ Parryware/ Jaquar.			
25.	FRP Shutters/frame	Fibre Glass Engineers/ Raipur/ Aashoo Model or			
	The offactors, frame	equivalent/JAYNA/ Selected Products Company.			
26.	Galvanized/Stainless Steel Anchor	Shakti/ Arrow/ Hilti/ Fischer			
	Fasteners	Sharely intowy integral isolici			
27.	GI fitting	Tata/ Jindal/ Zenith/UNIK/AVR/Zoloto.			
28.	GI Pipe	Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.			
29.	Glass Mosaic Tile	Bissazza/ Saon or equivalent.			
30.	Gun Metal Gate Valve	Zoloto/ Leader/ SAINT			
31.	False Ceiling system	Boral Gypsum / India Gypsum/ Laffarge/ St.			
31.	raise cennig system	Gobain(Gyproc)/ Armstrong/Hunter			
		Dougals/Aearolite/Gridsquare/Interarch			
32.	Hardner	Hard crete of Snowcem India/ MC Deritop F.H.			
33.	Jet Assembly for EWC	Parryware/ Jaquar/ Grohe/ Kohler			
34.	Laminate	Marino/ Greenlam/ Decolam/ Century/ Formica/			
34.	Lammate	Kitlam/Action TESA/Sunmica/Durian			
35.	Low Level PVC Cistern Single flush	Sleek model Cistern of PVC of Hindware or 'Slimline'			
33.	Low Level I ve elstern Single hash	model of Parryware, JINDAL.			
36.	Melamine Polish	Melamine Gold of Asian Paint/Wudfinof			
30.	Welamine Lousii	pidilite/Timbertone of ICI Dullex/ Beegel.			
37.	Metal False Ceiling	Nittobo / Armstrong / Trac / Durlum /			
	nation I also coming	Huntordonglas/Aerolite			
38.	Mineral Fibre/Calcium silicate	Armstrong / Nitobo / Daiken / Hunter Douglas/			
	Ceiling	Aerolite			
39.	Modular SS Railing System	Metallica India / Stark steel Fabricator / D-line			
	and dollar to a successful succes	International Denmark / Mobel Hardware.			
40.	M.S .Pipe (Railing)	Jindal / Prakash Surya/ Tata/ RINIL			
41.	Marine Plywood / BWP Ply	Kitply / Duro / Century/ Greenlam/ Durian			
42.	Non asbestos high impact	Everest or equivalent			
	polypropelene reinforced Cement	11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1			
	sheet				
43.	Oil Bound Distemper/Dry Distemper	Asian (Professional Acrylic Distemper)/Maxilite of ICI			
	· , · · ·	/ Bisan of Berger/Nerolac (Beauty Acrylic Distemper)			
44.	Water closet (Orissa Pan/Indian type)	Parryware / Hindware / KEROVIT' by Kajaria/ESSCO			
	& fittings, accessories as per IS:	by Jaquar.			
	2556				
45.	PE-AL-PE Composite pipes	Jindal or equivalent.			
46.	Plastic Connection Pipe	Parryware/Kamal Delux or equivalent.			
47.	Plywood/Veneer	Archid/ Kitply/ Green ply/ Century/JAYNA/Green			
	, ·	Ply/Merino/Duro/Durian			
48.	Polyester Powder Coating	Nerolac/ Berger/ J&N			
49.	Poly Sulphide Sealant	PIDISEALbyM/s Pidilite Industry/RDL941-			
	· ·	, J,			

		TECHSEALChokseyChemicals/BASF/SIKA/Fosroc			
50.	Polymer Modified Cementitious grout	BalEndura/			
	J 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	PidiliteKeroKoal/Ultratech/Ardex/Ferrous Crete.			
51.	Pre-laminated Particle Board IS:	Kitlam/ Tesa/ Archidply/Eco brand/Century/Bhutan			
	12823 (Gr-I/ Type-II)	board/Action Tesa/Greenlam/Merino			
52.	Primer (Cement Primer)	Decoprime WT of Asian/ white primer of ICI/BP white			
	,	of Berger/ Nerolac			
53.	PVC Rain Water Pipe & Fitting	Finolex/ Classic of Kisan/ Kasta/ Supreme/AKG.			
54.	PVC Shutter and frames	Rajshri/ Sintex/Polyline/Duroplast/Jain wood			
		Industries.			
55.	PVC Tiles	Arm Strong/ LG or equivalent.			
56.	Screws	GKW / Nettle Fold or equivalent.			
57.	Silicon Sealant	G.E./ DOW Corning/Waker/BASF/Pidilite/ROFF			
58.	Solid Plastic Seat Cover for EWC	EWC standard seat cover white of			
		Parryware/Hindware/'KEROVIT' by Kajaria			
59.	Stainless Steel	Jindal Stainless Steel/ Salem Steel			
60.	Stainless Steel Screws	Kundan/ Arrow or equivalent.			
61.	Stainless steel Sink with or without	Nirali/ Hindware/ Frankee/ Cobra/AMC/			
	Draining board.	GRAFDOER by VMS BathwarePvt.			
	0	Ltd./Parryware/Neelkanth/Nirali			
62.	Structural Silicon Sealant	Dow Corning/ Wacker/ GE/ Du-pont			
63.	Structural steel	TATA/ SAIL/ RINL/TISCO/JSW Steel ltd./Jindal			
C 1	Consequents at in the	steel & Power ltd.			
64.	Super plasticizer	MC Baucheme/ Sika/ Fosroc			
65.	Synthetic Enamel Paints	Gloss Synthetic Enamel of ICI(Dulux)/Asian (Apcolite			
		Premium gloss)/Berger (Luxol Hi Gloss)/ Synthetic Hi			
66	Terrazzo tiles /Mosaic Tiles	Gloss of Nerolac Poi Tiles / Pharet / Pigid Tiles / NIC / A 1 / CTC			
66. 67.	Cement Concrete Paver Block &Kerb	Raj-Tiles/ Bharat/ Rigid Tiles/NIC/A-1/GTC Rigid Tiles/ Raj-Tiles/Advance			
07.	stone	Rigid Thes/ Raj-Thes/ Advance			
68.	Textured Exterior wall paint	Spectrum/ Ultratech / Heritage by Bakelite coating			
00.	Totaled Exterior wan paint	and paints/Asian paint/Berger/Nerolac/Luxture.			
69.	Towel Ring/Towel Rod/Towel Rack	Kamal/ Marc or equivalent.			
70.	Pre-Painted/powder coated CRC	M/s classic engineers and fabricators/ M/s JK			
	windows	Enterprises Jaipur/ Nclalltek&seccolor ltd.			
		Hydrabad/ ultimate safety metals.			
71.	Veneer	Archid/ SUN/ Durian/ Ventura/ NLDK			
72.	Virtuosos China Wash Basin Oval	Hindware / Parryware / KEROVIT' by			
		Kajaria/CERA/Jaguar/ESSCO by Jaquar.			
73.	Vitreous China Floor moulded	Parryware / Hindware / KEROVIT' by Kajaria/			
	European with Cistern Complete	CERA/Jaguar/ ESSCO by Jaquar.			
74.	Vitreous China Floor Mounted	Parryware / Hindware / KEROVIT' by Kajaria/			
	European W.C. without cistern	CERA/Jaguar/ ESSCO by Jaquar.			
75.	Vitreous China Half stall Urinal	Model No. 6002 Urinal flat back large of Hindware or			
		magnum of Parryware/ ESSCO by Jaquar.			
76.	Vitreous China laboratory Sink	Hindware / Parryware / KEROVIT' by Kajaria/			
		CERA/Jaguar/ ESSCO by Jaquar.			
77.	Vitreous China Low Level Cistern for	Hindware / Parryware / KEROVIT' by Kajaria/			
	European W.C.	CERA/Jaguar/ ESSCO by Jaquar.			
78.	Vitreous China Pedestal for Wash	Pedstal of Parryware / Hindware or equivalent/			

	Basin	CERA/Jaguar/ ESSCO by Jaquar.			
79.	Vitreous China Wall Mounted W.C.	Parryware / Hindware / KEROVIT' by Kajaria/			
19.	with vitreous Cistern (component)	CERA/Jaguar/ ESSCO by Jaquar.			
80.	Vitreous China Wall Mounted W.C.	Parryware / Hindware / KEROVIT' by Kajaria/			
80.	without Cistern.	CERA/Jaguar/ ESSCO by Jaquar.			
81.	Vitreous China Wash Basin	Hindware / Parryware / KEROVIT' by Kajaria/			
01.	Rectangular without Pedestal	CERA/Jaguar/ ESSCO by Jaquar.			
82.	Vitrified / Porcelain Tile	Marbogranit/ Euro/ Somany/ diamond of Naveen			
04.	Vitimed / Forcelani The	/Granamite of Bell /OASIS/ceramic/ Granito/			
		Kajaria/ M/s Restile//Rak/ Johnson/Nitco/			
83.	Waste Pipe	Varmora/AGL/Marbito. Kamal with brass checknut/Viking			
84.	Water Proofing Compound (Liquid)	Pidiproof Ltd./CICO/ Super plast by M/s Structural			
		water proofing/ Impermo/FOSROC/Dr.Fixit (Pidilite			
		Industries))/BASF/ROFF/SIKA/ArdexEndura (BalEndura).			
95	White Cement	,			
85. 86.	CPVC Pipes as per IS: 15778	JK White/ Birla White. AKG/Ashirvad/PRIME FLOW OF KRISHI			
80.	CPVC Pipes as per 15: 15778	,			
		POLYMERS/Supreme/KSR by Kisan			
97	Tools wood / hand wood wine much 9-	irrigation/Flowguard plus by finolex/Prince			
87.	Teak wood/hard wood wire mesh &	A-1 Teak product Indore or equivalent.			
0.0	panel doors Reinforcement steel	Tota / Cail / DINI / Lindal / Lindal ataal % marray 1td			
88.		Tata/Sail/RINL/Jindal/Jindal steel & power ltd.			
89.	Block Boards as per IS: 1659	JAYNA/Century/Greenply/Archid/Kitply or			
00	Dunca hila and a fator and	equivalent.			
90.	Brass bib cocks/stop cock	Marc/Parko/Jaquar/SPRING COLLECTION OF			
0.1	Dragg hall againg (Flact realize)	PRIMA as per IS : 781 or equivalent. Marc/Parko/Jaquar /SPRING COLLECTION OF			
91.	Brass ball cocks (Float valve)	PRIMA as per IS:1703 or equivalent.			
92.	Water meter	SPRING COLLECTION OF PRIMA as per IS: 779 or			
94.	water meter	equivalent.			
93.	HDPE Pipes as per IS:4984	KRISHNA plast pipes/KSR by Kisan			
93.	HDFE Fipes as pel 13.4964	irrigation/Supreme/Reliance/Jain			
04	uDVC Dines of per IS: 4005	KRISHNA plast pipes/AKG/ KSR by Kisan			
94.	uPVC Pipes as per IS: 4985	irrigation/Supreme/Astral/Prince/Ashirwad			
OF	uPVC Screen and casing pipes for				
95.	bore well/tube well as per IS: 12818	KRISHNA plast pipes/KSR by Kisan irrigation/Supreme.			
06	,	9 , 1			
96.	uPVC-SWR Pipes SN 8 as per IS:	KRISHNA plast pipes/KSR by Kisan			
	13592	irrigation/Finolex/AKG/Supreme/Prince/Ashirwad/ Astral			
97.	Wooden Shutter with frame				
		Siesto Brand by Bramsaria doors or equivalent.			
98.	uPVC Windows/Doors	SIESTO Brand by Bhimsaria			
		Polymers/Duroplast/Fenesta/Komerling/Wintech/Al uplast			
00	Cement (OPC/PPC)	A.C.C., Jaypee Cement, Ultratech, Shri Cement,			
99.	Coment (OFC/FFC)	GujratAmbuja Cement and Cement Corporation of			
		India.			
100	Corminated CI Shoots				
	Colour gooted profile shoots	Tata, Essar , Sail JSW, Bhusan			
	Colour coated profile sheets	Tata (Ezydeck)/Lloyd Superdeck/JSW/Jindal			
102.	Float Glass Profile Sheet TATA	Tata, Modiguard, Saint Gobain			

	(transparent)				
103	Aluminium doors & window fittings	Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco			
	(Heavy duty)	9,000,100,000,000,000,000,000,000,000,00			
104.	Steel/Wood primer / paint	ICI delux, nerolac, berger, asian			
	Bitumen 85/25	HPCI, IOCL			
	PVC water storage tanks	Sintex, water well, Siltank, Polywell/Plasto/			
	S	'SILTANK' by Supreme			
107	Bitumen VG-30, VG-10 etc.	As per particular specification of item from IOCL,			
	•	BPCL, HPCL.			
108.	Rigid Phenolic foam for cold and hot	Phenotherm manufactured by Bakelite Hylam ltd			
	insulation as per IS: 13204				
109.	Surface Texture Finishes	Heritage manufactured by Bakelite Coatings & paints			
		ltd. or equivalent			
110	FRP Chhajjas	Selected Products Company or equivalent.			
111.	FRP Porta cabin	Selected Products Company or equivalent.			
112.	G.I. Wire-mesh/Netting	Selected Products Company or equivalent.			
113.	Wall Putty (White Cement based)	Buildwell (Walplast Products Pvt. Ltd.)/Birla wall			
		care/JK white/Berger/Asian paints/ferrous Crete			
114.	AAC block	'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or			
		equivalent.			
115.	UPVC Agriculture/Pressure pipes	AKG Extrusion Pvt Ltd. or equivalent.			
	and fittings				
116.	UPVC underground drainage &	KSR by Kisan irrigation/Finolex/AKG/Supreme.			
	sewerage pipes SN 8 as per IS:15328				
117.		Skyler World or equivalent.			
	doors, windows, Facades including				
110	ACP and glazing work				
118.		KANHA ALU AND FAB PVT. LTD., Raipur or			
	glazing and aluminium doors &	equivalent.			
110	windows.	Walland Class Wallac (D) I tal Daiman and anti-stant			
119	Processing and fabrication of glass	Wadhwa Glass Works (P) Ltd., Raipur or equivalent.			
120.	(toughened, DGU and lamination Glass reinforced Gypsum (GRG) false	'Diamond' manufactured by Diamond International			
120.	ceiling	Inexpyt. Ltd/Gyproc by Saint Gobain.			
121	Wooden shutter with frame	'Bhimsaria' or equivalent			
	PPR-C pipes as per IS: 15801	KSR brand/Supreme			
	PVC fittings as per IS: 10124 and IS:	KSR brand or equivalent			
123	7834	non orally of equivalent			
124	PVC underground draingae pipes	Supreme or equivalent			
	(structured wall type) as per IS:	Supreme of oquirmont			
	16098				
125	PVC septic tanks	'Safegard' by Supreme or equivalent			
	PVC underground water tanks	'Amrutam' by Supreme or equivalent			
	PVC readymade toilet blocks	'Cleanage' by Supreme or equivalent			
	PVC chambers & Manholes	Supreme or equivalent			
129.		M/s classic engineers and fabricators/ M/s JK			
	windows	Enterprises Jaipur/ Nclalltek&seccolor ltd.			
		Hydrabad/ ultimate safety metals.			
130.	White cement based polymer	Ultratech/Dr.Fixit/ Sika/ Fosroc			
	modified self curringmortor				

131	Gypsum plaster	Ferrous crete/ Gyproc (Elite-90)/ Ultratech		
-	Tile Adhesive	Ferrous Crete / Ardex/ Endure (Gold Star)/ Pidilite		
102	The Hallesive	(Fevimatex) / Weabr (Saint Gobain)		
133	Integral water proofing compound	FOSROC/ Conplast 421/Dr.fixit : LW+/ Sika :		
100.	with cement (for plaster & mortar)	sikacim/Asian Paints: Smart care vitalia& equivalent		
	with coment (for plaster & mortar)	product of BASF/CICO/ArdexEndura		
134	Water proofing for	Fosroc: Brush Bond/CICO:Tapecrete/Dr.fixti: Pidilite		
101.	bathroom/toilet/balcony & other wet	2k/Sika: Nito Bond/Asian Paints: Damp Block 2k &		
	areas.	Equivalent Product of BASF/Ardex endure		
135	Crystalline water proofing compound.	Fosroc : Fosroc crystalline/Dr.Fixit: Dr.fixit		
100.	erystamme water prooming compound.	crystalline/Sika: Sika Crystalline/Asian		
		Paints:Crystalline Quart & Equivalent Product of		
		BASF/CICO/ArdexEndura		
136.	Polycarbonate sheet	GE Plastic/Lexan/MG Polyplast		
	Fire rated doors	Signum fire protection/Shakti		
		Metdoor/NAVAIR/Sukri/Promat International		
138.	Stainless steel railing Accessories	Jindal/Dorma/Kich/GEZE/Godrej/Hardwyn		
139.		Jindal/Dorma/Kich/Dorset/Godrej/Ozone		
	fittings			
140.	Acrylic Distemper 1st quality	Asian Paints (Tractor Aqua Lock Paint)/ Berger:		
	(washable/Readymix/Low VOC)	commando or equivalent paints of Nerolac or ICI-		
		Dulux.		
141.	Plastic emulsion plaint	Asian paint: (Apcolite Heavy Duty Premium Emulsion		
		paint)/ Nerolac :Impressio/Berger:Easy clean/ICI-		
		Dulax:Velvet touch		
	4 1' 0 1 D 1 D 1 1			
142.	Acrylic Smooth Exterior Paint	Asian Paint : (Apex/ Professional Premium Exterior		
142.	Acrylic Smooth Exterior Paint	Asian Paint : (Apex/ Professional Premium Exterior Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-		
142.	Acrylic Smooth Exterior Paint	. = .		
	Acrylic Smooth Exterior Paint Premium Acrylic Smooth Exterior	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-		
		Emulsion/ Nerolac: XL/Berger: Weather coat/ICI- Dulux: Weather Shieled		
	Premium Acrylic Smooth Exterior	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max		
143.	Premium Acrylic Smooth Exterior	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI- Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield		
143.	Premium Acrylic Smooth Exterior Paint with Silicon Additive	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun		
143.	Premium Acrylic Smooth Exterior Paint with Silicon Additive	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata		
143. 144. 145.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom		
143. 144. 145.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata		
143. 144. 145. 146.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh		
143. 144. 145. 146.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati		
143. 144. 145. 146. 147. 148.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range)	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca		
143. 144. 145. 146.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati		
143. 144. 145. 146. 147. 148. 149.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories (Superior range)	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca Kohler/Roca/Hindware/Parryware		
143. 144. 145. 146. 147. 148. 149. 150.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories (Superior range) Mirror glass	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca Kohler/Roca/Hindware/Parryware Atul/Modi Guard/Golden Fish		
143. 144. 145. 146. 147. 148. 149. 150.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories (Superior range) Mirror glass Extruded Polystyrene Insulation	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca Kohler/Roca/Hindware/Parryware		
143. 144. 145. 146. 147. 148. 149. 150. 151.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories (Superior range) Mirror glass Extruded Polystyrene Insulation Board	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca Kohler/Roca/Hindware/Parryware Atul/Modi Guard/Golden Fish Dow Corning/Supreme/Taxes/Analco		
143. 144. 145. 146. 147. 148. 149. 150. 151.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories (Superior range) Mirror glass Extruded Polystyrene Insulation Board Heat Resistant Tiles	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca Kohler/Roca/Hindware/Parryware Atul/Modi Guard/Golden Fish Dow Corning/Supreme/Taxes/Analco Swastik/Thermatek		
143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories (Superior range) Mirror glass Extruded Polystyrene Insulation Board Heat Resistant Tiles Floor Hardener	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca Kohler/Roca/Hindware/Parryware Atul/Modi Guard/Golden Fish Dow Corning/Supreme/Taxes/Analco Swastik/Thermatek Ironite/Ferrok/Hardonate		
143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories (Superior range) Mirror glass Extruded Polystyrene Insulation Board Heat Resistant Tiles Floor Hardener Modular Expansion Joint	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca Kohler/Roca/Hindware/Parryware Atul/Modi Guard/Golden Fish Dow Corning/Supreme/Taxes/Analco Swastik/Thermatek Ironite/Ferrok/Hardonate Herculus/Sanfield India Ltd. Vexcolt		
143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories (Superior range) Mirror glass Extruded Polystyrene Insulation Board Heat Resistant Tiles Floor Hardener Modular Expansion Joint Glass Wool	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca Kohler/Roca/Hindware/Parryware Atul/Modi Guard/Golden Fish Dow Corning/Supreme/Taxes/Analco Swastik/Thermatek Ironite/Ferrok/Hardonate Herculus/Sanfield India Ltd. Vexcolt Dow Coring/ U.P. Twinga/Isover		
143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156.	Premium Acrylic Smooth Exterior Paint with Silicon Additive Fire paint D.I. Pipes & fittings C.I. manhole covers, frames & CI Gratings SFRC manhole cover & Grating C.P. Brass fittings (Superior Range) Sanitary ware fittings & Accessories (Superior range) Mirror glass Extruded Polystyrene Insulation Board Heat Resistant Tiles Floor Hardener Modular Expansion Joint	Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-Dulux: Weather Shieled Asian paint: Apex Ultima/Nerolac: XL Total/Berger: Weather coat all guard/ICI dulux: Weather Shield max Asian paints/Akzo Nobel Coatings India ltd./ PROMAT/Jotun Electrosteel/Jindal/Tata Ductura/Kapilansh/Kesorom Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh K.K./Jain Pragati Jaquar/Grohe/Roca Kohler/Roca/Hindware/Parryware Atul/Modi Guard/Golden Fish Dow Corning/Supreme/Taxes/Analco Swastik/Thermatek Ironite/Ferrok/Hardonate Herculus/Sanfield India Ltd. Vexcolt		

158.	Ready Mix Plaster	Ultratech/Ferrous Crete/Saint Gobain					
159.	Post tension slab	Ultracon technology limited/Tech-9/CRUX					
160.	Acoustical Wall paneling	Hush or equivalent to be decided by Engineer-in-					
		charge.					



PROFORMA OF SCHEDULES

SCHEDULE 'A'

Schedule of quantities (as per PWD-3) : (Attached in e-procurement site)

SCHEDULE 'D'

Extra schedule for specific requirements/ : **Nil**

document for the work, if any.

SCHEDULE 'E'

Reference to General Conditions of contract : CPWD General Conditions of

Contract 2019 (Construction) modified and amendment up to the last date of submission of tender.

Name of work : "C/o shed and miscellaneous civil

works for mess at Resident

hostel, AIIMS Raipur"

Estimated cost of work : Rs 2, 60,873.00

(i) Earnest money : Rs. 5300.00 (to be returned after

receiving performance guarantee)

(ii) Performance Guarantee : 5% of tendered value.

(iii) Security Deposit : 2.5% of tendered value.

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS:

Officer inviting tender : Executive Engineer (Civil), AIIMS

Raipur on behalf of Director

AIIMS Raipur.

Maximum percentage for quantity of items

of work to be executed beyond which rates

are to be determined in accordance with : See below

Clauses 12.2 & 12.3.

Definitions:

2(v) Engineer-in-Charge : Executive Engineer, AIIMS

Raipur (C.G)

2(viii) Accepting Authority : Executive Engineer, AIIMS

Raipur (C.G)

2(x) Percentage on cost of materials and labour

to cover all overheads and profits : 15%

2(xi) Standard Schedule of Rates : As per DSR 2018 (up to date of

submission of NIT) & Market

Rates

2(xii) Department : Project Cell, AIIMS Raipur.

9(ii) Standard CPWD contract Form : GCC 2019 & CPWD Form 7 as

modified & corrected up to last date of receipt of Bid/tender.

CLAUSE 1

(i) Time allowed for submission of Performance

Guarantee, programme chart

(Time and progress) and applicable labour :

Licenses, registration with EPFO,

ESIC and BOCW welfare board or proof of applying Thereof from the date of issue of

letter of acceptance

(ii) Maximum allowable extension with late fee

@ 0.1% per day of Performance Guarantee : **07 Days**

amount beyond the period Provided in (i) above

CLAUSE 2

Authority for fixing compensation under clause 2 : Superintending Engineer /

:

Director, AIIMS

07 Days

CLAUSE 5

Number of days from the date of issue of letter of : 14 Days

acceptance for reckoning date of start

Time allowed for execution of work – **30** days.

Authority to decide:

(i) Extension of time : Executive Engineer, AIIMS Raipur (C.G.)

(ii) Rescheduling of mile stones : Superintending Engineer/Director, AIIMS Raipur

(iii) Shifting of date of start in case of

delay in handing over of site : Superintending Engineer/Director, AIIMS Raipur

PROFORMA OF SCHEDULES CLAUSE 5

Schedule of handing over of site

Part	Portion of Site	Description	Time Period for handing over reckoned from date of issue of letter of Intent.
Part A	Portion without any hindrance	All works	14 days
Part B	Portions with encumbrances	NA	NA
Part C	Portions dependent on work of other agencies	NA	NA

CLAUSE 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment.

Estimate cost put to tender

i)Up to Rs. 10 lacs - Nil

ii)More than Rs. 10 and up to 50 lacs

- Rs. 15 lacs

iii) More than Rs. 50 lacs - Rs. 25

lacs

CLAUSE 7 A

No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge

Whether clause 7A shall be applicable : **YES**

CLAUSE 10A : As required by Engineer-In-

Charge

CLAUSE 10B (II)

Whether Clause 10 B (ii) shall be applicable : Not Applicable

CLAUSE 10C

Component of labour expressed as percent of value of work

value of work : Not Applicable CLAUSE 10CA : Not Applicable

Authority to issue base price of materials

S.N.	Materials	Nearest Materials (other than	Base Price and its
	Covered	cement*, reinforcement bars, the	corresponding
	under this	structural steel and POL) for which	period
	clause:	All India Wholesale Price Index to be	of all the Materials
		followed:	covered under
			clause 10 CA*
1	—		
2		NIL	
3			
4			

^{*} includes Cement component used in RMC brought at site from outside approved RMC plants, if any.

CLAUSE 10CC : Not Applicable

^{**} Base price and its corresponding period of all the materials covered under clause 10 CA is to be mentioned at the time of approval of NIT. In case of recall of tenders, the base price may be modified by adopting latest base price and its corresponding period.

CLAUSE 11

Specifications to be followed for execution of work

CPWD Specifications 2019 Vol-I & Vol-II with modification up to last date of tender submission. (Civil)

CLAUSE 12

Authority to decide deviation up to 1.5 times of tendered amount: Director, AIIMS Raipur

12.2&12.3

Deviation Limit beyond which clauses

12.2 & 12.3 shall apply for building work : As per CPWD Works Manual-2019

12.5

(i) Deviation Limit beyond which clauses

12.2 & 12.3 shall apply for foundation work

(except items mentioned in earth work subhead : As per CPWD Works Manual-2019

in DSR and related items)

(ii) Deviation Limit for items mentioned in earth

work subhead of DSR and related items : As per CPWD Works Manual-2019

CLAUSE 16

Competent Authority for deciding reduced: Superintending Engineer/ Director, AIIMS Raipur rates.

CLAUSE 18

List of mandatory machinery, tools & plants : As required by Engineer -in- Charge to be deployed by the contractor at site

CLAUSE 19 C..... Engineer- in charge (Executive Engineer)

CLAUSE 19 D..... Engineer- in charge (Executive Engineer)

CLAUSE 19 G Engineer- in charge (Executive Engineer)

CLAUSE 19 K Engineer- in charge (Executive Engineer)

CLAUSE 25

Constitution of Dispute Redressal Committee (DRC): AIIMS, Raipur

CLAUSE 32 : Not Applicable CLAUSE 38 : Applicable

- (i) (a) Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates **2018** printed by C.P.W.D.
- (ii) Variations permissible on theoretical quantities:
- (a) Cement

For works with estimated cost put

to tender not more than Rs. 25 lakh. 3% plus/minus.

For works with estimated cost put to tender more than Rs. 25 lakh.

2% plus/minus.

(b) Bitumen All Works 2.5% plus & only&

nil on minus side.

(c) Steel Reinforcement and structural steel sections for each diameter, section and

2% plus/minus

(d) All other materials.

category

Nil

Schedule of Quantity

Name of work -C/o shed and miscellaneous civil works for mess at Resident hostel, AIIMS Raipur.

I.No.	Particulars	Quantity	Unit	Rate	Amount
SUB HEA	D : 1.0 EARTH WORK				
1.1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:				
1.1.1	All kinds of soil	30.00	Sqm	92.55	2776.50
1.2	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	2.00	Cum	1953.05	3906.10
SUB HEA	D : 2.0 CONCRETE WORK				
2.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:				
2.1.1	1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)	4.00	Cum	6788.60	27154.40
SUB HEA	D : 3.0 REINFORCED CEMENT CONCRETE				
3.1	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:				
3.1.1	1:1.5:3 (1 cement : 1.5 coarse sand (zone- III): 3 graded stone aggregate 20 mm nominal size)	0.30	Cum	7718.25	2315.48
3.2	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.				
3.2.1	Thermo-Mechanically Treated bars of grade Fe-500D or more.	25.00	kg	83.50	2087.50

SUB HEA	D : 4.0 MASONRY WORK				
4.1	Brick work with fly ash bricks in foundation and plinth in Cement mortar 1:4 (1 cement : 4 coarse sand)	2.50	Cum	4483.05	11207.63
SUB HEA	D : 5.0 WOOD AND P.V.C. WORK				
5.1	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.				
5.1.1	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	4.20	Sqm	3023.95	12700.59
5.2	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete:				
5.2.1	250x16 mm	2.00	Each	170.00	340.00
5.3	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete:				
5.3.1	200x10 mm	1.00	Each	60.55	60.55
5.4	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete:				
5.4.1	125 mm	2.00	Each	34.85	69.70
5.5	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.				
5.5.1	Twin rubber stopper	1.00	Each	62.05	62.05
5.6	Providing and fixing PVC rigid foam sheet 1 mm thick on existing door shutters using synthetic rubber based adhesive.	7.00	sqm	1200.35	8402.45
SUB HEA	D : 4 STEEL WORK				
6.1	Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer.				

6.1.1	Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	25.00	Kg	106.45	2661.25
	Charles distribute to be body				
6.1	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
6.1.1	Hot finished welded type tubes	400.00	Kg	143.45	57380.00
6.2	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
6.2.1	In stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required, all complete	45.00	Kg	93.65	4214.25
6.3	Providing and fixing carbon steel galvanised (minimum coating 5 micron) dash fastener of 10 mm dia double threaded 6.8 grade (yield strength 480 N/mm2), counter sunk head, comprising of 10 mm dia polyamide PA 6 grade sleeve, including drilling of hole in frame, concrete/ masonry, etc. as per direction of Engineer-in-charge.				
6.3.1	10 x 120 mm	94.00	each	134.25	12619.50
SUB HEA	D : 7.0 ROOFING				

7.1	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineerin-charge)0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin- charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	26.00	Sqm	627.55	16316.30
SUB HEA	D : 8.0 FINISHING				
8.1	12 mm cement plaster of mix :				
8.1.1	1:6 (1 cement: 6 coarse sand)	25.00	Sqm	263.55	6588.75
0.1.1	1.0 (1 cement. o course sund)	25.00	39	200.55	0300.73
8.2	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade:				
8.2.1	Two or more coats on new work	15.00	Sqm	121.55	1823.25
8.3	Distempering with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grams/litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.				
8.3.1	Two coats	170.00	sqm	81.90	13923.00
8.4	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour.				

8.5 Finishing walls with Acrylic Smooth exterior paint of required shade: Old work (Two or more cost applied @ 156.00 Sqm 99.90 15584.40 surface 156.00 Sqm 99.90 sqm 99.90 15584.40 surface 156.00 Sqm 99.90 sqm 99.90 15584.40 surface 156.00 Sqm 99.90 sqm 99.90 15584.40 sqm 99.90 sqm 99.90 15584.40 sqm 99.90 sqm	8.4.1	Two coats	230.00	Sqm	113.90	26197.00
8.5.1 1.67 ltr/10 sqm) on existing cement paint surface SUB HEAD: 9.0 DISMANTLING AND DEMOLISHING Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-incharge. 9.1 In cement mortar 9.1.1 In cement mortar O.55 Cum 1469.90 808.45 SUB HEAD: 1.0.0 SANITARY INSTALLATIONS Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required: 10.1 (a) White Vitreous China Wash basin size S50x400 mm with a 15 mm CP Brass single hole basin mixer Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 92 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 1.1.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clarges at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.	8.5	,				
Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. 9.1.1 In cement mortar 0.55 Cum 1469.90 808.45 SUB HEAD: 10.0 SANITARY INSTALLATIONS Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- 10.1 (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2 fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.	8.5.1	1.67 ltr/ 10 sqm) on existing cement paint	156.00	Sqm	99.90	15584.40
mechanical means including stacking of serviceable material and disposal of unserviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. 9.1.1 In cement mortar 0.55 Cum 1469.90 808.45 SUB HEAD: 10.0 SANITARY INSTALLATIONS Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required: 10.1 (a) White Vitreous China Wash basin size 50x400 mm with a 15 mm CP Brass single hole basin mixer 10.2.1 (a) White Vitreous China Wash basin size 50x400 mm with a 15 mm CP Brass single hole basin mixer 10.2.1 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.	SUB HEA	D : 9.0 DISMANTLING AND DEMOLISHING				
SUB HEAD: 10.0 SANITARY INSTALLATIONS Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- 10.1 (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer 2.00 Each 4403.80 8807.60 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40	9.1	mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-				
Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required: 10.1 (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer 2.00 Each 4403.80 8807.60 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.	9.1.1	In cement mortar	0.55	Cum	1469.90	808.45
Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required: 10.1 (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer 2.00 Each 4403.80 8807.60 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.						
Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required: 10.1 (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer 2.00 Each 4403.80 8807.60 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.						
Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required: 10.1 (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer 2.00 Each 4403.80 8807.60 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.						
brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- 10.1 (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer 2.00 Each 4403.80 8807.60 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40	SUB HEA	D: 10.0 SANITARY INSTALLATIONS				
(a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plane & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40	10.1	brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls				
10.1.1 550x400 mm with a 15 mm CP Brass single hole basin mixer Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 10.2 flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40	10.1	(a) White Vitreous China Wash basin size				
sink or wash basin including P.V.C. waste fittings complete. 10.2.1 Flexible pipe 10.2.1.1 32 mm dia 2.00 Each 101.10 202.20 SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40	10.1.1	550x400 mm with a 15 mm CP Brass	2.00	Each	4403.80	8807.60
SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40	10.2	sink or wash basin including P.V.C. waste				
SUB HEAD: 11.0 WATER SUPPLY Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40	10.2.1	Flexible pipe				
Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40	10.2.1.1	32 mm dia	2.00	Each	101.10	202.20
Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40						
Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 11.1.1 20 mm nominal outer dia Pipes 32.00 metre 306.95 9822.40	SUB HEA	D : 11.0 WATER SUPPLY				
	11.1	Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in				
•	11.1.1	20 mm nominal outer dia Pipes	32.00	metre	306.95	9822.40
and the contract of the contra	11.1.2	50 mm nominal outer dia Pipes	10.00	metre	903.50	9035.00

	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:				
11.2					
11.2.1	25 to 40 mm nominal bore	2.00	Each	673.45	1346.90
11.3	Providing and fixing uplasticised PVC connection pipe with brass unions:				
11.3.1	45 cm length				
11.3.1.1	15 mm nominal bore	4.00	Each	83.00	332.00
11.4	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
11.4.1	15mm nominal bore	4.00	Each	532.00	2128.00
				Total	260873.20
				say	260873.00