



अखिलभारतीयआयुर्विज्ञानसंस्थान,रायपुर (छत्तीसगढ़)

All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road,
Raipur-492 099 (CG)

www.aiimsraipur.edu.in

NIQ/35/EE/AIIMS/RPR/2020-21

Date: 26-03-2021

NOTICE INVITING e-QUOTATION

The Executive Engineer (Civil), AIIMS, Raipur on behalf of Director, AIIMS, Raipur invites online **Item Rate bids in Single bid system (Technical cum Eligibility & Financial)** from eligible and registered contractors of appropriate list of CPWD , M.E.S., BSNL (Construction), Railway, P.W.D., Supplier / Dealer / Manufacturer for the following work(s):-

(a)	Name of Work	"Supply and Installation of hand wash and Scrub Station for Nephrology Department, AIIMS Raipur."
(b)	NIQ No.	35/NIQ/EE/AIIMS/RPR/2020-21
(c)	Contract Period	60 Days
(d)	Estimated Cost	-----
(e)	Earnest Money Deposit (Mandatory to submit EMD for participating in bid.)	Rs.6,500.00(to be submitted in the form an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India in favour of AIIMS, Raipur in the office of Project Cell, AIIMS, Raipur before the last date of opening of Bid .)
(f)	Tender documents may be seen on	AIIMS web site www.aiimsraipur.edu.in and CPPP site https://eprocure.gov.in/eprocure/app
(g)	Last Date &Time of Submission	By 05-04-2021 UP TO 11:00 Hours through online.
(h)	Date & Time for opening of Technical & financial Bid	On 06-04-2021 at 11:30 Hours.

Terms & Conditions:

1. The **first and final bill** payment will be done after completion of work as per specification.
2. Labour Law to be obeyed by the Agency.
3. Item rate Schedule of Quantity attached in CPP Portal.
4. **Time allowed for the completion of the work is 60 days.** It will be reckoned from the day award of the work. If the agency not completed work within 60 days **LD @ 0.5%** per week of delayed contract value subject to maximum of 10% of delayed contract value will be deducted.
5. **The earnest money will be forfeited, if the bidder, whose quotation is accepted, fails to commence the work/supply specified in the NIQ (along with changes in scope, if any) in the prescribed time or abandons the work/supply before its completion.**
6. **Security Deposit @2.5%** of quoted value will be deducted & will be released after 06(Six) months of successfully completion of work.
7. **EMD will be converted into performance guarantee of lowest bidder and will be released after successful completion of work.**

8. The bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work.
9. All damages done to the building during execution of work shall be the responsibility of the contractor and the same will be made good immediately at his own cost to the satisfaction of the Engineer-in-Charge. Any expenditure incurred by the department in this condition shall be recovered from the contractor and decision of the Engineer-in-Charge about recovery shall be final.
10. The work will be done in a running hospital, hence the work to be done as per the rules and instructions of Engineer-In-Charge. All the conditions of work at site are applicable to the successful bidder.

1. Eligibility of Bidders

- (a) All eligible bidders meeting the eligibility can participate in the tender. The applicant should be a private or government-owned legal entity;
- (b) For package size exceeding certain values [say - Rs. 10 (ten) Crore], Joint Ventures may be allowed. Maximum number of partners in Joint Ventures shall be limited (say - three). In case of Joint Ventures, all the partners shall be jointly and severally liable for the successful completion of the work;
- (c) A firm that has been engaged by Ministry/ Department to provide consultancy services for the preparation or implementation of a project, and any of its affiliates (associates, Subsidiary, Joint Ventures partner), shall not be eligible for subsequently providing goods or works (other than a continuation of the firm's earlier consultancy services) for the same project;
- (d) A firm determined non-performing by the Procuring Entity shall not be eligible to bid during the period so determined;
- (e) The bidder must not have in his employment:
 - a) The near relations (defined as first blood relations, and their spouses, of the bidder or the bidder's spouse) of persons involved in decision making in the procurement.
 - b) Without Government permission, any person who retired as gazetted officer within the last two years of the rank and from the departments.
- (f) Goods and services Tax (GST)

2. Signing of bid document :

- a) If the bidder is an individual, the bid shall be signed by him above his full type written name and current address.
- b) If the bidder is a proprietary firm, the bid shall be signed by the proprietor above his full type written name and the full name of his firm with its current address.
- c) If the bidder is a firm in partnership, the bid shall be signed by all the partners of the firm above their full type written names and current addresses, or, alternatively, by a partner holding power of

attorney for the firm. In the later case a certified copy of the power of attorney should accompany the application. In both cases a certified copy of the partnership deed and current address of all the partners of the firm should accompany the application.

d) If the bidder is a limited company or a corporation, the bid shall be signed by a duly authorized person holding power of attorney for signing the application accompanied by a copy of the power of attorney. The bidder should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.

List of Mandatory Documents to be filled in by the bidders in various forms to be scanned and uploaded within the period of bid submission

1	EMD in the form of <u>an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India</u> in the name of the "All India Institute of Medical Sciences, Raipur"
2	Enlistment Order of the Contractor
3	Vendor Details as per (Annexure-A)
4	GST Registration certificate

FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details)

1.	Name of the Bidder	
2.	Permanent Account No (PAN)	
3.	Particulars of Bank Account	
	a) Name of the Bank	
	b) Name of the Branch	
	c) Branch Code	
	d) Address	
	e) City Name	
	f) Telephone No	
4.	Legal status of the bidder (attach copies of original document defining the legal	
	a) An Individual	
	b)A proprietary firm	
	c)A firm in partnership	
	d)A limited company or Corporation	
5.	GST Registration Certificate No	
6.	Valid Email ID of the Bidder	
7.	Complete Postal Address of the bidder	

Seal & Sign of Contractor

Specification for Hand Wash Sink for Hemodialysis Unit

1. Hand wash unit

- 1.1 The HWS unit should be made out of 18 /20 G SS 304 Q sheets duly matt finished.
- 1.2 The wash station must be provided with auto taps, auto stainless steel liquid soap, IPA (sanitizer) dispenser & Hand dryer.
- 1.3 A front door needs to be provided below the sink for maintenance.
- 1.4 The unit should be either free standing or wall mounted (preferably).
- 1.5 The water supply pipe will be of 0.5" and drainage pipe will be of 1.5" UPVC .
- 1.6 Overall Dimension 43" x 18" x 34 + 24" H, Sink size – 530 x 325 x 200 mm D- 2, Auto taps – 2 nos. Soap dispenser – 1 no., IPA dispenser – 1 no., Hand dryer –1 no.

ACCESSORIES FOR HAND WASH STATIONS

2. SS HAND DRYER



आरोग्यं सुखं सम्पदा

Technical Specifications:

- Body Material: Stainless Steel (304G)
- Power: 1800 W
- Power Supply: AC 220V-50Hz
- Air Speed : 95 m/s
- RPM : 25000
- Drying Time : 7-10 seconds
- Noise Level: 75 db
- Dimension : 240*174*270 mm

3. SS SOAP & IPA DISPENSER



Technical Specifications:

- Body Material : Stainless Steel (304G)
- Capacity : 900ml
- Detection Zone : 10-15cms
- Drop : 1ml
- Dimension : 110*275*106 mm
- Battery : 6*AA Duracell / Alkaline Battery
- Suitable For Alcohol Gel, Liquid Alcohol, Liquid Soap, Hand Sanitizers, Sterilised Iodine & Detergents

4. AUTO SENSOR TAPS



Technical Specifications:

- Power: DC 6V-220V/50Hz (AC)
- Battery : 4x AA Duracell / Alkaline Batteries
- Power Consumption : 0.5 mw (DC), <2 W (AC)
- Detection Zone : 12-18 cm
- Water Pressure : 0.05 – 0.6 Mpa
- Water Temperature : 0 – 60° C
- Degree of Protection : IP 56
- Available in AC & DC

5. Installation and at least one year warranty is required to be provided by the vendor.