



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

OFFICE OF
THE EXECUTIVE ENGINEER
PROJECT CELL AIIMS, RAIPUR

NOTICE INVITING e-TENDER

N.I.T. NO. : 01/EE/AIIMS/RPR/2021-22

NAME OF WORK: - "Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur".

ESTIMATED COST: Rs. 19, 80,795.00

EARNEST MONEY: - Bid Security Declaration Form (Annexure – H)

CONTRACT PERIOD: - 90 Days

Type of Work: - Construction/~~Maintenance Work~~

INDEX

Name of Work: “Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur”.

Sl. No	Particulars	Page No.	
		From	To
1.	Cover Page	1	
2.	Index	2	
3.	Instructions for online bid submission	3	5
4.	Notice Inviting e-Tender	6	
5.	INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING	7	12
6.	List of Mandatory Documents to be filled in by the bidders in various forms to be scanned and uploaded within the period of bid submission	13	
7.	LETTER OF TRANSMITTAL(Annexure-A)	14	
8.	FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details) (Annexure-B)	15	
9.	STRUCTURE & ORGANISATION (Annexure-C)	16	
10.	DECLARATION(Annexure-D)	17	
11.	INTEGRITY PACT(Annexure-E)	18	
12.	Acknowledgement & Acceptance Letter(Annexure-F)	19	
13.	CONSENT LETTER(Annexure-G)	20	
14.	Bid Security Declaration (Annexure – H)	21	
15.	INTEGRITY AGREEMENT	22	26
16.	Percentage Rate Tender/ Item RateTender& Contract for Works	27	28
17.	GENERAL PARTICULAR	29	32
18.	TERMS AND CONDITIONS FOR AC&R WORK	32	40
19.	APPROVED MATERIALS LIST (AC & R)	41	
20.	SPECIAL CONDITIONS OF CONTRACT	42	47
21.	Form of Earnest Money Deposit (Bank Guarantee Bond)Annexure-I	48	
22.	FORM OF PERFORMANCE GUARANTEE BANK GUARANTEE	49	50
23.	FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME (Part I)	51	
24.	GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS	52	
25.	LIST OF SPECIALIZED ITEMS / JOBS	53	55
26.	No Claim Certificate (On company letterhead)	56	
27.	PROFORMA OF SCHEDULES (A To F)	57	60

Instructions for Online Bid Submission

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

<https://eprocure.gov.in/eprocure/app>.

REGISTRATION:

- 1) Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link “Online bidder Enrolment” on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS:

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk. **PREPARATION OF BIDS:**

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.

- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the Number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS:

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) ~~Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.~~
- 4) ~~Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.~~
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 7) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

- 8) The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key.
- 9) Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 10) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 11) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 12) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS:

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120-4001002.
- 3) For any further assistance, please contact to the office of Executive Engineer, AIIMS Raipur.

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

NOTICE INVITING e-TENDER

(a)	Name of Work	“Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur”.
(b)	Tender No.	01/EE/AIIMS/RPR/2021-22
(c)	Contract Period	90 Days
(d)	Estimated Cost	Rs19,80,795.00
(e)	Earnest Money Deposit (Mandatory to submit Bid Security Declaration Form)	Bid Security Declaration Form (Annexure – H)
(f)	Performance Guarantee	3% of Tendered value.
(g)	Security Deposit	2.5% of the Tendered Value.
(h)	Tender documents may be seen on	AIIMS web site www.aiimsraipur.edu.in and CPPP site https://eprocure.gov.in/eprocure/app
(j)	Last Date & Time of Submission	By 19-04-2021 UP TO 11 AM through online.
(k)	Date & Time for opening of Technical	On 20-04-2021 At 11.30 AM Hours.

1. The indenting Bidder must read the Terms & conditions carefully. He/ She should only submit bid if consider himself/herself eligible and bidder in possession of all the documents required.
2. Information and Instructions for bidders posted on website shall form part of bid document.
3. The Bid documents consisting of specifications, the schedule of quantities of various types of items to be executed and the set of terms & conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website www.aiimsraipur.edu.in Or <https://eprocure.gov.in/eprocure/app>.

e-sign by Manoj Rastogi
Executive Engineer (Civil)
AIIMS, Raipur

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING

The Executive Engineer (Civil), AIIMS, Raipur on behalf of Director, AIIMS, Raipur invites online **Item Rate bids in two bid system (Technical cum Eligibility & Financial) Specialized agency** for the following work(s):-

Sl. No.	Description	Details
(a)	NIT No.	01/EE/AIIMS/RPR/2021-22
(b)	Name of Work:	“Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur”.
(c)	Estimated Cost	Rs. 19,80,795.00
(d)	Earnest Money Deposit (Mandatory to submit Bid Security Declaration Form)	Bid Security Declaration Form (Annexure – H)
(e)	Period of Completion	90 Days
(f)	Last Date & Time of Submission	By 19-04-2021 UP TO 11 AM through online.
(g)	Date & Time for opening of Technical	On 20-04-2021 At 11.30 AM Hours.

1. The intending bidder must read the terms and conditions of Tender document carefully. Bidder may submit bid having all required documents.
2. Intending bidders shall have to register at CPPP portal to participate in the tendering process. For details kindly visit website [http:// eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app) or In case the bidder requires any elucidation regarding the tender documents, may contact to the office of Project Cell, AIIMS Raipur before the opening of tender date.
3. For e-tendering of this tender, downloaded from AIIMS Raipur website and Central Public Procurement Portal (CPPP) e-Procurement website.
4. The intending bidders must have valid class-III digital signature to submit the bid. **Manual bid shall not be accepted in any circumstance**. The complete bidding process is online bidding; Bidder should have valid digital Signature Certificate (DSC) for online submission of bids.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website <http:// eprocure.gov.in/eprocure/app> free of cost.

6. The bid can be submitted only after uploading the mandatory scanned documents up to 100 dpi Copies of eligibility documents ~~and EMD~~ as specified on the e-tendering website within the period of tender submission. Bidders can upload documents in the form of JPG format, PDF format and any other format as permissible by the e-tendering portal.
7. Bidders must ensure to quote rate of each item. If any cell is left blank the same shall be treated as "0". Therefore, If any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO). After submission of the bid online the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
8. After submission of bid online, it can be revised any number of times before specified time on last date of submission of bid. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
9. Financial bids shall be opened online only for bidders for whom ~~EMD and other~~ uploaded documents are found in order and who are found to be eligible to bid for work. On opening date, the bidder can log in and see the bid opening process. After opening of bid he/she will receive the competitor bid sheets.
10. If the bidder is found ineligible after opening of technical cum eligibility, bid shall become invalid.
11. ~~The Bidders shall have to submit original instrument for EMD (EMD released of any work will not be accepted again if earlier submitted in any case) before the last date of opening of TECHNICAL cum Eligibility Bid to the office of Tender Opening Authority. The bid security is to remain valid for a period of 45 (forty-five) days beyond the final bid validity period. Bid security will be refunded to the successful bidder on receipt of a performance security. Bid securities of the unsuccessful bidders should be returned at the earliest after L1 decided by Committee of AIIMS Raipur.~~
12. The Technical cum Eligibility bid shall be opened first on due date and time as mentioned above. Opening of financial bids of contractors qualifying the eligibility shall be opened at a later date.
13. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.
14. **Performance Guarantee:** The successful contractor will be required to furnish a Performance guarantee of **3% (Three Percent)** of Tendered Value after receiving notification of award in the form of **an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India** in the name of the "All India Institute of Medical Sciences, Raipur" which shall be kept valid for a period of Six (06) months beyond completion of all the contractual obligations. The Performance Guarantee can be forfeited in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract. Performance Security will be released after successful completion of work under the contract. In case the contractor fails to deposit the said performance guarantee within the period including the extended period if any, the ~~Earnest Money~~

~~deposited~~ by the contractor shall be forfeited automatically without any notice to the contractor. The ~~earnest money deposited~~ along with tender shall be returned after receiving the aforesaid performance guarantee

15. Sources and Verification of Bank Guarantees :

Bank Guarantee for Bid Security (~~EMD~~) or Performance Guarantee (Security Deposit) should be irrevocable and operative Bank Guarantee (BG) as per format enclosed in the Bid Document and should be issued by a Scheduled Commercial (i.e. Indian or Foreign Banks included in the Second Schedule of Reserve Bank of India Act, 1934 excluding Co-operative banks or Regional Rural Banks). In case of foreign bidders or in case of GTE, if Bank Guarantee is from a foreign bank branch situated outside India, the Bank Guarantee must be issued through any of the Scheduled Commercial Bank. In case BG is issued directly by a bank outside India, it should be executed on letter Head of the Bank and should be advised and made payable through their Indian Branch/Corresponding Bank in India. The Issuing Bank should also state the name and designation of the next Higher Authority of the Officials who have issued the Bank Guarantee. Bank guarantees submitted by the tenderers/ contractors as ~~EMD~~/ performance securities need to be immediately verified from the issuing bank **before acceptance**. There may not be any need to get the Bank Guarantee vetted from legal/ finance authority if it is in the specified format. Guidelines for verification of BGs submitted by the bidders/ contractors against ~~EMD~~/ performance security/ advance payments and for various other purposes are as follows:

- i) BG shall be as per the prescribed formats;
- ii) The BG contains the name, designation and code number of the Bank officer(s) signing the guarantee(s);
- iii) The address and other details (including telephone no.) of the controlling officer of the bank are obtained from the branch of the bank issuing the BG (this should be included in all BGs). The confirmation from the issuing branch of the bank is obtained in writing through registered post/ speed post/ courier. The bank should be advised to confirm the issuance of the BGs specifically quoting the letter of Procurement Entity on the printed official letterhead of the bank indicating address and other details (including telephone nos.) of the bank and the name, designation and code number of the officer(s) confirming the issuance of the BG; Pending receipt of confirmation as above, confirmation can also be obtained with the help of responsible officer at the field office, which is close to the issuing branch of the bank, who should personally obtain the confirmation from issuing branch of the bank and forward the confirmation report to the concerned procurement entity.

- 16.** Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost, all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the

work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions.

17. The Tender paper/documents can be seen / downloaded from Official website & submitted through Online or Site.
18. The competent authority on behalf of the Director, AIIMS, Raipur does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
19. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
20. The Competent Authority, the **Engineer-In-Charge**, reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
21. The contractor shall not be permitted to bid for works in the AIIMS, Raipur responsible for award and execution of contracts, in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in the AIIMS, Raipur. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
22. The bid for the works shall remain **open for acceptance for a period of 90 days from the date of opening of bids.**
23. This notice inviting bid shall form a part of the contract document. The successful bidder/ contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of "The Notice Inviting bid, all the documents including additional conditions, specifications and drawings, GCC, if any, forming part of the bid as uploaded at the time of invitation of bid and rate quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.

24. Eligibility of Bidder

- (a) All eligible bidders meeting the eligibility can participate in the tender. The applicant should be a private or government-owned legal entity;
- (b) For package size exceeding certain values [say - Rs. 10 (ten) Crore], Joint Ventures may be allowed. Maximum number of partners in Joint Ventures shall be limited (say – three). In case of Joint Ventures, all the partners shall be jointly and severally liable for the successful completion of the work;
- (c) A firm that has been engaged by Ministry/ Department to provide consultancy services for the preparation or implementation of a project, and any of its affiliates (associates, Subsidiary, Joint Ventures partner), shall not be eligible for subsequently providing goods or works (other than a continuation of the firm's earlier consultancy services) for the same project;
- (d) A firm determined non-performing by the Procuring Entity shall not be eligible to bid during the period so determined;
- (e) The bidder must not have in his employment:
 - a) The near relations (defined as first blood relations, and their spouses, of the bidder or the bidder's spouse) of persons involved in decision making in the procurement.
 - b) Without Government permission, any person who retired as gazetted officer within the last two years of the rank and from the departments.
- (f) Goods and services Tax (GST) Registration Certificate.

g) Eligibility Criteria for specialized work:-

1. Experience of having successfully completed works during last seven years ending previous day of last date of submission of application.
 - (a) Three similar completed works **each** costing not less than the amount equal to 40% of estimated Cost Put to tender,
 - Or
 - (b) Two similar completed works **each** costing not less than the amount equal to 60% of the estimated Cost put to tender,
 - Or
 - (c) One similar completed work of aggregate cost not less than the amount equal to 80% of the estimated cost.

Similar work shall mean work of “SITC of VRF/VRV Air conditioning System.”

25. Signing of application and bid:

- a) If the bidder is an individual, the application / bid shall be signed by him above his full type written name and current address.
- b) If the bidder is a proprietary firm, the application / bid shall be signed by the proprietor above his full type written name and the full name of his firm with its current address.
- c) If the bidder is a firm in partnership, the application / bid shall be signed by all the partners of the firm above their full type written names and current addresses, or, alternatively, by a partner holding power of attorney for the firm. In the later case a certified copy of the power of attorney should accompany the application. In both cases a certified copy of the partnership deed and current address of all the partners of the firm should accompany the application.
- d) If the bidder is a limited company or a corporation, the application / bid shall be signed by a duly authorized person holding power of attorney for signing the application accompanied by a copy of the power of attorney. The bidder should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.

26. In the bid documents the word / sentence shall be read as under :-

- (i) **President of India – Director, AIIMS, Raipur or vice versa.**
- (ii) **The terms Director General includes CPM/ADG region/ SDG PR Special Director General / Additional Director General and CPM/ Chief Engineer of the Zone - The terms Director General includes Director/Superintending Engineer/Executive Engineer, AIIMS, Raipur.**
- (iii) **CPWD – AIIMS, Raipur or vice versa.**

27. Any dispute or difference arising out of this contract or in connection therewith which cannot be amicably settled between the parties shall be finally settled under the rules of council of Arbitration of India by one or more arbitrator appointed in accordance with the said rules. The arbitration shall take place at Raipur (Chhattisgarh) and the resulting award shall be final and binding upon the parties and shall be in lieu of any other remedy.

List of Mandatory Documents to be filled in by the bidders in various forms to be scanned and uploaded within the period of bid submission

1	EMD in the form of an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India in the name of the "All India Institute of Medical Sciences, Raipur"
2	Letter of transmittal (Annexure-A)
3	Vendor Details as per (Annexure-B)
4	Structure & Organization (Annexure-C)
5	Declaration by Bidder (Annexure-D)
6	Acknowledgement & Acceptance Letter (Annexure-F)
7	Consent Letter(Annexure-G)
8	Bid Security Declaration (Annexure – H)
9	GST Registration Certificate
10	Registration Certificate of EPFO & ESIC.
11	Experience certificate of completed works should be from Central Govt., State Govt., PSU and Autonomous Body vide page no. – 11 as per eligibility criteria for specialized work.

e-sign by Manoj Rastogi
Executive Engineer (Civil)
AIIMS, Raipur

(Annexure-A)

LETTER OF TRANSMITTAL

From:

To

The Executive Engineer,

Project Cell, AIIMS, Raipur (C.G.)

Subject: *Submission of bids for the work of “Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur”.*

Sir,

Having examined the details given in the bid document for the above work, I/we hereby submit the relevant information.

1. I/we hereby certify that all the statement made and information supplied in the enclosed forms A to H and accompanying statement are true and correct.
2. I/we have furnished all information and details necessary for eligibility and have no further pertinent information to supply.
3. I/we authorize Engineer-In-Charge or his representative to approach individuals, employers, firms and corporation to verify our competence and general reputation.

Certificate: It is certified that the information given in the enclosed eligibility bid are correct. It is also certified that I / We shall be liable to be debarred, disqualified / cancellation of enlistment in case any information furnished by me / us is found to be incorrect.

Enclosures:

Date of submission:

Signature(s) of Bidder(s).
Seal of bidder

Annexure-B**FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details)**

1.	Name of the Bidder	
2.	Permanent Account No (PAN)	
3.	Particulars of Bank Account	
	a) Name of the Bank	
	b) Name of the Branch	
	c) Branch Code	
	d) Address	
	e) City Name	
	f) Telephone No	
4.	Legal status of the bidder (attach copies of original document defining the legal	
	a) An Individual	
	b) A proprietary firm	
	c) A firm in partnership	
	d) A limited company or Corporation	
4	Valid Email ID of the Bidder	
5.	Complete Postal Address of the bidder	

(Authorized Signature of the Bidder with Seal)

Annexure-C**STRUCTURE & ORGANISATION**

1. (a) Name
(b) Address of the bidder
2. (a) Telephone no.
(b) Telex no.
(c) Fax no.
(d) E-mail
3. Legal status of the bidder (attach copies of original document defining the legal status)
 - (a) An Individual
 - (b) A proprietary firm
 - (c) A firm in partnership
 - (d) A limited company or Corporation
4. Particulars of registration with various Government Bodies (attach attested photocopy)

Organization/Place of registration	Registration No.
1.	
2.	
3.	
5. Names and titles of Directors & Officers with designation to be concerned with this work.
6. Designation of individuals authorized to act for the organization
7. Has the bidder, or any constituent partner in case of partnership firm / Limited ever been convicted by the court of law? If so, give details.
8. Any other information considered necessary but not included above.

Signature of Bidder(s) with Seal

Annexure-D**DECLARATION**

It is to certify that:

- 1) I/We agree with the terms and conditions of it and understood that it will form part of the agreement.
- 2) I hereby certify that none of my Relative(s) are employed in AIIMS Raipur, Chhattisgarh. In case at any stage, it is found that the information given by me is false/incorrect, AIIMS shall have the absolute right to take any action as deemed fit without any prior intimation to me”.
- 3) I/We undertake and confirm that eligible Work(s) has/have not been got executed through another contractor on back to back basis. Further, it is stated that, if such a violation comes to the notice of Department, than I/We shall be debarred for bidding in AIIMS in future forever. Also, if such a violation comes to the notice of AIIMS, Raipur before date of start of work, the Engineer-In-Charge shall be free to forfeit the entire amount of ~~Earnest Money Deposit~~/Performance Guarantee.
- 4) I / We have signed (with stamp) uploaded documents of the tender before submitting the same.
- 5) All the information and documents given/ uploaded for bids are true.
- 6) I / We have submitted the Bid Security Declaration Form (Annexure – H).
- 7) I / We have provided our e-Mail id for any communication in this regard.
- 8) I have read carefully & understood the important instructions to the all bidders.

Date.....

E-Mail: _____

Contractor

(Sign with Seal)

Annexure-E

INTEGRITY PACT

To,

Sub: NIT No. **01/EE/AIIMS/RPR/2021-22** for the work of “ **Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur**”.

Dear Sir,

It is here by declared that AIIMS is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender / bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the AIIMS Raipur.

Yours faithfully,

e-sign by Manoj Rastogi
Executive Engineer (Civil)

AIIMS, Raipur

(Annexure-F)

Acknowledgement & Acceptance Letter

To,

The Executive Engineer,

Project Cell, AIIMS Raipur

Sub: Submission of Tender for the **Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur**”.

Dear Sir,

I / We acknowledge that AIIMS is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I / We agree that the Notice Inviting e-Tender is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by AIIMS Raipur. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, AIIMS Raipur shall have unqualified, absolute and unfettered right to disqualify the tendered/bidder and reject the tender/bid in accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

(Annexure-G)**CONSENT LETTER**

I/We hereby give my/ our consent to work as contractor till the completion of work and I/we will be responsible for execution of work only by skilled persons in the field of **related work** as per satisfaction of Engineer-In-Charge.

I/We will produce computerized measurement sheets of work before covering hidden work / job and other exposed works in time as per **clause-6** otherwise measurement will be recorded by the representative of Engineer-In-Charge which will be bound to me and I/We am/are agree to made recovery of amount as per **clause 32** of GCC for each running and final bill for not producing measurement and bill. Final measurement with bill will be produced by me/us within one month after completion date otherwise representative of Engineer-In-Charge will prepare the same which will be acceptable and bound to me/us and no any claim in this regard will be made by me/us.

I/We will provide all invoices and related test certificates of materials as required by E-In-C. All Analysis of rates for Extra, Substitute, Deviation items etc. will be produced by me/us in consultation with representative of Engineer-In- Charge on time for getting approval from Competent Authority of AIIMS before execution of work or otherwise the same will be prepared by the department and will be bound to me/us.

I/We will maintain all the registers etc. as mentioned in General Condition of Contract for workers and employees. The registers will be presented to Engineer In-charge or his authorized representative for verification from time to time.

I/we will also engage suitable and skill Engineer(s) for the work as per condition of work.

I further certify that the above particulars pertaining to me are correct.

I/We will produce all uploaded documents in original for physical verification before issue of Letter of Acceptance or / and as demanded by Engineer-In Charge before the payment.

I/We will submit “No Claim Certificate” in the approved format in company letter head after receiving final bill payment.

Signature of contractor with Seal

(Annexure-H)

Bid Security Declaration

Date:

Tender No.: 01/EE/AIIMS/RPR/2021-22

To,
The Executive Engineer,
Project Cell, AIIMS Raipur

I/we. The undersigned, declare that:

I/We understand that, according to your conditions, bids must be supported by a bid Securing Declaration.

I/We accept that I/We may be disqualified from bidding for any contract with you for a period of one year from the date of notification if I am /we are in a breach of any obligation under the bid conditions, because I /We

- a. have withdraw/modified/amended, impairs or derogate from the tender, my / our Bid during the period of bid validity specified in the form of Bid: or
- b. having been notified of the acceptance of our Bid by the department during the period of bid validity (i)fail or refuse to execute the contract, if required, or (ii) fail or refuse to furnish the performance Security, in accordance with the Instructions to Bidders.

I/We understand this Bid Securing Declaration shall cease to be valid if I am /we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii)thirty days after the expiration of the validity of my/our Bid.

Contractor/Contractor Authorized Representative

Seal with dated Signature

To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of AIIMS Raipur.

INTEGRITY AGREEMENT

This Integrity Agreement is made at..... on this..... day of.....2019

BETWEEN

AIIMS Raipur through Executive Engineer,..... ,
(Name of Division)
AIIMS,....., (Hereinafter referred as the
(Address of Division)

'Principal / Owner', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

(Name and Address of the Individual/firm/Company)
through.....(hereinafter referred to as the
(Details of duly authorized signatory)

"Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal /Owner has floated the e-Tender (NIT No. : 01/EE/AIIMS/RPR/2021-22) (hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract " **Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur**". Hereinafter referred to as the "Contract".

AND WHEREAS the Principal / Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal / Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal / Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC) / Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal / Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder (s) / Contractor (s)

- 1) It is required that each Bidder / Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s) / Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal / Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
The Bidder(s) / Contractor (s) will not enter with other Bidder (s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - b) The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s) / Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- c) The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents / representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- d) The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose (with each tender as per Performa enclosed) any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract
- 3) The Bidder(s) / Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake / forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his / her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal / Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder / Contractor accepts and undertakes to respect and uphold the Principal / Owner's absolute right:

- 1) If the Bidder (s) / Contractor(s), either before award or during execution of Contract has committed transgression through a violation of Article 2 above

or

in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers

to

Disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate / determine the Contract, if already executed or exclude the Bidder/Contractor

From

Future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal / Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

2) **Forfeiture of ~~EMD~~/Performance Guarantee/Security Deposit:**

If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of ~~Earnest Money Deposit~~, Performance Guarantee and Security Deposit of the Bidder / Contractor.

3) **Criminal Liability:**

If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of Indian Penal code (IPC)/Prevention of Corruption Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holding listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s) / Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder / Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub- contractors/sub-vendors.
- 2) The Principal / Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal / Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor / Vendor 12 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, AIIMS Raipur.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the **Headquarters of the Division** of the Principal / Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) **If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.**
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this **Integrity Agreement/ Pact or interpretation** there of shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender / Contract documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal/ Owner)

(For and on behalf of Bidder/ Contractor)

WITNESSES:

- 1. (Signature, name and address)
- 2. (Signature, name and address)

Place:-

Dated:

ALL INDIA INSTITUTE OF MEDICAL SCIENCE RAIPUR
Percentage Rate Tender/ Item Rate Tender

Tender for the work of: **Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur”.**

e- T E N D E R

I/We have read and examined the notice inviting tender, schedule, A,B,C,D,E & F, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the AIIMS Raipur within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for **ninety (90) days** from the due date of opening of financial bid and not to make any modification in its terms and conditions.

~~A sum of Rs. 35,500.00 is hereby forwarded in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank as earnest money. A copy of the earnest money in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank is submitted with tender. If I/We, fail to furnish the prescribed performance guarantee within prescribed tender, I/we agree that the said President of India or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that President of India or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said Performance Guarantee shall be guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the General Conditions of Contracts (CPWD). Further, I/we agree that in case of forfeiture of earnest money or performance guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.~~

I/We undertake and confirm that eligible similar work(s) has / have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in AIIMS Raipur in future forever. Also, if such a violation comes to the notice of Department before date of start of work, The Engineer – in – Charge shall be free to forfeit the entire amount of ~~Earnest Money Deposited / Performance Guarantee.~~

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated #.....

Signature of Contractor#
Postal Address#

Witness : #
Address: #
Occupation : #

e-Mail id#

To be filled in by the contractor/witness as applicable

ACCEPTANCE

The above tender (as modified vide letters mentioned hereunder) is accepted by me for and on behalf of the AIIMS Raipur for a sum of ₹. _____ *

(Rupees _____ *)

The letters referred to below shall form part of this contract Agreement:-

a) _____ *

b) _____

c) _____

For & on behalf of the AIIMS Raipur.

Signature.....

Dated *

Designation.....

GENERAL PARTICULAR

1. Name of Work **“Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Hematology, Clinical Pathology Lab and CSSD of AIIMS Raipur”**. For all items of **Civil/Electrical/AC&R/Horticulture**;- CPWD specifications with up to date correction slips up to receipt of tender shall be followed. For the items which are not covered under CPWD Specifications; B.I.S. specifications shall apply. In this regard the decision of Engineer-in-charge shall be final.
2. Wherever any reference is made of any Indian Standard, it shall be taken as reference to the latest edition with all amendments/ revision issued thereto up to the date of receipt of tenders.
3. Unless otherwise specified, the agreement rates for all items of work of the schedule of quantities are for all heights, depths, leads and lifts involved in the execution of work.
4. Other agencies working at site will also simultaneously execute the work entrusted to them and the contractor shall offer necessary co-operation wherever required to other agencies.
5. On account of security consideration, there could be some restrictions on the working hours, movement of vehicles for transportation of materials. The contractor shall be bound to follow all such restrictions and adjust the program for execution accordingly, for which nothing extra shall be paid.
6. The work shall be carried out in a manner complying in all respects with the requirements of relevant bye laws of the local bodies, Labour Laws, minimum wages act, workmen compensation act and other statutory laws enacted by Central Govt. as well as State Govt.
7. All melba/rubbish/silt/waste, garbage etc. generated due to any operation from buildings/houses/hostels and other open spaces whatsoever shall be disposed off on daily basis by the contractor to the specified common disposal point. After the collection of full truck load of the said Melba (approx. 4.5 cubic meters), the same shall be disposed off by the contractor to the authorized municipal dumping ground and nothing extra shall be paid on this account. In case of non-removal/disposal in the specified period, the same would be disposed at risk & cost of contractor.
8. No residential accommodation shall be provided to any of the staff engaged by the contractor. The contractor shall not be allowed to erect any temporary set up for staff in the campus.
9. No claims of the labours shall be entertained by the Department including that of providing employment, regularization of services etc.
10. All required register will be issued by Engineer-in-Charge/Executive Engineer duly marked in chronological order but the contractor will have to arrange all such registers/stationery etc. Nothing extra shall be paid on this account.
11. The contractor shall have registration with Employee's Provident Fund commissioner and Employee's state Insurance Corporation for safe guarding interest of his workmen. He shall obtain all other necessary approvals from statutory bodies as per law in vogue.
12. All T&P, scaffoldings, ladders/Hydra etc, instruments/meters for maintenance, consumable and Contingent Articles required for execution of the work shall be arranged by the contractor.
13. The contractor shall make all safety arrangement required for the labour engaged by him at his own cost. All consequences due to negligence or due to lapse of security/safety or otherwise shall remain with the contractor. The department shall not be responsible for any mishap,

- injury, accident or death of the contractor's staff. No claim in this regard shall be entertained / accepted by the department. Also Contractor is responsible to the damage caused to any man/material other than his team during execution and AIIMS will not be responsible for that.
14. Contractor shall be fully responsible for any damages caused to govt. property or allotter's property by his or his labor in carrying out the work and shall be rectified by the contractor at his own cost.
 15. GST and other Taxes as applicable shall be recovered/ paid from the contractor's bill as per Govt. of India/AIIMS Rules.
 16. Chases, holes & drilling works etc. shall be done using power operated tools in the cost of Contract. No extra will be paid for the same.
 17. The agency shall restore back the premises and other articles provided by the department to the department at the time of closure of the contract.
 18. In the case of discrepancy between the schedule of quantities, the Specifications and/or the Drawings, the following order of preference shall be observed :-
 - (a) Description of schedule of quantities.
 - (b) Additional specifications and special conditions, if any.
 - (c) Contract clauses of General conditions of contract for Central P.W.D. works. (iv) CPWD specifications.
 - (d) Architectural drawings.
 - (e) Indian standards specifications/ BIS. (vii) Sound engineering practice. Any reference made to any Indian standards specifications in these documents, shall imply to the latest version of that standard, including such revisions/amendments as issued by the Bureau of Indian Standards up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian Standards applicable to the work at site.
 20. The contractor and /or his authorized agent should see the site order book every day and get the compliance of instruction given by the JE/AE/Engineer-in-charge (E-I/C) as per time schedule.
 21. The contractor will not pitch up tents for laborers, materials and his stores etc.
 22. No permanently / temporary huts / structures shall be constructed by the contractor at the site of work or at any government land / premises. Such structures, if any, found at the site or at AIIMS, Raipur land shall be demolished and removed at the cost of the agency without any notice.
 23. Any damage to the building structure, fittings or any other articles etc. done by the contractor or his workman during the execution of the work shall be made good by the contractor at his own cost.
 24. The contractor shall clear the site properly after the completion of the work.
 25. The Agency shall be solely responsible for compliance to the provisions of various Labor and industrial laws, such as, wages, allowances, compensations, EPF, Bonus, Gratuity, ESI etc. relating to personnel deployed by it at AIIMS, Raipur site or for any accident caused to them and the institute shall not be liable to bear any expense in this regard. The Agency shall make payment of wages to workers engaged by it by the stipulated date irrespective of any delay in settlement of its bill by AIIMS, Raipur for whatever reason. The Agency shall also be responsible

For the insurance of its personnel. The Agency shall specifically ensure compliance of various Laws / Acts, including but not limited to with their re-enactments / amendments / modifications etc.

- (a) The Payment of Wages Act 1936.
- (b) The Employees Provident Fund & MP Act, 1952.
- (c) The Contract Labor (Regulation) Act, 1970.
- (d) The Payment of Bonus Act, 1965.
- (e) The Payment of Gratuity Act, 1972.
- (f) The Employees State Insurance Act, 1948.
- (g) The Employment of Children Act, 1938.
- (h) The Motor Vehicle Act, 1988.
- (i) Minimum Wages Act, 1948.

26. **Breach of Terms and Conditions:** Noncompliance of any terms and conditions enumerated in the contract shall be treated as breach of contract. Or In Case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by AIIMS, Raipur in that event the EMD and /or Performance Guarantee and/or security deposit shall also stands forfeited.
27. **Arbitration:** The Arbitration shall be held in accordance with the provision of the Arbitration and conciliations Act, 1996 and the venue of arbitration shall be at Raipur. The decision of the Arbitrator shall be final and binding on the both parties.
28. **Dispute Settlement:** It is mutually agreed that all differences and disputes arising out of or in connection with this agreements shall be settled by mutual discussions and negotiations if such disputes and differences cannot be settled and resolved by discussions and negotiations then the same shall be referred to the sole Arbitrator appointed by the Director, AIIMS, RAIPUR whose decision shall be final and binding on both the parties. The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing.
29. Guidelines issued by Hon'ble National Green Tribunal in O.A. No. 21 of 2015 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & other and Sanjay Kulshreshtha Vs Union of India &ors: Air Pollution of Dust from Construction and Demolition activity reg. issued vide letter No. DPCC/EIA/Ref-001 to 172/NGT-21/2015/225-408 dt. 17/04/2015 shall be complied by the Bidders.
30. The sample of all the items shall have to be got approved by the Contractor from the Engineer-in-Charge/Executive Engineer or his Representative before the supply commences, the approval of sample shall be only in respect of workmanship and finish, and shall be without prejudice to the right of Engineer-in-Charge to get random samples tested out of the actual lot received as per additional conditions. This decision is the Prerogative of Engineer-in-Charge.
31. The contractor shall furnish the manufacturer's certificate that the materials supplied satisfy the requirements of the relevant specifications.
32. The Engineer-in-Charge shall be at liberty to test respective sample (s) of each item of schedule of quantity in any approved laboratory as decided by him. The sample for testing shall be provided by the contractor. If the test proves satisfactory and the material is accepted, the testing charge in respect of satisfactory test shall be borne by the department.

All other expenditure required to be incurred for making available the sample, conveyance and packing etc, shall be borne by the contractor himself. In case any sample of particular lot fails in testing the contractor shall be bound to replace the entire lot with fresh material of prescribed specifications and the rejected lot shall only be returned to the contractor after fresh lot is supplied. Testing charges in respect of failed sample will be borne by the contractor himself.

33. Rejected materials shall have to be removed by the contractor at his own cost at once.

34. In case of any dispute regarding rejection of quantity of materials the decision of Engineer-in-Charge shall be final and binding upon the contractor.

35. Conditional tenders are liable to be summarily rejected.

Composite register issued by Engineer-In-charge must be maintained by representative of E-I-C and contractor both. The contractor or his representative is bound to sign the Composite register as and when required by the Engineer-in-Charge and to comply with the remarks therein.

TERMS AND CONDITIONS FOR AC&R WORK

1.The bidder Shall visit the site of installation & Commissioning of the Air conditioning machine and understand the nature & scope of the work and doubts of any nature and should be got clarified before quoting. Agency ascertains themselves with all the rules and regulations of the premises of AIIMS Raipur

2. Packaging, forwarding, storage and safe-keeping of all the supplied materials shall be the sole responsibility of the bidder irrespective of the location of the material. Agency is responsible for all the materials on site (finished or unfinished). Any loss or damage cause to the materials incidental or otherwise shall be borne by the agency. The Institute shall assume no responsibility in this regard under any circumstances.

3.The equipment offered shall conform to the specifications as given in tender and shall be guaranteed against defective design, defective quality material supplied, manufacturing defects etc. for a minimum period of 15 months from the date of supply and 12 month after installation of Air conditioning machine.

4. The Agency shall give guarantee for the work executed and shall be responsible for the defects occurred during the period of 12 months after the completion of work and shall rectify the same at his own cost. the agency also give one year warranty of Air conditioning machine.

5. SITC for Machine must be carried out by the bidder, quarterly servicing will be done by the bidder within warranty period. The Contractor shall ensure running equipment's are available at default rated parameters & capacity. extra amount of refrigerant (if required) to run air conditioner as per parameters in the scope of agency. The healthiness of Air conditioning machine shall be ensured with no water or refrigerant leakage, no abnormal sound, proper setting of thermostats and their tripping etc.

6. Damage to the building during execution of work shall be made as good as previous by the contractor, otherwise penalty will be imposed by the Engineer-In-Charge which will be final & bound to contractor.

7. The contractor shall handover the Air conditioning machine in healthy and working condition to the department after completion of work and any shortcoming / missing parts noticed at the time of handover

shall be made good by the contractor free of cost, otherwise necessary deduction will be made from the bill which is bound to the contractor.

8. The agency shall ensure that its employees while on AIIMS Raipur premises or while carrying out their obligations under this contract, observe the standards of cleanliness, decorum and general discipline lay down by AIIMS Raipur. After completion of work area should be cleaned. the cleaning of dust, Oil Spillages, Welding butts, Metal Scraps, used nut bolts & all other scrap removal shall be in contractor's scope. Handling of Scrap generated arises on account of activities or any kind of material handling will be in agency scope.

9. Any malba generated due to dismantling/maintenance shall be cleared from the site of work immediately without any extra cost failing which same shall be done by the department and suitable recovery shall be made from the contractor.

10. **All works related to installation of Air conditioning machine like making holes in the walls for passage of copper tubes and electrical cables, mounting of stands, Civil work like cutting of existing false ceiling and fitting of AC indoor unit etc.** shall be done by the agency and all tools, and tackles including ladder etc. shall be arranged by the agency. However, for loading / unloading of Air conditioning machine in the scope of agency. the AIIMS Raipur shall not provide any labour to the contractor for lifting or transportation of the Air conditioning machine.

11. Agency shall be provides all spare parts list with their prices and It is mandatory to provide O&M user /maintenance manual after completion of work.

12. At the time of acceptance of the tender, agency shall furnish the details of workers along with contact details.

13. The contractor or his representative should not remove, disturb and dislocate the existing equipment and its parts from its positions until and unless it is authorized by the Engineer (AC/R).

14. Any of the skilled or unskilled workers at site found not up to the standard or undesirable will be required to be forthwith removed by the agency. If found under the influence of the above, contracting firm shall have to change /replace him, failing which we may terminate the contract.

15. Agency shall arrange to render efficient service as outlined by AIIMS Raipur. If due to any reason, the firm is not able to do the work, the same shall be got done from some other firm or from the open market at the risk & cost of the contractor and the expenditure incurred there on shall be recovered from the contractor including penalty imposed by the Engineer-In-Charge which will be bound to the contractor.

16. The agency will have to carry out the work in accordance with the drawings technical specifications / or other conditions after allocation of work and to the full satisfaction of AIIMS Raipur.

17. No accommodation for the labourers will be allowed within AIIMS Raipur.

18. Installation site distance between Indoor Unit and Outdoor Unit is deferment meters, therefore normal supply of copper tubing, insulation pipe and water drain pipe shall be accordingly and default parameter achieved as per this.

19. Installation, testing and commissioning report as per default parameter and 72 hour testing report duly certified by Engineer (AC&R).

20. It is expected from the agency that all the items specified for supply in the tender shall be strictly in accordance with the standards and quality specification by the respective manufacturers. Therefore the bidders are advised to go through the specifications of the items before submitting the bids.

21. The Bidder ensures that the items supplied against this tender are new, unused, of the most recent or current models and those they incorporate all recent improvements in design and materials. The Bidder further ensures that all items/goods supplied against this tender shall have no defect arising from design, materials or workmanship.

22. The Compact Cassette machine size should be less than 600mmX600x300mm and Grill or Panel Size should be equal or less than 700mmX700mmX60mm.

(TECHNICAL SPECIFICATIONS FOR VRF/VRV AIR CONDITIONING SYSTEM)

1. Scope of Work:

The variable refrigerant volume/flow (VRV/VRF) system provided by the manufacturer shall be factory assembled with pre charged refrigerant, factory wired with all unit mounted controls, piped and factory tested.

Units shall be provided as per the bill of quantities attached in the tender document if Alternative combination of outdoor units shall be submitted by contractor in order to provide equivalent thermal capacity mentioned in the tender document.

All units shall be suitable for operation with $415V \pm 10\%$, $50Hz \pm 3Hz$, and three phase power supply for outdoor units and $220V \pm 10\%$, $50Hz \pm 3Hz$, single phase power supply for indoor units.

2. Drawings for approval on award of the work:

- (a) The contractor shall prepare & submit three sets of following drawings and get them approved from the Engineer (AC&R) before the start of the work. The approval of drawings, however, does not absolve the contractor not to supply the equipment's/materials as per agreement, if there is any contradiction between the approved drawings and agreement.
- (b) Layout drawings of the equipment's to be installed including control cables, fuel/copper pipes and supports/structure for ducting & piping, Grills, Diffuser ,Indoor and bus ducts/cable trays.
- (c) Any other drawings relevant to the work.

3. VRF System Configuration:

The variable refrigerant flow/Volume system shall comprise of multiple type of indoor units with Centrally located air cooled outdoor unit constituting of inverter driven scroll compressor for air conditioning application with R410a or CFC free refrigerant.

Both indoor units and outdoor unit shall be properly assembled, internally piped and wired, Thoroughly tested and charged with refrigerant at factory and shall be topped up at site after Erection. Additional charge of refrigerant should be in the scope of agency.

Each refrigeration system shall be equipped with inverter driven scroll compressor, with or without solenoid valves, heat exchangers, accumulators, and 4-way valves along with flare connection parts

and all other accessories required to make the system complete and functional to provide required design conditions. System shall be operated, monitored and controlled through independent wired remote controllers as per specifications.

2 (A). Indoor units system capacity and features: Indoor unit thermal capacities shall be selected for maximum of dehumidified volume flow rate **OR** actual thermal capacity as per heat loads whichever is higher and **NOT** as per nominal cooling capacity. "Thermal capacity" shall mean cooling capacities in cooling mode and heating capacities in heating mode as per heat loads. Also, indoor units shall be selected at maximum actual capacity considering fan speed of indoor units at **HIGH** mode. Grouping of indoor units with respect to outdoor units shall be selected by manufacturer and specified in their quotations. System shall be designed such that in case of failure of one unit it shall be isolated and maintenance carried out while other units shall be running and provide required thermal control. Grouping of indoor units shall be made in daisy chain configuration.

Units shall be compact in design, aesthetically appealing and match the interior layouts. Units shall have capability to be operated individually in order to cater to diverse occupancy and thermal loads. Temperature shall be controlled through microprocessor in order to provide cooling / heating as per room data sheets. Indoor Units should have more than 2 rows of coils. Units shall be thermal and acoustically insulated with in order to have noise level to maximum of 60 dB (A) at a horizontal distance of one meter from the grille of the unit. Unit shall also comprise of factory installed mold resistant washable filters with resin net as a standard design.

Unit shall have provision to add drain pump kit if required on either side of the unit. Drain pump shall have capability to lift one meter from unit bottom edge.

Step less discharge angle adjustment shall be possible through remote controller of the unit. Indoor unit shall comprise of following parts in general: - Air intake grille, Air intake filter, Auto vane, Guide van. Units shall be operated, monitored and controlled through independent wired remote Controllers as per specifications.

2 (B). Outdoor unit's system capacity and features: - Outdoor units shall be air cooled type with hermetically sealed inverter driven scroll compressors. Aluminum fins of condenser coils shall be provided with "Anti corrosive" treatment and shall be suitable for areas of high pollution and corrosive atmosphere. Units shall be selected to supply minimum of 33% back up operation of full load capacity in single unit / multi unit configuration and shall be operated through remotes of indoor units. Condenser fans shall provide axial flow in vertical/ horizontal direction and shall be directly coupled to motors.. Outdoor unit capacities shall be estimated based on total capacities of all indoor units selected in the group. Outdoor units thermal capacities shall be de-rated and provide actual capacities mentioned in room data sheets for outside conditions mentioned above.

Compressor shall be provided for adjusting the amount of refrigerant being circulated in the refrigeration circuit. This adjustment shall be performed automatically by adjusting the operating frequency based on operating pressure data.

-The compressor(s) shall be hermetically sealed scroll and designed for continuous operation at 52°C ambient temperatures. The VRF/VRV Unit should have invertors driven scroll compressor. Inverter driven compressor shall be operated on frequencies ranging from 50Hz to 220Hz.

-All invertors driven scroll compressor shall have protection for electronic circuits and elimination of electromagnetic sound, which may interfere with the control function of the machine.

-The unit shall have safety device such as high-pressure switch, fan motor safety thermostat, invertors overload protector, fusible plugs and fuses etc. for trouble free operation of the unit.

- The condenser shall be air cooled, made of copper tubes with extended aluminum fins with anti corrosive coating. The condenser coil shall be multi-pass, cross-finned tube type, equipped with highly efficient aluminum fins, mechanically bonded to oxygen free copper tubes. The coil shall be cleaned, dehydrated and tested for leakage at the factory.
- The cabinets shall be fabricated out of heavy gauge, properly formed for close fit and Structural rigidity. All access panels shall be so constructed as to be quickly and easily removable. All outside surface shall be finished with powder coating for protection against humid weather.
- The condenser fans shall be step-less driven and designed to achieve low condensing temperatures & operate continuously and silently. Control box of outdoor unit shall comprise of all relays, capacitors, resistors, fan control board, control board, controller board, terminal blocks for transmission, terminal blocks for power supply, Noise filter and inverter board.
- Units shall be acoustically designed to provide noise level at or below 65dB (A) considering one meter distance from the outdoor unit. Harmonic noise control shall be provided to level not exceeding 5% for power distribution system. Potential free contacts shall be provided for monitoring status of outdoor units through building management system. This shall include START / STOP / RUN / TRIP.

4. Devices shall be provided for automatically detecting and controlling following parameters:

- Protection of system against high and low pressure.
- Detecting discharge air temperature and provide protection against high pressure.
- Controlling frequency of the inverter.
- Defrosting operation based on liquid pipe temperature.
- Sub-cooling of heat exchanger.
- Superheat of heat exchanger.
- Outdoor air temperature and control fan operation of outdoor unit.
- Control inverter cooling fan to maintain desired inverter sink temperature.
- High and low pressure by pass at start up and stopping and provide capacity control at low load operation.
- High pressure rise prevention.
- Outdoor unit heat exchanger capacity.
- Adjust amount of bypass flow from the liquid line of the outdoor unit during cooling OR heating as per application.
- Heat refrigerant in the compressor.
- Change over between heating and cooling as per application.
- Indoor unit temperature control based on return air temperature of the conditioned area.
- Oil equalizing among outdoor units and prevent accumulation of refrigerant in non –operating outdoor units in multiple outdoor unit configurations.
- Detecting suction pipe and discharge pipe temperature for temperature protection control of motors and other components.
- Outdoor unit rotation shall be possible based on operating priorities in multiple outdoor units' configuration to prevent compressor burnout due to unbalanced oil level.

5. Refrigerant:-Refrigerant used shall be low in toxicity, chemically stable and non flammable. Refrigerant used shall have zero ozone depletion potential (ODP) with low global warming potential (GWP). Refrigerant shall be charged after completing field wiring, finishing leak test and vacuum drying. Refrigerant charge shall always be less than maximum permissible charge and of specified amount in order to avoid liquid hammer and compressor breakdown.

6. Refrigerant Piping:- Manufacturer's recommendation shall be followed for maximum piping lengths. Refrigerant piping connecting the branch piping and the outdoor units shall be installed such that refrigerant piping moving towards the indoor unit is in downward slope compared to outdoor unit. Trap / vertical loop of minimum 200mm height shall be provided on the gas line within the 2(two) meters distance from the joint pipe if the total length of the refrigerant pipe that connects the joint pipe

and outdoor unit exceeds 2(two) meters. Oil equalizing line with insulation shall be provided between outdoor units when multiple outdoor units are connected.

Diameter of refrigerant piping (Liquid line and gas line) between outdoor unit and first branch shall be as per manufacturer's recommendation based on capacity and maximum piping lengths. Refrigerant piping (Liquid line and gas line) distance between first branch and indoor unit and between branches for connection to indoor unit shall be as per manufacturer's recommendation based on capacity and maximum piping lengths. Stop valves shall be installed in refrigerant line. Refrigerant piping shall be stored with both ends sealed until just before brazing at site and elbows / other joints shall be store in plastic bags. Copper pipes shall be selected for maximum working pressure of 624 psi for R – 410a refrigerant circuit and for maximum working pressure of 500psi in case of R407C refrigerant. Copper pipes shall be made of phosphorus deoxidized seamless copper. Minimum thickness to be used as per BOQ. Copper pipes shall be stored indoors in order to avoid contamination through moisture. Both ends of pipes shall be sealed until just before brazing. All accessories like elbows, T – joints shall be kept sealed in plastic bags. Both gas line and liquid line shall be insulated with heat resistant polyethylene foam or nitrile rubber having thickness of 19mm or more. Insulation work shall be carried out after finishing air tightness test and vacuum drying. All piping works, refrigerant branch kits shall be completely insulated. Insulation thickness shall be selected for maximum of condensation OR heat loss.

7. Refrigerant Piping Installation:- The agency on the award of the work shall prepare detailed working drawings, showing the cross section, longitudinal sections, showing U traps for oil return if any, details etc. They must keep in view the specific openings in buildings and other structures through which the pipes are designed to pass. All the working drawings shall be approved by the Engineer (AC&R) before starting of the installation.

Piping shall be properly supported on **OR** suspended from stands, clamps, hangers etc., as specified and as required. The pipe supports should be adjustable to a height of 50 mm. The contractor shall adequately design all the brackets saddles, clamps, hangers etc. and be responsible for their structural integrity.

All piping connected to coils and apparatus requiring tube cleaning or removal, shall be run clear of such area except for removable connections.

Piping passing through expansion joints and connecting the equipment which in turn is not Isolated from vibration shall be provided with rubber expansion joint.

Vertical risers shall be parallel to walls and column lines and shall be straight and plumb.

The supports shall be as shown in the drawing enclosed. Where pipes pass through the terrace floor, suitable flashing shall be provided to prevent water leakage. Risers shall also have a suitable elbow or concrete/channel support at the lowest point.

Pipe sleeves of 50 mm larger diameter shall be provided wherever pipes pass through walls and the annular space filled. Open ends of the piping shall be blocked as the pipe is installed to avoid entrance of foreign matter.

Drains shall be piped through equal size G.I. / PVC/CPVC with insulation pipes to the nearest drain or floor waste. Piping shall be pitched towards drains points. The drain connections from AC equipments Should have 2% slopes with 40 mm for FCUs.

8. Electrical & control works:-

a) This specification defines the requirements of supply of Electrical Panel, fabrication, installation, testing and commissioning of electrical control panels, wiring and earthing for all components of the air conditioning system. Cabling from the panel to individual outdoor / indoor units and control wiring will be in the scope of HVAC contractor.

b) Maximum allowable cable lengths: - Maximum distance between indoor / outdoor transmission line shall be less than or equal to 200meters. Transmission booster shall be provided for system in which more than 26 indoor units are grouped. External transmission cables and power cables shall be separated by minimum distance of 50mm in order to avoid noise interference. All cables shall be with copper conductors. Outdoor units shall be properly grounded. Cable connections carried out shall be such that terminals in the electrical box are accessible for servicing. Transmission cables for different group of refrigerant systems shall be provided separately instead of using multi core transmission cables to avoid signal transmission errors /malfunctions.

Systems with long transmission lines shall be routed to have minimum noise interference. Reverse phase protection shall be provided in the system and shall be designed to stop the unit in case of any such abnormality is detected. Power circuit must be provided for connection to the unit. The circuit must be protected with the required safety devices i.e. a main switch, a slow blow fuse on each phase and a ground leak detector suitable to handle higher harmonics.

9. VRF/VRV Testing:-

(a)System test and leaks:- All leaks and defects in joints revealed during the testing shall be rectified to the satisfaction of the Engineer (AC&R) of AIIMS Raipur. Piping repaired subsequent to the above pressure test shall be re-tested in the same manner. System may be tested in sections and such sections shall be securely capped. The contractor shall be notified well in advance to Engineer(AC&R) of his intention to test a section or sections of piping and all testing shall be witnessed by the Engineer(AC&R) or his authorized representatives.

-The Contractor shall make sure that proper noiseless circulation of fluid is achieved through all coils and other heat exchange equipment in the system concerned. If proper circulation is not achieved due to wrong connection, the Contractor shall rectify the defective connections. He shall bear all the expenses for carrying out the above rectifications, including the tearing up and re-finishing of floors, walls etc. if required

-No insulation shall be applied to piping until after the completion of the air leakage testing and vacuum testing to the satisfaction of the Engineer (AC&R).

-The Contractor shall provide free of any additional cost, all materials, tools, equipment, instruments, services and labor required to perform the test.

-Leak test shall be carried out specific to the refrigerant being used in the system. Refrigerant leak test shall be carried out by pressurizing the system with nitrogen to 601psi OR manufacturer's recommendation taking temperature variations into account.

(b)Air tightness test:- Leak test shall be carried out by leak detectors specifically designed for use with refrigerant being used in the system. Keep the refrigerant line pressurized for 24hours. If pressure drops within 24hours the system passes the leak test. If the pressure drops check the nitrogen leaks.

(c)Vacuum drying:- Vacuum pump to be used shall comprise of reverse flow check valve in order to avoid vacuum pump oil from flowing into the refrigerant circuit during power OFF mode. Vacuum pump having capacity to attain 65Pa or lower degree of vacuum after five minutes of operation, and shall be connected directly to vacuum gauge. Vacuum gauge used shall have range of 650Pa and shall have capability to measure at 130Pa intervals. After vacuum has reached 650Pa evacuate for additional one hour. Verification to be carried out that vacuum degree has not risen by more than 130Pa after one hour evacuation. Rise less than 130Pa shall be acceptable. Vacuum pump shall be stopped in the procedure so as to prevent reverse flow of vacuum pump oil. Unit shall be vacuum tested at 7mm of Hg and shall be maintained for minimum four hours. Vacuum test shall be carried out before Engineer (AC&R) twice before refrigerant charging.

(d)Refrigerant charging:- Refrigerant charging shall be carried out by bringing the refrigerant in cylinder in liquid state.

10. System controlling method:

Power failure mode: - Indoor unit shall go into operation in case it was in operation when power was turned off (cut off due to power failure).

Demand control steps / Compressor operating priority:- Capacity control shall be provided in continuous manner.

Example: **100%capacity 50%capacity 0% capacity**

Electronic expansion valve control:- Expansion valve shall be used for capacity control in order to maintain evaporator outlet superheated temperature at constant level during heating operation and to make maximum use of the evaporator.

Drain pump control:- Drain pumps shall be controlled automatically based on indoor unit operation and provide complete drain of any moisture adhering to the fin of the indoor unit heat exchanger. Drain pumps shall be equipped as standard accessory and the lift height shall be minimum 850mm. Drain pan shall be constructed so as to have zero retention of drain water when unit is not working and shall have antibacterial treatment to prevent growth of slime, mould and bacteria which cause blockages and odours.

Thermostat sensor location in remote controller:- Indoor temperature shall be controlled by the thermostat sensor mounted in remote controller/ air suction thermostat in indoor unit. It shall be possible at site to select between thermostat of remote controller and suction thermostat in indoor unit.

Freeze prevention: - Freeze protection shall be provided by measuring liquid pipe temperature of the indoor unit heat exchanger. Unit shall enter freeze protection mode in case indoor unit heat exchanger liquid pipe temperature drops below manufacturer recommended level. Following conditions shall be used in general for freeze protection in case manufacturer data is unavailable. Freeze protection shall start in case liquid pipe temperature is (-) 1.1°C (30°F) or below for total duration of 30minutes or temperature is (-) 5°C (23°F) or less for total duration of 8minutes.

Refrigerant recovery control: Refrigerant recovery shall be performed during heating operation to prevent refrigerant from accumulating inside the indoor unit which is either off or running on fan mode. It shall also be performed during cooling operation to prevent excessive amount of refrigerant from accumulating in the outdoor unit heat exchanger.

11. Control system for VRF/VRV system:

Remote controllers:- This remote controller shall be cordless type unless specified for corded, which shall be mounted on the wall. It shall also allow for centralized control of system and system expansion capability along with flexibility for grouping changes. Remote controller provided shall have capability of being connectable anywhere on the transmission line between indoor unit and outdoor unit. Remote controller shall require address settings along with the indoor / outdoor unit address setting. It shall also have capability to interlock each indoor unit with a ventilation unit.

Grouping of indoor units and outdoor units if necessary shall be possible with the need for rewiring to be carried out. It shall be performed by either changing the address of indoor unit or remote controller address as the case may be.

Remote controller shall have LCD display with following operation buttons:

- ON / OFF switches for running / stopping the unit with LED flash indicating malfunctions.
- Switching between Cool / Dry / Auto / Fan / Heat operation modes shall be possible.
- Temperature setting in range of 17 – 28°C shall be possible in heating / cooling mode with 1°C increments.
- Fan speed setting shall be possible in low / medium / High modes.]
- Air flow direction angles shall be adjustable through the remote controller.
- Timer settings to program individually shall be possible.
- Interlocks with ventilation units shall be possible.
- Filter service indication shall be provided.

- Inbuilt clock
- Thermostat sensor Remote controller shall have following displays:
- Error code and affected unit shall be displayed.
- LED display indicating operation / off / malfunction of the unit.
- Display indicating filter to be cleaned.
- Display indicating de-frost operation.
- Indoor unit suction temperature.
- Cool / Dry / Auto / Fan / Heat mode in operation.
- Timer indicating current time and set times.
- Air direction display.
- Fan speed selected.
- Set temperature.

Remote controller wiring shall have of suitable size and type to avoid noise interference.

Maximum cable length of remote controller shall be restricted to 500meters from remote Controller to indoor unit transmission cable.

12. **Commissioning:** - At the time of handover, the contractor has to do the performance test at site.

13. **Handover Document:** - At the time of handover, the contractor has to do the submit though not limited to following documents –

- 1) As built Drawing, both softcopy (Autocad and pdf) and Hardcopy, depicting Outdoor Unit, Indoor Unit and connected refrigerant piping and drain piping.
- 2) Operation and Maintenance Manual.
- 3) Service Escalation Matrix.
- 4) Handover Letter.
- 5) Warranty Letter.
- 6) Commissioning Report.

APPROVED MATERIALS LIST (AC & R)

1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender shall be used in the work.
2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
3. Whenever the specified brand of material is not available then, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

S.No.	Item	Acceptable Makes/ Manufactures
1	Air conditioner	DIAKIN/ HITACHI /MITSUBISHI /O General/BLUE STAR / CARRIER / TOSHIBA
2	INSULATION:-	
a	FIBREGLASS	FGP / UP TWIGA / KHIMCO
b	EXPANDED POLYSTYRENE	BEARDELL / COOLINE
c	EXPANDED POLYETHYLENE	NIKIFOAM / PROFEEL /Supreme/EQVT
d	NITRILE RUBBER FOAM	aeroflex / Supreme/ Armaflex / Thermo flex /Superlon
3	GRILLES / DIFFUSERS	COSMOS / DYNACRAFT/ CARYAIRE
4	PRE-FILTERS	KIRLOSKAR / DYNA / KLENZAIDS /AIRTECH
5	Power and control CABLES	KEI/Finolex/RR Kabel/Havells/polycab
6	CPVC Drain Piping	SUPREME/PRINCE/Apollo/Dutron/Ashirvad/Finolex/Astral
7	Ventilation/Exhaust fans	KRUGER / COMEFRI /NICOTRA /Usha/ Crompton/ Havells/ GE/ Bajaj
8	Copper piping	MANDEV/RAJCO/MEHTA(Mexflow)/Totaline
9	PVC insulated Copper wire (FRLS), Cables / Telephone wire	Havells / RR Kabel / Polycab / Finolex/ Anchor/ L&T (All with ISI Marked)
10	Circuit breakers/MCB / MCB DB's / RCCB	Legrand / L&T / Hager / Seimens / Schneider/ MDS/ GE/ Hager/ ABB
11	Industrial Socket	MDS/ HAVELLS/ Hager/ ABB
12	PVC Conduit	AKG/ MK/ Anchor/ Finolex/ Steel Craft/ Saraswati/ Swastik
13	Casing Caping	Saraswati/ Polycab/ AKG
14	LUGS, Thimble, Cable Glands	Dowels/ Commet/ Hex/ Jhonson / Gripwell/ Comex/Comed
15	Duct sheet metal	Sail/Jindal/Tata/Hindalco/JSW

SPECIAL CONDITIONS OF CONTRACT

1. GENERAL

- 1.1 Wherever any reference to any Indian Standard Specifications of BIS or other International standards of ASTM/BS/EN occurs in the documents relating to this contract, the same shall be inclusive of all amendments issued there-to or revisions thereof, if any, up to the date of receipt of tenders.
- 1.2 The contractor shall work according to the programme of work as approved by the Engineer-in-charge, for which purpose, the contractor shall submit a programme of the work within 07 days from the stipulated date of start of the work based on computer software and shall update the same every fortnight.
- 1.3 The contractor shall take instructions from the Engineer-in-charge for stacking of materials at site. No excavated earth or building materials shall be stacked on areas where the buildings, roads, services or compound walls are to be constructed.
- 1.4 If as per Municipal or prevailing rules of the secured campuses owned by paramilitary forces, Institutions etc, the huts for labour are not to be erected at the site of work by the contractors, the contractors shall provide such accommodation at such locations as are acceptable to local bodies with all provisions concerning labour safety & sanitation as contained in the relevant clause of the contract, for which nothing shall be payable.
- 1.5 Unless otherwise provided in the Schedule of quantities, the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing shall be payable to him on this account.
- 1.6 The working drawings appearing at para 8.1(iii) of conditions of contract in the form CPWD-7/8, shall mean to include both architectural and structural drawings respectively. The structural and architectural drawings shall be properly correlated before executing the work. In case of any difference noticed between architectural and structural drawings, final decision, in writing of the Engineer-in-charge shall be obtained by the contractor before proceeding further.
- 1.7 Some restrictions may be imposed by the security staff etc. on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restriction / instructions including issue of identity cards to all persons authorized by him to do work / visit the work site and nothing shall be payable on this account.
- 1.8 The contractor shall make his own arrangements for obtaining electric connections, if required, and make necessary payments directly to the department concerned.
- 1.9 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor (s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed, so as not to interfere with the operations of other contractors, or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of Engineer-in-Charge. The contractor shall be responsible for any damage due to hindrance caused by him.
- 1.10 Cast iron pipes and fittings without ear shall be used. However, pipes and fittings with ears may be accepted without any extra payment. In such cases, clamps are not required and no extra payment shall be made for fixing the pipes in a different manner.

- 1.11 Any cement slurry added over base surface for bond or for continuation of concreting, for protecting reinforcement bars, its cost shall be deemed to have been included in the respective items, unless specified otherwise and nothing extra shall be payable nor extra cement shall be considered in the cement consumption on this account.
- 1.12 Stacking of materials and excavated earth including its disposal shall be done as per the directions of the Engineer-in-Charge. Double handling of materials or excavated earth if required at any stage shall have to be done by the contractor at his own cost.
- 1.13 No claim for idle establishment & labour, machinery & equipments, tools & plants and the like, for any reason whatsoever, shall be admissible during the execution of work as well as after its completion.
- 1.14 Only Star headed Stainless Steel screws shall be used unless otherwise specified.
- 1.15 Work shall be carried out in professional manner with finished product serving the intended purpose with specified strength, durability and aesthetics.
- 1.16 Work activities shall be executed in well thought out sequences such that consequent activities not adversely affecting previously done work. Nothing extra shall be payable to protect the works already done.
- 1.17 The contractor shall prepare all the needed shop drawings well in advance and get them approved before placing the order and execution of the item.
- 1.18 The contractor shall, at his risk and cost, make all arrangements and shall provide all facilities as the Engineer-in-Charge may require for collecting, and preparing the required number of samples for such tests at such time and to such place or places as may be directed by the Engineer - in -Charge and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications.

2. RATES

- 2.1 The rates quoted by the Contractor are deemed to be inclusive of site clearance, setting out work, profile, setting lay out on ground, establishment of reference bench mark(s), installing various signage, taking spot levels, survey with total station, construction of all safety and protection devices, compulsory use of helmet and safety shoes, and other appropriate safety gadgets by workers, imparting continuous training for all the workers, barriers, preparatory works, construction of clean, hygienic and well ventilated workers housings in sufficient numbers as per drawing supplied by Engineer in charge, working during monsoon or odd season, working beyond normal hours, working at all depths, height, lead, lift, levels and location etc. and any other unforeseen but essential incidental works required to complete this work. Nothing extra shall be payable on this account and no extension of time for completion of work shall be granted on these accounts.
- 2.2 The rates quoted by the bidder, shall be firm and inclusive of all taxes and levies.
- 2.3 No foreign exchange shall be made available by the Department for importing (purchase) of equipment, plants, machinery, materials of any kind or any other items required to be carried out during execution of the work. No delay and no claim of any kind shall be entertained from the Contractor, on account of variation in the foreign exchange rate.
- 2.4 All ancillary and incidental facilities required for execution of work like labour camp, stores, fabrication yard, offices for Contractor, watch and ward, temporary ramp required to be made for working at the basement level, temporary structure for plants and machineries, water storage tanks, installation and consumption charges of temporary electricity, telephone, water

etc. required for execution of the work, liaison and pursuing for obtaining various No Objection Certificates, completion certificates from local bodies etc., protection works, testing facilities / laboratory at site of work, facilities for all field tests and for taking samples etc. during execution or any other activity which is necessary (for execution of work and as directed by Engineer-in-Charge), shall be deemed to be included in rates quoted by the Contractor, for various items in the schedule of quantities. Nothing extra shall be payable on these accounts. Before start of the work, the Contractor shall submit to the Engineer-in-Charge, a site / construction yard layout, specifying areas for construction, site office, positioning of machinery, material yard, cement & other storage, fabrication yard, site laboratory, water tank etc.

- 2.5 For completing the work in time, the Contractor might be required to work in two or more shifts (including night shifts). No claim whatsoever shall be entertained on this account, notwithstanding the fact that the Contractor may have to pay extra amounts for any reason, to the labourers and other staff engaged directly or indirectly on the work according to the provisions of the labour and other statutory bodies regulations and the agreement entered upon by the Contractor with them.
- 2.6 All material shall only be brought at site as per program finalized with the Engineer-in-Charge. Any pre-delivery of the material not required for immediate consumption shall not be accepted and thus not paid for.

3. CLEANLINESS OF SITE

The Contractor shall not stack building material / malba / muck/ rubbish on the land or road of the local development authority or on the land owned by the others, as the case may be. So the muck, rubbish etc. shall be removed periodically as directed by the Engineer-in-Charge, from the site of work to the approved dumping grounds as per the local byelaws and regulations of the concerned authorities and all necessary permissions in this regard from the local bodies shall be obtained by the Contractor. Nothing extra shall be payable on this account. In case, the Contractor is found stacking the building material / malba as stated above, the Contractor shall be liable to pay the stacking charges / penalty as may be levied by the local body or any other authority and also to face penal action as per the rules, regulations and bye-laws of such body or authority. The Engineer –in-Charge shall be at liberty to recover, such sums due but not paid to the concerned authorities on the above counts, from any sums due to the Contractor including amount of the Security Deposit and performance guarantee in respect of this contract agreement.

4. INSPECTION OF WORK

In addition to the provisions of relevant clauses of the contract, the work shall also be open to inspection by the Engineer-In-Charge, AIIMS Raipur and other senior officers of AIIMS Raipur and his authorized representative. The contractor shall at times during the usual working hours and at all times at which reasonable notices of the intention of the Engineer-in-Charge or other officers as stated above to visit the works shall have been given to the Contractor, either himself be present to receive the orders and instructions or have a responsible Site Engineer duly accredited in writing, to be present for that purpose Senior Officers of AIIMS Raipur Authorities shall also be inspecting the on-going work at site at any time with or without prior intimation.

5. CO-OPERATION WITH OTHER CONTRACTORS/SPECIALIZED AGENCIES/SUB-CONTRACTORS

5.1 The Contractor shall take all necessary precautions to prevent any nuisance or inconvenience to the owners, tenants or occupants of the adjacent properties and to the public in general. The Contractor shall take all care, as not to damage any other adjacent property or other services running adjacent to the plot. If any damage is done, the same shall be made good by the Contractor at his own cost and to the entire satisfaction of the Engineer-in-Charge. The Contractor shall use such methodology and equipment's for execution of the work, so as to cause minimum environmental pollution of any kind during construction. Further, the Contractor shall take all precautions to abide by the environmental related restrictions imposed by Madhya Pradesh Pollution control board, Govt. of Madhya Pradesh.

Utmost care shall be taken to keep the noise level to the barest minimum so that no disturbance as far as possible is caused to the occupants / users of adjoining buildings. No claim what so ever on account of site constraints mentioned above or any other site constraints, inadequate availability of skilled, semi-skilled or unskilled workers in the near vicinity, non-availability of construction machinery spare parts and any other constraints not specifically stated here, shall be entertained from the Contractor. Therefore, the Tenderers are advised to visit site and get first-hand information of site constraints. Accordingly, they should quote their tenders. Nothing extra shall be payable on this account.

5.2 The Contractor shall cooperate with and provide the facilities to the sub-Contractors and other agencies working at site for smooth execution of the work. The contractor shall indemnify STC, BSF, authorities.

Against any claim(s) arising out of such disputes. The Contractor shall:

- (i) Allow use of scaffolding, toilets, sheds etc.
- (ii) Properly co-ordinate their work with the work of other Contractors.
- (iii) Provide control lines and benchmarks to his Sub-Contractors and the other Contractors.
- (iv) Provide electricity and water at mutually agreed rates.
- (v) Provide hoist and crane facilities for lifting material at mutually agreed rates.
- (vi) Co-ordinate with other Contractors for leaving inserts, making chases, alignment of services etc. at site.
- (vii) Adjust work schedule and site activities in consultation with the Engineer-in-Charge and other Contractors to suit the overall schedule completion.
- (viii) Resolve the disputes with other Contractors/ sub-contractors amicably and the Engineer-in-Charge shall not be made intermediary or arbitrator.

5.3 The work should be planned in a systematic manner so as to ensure proper co-ordination of various disciplines viz. sanitary & water supply, drainage, rain water harvesting, electrical, firefighting, information technology, communication & electronics and any other services.

5.4 Other agencies will also simultaneously execute and install the works of sub-station / generating sets, air-conditioning, lifts, etc. for the work and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. shall be supplied free of cost by the department unless otherwise specifically mentioned) and the contractor shall fix the same at time of casting of concrete, stone work and brick work, if required, and nothing extra shall be payable on this account.

- 5.5 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor(s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed so as not to interfere with the operations of other contractor or he shall arrange his work with that of the others in an acceptable and in a proper co-ordinate manner and shall perform it in proper sequence to the complete satisfaction of others.

6. SAFETY MEASURES AT CONSTRUCTION SITE

In order to ensure safe construction, following shall be adhered for strict compliance at the site:-

- (i) The work site shall be properly barricaded.
- (ii) Adequate singnages indicating 'Work in Progress – Inconvenience caused is Regretted' or Diversion Signs shall be put on the sites conspicuously visible to the public even during night hours. These are extremely essential where works are carried out at public places in use by the public.
- (iii) The construction malba at site shall be regularly removed on daily basis.
- (iv) All field officials and the workers must be provided with safety helmets, safety shoes and safety belts.
- (v) Proper MS pipe scaffoldings with work – platforms and easy-access ladders shall be provided at site to avoid accidents.

Necessary First-Aid kit shall be available at the site.

The above provisions shall be followed in addition to the provisions of General Condition of Contract.

7. FIELD TESTING INSTRUMENTS

(Following instruments in sufficient quantity as directed by the Engineer- in- Charge shall be made available by the contractor. It shall be ensured that the instruments always remain in serviceable condition else the same will be replaced. In case of non-availability of instrument Engineer-In-Charge will purchase the same and the invoice amount will be deducted from the bill and will be bound to contractor in the interest of work.

- (1) Steel tapes – 3 m / 5m / 7.5m / 15m / 30m
- (2) Vernier Calipers.
- (3) Micrometer screw 25 mm gauge.
- (4) A good quality plumb bob.
- (5) Spirit level, minimum 30 cms long with 3 bubbles for horizontal vertical.
- (6) Wire gauge (circular type) disc.
- (7) Foot rule.
- (8) Long nylon thread.
- (9) Rebound hammer for testing concrete
- (10) Dynamic penetrometer.
- (11) Magnifying glass
- (12) Screw driver 30 cms long
- (13) Ball pin hammer, 100 gms.
- (14) Plastic bags for taking samples
- (15) Moisture meter for timber
- (16) Earth resistance tests

- (17) Total station
- (18) Multimeter,
- (19) Meggar
- (20) Refrigerant Leak detector
- (21) Pipe Bender
- (22) Thermometer
- (23) Hygrometer
- (24) CFM Meter
- (25) Step Ladder
- (26) Cordless drill

8. THE CONTRACTOR SHALL SUBMIT 'METHOD STATEMENT' FOR THE APPROVAL SOON AFTER THE AWARD OF WORK

'Method Statement' is a statement by which the construction procedures for important activities of construction are stated, checked and approved. Method Statement shall have description of the item with elaborate procedures in steps to implement the same. The specification of the materials involved their testing and acceptance criteria, equipments to be used, precautions to be taken, mode of measurements etc.

9. TESTING OF MATERIALS

- 9.1 The contractor shall arrange carrying out of all tests required under the agreement through the laboratory as approved by the Engineer-in-Charge and shall bear all charges in connection therewith including fee for testing unless specified otherwise. In all cases cost of samples and to & fro carriage shall be borne by the contractor. Contractor shall establish a laboratory at site of work at his own cost. The laboratory shall be equipped with all necessary equipment as per requirement of specification or as per direction of Engineer-in-Charge. A list of laboratory equipment to be maintained by the contractor is enclosed at Para 13 page 40 & 41. Establishing the laboratory at site shall not absolve the contractor from fulfilling the criteria of getting the test done in independent approved laboratories as per DG, CPWD, O.M. No. DG/MAN/308 dated 29.05.2014. The decision of the Engineer-in-Charge of allowing any test in the site laboratory shall be final.
- 9.2 Even ISI marked materials may be subjected to quality test at the discretion of the Engineer-in-Charge besides testing of other materials as per the specifications described for the item/material. Whenever ISI marked materials are brought to the site of work the contractor shall, if required by the Engineer-in-Charge, furnish manufacturer test certificate or test certificate from approved testing laboratory to establish that the material procured by the contractor for incorporation in the work satisfy the provisions of IS codes relevant to the material and/or the work done.
- 9.3 Substandard Material/Work: In case any material/work is found substandard the same shall be rejected by the Engineer-in-Charge and the same shall be removed from the site of work within 48 hour, failing which the same shall be got removed by the Engineer-in-Charge at the risk and cost of the contractor without giving any further notice and time.

Form of Earnest Money Deposit**(Bank Guarantee Bond)**

WHEREAS, contractor..... (Name of contractor) (hereinafter called "the contractor") has submitted his tender dated (date) for the construction of (name of work) (hereinafter called "the Tender")

KNOW ALL PEOPLE by these presents that we (name of bank) having our registered office at (hereinafter called "the Bank") are bound unto (Name and division of Executive Engineer) (hereinafter called "the Engineer in Charge") in the sum of Rs. (Rs. in words) for which payment well and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank this day of 20... THE CONDITIONS of this obligation are:

- (1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
- (2) If the contractor having been notified of the acceptance of his tender by the Engineer in Charge:
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required; OR
 - (b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,

We undertake to pay to the Engineer in Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer in Charge having to substantiate his demand, provided that in his demand the Engineer in Charge will note that the amount claimed by him is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date* after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer in Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE SIGNATURE OF THE BANK

WITNESS

SEAL (SIGNATURE, NAME AND ADDRESS)

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

FORM OF PERFORMANCE GUARANTEE BANK GUARANTEE

(On a stamp paper of appropriate value from any Nationalized Bank or Scheduled Bank)

To
Executive Engineer,
AIIMS RAIPUR,
TATIBANDH,
RAIPUR – 492099

Dear Sir,

In consideration of the AIIMS RAIPUR, having offered to except the terms and conditions of the proposed agreement between..... &M/S_____ (hereinafter referred to as "the said Contractor (s)", which expression shall include his successor and assignees) for the work of _____ Contract No _____ in terms inter alia, of the _____ Letter No. _____ dated _____ and the General Conditions of Contract and upon the condition of the Contractor's furnishing Security for the performance of the Contractor's obligations and discharge of the Contractor's liability under and in connection with the said Contract upto a sum of Rs. _____ (Rupees _____ only) amounting to _____ percent of the total Contract value.

- 1 We, _____ (hereinafter called 'The Bank' which expression shall include its successors and assignees) hereby jointly and severally undertake to guarantee the payment to the Employer in rupees forthwith on demand in writing and without protest or demur or any and all moneys payable by the Contractor to the Employer in respect of or in connection with the said Contract inclusive of all the Employer's losses and damages and costs, (inclusive between attorney and client) charges and expenses and other moneys payable in respect of the above as specified in any notice of demand made by the Employer to the Bank with reference to this guarantee upto an aggregate limit of Rs. _____ (Rupees _____ only).
- 2 We _____ Bank Ltd. further agree that the Employer shall be sole judge of and as to whether the said Contractor has committed any breach or breaches of any of the terms and conditions of the said Contract and the extent of loss, damage, cost, charges and expenses caused to or suffered by or that may be caused to or suffered by the Employer on account thereof and the decision of the Employer that the said Contractor has committed such breach or breaches and as to the amount or amounts of loss, damage, costs, charges and expenses caused to or suffered by the Employer from time to time shall be final and binding on us.
- 3 The Employer shall be at liberty without reference to the Bank and without affecting the full liability of the Bank hereunder to take any other Security in respect of the Contractor's obligations and liabilities hereunder or to vary the Contract or the work to be done there under vis-a-vis the Contractor or to grant time or indulgence to the Contractor or to reduce or to increase or otherwise vary the prices of the total Contract value or to release or to forbear from enforcement of all or any of the Security and/or any other Security(ies) now or hereafter held by The Employer and no such dealing(s) reduction(s) increase(s) or other indulgence(s) or arrangements with the

Contractor or release or forbearance whatsoever shall absolve the bank of the full liability to the Employer hereunder or prejudice the rights of the Employer against the bank.

- 4 This guarantee shall not be determined or affected by the liquidation or winding up, dissolution, or change of constitution or insolvency of the Contractor but shall in all respects and for all purposes be binding and operative until payment of all monies payable to the Employer in terms thereof.
- 5 The bank hereby waives all rights at any time inconsistent with the terms of this guarantee and the obligations of the Bank in terms hereof shall not be anyway affected or suspended by reason of any dispute or disputes having been raised by the Contractor stopping or preventing or purporting to stop or prevent any payment by the Bank to the Employer in terms hereof.
- 6 The amount stated in any notice of demand addressed by the Employer to the Bank as liable to be paid to the Employer by the Contractor or as suffered or incurred by the Employer on account of any losses or damages or costs, charges and/or expenses shall be conclusive evidence of the amount so liable to be paid to the Employer or suffered or incurred by the Employer as the case may be and shall be payable by the Bank to The Employer in terms hereof.
- 7 This guarantee shall be a continuing guarantee and shall remain valid and irrevocable for all claims of the Employer and liabilities of the Contractor arising upto and until midnight of_____.
- 8 This guarantee is valid till _____(date to be mentioned) (Sixty days beyond the stipulated date of completion or the extended period, thereof)
- 9 This guarantee shall be in addition to any other guarantee or Security whatsoever that the Employer may now or at any time anyway may have in relation to the Contractor's obligations/or liabilities under and/or in connection with the said Contract, and the Employer shall have full authority to have recourse to or enforce this Security in preference to any other guarantee or Security which the Employer may have or obtain and no forbearance on the part of the Employer in enforcing or requiring enforcement of any other Security shall have the effect of releasing the Bank from its full liability hereunder.
- 10 It shall not be necessary for the Employer to proceed against the said Contractor before proceeding against the Bank and the Guarantee herein contained shall be enforceable against the Bank notwithstanding that any Security which The Employer may have obtained or obtain from the Contractor shall at the time when proceedings are taken against the said bank hereunder be outstanding or unrealized.
- 11 We, the said Bank undertake not to revoke this guarantee during its currency except with the consent of the Employer in writing and agree that any change in the constitution of the said Contractor or the said bank shall not discharge our liability hereunder.
- 12 We_____ the said Bank further that we shall pay forthwith the amount stated in the notice of demand notwithstanding any dispute/difference pending between the parties before the arbitrator and/or that any dispute is being referred to arbitration.
- 13 Notwithstanding anything contained herein above, our liability under this guarantee shall be restricted to Rs._____ (Rupees_____) and this guarantee shall remain in force till_____ and unless a claim is made on us within 3 months from that date, that is before _____ all the claims under this guarantee shall be forfeited and we shall be relieved of and discharged from our liabilities there under.

Dated_____ day of _____ 20

For and on behalf of Bank.

Issued under seal

FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME

(PART – I)

1. Name of contractor
2. Name of work as given in the agreement
3. Agreement no.
4. Estimated amount put tender
5. Date of commencement of work as per agreement
6. Period allowed for completion of work as per agreement
7. Date of completion stipulated in agreement
8. Period for which extension of time has been given previously:

	EE's letter no. and date	Extension granted	
		Months	Days
(a) 1st extension			
(b) 2nd extension			
(c) 3rd extension			
(d) 4th extension			
(e) Total extension previously given.....			

9. Reasons for which extension have been previously given (copies of the previous applications should be attached)
10. Period for which extension if applied for
11. Hindrances on account of which extension is applied for with dates on which hindrances occurred and the period for which these are likely to last.

Serial no	Nature of hindrance	Date of occurrence	Period for which it is likely to last	Period for which extension required for this particular hindrance	Overlapping period if any, with reference to item.	Net extension applied for	Remarks, if any
a	b	c	d	e	f	g	h

Total period on account of hindrances mentioned above..... Months Days

12. Extension of time required for extra work.

13. Details of extra work and the amount involved:

a. Total value of extra work

b. Proportionate period of extension of time based on estimated amount put to tender on account of extra work.

14. Total extension of time required for 11 & 12

Submitted to the Sub Divisional Officer

Signature of contractor
Dated:.....

GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS

The Agreement made this day of two thousand and between son of of (hereinafter called the Guarantor of the one part) and the PRESIDENT OF INDIA (hereinafter called Government of the other part).

WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract) dated and made between the GUARANTOR of the one part and the Government of the other part, whereby the Contractor, inter alia, undertook to render the buildings and structures in the said contract recited completely water and leak-proof.

AND WHEREAS GUARANTOR agreed to give a guarantee to the effect that the said structures will remain water and leak-proof for five years from the date of giving of water proofing treatment.

NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the maintenance period prescribed in the contract.

Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:

(a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;

(b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;

(c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.

During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer- in-Charge as to the cost, payable by the Guarantor shall be final and binding.

That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-Charge will be final and binding on the parties.

IN WITNESS WHEREOF these presents have been executed by the Obligorand by and for and on behalf of the PRESIDENT OF INDIA on the day, month and year first above written.

Signed, sealed and delivered by OBLIGOR in the presence of

1.

2.

Signed for and on behalf of THE PRESIDENT OF INDIA by in the presence of

1.

LIST OF SPECIALIZED ITEMS / JOBS

Electrical Works

LIST- II (A)

S. No. Supplying /fabrication, installation, testing and commissioning of the following

1. Kitchen equipment
2. Lifts, escalators and conveyors
3. Simultaneous interpretation systems
4. Gas plants.
5. Cold storage plant
6. Hot Water/Steam Boilers
7. Public address system; conferencing system, automatic vote recording system, recorders
8. Stage lighting
9. Projector and other special equipment for theatre
10. Repairs and calibration of various types of measuring instruments and relays etc.
11. Testing of transformer oil and dehydration and other type of high potential test.
12. Frequency Convertor
13. Temporary illumination, security lighting and wiring for power outlets for metal detectors in connection with Republic Day and Independence Day Celebrations.
14. EPBAX system (equipments).
15. EPBAX system (cabling and wiring).
16. Illumination of heritage caves and fiber optic lighting system
17. Security system and alarm
18. Building Automation System
19. Hydraulic platform /Lift
20. Incinerator
21. Laundry equipment
22. Centralized clock system.

23. Interior/exterior flood lighting of heritage/Monumental buildings/structures involving Computer aided design and evolution of special mounting arrangements for luminaries:
24. Gas pipe line
25. Modular OT
26. Electrically Operated Gate
27. Fountain Work
28. Water supply motors and pumps of 100 hp or more
29. Mechanized Car Parking Systems
30. VRV/VRF Type Air-Conditioning Systems
31. Oxygen Generation Plant
32. CCTV and Allied Equipments
33. Access Control System
34. Hydro Pneumatic Pumps
35. Providing and fixing of Sensor operated Gates
36. Precision Air Conditioning System
37. LAN System
38. SITC of active power factor filter
39. SITC of Solar Photo Voltaic Power generation system

LIST-II (B)

S. No. Supplying /fabrication, installation, testing and commissioning of the following

1. Diesel Generating Set
2. Heating, Ventilation and Air-conditioning System
3. Sub-station equipment
4. Fire fighting system (including wet riser and sprinkler system, portable fire extinguishers)
5. Fire detection and alarm system

LIST -IV Concurrent list of Specialized items/ jobs

(1) Sewage Treatment Plant

(2) Outsourcing of Day to Day Maintenance Work*

*Note :

(a) For Outsourcing of Day to Day Maintenance Work, Provision is to be made in the NIT for specialized agency duly approved by Engineer-In-Charge, not having the requisite eligibility and experience as per the NIT conditions, to execute the Comprehensive Maintenance Work by associating Agencies Specialized in Day to Day Maintenance Work.

(b) Outsourcing of Day to Day Maintenance Work is the "Specialized Work" for the purpose of association only and not for awarding work on standalone basis.

NO CLAIM CERTIFICATE

(On company letterhead)

To,

The Executive Engineer,

Project Cell, AIIMS, Raipur

Name of Work-

Agreement No. -

Sub: No claim declaration / certificate

We have received the sum of Rs. (Rupees only) in full and final settlement of all the payments due to us for the above stated work under the above mentioned contract agreement, between us and AIIMS, Raipur. We hereby unconditionally, and without any reservation whatsoever, certify that with this payment, we shall have no claim whatsoever, of any description, on any account, against Procuring Entity, against aforesaid contract agreement executed by us. We further declare unequivocally, that with this payment, we have received all the amounts payable to us, and have no dispute of any description whatsoever, regarding the amounts worked out as payable to us and received by us, and that we shall continue to be bound by the terms and conditions of the contract agreement, as regards performance of the contract.

Yours faithfully,

Signatures of contractor

or Officer authorised to sign the contract documents

on behalf of the contractor

(Company stamp)

Date:

Place:

PROFORMA OF SCHEDULES (A To F)

SCHEDULE 'A'

Schedule of quantities (as per PWD-3) : (Attached in e-procurement site)

SCHEDULE 'D'

Extra schedule for specific requirements/
Document for the work, if any. the work, if any. : Nil

SCHEDULE 'E'

Reference to General Conditions of contract : CPWD General Conditions of Contract 2020 amendment up to the last date of submission of tender.

Name of work : "Supply, Installation, Testing and Commissioning of Cassette type Air conditioning at Haematology, Clinical Pathology Lab and CSSD of AIIMS Raipur".

Estimated cost of work : Rs.19, 80,795.00

(i) Earnest money : Bid Security Declaration Form (Annexure – H)

(ii) Performance Guarantee : 3% of tendered value.

(iii) Security Deposit : 2.5% of tendered value.

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS:

Officer inviting tender : Executive Engineer (Civil), AIIMS Raipur on behalf of Director AIIMS Raipur.

Maximum percentage for quantity of items
of work to be executed beyond which rates

are to be determined in accordance with : See below

Clauses 12.2 & 12.3.

Definitions:

2(v) Engineer-in-Charge : Executive Engineer, AIIMS Raipur (C.G)
2(viii) Accepting Authority: Executive Engineer, AIIMS Raipur (C.G)
2(x) Percentage on cost of materials and labour to cover all overheads and profits. : 15%
2(xi) Standard Schedule of Rates : As per Market Rates

2(xii) Department : Project Cell, AIIMS Raipur.
9(ii) Standard CPWD contract Form GCC 2019
& CPWD Form 7/ 8 as modified & corrected up to date: GCC 2019(maintenance) & CPWD Form 8 as modified & corrected up to last date of receipt of Bid/tender.

Clause 1

(i) Time allowed for submission of Performance : 07 Days

Guarantee

(ii) Maximum allowable extension with late fee @ 0.1% per day : 07 Days

of Performance Guarantee amount beyond the period

Provided in (i) above

Clause 2

Authority for fixing compensation under clause 2. **Superintending Engineer / Director, AIIMS Raipur**

Clause 2A

Whether Clause 2A shall be applicable : NA

Clause 5

Number of days from the date of issue of letter of acceptance for reckoning date of start : 14 Days

Time allowed for execution of work : 75 days.

Authority to decide:

(i) Extension of time : Executive Engineer, AIIMS Raipur (C.G.)

(ii) Rescheduling of mile stones : Superintending Engineer/Director, AIIMS Raipur

(iii) Shifting of date of start in case

of delay in handing over of site : Superintending Engineer/Director, AIIMS Raipur

PROFORMA OF SCHEDULES Clause 5

Schedule of handing over of site

Part	Portion of Site	Description	Time Period for handing over reckoned from date of issue of letter of Intent.
Part A	Portion without any hindrance	All works	14 days
Part B	Portions with encumbrances	NA	NA
Part C	Portions dependent on work of other agencies	NA	NA

Applicable clause 5/ Clause 5A

:

5A (Applicable)

Clause 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment.

:

5 Lakh

Clause 7 A

Whether clause 7A shall be applicable

:

yes

Clause 10A

List of testing equipment to be provided by the contractor at site lab.

:

As required by Engineer-In-Charge

Clause 10B (ii)

Whether Clause 10 B (ii) shall be applicable

:

No

Clause 10C

Component of labour expressed as

Percent of value of work

:

25%

Clause 10CA

:

NOT Applicable

Clause 10CC

:

NOT Applicable

Clause 11

Specifications to be followed for execution of work:

As per manufacture specification/ CPWD Specifications

Clause 12

Authority to decide deviation up to 1.5 times of tendered amount:

Director, AIIMS Raipur

12.2&12.3

Deviation Limit beyond which clauses

12.2 & 12.3 shall apply for building work

: As per CPWD Works Manual-2019

12.5

(i) Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for foundation work (Except items mentioned in earth work subhead in DSR and related items) : As per CPWD Works Manual-2019

(ii) Deviation Limit for items mentioned in earth Work subhead of DSR and related items : As per CPWD Works Manual-2019

Clause 16

Competent Authority for deciding reduced rates. : Superintending Engineer/ Director, AIIMS Raipur

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site : As required by Engineer -in- Charge

Authority to decide penalty for each default

Clause 19 C.....Engineer-In charge

Clause 19 D..... Engineer-In charge

Clause 19 GEngineer-In charge

Clause 19 KEngineer-In charge

Clause 25

Constitution of Dispute Redressed Committee (DRC) : AIIMS, Raipur

Clause 32 : As per below

Sl NO	Minimum Qualification of Technical Representative	Discipline	Designation (Principal Technical / Technical representative)	Minimum experience	Number	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of Clause 36(i)	
						Figures	Words
1	Graduate Engineer	Respective discipline	Principal Technical Representative	2 - years	ONE	Rs. 15,000/- PM	Rupees Fifteen Thousand Per Month each
OR	Diploma Engineer		(Project Planning/ Site/ billing Engineer)	5-years	ONE	Rs.15000 /-PM.	Rupees Fifteen Thousand Per Month each

Assistant Engineer retired from govt. Services.....

Clause 38 : N. A.