

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

OFFICE OF THE EXECUTIVE ENGINEER PROJECT CELL AIIMS, RAIPUR

NOTICE INVITING e-TENDER

N.I.T. NO. 8/EE/AIIMS/RPR/2024-25 (3rd Call)

NAME OF WORK: "Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)".

ESTIMATED COST: Rs. 1,05,75,666.00

EARNEST MONEY: Rs. 2,15,000.00

CONTRACT PERIOD: 24 Months

Type of work : Maintenance

e-sign by Prashant Kumar Ravi Executive Engineer AIIMS, Raipur

INDEX

Name of Work: "Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)"

S1.	Particulars			
No		From	То	
1	COVER PAGE	1		
2	INDEX			
3	INSTRUCTIONS FOR ONLINE BID SUBMISSION	3	5	
4	NOTICE INVITING E-TENDER	6		
5	INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR E-TENDERING	7	12	
6	LIST OF MANDATORY DOCUMENTS TO BE FILLED IN BY THE BIDDERS IN VARIOUS FORMS TO BE SCANNED AND UPLOADED WITHIN THE PERIOD OF BID SUBMISSION	13		
7	LETTER OF TRANSMITTAL (ANNEXURE-A)	14		
8	FORM FOR DETAILED INFORMATION BY BIDDER (VENDOR DETAILS) (ANNEXURE-B)	15		
9	STRUCTURE & ORGANISATION (ANNEXURE-C)	16		
10	DECLARATION (ANNEXURE-D)	17		
11	CONSENT LETTER (ANNEXURE-E)	18		
12	SELF CERTIFICATION UNDER PREFERENCE TO "MAKE IN INDIA" POLICY (ANNEXURE-F)	19		
13	ANNUAL TURNOVER FOR THE LAST THREE YEARS (PROFORMA –III)	20		
14	DETAILS OF THE SIMILAR WORKS COMPLETED IN LAST SEVEN YEARS (PROFORMA-IV)	21		
15	DETAILS OF ONGOING/EXISTING WORKS (PROFORMA-VI)	22		
16	PAST CONTRACTUAL PERFORMANCE (PROFORMA-VII)	23		
17	CONSENT LETTER FROM ELIGIBLE ASSOCIATE AGENCY OF SPECIALIZED WORK(S) (FORM – A)	24		
18	MEMORANDUM OF UNDERSTANDING [M.O.U] BETWEEN (FORM – B)	25	26	
19	INTEGRITY AGREEMENT	27	32	
20	PERCENTAGE RATE TENDER/ITEM RATE TENDER & CONTRACT FOR WORKS	33	34	
21	GENERAL PARTICULAR & ADDITIONAL CONDITIONS OF CONTRACT	35	39	
22	BRIEF SCOPE OF WORK	40	41	
23	FORM OF EARNEST MONEY DEPOSIT (BANK GUARANTEE BOND)	42		
24	FORM OF PERFORMANCE SECURITY (GUARANTEE) BANK GUARANTEE BOND-FORMATE – 1	43	44	
25	SPECIAL CONDITIONS OF CONTRACT	45	50	
26	SPECIAL CONDITIONS FOR ASSOCIATION OF SPECIALIZED AGENCIES	51	53	
27	FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME (PART I)	54		
28	GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS	55		
29	LIST OF SPECIALIZED ITEMS / JOBS	56	58	
30	NO CLAIM CERTIFICATE (ON COMPANY LETTERHEAD)	59		
31	APPROVED MATERIALS LIST	60	66	
32	PROFORMA OF SCHEDULES	67	70	
32	SCHEDULE OF QUANTITY	71	96	

INSTRUCTIONS FOR ONLINE BID SUBMISSION

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

REGISTRATION:

- 1) Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify/nCode /eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS:

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS:

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the Number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS:

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

- 7) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 8) The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key.
- 9) Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 10) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 11) Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 12) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS:

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120-4001002.
- 3) For any further assistance, please contact to the office of Executive Engineer, AIIMS Raipur.

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, RAIPUR

NOTICE INVITING e-TENDER

(a)	Name of Work	"Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)"		
(b)	Tender No.	8/EE/AIIMS/RPR/2024-25 (3rd Call)		
(c)	Contract Period	24 Months		
(d)	Estimated Cost	Rs.1,05,75,666.00		
(e)	Earnest Money Deposit (Mandatory to submit original EMD for participating in Bid and no need to submit hard copy of whole tender document)	Rs. 2,15,000.00 (to be submitted in the form of an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India in favour of AIIMS, Raipur in the office of Project cell, AIIMS, Raipur before the last date of opening of technical Bid.		
(f)	Performance Guarantee	5% of Tendered value.		
(g)	Security Deposit	2.5% of the Tendered Value.		
(h)	Tender documents may be seen on	AIIMS web site www.aiimsraipur.edu.in and CPPP site https://eprocure.gov.in/eprocure/app		
(j)	Last Date &Time of Submission	By 28-08-2024 UP TO 15:00 Hours through online.		
(k)	Date & Time for opening of Technical Bid	On 29-08-2024 at 15:30 Hours.		

- 1. The intending Bidder must read the Terms &conditions carefully. He/ She should only submit bid if consider himself/herself eligible and bidder in possession of all the documents required.
- 2. Information and Instructions for bidders posted on website shall from part of bid document.
- 3. The Bid documents consisting of specifications, the schedule of quantities of various types of items to be executed and the set of terms &conditions of the contract to be complied with and other necessary documents can be seen and downloaded from websitewww.aiimsraipur.edu.inOrhttps://eprocure.gov.in/eprocure/app.

Executive Engineer AIIMS, Raipur

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING

The Executive Engineer, AIIMS, Raipur on behalf of Executive Director, AIIMS, Raipur invites online **Percentage Rate/ Item Rate bids in Two bid system (Technical cum Eligibility & Financial)** from eligible and registered contractors of appropriate list of CPWD (Building and Roads)/ M.E.S. / BSNL (Construction)/ Railway/ C.G.P.W.D for the following work(s):-

S1.	Description	Details			
(a)	NIT No.	8/EE/AIIMS/RPR/2024-25 (3rd Call)			
(b)	Name of Work:	"Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)"			
(c)	Estimated Cost	Rs.1,05,75,666.00			
Earnest Money Deposit (Mandatory to submit original (d) EMD for participating in Bid and no need to submit hard copy of whole tender document)		Rs. 2,15,000.00 (to be submitted in the form of an account payee demand draft/ fixed deposit receipt from a commercial bank/ bank guarantee issued/confirmed from any of the commercial bank in India in favour of AIIMS, Raipur in the office of Project cell, AIIMS, Raipur before the last date of opening of technical Bid.)			
(e)	Period of Completion	24 Months			
(f)	Last Date & Time of Submission	By 28-08-2024 UP TO 15:00 Hours through online.			
(g)	Date & Time for opening of Technical Bid	On 29-08-2024 at 15:30 Hours.			

- **1.** The intending bidder must read the terms and conditions of Tender document carefully. Bidder may submit bid having all required documents.
- **2.** Intending bidders shall have to register at CPPP portal to participate in the tendering process. For details kindly visit website http://eprocure.gov.in/eprocure/app or In case the bidder requires any elucidation regarding the tender documents, may contact to the office of Project Cell, AIIMS Raipur before the opening of tender date.
- **3.** For e-tendering of this tender, downloaded from AIIMS Raipur website and Central Public Procurement Portal (CPPP) e-Procurement website.
- **4.** The intending bidders must have valid class-III digital signature to submit the bid. **Manual bid shall not be accepted in any circumstance**. The complete bidding process is online bidding; Bidder should have valid digital Signature Certificate (DSC) for online submission of bids.

- **5.** The bid document consisting of the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website http://eprocure.gov.in/eprocure/app free of cost.
- **6.** The bid can be submitted only after uploading the mandatory scanned documents up to 100 dpi Copies of eligibility documents and EMD as specified on the e-tendering website within the period of tender submission. Bidders can upload documents in the form of JPG format, PDF format and any other format as permissible by the e-tendering portal.
- **7.** Bidders must ensure to quote rate of each item. If any cell is left blank the same shall be treated as "0". Therefore, If any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0"(ZERO). After submission of the bid online the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
- **8.** After submission of bid online, it can be revised any number of times before specified time on last date of submission of bid. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
- **9.** Financial bids shall be opened online only for bidders for whom EMD and other uploaded documents are found in order and who are found to be eligible to bid for work. On opening date, the bidder can log in and see the bid opening process. After opening of bid he/she will receive the competitor bid sheets.
- **10.** If the bidder is found ineligible after opening of technical cum eligibility, bid shall become invalid.
- 11. The Bidders shall have to submit original instrument for EMD before the last date of opening of TECHNICAL cum Eligibility Bid to the office of Tender Opening Authority. Bid security will be refunded to the successful bidder on receipt of a performance security. Bid securities of the unsuccessful bidders should be returned at the earliest after L1 decided by Committee of AIIMS Raipur.
- **12.** The Technical cum Eligibility bid shall be opened first on due date and time as mentioned above. Opening of financial bids of contractors qualifying the eligibility shall be opened at a later date.
- **13.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criteria.
- 14. Performance Guarantee: The successful contractor will be required to furnish a Performance guarantee of 5% (Five Percent) of Tendered Value after receiving notification of award in the form of an account payee demand draft, fixed deposit receipt from a commercial bank, bank guarantee issued/ confirmed from any of the commercial bank in India in the name of the "All India Institute of Medical Sciences, Raipur" which shall be kept valid for a period of 6 months beyond completion of all the contractual obligations. The Performance Guarantee can be forfeited in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract. Performance Security will be released after successful completion of work under the contract. In case the contractor fails to deposit the said performance guarantee within the period including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with tender shall be returned after receiving the aforesaid performance guarantee.

15. Sources and Verification of Bank Guarantees

Bank Guarantee for Bid Security (EMD), Performance Guarantee, Security Deposit should be irrevocable and operative Bank Guarantee (BG) as per format enclosed in the Bid Document and should be issued by a Scheduled Commercial (i.e. Indian or Foreign Banks included in the Second Schedule of Reserve Bank of India Act, 1934 excluding Co-operative banks or Regional Rural Banks). In case of foreign bidders or in case of GTE, if Bank Guarantee is from a foreign bank branch situated outside India, the Bank Guarantee must be issued through any of the Scheduled Commercial Bank. In case BG is issued directly by a bank outside India, it should be executed on letter Head of the Bank and should be advised and made payable through their Indian Branch/Corresponding Bank in India. The Issuing Bank should also state the name and designation of the next Higher Authority of the Officials who have issued the Bank Guarantee. Bank guarantees submitted by the tenderers/ contractors as EMD/ performance securities need to get the Bank Guarantee vetted from legal/ finance authority if it is in the specified format. Guidelines for verification of BGs submitted by the bidders/ contractors against EMD/ performance security/ advance payments and for various other purposes are as follows:

- i) BG shall be as per the prescribed formats;
- ii) The BG contains the name, designation and code number of the Bank officer(s) signing the guarantee(s);
- iii) The address and other details (including telephone no.) of the controlling officer of the bank are obtained from the branch of the bank issuing the BG (this should be included in all BGs). The confirmation from the issuing branch of the bank is obtained in writing though registered post/ speed post/ courier. The bank should be advised to confirm the issuance of the BGs specifically quoting the letter of Procurement Entity on the printed official letterhead of the bank indicating address and other details (including telephone nos.) of the bank and the name, designation and code number of the officer(s) confirming the issuance of the BG; Pending receipt of confirmation as above, confirmation can also be obtained with the help of responsible officer at the field office, which is close to the issuing branch of the bank, who should personally obtain the confirmation from issuing branch of the bank and forward the confirmation report to the concerned procurement entity.
- 16. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids, the means of access to the site, the accommodation they may require and in general—shall themselves obtain all necessary—information—as to risks, contingencies—and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost, all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions.
- **17.** The Tender paper/documents can be seen / downloaded from Official website & submitted through Online or Site.
- **18.** The competent authority on behalf of the Director, AIIMS, Raipur does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.

- **19.** Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- **20.** The Competent Authority, the **Engineer-In-Charge**, reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- **21.** The contractor shall not be permitted to bid for works in the AIIMS, Raipur responsible for award and execution of contracts, in which his near relative is posted as an officer in any capacity between the grades of Executive Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in the AIIMS, Raipur. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- **22.** The bid for the works shall remain open for acceptance for a period of **90 days** from the date of opening of bids.
- **23.** This notice inviting bid shall form a part of the contract document. The successful bidder/ contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of "The Notice Inviting bid, all the documents including additional conditions, specifications and drawings, GCC, if any, forming part of the bid as uploaded at the time of invitation of bid and rate quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- **24.** Purchase preference shall be given to Class-I local supplier(s) based on their declaration of the percentage (%) of minimum local content used in the manufacturing of quoted product as per Public Procurement (Preference to make in India), Order 2017 notification issued by GoI, Ministry of Commerce and Industry, Department of Industrial Policy and Promotion (DIPP) vide order no. P-45021/2/2017-PP (BE-II) dated 15/06/2017 and order no. 31026/65/2020-MD dated 30/12/2020 issued by Ministry of Chemicals & Fertilizers, Department of Pharmaceuticals

"Local Content" means the amount of value added in India which shall be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.

25. It is expected that, all the participating BIDDER companies have understanding and prior knowledge about the "Make in India" Initiative and Price Preference Policy of Govt. of India. However, it is once again emphasized that before participating this e-tender please carefully read the "Make in India" Initiative and directives of Govt. of India, since in case if any "Make in India" Registered Company will participate against this e-tender, the Price preference as per the same will be given to such participating Bidder company for ensuring necessary compliances of "Make in India" Policy of the Govt. of India.

26. Eligibility of Bidder

(a) Minimum Eligibility Criteria:

(i) The Applicant should be registered contractors of appropriate list of CPWD (Building and Roads/ M.E.S. / BSNL (Construction)/ Railway/ C.G.P.W.D.

- (ii) Average annual financial turnover on construction works should be at least 30% of the estimated cost put to tender during the immediate last three consecutive financial years. The value of annual turnover figures shall be brought to current value by enhancing the actual turnover figures at simple rate of 7% per annum
- (iii) Experience of having successfully completed similar work in Govt./ Semi Govt./ PSU/ Autonomous Bodies of Govt. during last 7 years ending on previous day of last day of submission of tender. The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum ,calculated from the date of completion to the last date of submission of bid.

Three similar* works each of value not less than 40% of the estimated cost put to tender OR

Two similar* works each of value not less than 60% of the estimated cost put to Tender OR

One similar* work of value not less than 80% of the estimated cost put to tender

* "Similar Works" means Building Works

(b) Bid Capacity and Technical Eligibility Criteria:

(i) The bidder who comply with the above Minimum Eligibility Criteria will be eligible further for consideration of bid(s) only if their available bid capacity is more than the Estimated Cost Put To Tender for the work mentioned in this Notice Inviting Tender.

The available bid capacity shall be calculated as under:

Assessed available Bid Capacity = (A*N*1.5-B)

Where

- 'N' = Number of years prescribed for completion of work for which bid has been invited.
- 'A' = Maximum turnover in construction works executed in any one year during the last seven years taking into account the completed as well as works in progress. The value of completed works shall be brought to current costing level by enhancing at a simple rate of 7% per annum

'B'= Value of existing commitment and ongoing works to be completed

The values for

A= Computed for the Bidder from **Performa-III**

N= No. of years for "Period of Completion" for work for which NIT is invited.

B= Computed for the Bidder from **Performa-VI**

Bidder shall submit details of ongoing works as per Performa-III and Performa-VI

(c) Contractual Performance in Other Departments

Letter of past contractual performance to be submitted by bidder as per **Performa -VII**

Signing of bid document:

- a. If the bidder is an individual, the bid shall be signed by him above his full type written name and current address.
- b. If the bidder is a proprietary firm, the bid shall be signed by the proprietor above his full type written name and the full name of his firm with its current address.
- c. If the bidder is a firm in partnership, the bid shall be signed by all the partners of the firm above their full type written names and current addresses, or, alternatively, by a partner holding power of attorney for the firm. In the later case a certified copy of the power of attorney should accompany the application. In both cases a certified copy of

- the partnership deed and current address of all the partners of the firm should accompany the application.
- d. If the bidder is a limited company or a corporation, the bid shall be signed by a duly authorized person holding power of attorney for signing the application accompanied by a copy of the power of attorney. The bidder should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.
- **27.** In the bid documents the word / sentence shall be read as under :
 - a. President of India Executive Director, AIIMS, Raipur
 - b. The terms Director General includes CPM/ADG region/ SDG PR Special Director General / Additional Director General and CPM/ Chief Engineer of the Zone Director/Executive Engineer/Executive Engineer, AIIMS, Raipur.
 - c. CPWD AIIMS Raipur.
- 28. Any dispute or difference arising out of this contract or in connection therewith which cannot be amicably settled between the parties shall be finally settled under the rules of council of Arbitration of India by one or more arbitrator appointed in accordance with the said rules. The arbitration shall take place at Raipur (Chhattisgarh) and the resulting award shall be final and binding upon the parties and shall be in lieu of any other remedy.

List of Mandatory Documents to be filled in by the bidders in various forms to be scanned and uploaded within the period of bid submission

1	Enlistment Order for the Contractor
2	Scanned Copy of EMD (Original to be submitted as mentioned in Information
	and Instructions for Bidders for e-Tendering)
3	Letter of transmittal (Annexure-A)
4	Vendor Details as per (Annexure-B)
5	Structure & Organization (Annexure-C)
6	Declaration by Bidder (Annexure-D)
7	Consent Letter (Annexure-E)
8	Self Certification under Preference to "MAKE IN INDIA" Policy (Annexure –F)
9	GST Registration Certificate of Chhattisgarh State in which the work is to be taken up, if already obtained by the bidder. If the bidder has not obtained GST registration of Chhattisgarh State in which the work is to be taken up, or as required by GST authorities then in such a case the bidder shall scan and upload following undertaking along with other bid documents. "If work is awarded to me, I/we shall obtain GST registration Certificate of Chhattisgarh State, in which work is to be taken up, within one month from the date of receipt of award letter or before release of any payment by AIIMS RAIPUR, whichever is earlier, failing which I/We shall be responsible for any delay in payments which will be due towards me/us on a/c of the work executed and/or for any action taken by AIIMS RAIPUR or GST department in this regard.
10	Proof of Average Annual Financial Turnover on construction works should be at least 30% of the estimated cost put to tender during the immediate last three consecutive financial years (Proforma III)
11	Details of The Similar Works Completed In Last Seven Years (Performa-IV)
12	Details of ongoing/existing works (Proforma-VI)
13	Affidavit on non-judicial paper of Rs. 50/- duly attested by Notary/ Magistrate for PAST CONTRACTUAL PERFORMANCE (Proforma-VII)

e-sign by Prashant Kumar Ravi
Executive Engineer
AIIMS, Raipur

LETTER OF TRANSMITTAL

From:	
То	
The Executive Engineer, Project Cell, AIIMS, Raipur (C.G.)	
Subject: Submission of bids for the work of "Annual Repworks in the area of College Complex, Hostel Complex A Building, AIIMS Raipur (FY 2024-26)"	•
Sir,	
Having examined the details given in the bid document for the above the relevant information.	e work, I/we hereby submit
 I/we hereby certify that all the statement made and information forms A to F and accompanying statement are true and correct. I/we have furnished all information and details necessary for eliginal pertinent information to supply. I/we authorize Engineer-In-Charge or his representative to approasing and corporation to verify our competence and general reputation. Certificate: It is certified that the information given in the are correct. It is also certified that I / We shall be liable to be cancellation of enlistment in case any information furnished be incorrect. 	ibility and have no further ach individuals, employers, on. he enclosed eligibility bid to debarred, disqualified /
Enclosures:	
Date of submission:	Signature(s) of Bidder(s) Seal of bidder

FORM FOR DETAILED INFORMATION BY BIDDER (Vendor Details)

1.	Name of the Bidder	
2.	Permanent Account No (PAN)	
3.	Particulars of Bank Account	
	a) Name of the Bank	
	b) Account Number	
	c) Name of the Branch	
	d) Branch Code	
	e) Address	
	f) City Name	
	g) Telephone No	
4.	Legal status of the bidder (attach copies of original document defining the legal status)	
	a) An Individual	
	b)A proprietary firm	
	c)A firm in partnership	
	d) A limited company or Corporation	
5.	GST Registration Certificate No	
6.	Valid Email ID of the Bidder	
7.	Complete Postal Address of the bidder	

(Authorized Signature of the Bidder with Seal)

STRUCTURE & ORGANISATION

1.	(a) Name
	(b) Address of the bidder
2.	(a)Telephone no.
	(b) Telex no.
	(c) Fax no.
3.	(d) E-mail Legal status of the bidder (attach copies of original document defining the legal status) (a) An Individual
	(b) A proprietary firm
	(c) A firm in partnership
	(d) A limited company or Corporation
4.	Particulars of registration with various Government Bodies if any (attach attested photocopy)
	Organization/Place of registration Registration No.
	1.
	2.
	3.
5.	Names and titles of Directors & Officers with designation to be concerned with this work.
	Signature of Bidder(s) with Seal

DECLARATION

It is to certify that:

- 1) I/We agree with the terms and conditions of it and understood that it will form part of the agreement.
- 2) I hereby certify that none of my Relative(s) are employed in AIIMS Raipur, Chhattisgarh. In case at any stage, it is found that the information given by me is false/incorrect, AIIMS shall have the absolute right to take any action as deemed fit without any prior intimation to me".
- 3) I/We undertake and confirm that eligible Work(s) has/have not been got executed through another contractor on back to back basis. Further, it is stated that, if such a violation comes to the notice of Department, than I/We shall be debarred for bidding in AIIMS in future forever. Also, if such a violation comes to the notice of AIIMS, Raipur before date of start of work, the Engineer-In-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.
- 4) I / We have signed (with stamp) uploaded documents of the tender before submitting the same.
- 5) All the information and documents given/uploaded for bids are true.
- 6) I / We have provided our e-Mail id for any communication in this regard.
- 7) I have read carefully & understood the important instructions to the all bidders.

Date	Contractor
E-Mail:	(Sign with Seal)

CONSENT LETTER

"Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)"

I/We hereby give my/ our consent to work as contractor till the completion of work and I/we will be responsible for execution of work only by skilled persons in the field of **related work** as per satisfaction of Engineer-In-Charge.

I/We have experience to technically execute, take measurements and will produce computerized measurement sheets of work before covering hidden work / job and other exposed works in time as per clause 6 otherwise measurement will be recorded by the representative of Engineer-In-Charge which will be bound to me. Final measurement with bill will be produced by me/us within one month after completion date otherwise representative of Engineer-In-Charge will prepare the same which will be acceptable and bound to me/us and no any claim in this regard will be made by me/us.

I/We will provide all invoices and related test certificates of materials as required by E-In-C. All Analysis of rates for Extra, Deviation items etc. will be produced by me/us in consultation with representative of Engineer-In- Charge on time for getting approval from Competent Authority of AIIMS before execution of work or otherwise the same will be prepared by the department and will be bound to me/us.

I/we will also engage suitable and skill Engineer(s) for the work as per Clause 32 of General Condition of Contract.

I further certify that the above particulars pertaining to me are correct.

I/We will produce all uploaded documents in original for physical verification before issue of Letter of Acceptance or / and as demanded by Engineer-In Charge before the payment.

I/We will submit "No Claim Certificate" in the approved format in company letter head after receiving final bill payment.

Signature of contractor with seal

Self Certification under Preference to "MAKE IN INDIA" Policy

CERTIFICATE

In line with Government Public Procurement Order No. P-45021/2/2017-BE-II dt. 15/06/2017, its revision dated 04/06/2020 and any subsequent modifications/Amendments from time to time and as applicable on the date of submission of tender, we hereby certify that we
Details of location at which local value addition will be made is as follows:
The information furnished hereinafter is correct to the best of my knowledge and belief and I undertake to produce relevant records before the procuring entity or any other Government authority for the purpose of assessing the local content of goods/services/works supplied by me. In the event of the local content of the goods/services/works mentioned herein is found to be incorrect and not meeting the prescribed supplier class categorization criteria as per said order, based on the assessment of procuring agency(ies)/Government Authorities for the purpose of assessing the local content, action shall be taken against me in line with the PPP-MII order and provisions of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rule for which for which a bidder or its successors can be debarred for up two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.
Thanking You
Seal and Signature of Authorized Signatory

PROFORMA-III

Date:	

ANNUAL TURNOVER FOR THE LAST THREE YEARS

S. No.	FINANCIAL YEAR	Annual Turnover from Construction Works (Rs. in Lacs)	Remarks
1	2020-21		
2	2021-22		
3	2022-23		

Note:

¹ The bidder shall submit the Certificate from the Chartered Accountant, wherever the Annual Turnover is certified for the relevant financial year in which the minimum criteria of Annual Turnover is satisfied should also be submitted.

DETAILS OF THE SIMILAR WORKS COMPLETED IN LAST SEVEN YEARS

SI. No.	Description of the work with Contract No./ Work Order No.	Department in which work carried out	Date of award	Stipulated date of completion	Date of actual completion	Value of completed work (Rs. in Lacs)	Reasons for delays, Penalty if any	Any other relevant information

Note:

1. The Bidder shall submit the attested Copies of the Completion Certificates from the Client i.e. Department(s) of Govt./Semi Govt./PSU/Autonomous Bodies of Govt..

DETAILS OF ON-GOING/EXISTING WORKS

SI. No.	Description of The Work With Contract No./ Work Order No.	Department in which work is awarded	Date of award	Stipulated date of completion	Value Of work as per order (Rs. in lacs)	Value of Work completed so far (Rs. In lacs)	Anticipated date of Completion of work	Any other Relevant information

Note:

1. The copies of Work Orders of ongoing-awarded works and documentary proof for payment issued by the Client i.e. Department(s) of Govt./Semi Govt./PSU/Autonomous Bodies of Govt. shall be attached

PAST CONTRACTUAL PERFORMANCE

(Affidavit on non-judicial stamp paper of Rs.50/- duly attested by Notary/Magistrate)

This is to certify that We, M/ssubmission of the Bid "(Name of the Work and NIT No."):	[Name of the Bidder with address], in
i) have not made any misleading or false representation in the for the qualification requirements;	orms, statements and attachments in proof of
ii) do not have records of poor performance such as abando contract, inordinate delays in completion, litigation history or finance	
iii) have never been banned by any Central/State Govt. D Enterprises or Autonomous Bodies of Central/State Govt.;	epartments/Public Sector Undertakings or
iv) have submitted all the supporting documents and furnished format.; and	the relevant details as per the prescribed
v) have submitted all the information and the requisite document fully responsible for the correctness of the information and document	
SEAL AND SIGNATURE OF THE BIDDER	
Note: Exceptions of the above, if any, shall be clearly revaluation/consideration if any.	nentioned with details by the bidder for

CONSENT LETTER FROM ELIGIBLE ASSOCIATE AGENCY OF SPECIALIZED WORK(S)

Name of work: "	
I / We hereby give my consent to associate with I executing the of work of	
2. I / We will execute the work as per specification and as per directions of the Engineer-in-Charge work(s) till the completion of the work.	
3. I / We will be responsible for necessary action to rectification of defects and repair during the main	
4. Also I / We will employ full time technically qual specialized work(s) component of the work as reattend inspection of officers of the department as a	equired for the work. I / We will
Date:	
	ature with date of Associate ialized Agency
Address: Addre	ess:
1. Witness with address	
(From main contractor side)	
2. Witness with address	
(From associated agency side)	

MEMORANDUM OF UNDERSTANDING [M.O.U] BETWEEN

I] M/S [Name of the firm/agency with full address]	
Enlistment Status	
Valid Upto:	
[Henceforth called the main contractor]	
And	
2] M/S [Name of the firm/agency with full address]	
Enlistment Status	
Valid Upto:	
[Henceforth, called Associated specialized Agency]	
For the execution of Specialized Works :- "	***

We state that M.O.U between us will be treated as an agreement and has legality as per Indian Contract Act [amended upto date] and the department [AIIMS] can enforce all the terms and conditions of the agreement for execution of the above work. Both of us shall be responsible for the execution of work as per the agreement to the extent this MOU allows. Both the parties shall be paid consequent to the execution as per agreement to the extent this MOU permits.

In case of any dispute, either of us will go for mediation by the EE, AIIMS, Raipur, Any of us may appeal against the mediation to the Director, AIIMS, Raipur. His decision shall be final and binding on both of us. We have agreed as under:

- 1] The associated specialized agency will execute all specialized work(s) in the wholesome manner as per terms and conditions of the agreement and as per the direction of the Engineer-in-charge.
- 2] That the Associated specialized agency has gone through the contract and has understood the scope of work required for the purpose of executing the specialized work(s).
- 3] All the machinery and equipments, tools and plants, special T&P required for execution of the specialized work(s), as per agreement, shall be the responsibility of the associated specialized agency.
- 4] The site staff required for the specialized work(s) shall be arranged by the associated specialized agency as per terms and conditions of the agreement.
- 5] Site order book maintained for the said work shall be signed by the authorized representative of main contractor as well as Associated specialized Agency.

6] All the correspondence regarding execution of the specialized work(s) shall be done by the Department with the Associated specialized agency with a copy to the main contractor.

In case of non-compliance of the provisions of agreement, the main contractor, as well as the associated agency shall be responsible.

The action under clauses 2 and 3 shall be initiated and taken against the main contractor.

SIGNATURE OF MAIN CONTRACTOR SIGNATURE OF ASSOCIATED SPECIALIZED AGENCY.

Date:

Place

To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of AIIMS Raipur.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of2024
BETWEEN
Executive Director, AIIMS Raipur through Executive Engineer (C), AIIMS Raipur.
(Name of Division)
AIIMS,, (Hereinafter referred as the
(Address of Division)
' Principal / Owner ', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
AND
(Name and Address of the Individual/firm/Company)
through (hereinafter referred to as the
(Details of duly authorized signatory)

"Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal /Owner has floated the e-Tender (NIT No. 8/EE/AIIMS/RPR/2024-25 (3rd Call) (hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for "Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)". Here in after referred to as the "Contract".

AND WHEREAS the Principal / Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact"), the terms

and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

ARTICLE 1: COMMITMENT OF THE PRINCIPAL / OWNER

- 1. The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal / Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2. If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC) / Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal / Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

ARTICLE 2: COMMITMENT OF THE BIDDER (S) / CONTRACTOR (S)

- 1. It is required that each Bidder /Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2. The Bidder(s) / Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
- a) The Bidder(s) / Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal / Owner's employees involved in the

Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

- b) The Bidder(s) / Contractor (s) will not enter with other Bidder (s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
- c) The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s) / Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d) The Bidder(s)/ Contractor(s) of foreign origin shall disclose the names and addresses of agents / representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/ Contractor(s) will, when presenting his bid, disclose (with each tender as per Performa enclosed) any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract
- 3. The Bidder(s) / Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4. The Bidder(s) / Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake / forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5. The Bidder(s) / Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his / her reputation or property to influence their participation in the tendering process).

ARTICLE 3: CONSEQUENCES OF BREACH

- 1. Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal / Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder / Contractor accepts and undertakes to respect and uphold the Principal / Owner's absolute right:
- 2. If the Bidder (s) / Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate / determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal / Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

3. Forfeiture of EMD / Performance Guarantee / Security Deposit:

If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder / Contractor.

4. **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of Indian Penal code (IPC)/Prevention of Corruption Act, or under any law or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

ARTICLE 4: PREVIOUS TRANSGRESSION

- 1. The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holding listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.

3. If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

ARTICLE 5: EQUAL TREATMENT OF ALL BIDDERS/CONTRACTORS/SUBCONTRACTORS:

- 1. The Bidder(s) / Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder / Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub- contractors/sub-vendors.
- 2. The Principal / Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3. The Principal / Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

ARTICLE 6- DURATION OF THE PACT

- 1. This Pact begins when both the parties have legally signed it. It expires for the Contractor / Vendor 06 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.
- 2. If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, AIIMS Raipur.

ARTICLE 7- OTHER PROVISIONS

- 1. This Pact is subject to Indian Law, place of performance and jurisdiction is the **AIIMS** of the Principal / Owner, who has floated the Tender.
- 2. Changes and supplements need to be made in writing. Side agreements have not been made.
- 3. If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4. Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 5. It is agreed term and condition that any dispute or difference arising between the

parties with regard to the terms of this Integrity Agreement/Pact, any action taken by the Owner/Principal in accordance with this **Integrity Agreement/ Pact or interpretation** there of shall not be subject to arbitration.

ARTICLE 8 LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or relevent law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender / Contract documents with regard to any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal/ Owner)

(For and on behalf of Bidder/ Contractor)

WITNESSES:

- 1. (Signature, name and address)
- 2. (Signature, name and address)

Place:-

Dated:

ALL INDIA INSTITUTE OF MEDICAL SCIENCE RAIPUR Percentage Rate Tender/ Item Rate Tender & Contract for Works

Tender for the work of: "Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)"

e-TENDER

I/We have read and examined the notice inviting tender, schedule, A,B,C,D,E & F, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the AIIMS Raipur within the time specified in Schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respects in accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for **Ninety (90) days** from the due date of opening of financial bid and not to make any modification in its terms and conditions.

A sum of **Rs. 2,15,000.00** is hereby forwarded in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank as earnest money. A copy of the earnest money in Receipt Treasury Challan/ Deposit at Call Receipt of a Scheduled Bank/ Fixed Deposit Receipts of a Scheduled Bank/ Demand Draft of a Scheduled Bank/ Bank Guarantee issued by a Scheduled Bank is submitted with tender. If I/We, fail to furnish the prescribed performance guarantee within prescribed tender, I/we agree that the said President of India or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that President of India or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said Performance Guarantee shall be guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the General Conditions of Contracts (CPWD). Further, I/we agree that in case of forfeiture of earnest money or performance guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

I/We undertake and confirm that eligible similar work(s) has / have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in AIIMS Raipur in future for

period as per decision of Engineer-in-Charge. Also, if such a violation comes to the notice of Department before date of start of work, The Engineer – in – Charge shall be free to forfeit the entire amount of Earnest Money Deposited / Performance Guarantee.

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived therefrom to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated #	Signature of Contractor# Postal Address#
Witness : # Address: # Occupation: # applicable	e-Mail id# # To be filled in by the contractor/witness as
	ACCEPTANCE
The above tender (as modified vide l behalf of the AIIMS Raipur for a sum of	letters mentioned hereunder) is accepted by me for and or of*
(Rupees**	
The letters referred to below shall form	n part of this contract Agreement:-
a)	*
b)	
c)	For & on behalf of the AIIMS Raipur.
	Signature
Dated	Designation

GENERAL PARTICULAR & ADDITIONAL CONDITIONS OF CONTRACT

A. GENERAL CONDITIONS

Name of Work: "Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)"

- 1. For all items of **Civil/Electrical/AC&R**;- CPWD specifications with up to date correction slips up to receipt of tender shall be followed. For the items which are not covered under CPWD Specifications; B.I.S. specifications shall apply. In this regard the decision of Engineer-incharge shall be final.
- 2. Wherever any reference is made of any Indian Standard, it shall be taken as reference to the latest edition with all amendments/ revision issued thereto up to the date of receipt of tenders.
- 3. Unless otherwise specified, the agreement rates for all items of work of the schedule of quantities are for all heights, depths, leads and lifts involved in the execution of work.
- 4. Other agencies working at site will also simultaneously execute the work entrusted to them and the contractor shall offer necessary co-operation wherever required to other agencies.
- 5. On account of security consideration, there could be some restrictions on the working hours, movement of vehicles for transportation of materials. The contactor shall be bound to follow all such restrictions and adjust the program for execution accordingly, for which nothing extra shell be paid.
- 6. The work shall be carried out in a manner complying in all respects with the requirements of relevant bye laws of the local bodies, Labour Laws, minimum wages act, workmen compensation act and other statutory laws enacted by Central Govt. as well as State Govt.
- 7. All malba/ rubbish/ silt/ waste, garbage etc. generated due to any operation from buildings/ houses/ hostels and other open spaces whatsoever shall be disposed off on daily basis by the contractor to the specified common disposal point. After the collection of full truck load of the said malba (approx. 4.5 cubic meters), the same shall be disposed off by the contractor to the authorized municipal dumping ground and nothing extra shall be paid on this account. In case of non- removal/disposal in the specified period, the same would be disposed at risk & cost of contractor.
- 8. No residential accommodation shall be provided to any of the staff engaged by the contractor. The contractor shall not be allowed to erect any temporary set up for staff in the campus.
- 9. No claims of the labours shall be entertained by the Department including that of providing employment, regularization of services etc.
- 10. All required register will be issued by Engineer-in-Charge/Executive Engineer duly marked in chronological order but the contractor will have to arrange all such registers/stationery etc. Nothing extra shall be paid on this account.
- 11. All T&P, scaffoldings, ladders/Hydra etc, instruments/meters for Construction, consumable and Contingent Articles required for execution of the work shall be arranged by the contractor.
- 12. The contractor shall make all safety arrangement required for the labour engaged by him at his own cost. All consequences due to negligence or due to lapse of security/safety or otherwise

shall remain with the contractor. The department shall not be responsible for any mishap, injury, accident or death of the contractor's staff. No claim in this regard shall be entertained / accepted by the department. Also Contractor is responsible to the damage caused to any man/material other that his team during execution and AIIMS will not be responsible for that.

- 13. Contractor shall be fully responsible for any damages caused to govt. property or allotter's property by his or his labor in carrying out the work and shall be rectified by the contractor at his own cost.
- 14. GST and other Taxes as applicable shall be recovered/ paid from the contractor's bill as per Govt. of India/AIIMS Rules.
- 15. Chases, holes & drilling works etc. shall be done using power operated tools in the cost of Contract. No extra will be paid for the same.
- 16. The agency shall restore back the premises and other articles provided by the department to the department at the time of closure of the contract.
- 17. In the case of discrepancy between the schedule of quantities, the Specifications and/or the Drawings, the following order of preference shall be observed:
 - a) Description of schedule of quantities.
 - b) Additional specifications and special conditions, if any.
 - c) Contract clauses of General conditions of contract for Central P.W.D. works. (iv) CPWD specifications.
 - d) Architectural drawings.
 - e) Indian standards specifications/ BIS. (vii) Sound engineering practice. Any reference made to any Indian standards specifications in these documents, shall imply to the latest version of that standard, including such revisions/amendments as issued by the Bureau of Indian Standards up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian Standards applicable to the work at site.
- 18. The contractor and /or his authorized agent should see the site order book every day and get the compliance of instruction given by the JE/AE/Engineer-in-charge (E-I/C) as per time schedule.
- 19. The contractor will not pitch up tents for laborers, materials and his stores etc.
- 20. No permanently / temporary huts / structures shall be constructed by the contractor at the site of work or at any government land / premises. Such structures, if any, found at the site or at AIIMS, Raipur land shall be demolished and removed at the cost of the agency without any notice.
- 21. Any damage to the building structure, fittings or any other articles etc. done by the contractor or his workman during the execution of the work shall be made good by the contractor at his own cost.
- 22. The contractor shall clear the site properly after the completion of the work.
- 23. The Agency shall be solely responsible for compliance to the provisions of various Labor and industrial laws, such as, wages, allowances, compensations, EPF, Bonus. Gratuity, ESI etc. as per labour law relating to personnel deployed by it at AIIMS, Raipur site or for any accident caused to them and the institute shall not be liable to bear any expense in this regard. The Agency shall make payment of wages to workers engaged by it by the stipulated date irrespective of any delay in settlement of its bill by AIIMS, Raipur for whatever reason. The

Agency shall also be responsible

For the insurance of its personnel. The Agency shall specifically ensure compliance of various Laws / Acts, including but not limited to with their re-enactments / amendments / modifications etc.

- (a) The Payment of Wages Act 1936.
- (b) The Employees Provident Fund & MP Act, 1952.
- (c) The Contract Labor (Regulation) Act, 1970.
- (d) The Payment of Bonus Act, 1965.
- (e) The Payment of Gratuity Act, 1972.
- (f) The Employees State Insurance Act, 1948.
- (g) The Employment of Children Act, 1938.
- (h) The Motor Vehicle Act, 1988.
- (i) Minimum Wages Act, 1948.
- 24. Breach of Terms and Conditions: Noncompliance of any terms and conditions enumerated in the contract shall be treated as breach of contract. Or In Case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by AIIMS, Raipur in that event the EMD and /or Performance Guarantee and/or security deposit shall also stands forfeited.
- 25. Termination of Contract: AIIMS, Raipur would have the right to terminate the contract by giving one month's notice before the expiry of the term, in case the work performance is not up to the standard, or in case there is any violation of AIIMS, Raipur rules & regulations, or if there is any lapse in compliance of any labor legislation, or if there is any incident of indiscipline on the part of the bidder or his staff and the agreement may be terminated by either party by giving one month's notice to the institution. The decision of AIIMS, Raipur's management in this regard would be final and binding on the bidder. In such an event, AIIMS, Raipur shall have the right to engage any other bidder to carry out the task.
- 26. Arbitration: The Arbitration shall be held in accordance with the provision of the Arbitration and conciliations Act, 1996 and the venue of arbitration shall be at Raipur. The decision of the Arbitrator shall be final and binding on the both parties.
- 27. Dispute Settlement: It is mutually agreed that all differences and disputes arising out of or in connection with this agreements shall be settled by mutual discussions and negotiations if such disputes and differences cannot be settled and resolved by discussions and negotiations then the same shall be referred to the sole Arbitrator appointed by the Director, AIIMS, RAIPUR whose decision shall be final and binding on both the parties. The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing.
- 28. Guidelines issued by Hon'ble National Green Tribunal in O.A. No. 21 of 2015 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & other and Sanjay Kulshreshtha Vs Union of India & ors: Air Pollution of Dust from Construction and Demolition activity reg. issued vide letter No. DPCC/EIA/Ref-001 to 172/NGT-21/2015/225-408 dt. 17/04/2015 shall be complied by the Bidders.

B. GENERAL CONDITIONS FOR SUPPLY OF MATERIAL

- 1. The material shall be as per CPWD specifications with up to date correction slip and BIS Specifications wherever mentioned and as per List of approved makes (enclosed).
- 2. In the event of any variation between CPWD specifications and that in the IS Code the former shall take precedent over the later. In the event of variation between he nomenclature of item as per schedule of quantities and specifications, the former shall prevail.
- 3. Material will be supplied by the contract or within 03 days after giving he requirement otherwise suitable amount imposed as a penalty shall be recovered from contractor's bill after giving notice as decided by the Engineer in charge. However, the materials in urgent nature shall be supplied within 02 03 Hours.
- 4. The sample of all the items shall have to be got approved by the Contractor from the Engineer-in-Charge/Executive Engineer or his Representative before the supply commences, the approval of sample shall be only in respect of workmanship and finish, and shall be without prejudice to the right of Engineer-in-Charge to get random samples tested out of the actual lot received as per additional conditions. This decision is the Prerogative of Engineer-in-Charge.
- 5. The contractor shall if required furnish the manufacturer's certificate that the material supplied satisfy the requirements of the relevant specifications.
- 6. The Engineer-in-Charge shall be at liberty to test respective sample (s) of each item of schedule of quantity in any approved laboratory as decided by him. The sample for testing shall be provided by the contractor. If the test proves satisfactory and the material is accepted, the testing charge in respect of satisfactory test shall be borne by the *department* contractor.
 - All other expenditure required to be incurred for making available the sample, conveyance and packing etc, shall be borne by the contractor himself. In case any sample of particular lot fails in testing the contractor shall be bound to replace the entire lot with fresh material of prescribed specifications and the rejected lot shall only be returned to the contractor after fresh lot is supplied. Testing charges in respect of failed sample will be borne by the contractor himself.
- 7. Rejected materials shall have to be removed by the contractor at his own cost within a week of the instructions of doing so. Also go down rent as decided by Engineer-in-Charge shall be charged by the department.
- 8. In case of any dispute regarding rejection of quantity of materials the decision of Engineer-in-Charge shall be final and binding upon the contractor.
- 9. Conditional tenders are liable to be summarily rejected.
- 10. The rates shall be quoted only in the schedule of quantities attached with the tender and nowhere else i.e. letter heads etc.
- 11. The contractors are specifically required to quote only one rate against each item. The rate Quoted for any item of material shall conform to the prescribed specifications.
- 12. The quantities are approximate and are liable to change up to any extent on either side. The Engineer- in-Charge reserves right to order deviation from the quantities mentioned in the tender. The contractor shall supply the additional quantity on the rates quoted in the tender documents irrespective of deviation limit mentioned elsewhere in the agreement. The contractor shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which might have derive from the execution of supply in full as mentioned in tender but which did not derive any consequence of the full supply of material mentioned in tender not having been ordered. It is not necessary to use all items in the BOQ/Schedule during contract Period. The use shall be based on the requirement at Site. Contractor cannot

- claim Payment against Storage of items to maintain the deadline of completion of work as per Tender.
- 13. The maker of material shall be same as that of actually installed/fixed at site. But, in case of non-availability or due to any reason, Engineer-in-Charge can take decision to install equivalent/new items available in the BOQ/Schedule. In case of any dispute the decision of Engineer-in-Charge shall be final with regards to make/brand of material.
- 14. For materials used in this work, the record shall be maintained at site in a standard Performa to watch quality and consumption of the material.



e-sign by Prashant Kumar Ravi **Executive Engineer AIIMS, Raipur**

BRIEF SCOPE OF WORK

The work involves activities for Annual repairs and Maintenance for civil component for College Complex, Hostel Complex, Auditorium and Service Buildings at AIIMS Raipur. The period of contract is 24 months for FY 2024-26. The period of contract may be extended as per scope of work available with the approval of competent authority. The brief of the work is as under:

- I. The type of work is Civil Repair and Maintenance Work to be done in AIIMS Raipur.
- II. Masonry work, Cement Concrete work and RCC work, Granite and Stone Work may be executed for wall construction, platform construction, associated repair and maintenance work and alike activities.
- III. Waterproofing in slab roof of building, sunken portions in water cooler areas, lavatory and restrooms in selected areas and areas as observed and directed by Engineer-in Charge is also part of the Annual Maintenance Works. The agency has to engage specialized agency and guarantee bond to be submitted for 5 years. Security Deposit against water proofing at 10% of amount of waterproofing item will be withheld and will be release after expiry of guarantee period i.e. 5 years if no noticeable defect in work done of waterproofing is observed.
- IV. The work of repair and replacement of flooring and wall tiles in corridors, bathrooms, toilets, and in common area has been incorporated in the work, grouting with epoxy and white cement have been included in the work and will be executed as per directions of Engineer In-charge.
- V. The provision of new fixing and replacing damaged bathroom and Toilet doors with FRP doors and frames are incorporated. In some locations replacement of damaged doors with Flush Doors has been incorporated. The door accessories such as handles of premium and normal range have been incorporated and will be executed as per instructions of Engineer-In-charge.
- VI. The provision of execution of structural steel work, fixing of MS Grills, collapsible steel shutters, rolling shutters, MS Sheet door has been incorporated in the work. This may be exeuted as per requirement and as per directions of Engineer-in Charge.
- VII. The provision of fixing uPVC Pipes and fixtures have been included, the scope of fixing CPVC pipes for water supply, CI Pipe and fittings for water drain has also been included.
- VIII. The activities of finishing works such as application of putty, paint at plaster repaired surface, synthetic enamel paint has been incorporated.
- IX. Works of cupboards, Aluminium Partitions and accessories associated with the carpentry and aluminium works have been taken in the estimate. Maintenance activities such as gap filling with backer rod/ silicon etc have been incorporated. These works may be carried out as per requirement and directions of Engineer-in Charge.
- X. The works of plumbing and sanitary installations in bathrooms / toilets/ rooms/wards wherever required have been included in this work. Apart for the above mentioned, any other requirement of Sanitary Installation will be met through this work.
- XI. The work of False Ceiling, roofing sheets and alike roofing work have been taken. The work involves repair and maintenance to damaged false ceiling and fixing new false ceiling wherever required as per directions of Engineer-in Charge.

- XII. The work of PVC Flooring, Providing and fixing of frosted glass film and brown sun control film over the glass is also in the scope of work .
- XIII. The items of dismantling and demolishing for above mentioned works and along with disposal of malba outside the campus has been included.

The above works are merely indicative and not exhaustive. The quantities are based on approximation and may vary during actual execution and the work shall be carried out as per the direction of Engineer-in-Charge & per CPWD specifications as mentioned "Schedule F" of the NIT.



FORM OF EARNEST MONEY DEPOSIT

(Bank Guarantee Bond)

(Bank Guarantee Bond)
WHEREAS, contractor (Name of contractor) (Hereinafter called "the contractor") has submitted his tender dated
KNOW ALL PEOPLE by these presents that we
Engineer-in-Charge") in the sum of Rs
SEALED with the Common Seal of the said Bank thisday of
(1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
(2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required; OR
(b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,
We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.
This Guarantee will remain in force up to and including the date* after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in- Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.
DATESIGNATURE OF THE BANK
WITNESS
SEAL (SIGNATURE, NAME AND ADDRESS)

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

Form of Performance Security (Guarantee) Bank Guarantee Bond-Format – I

(On a stamp paper of appropriate value from any Nationalized Bank or Scheduled Bank)

To EXECUTIVE ENGNEER, AIIMS RAIPUR, TATIBANDH, RAIPUR – 492099

Dear Sir,

In consideration of the AIIMS Raipur having offered to accept the terms and conditions of the proposed agreement between
an irrevocable Bank Guarantee for Rs (Rupees
1. We,
2. We,(indicate the name of the Bank) do hereby undertake to pay the amounts due and payable under this guarantee without any demure, merely on a demand from the AIIMS Raipur stating that the amount claimed as required to meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the bank shall be conclusive as regards the amount due and payable by the bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs (Rupees
3. We, the said bank further undertake to pay the AIIMS Raipur any money so demanded notwithstanding any dispute or disputes raised by the contractor(s) in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be a valid discharge of our liability for payment thereunder and the Contractor(s) shall have no claim against us for making such payment.
4. We,
5. We, (indicate the name of the Bank) further agree with the AIIMS Raipur that the AIIMS Raipur shall have the fullest liberty without our consent and without affecting in

any manner our obligation hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said Contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the AIIMS Raipur against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to

months of the date of expiry or the extended date of expiry of this guarantee all our liabilities

the said agreement and we shall not be relieved from our liability by reason of any such variation,

under this	s guarantee shall stand discharged.
Dated the	day of
for	(indicate the name of the Bank

SPECIAL CONDITIONS OF CONTRACT

1. GENERAL

- 1.1 The successful bidder of the tender will submit on Rs. 100 stamp the Guarantee Bond to be executed by Contractors for Removal of Defects after completion in respect of water proofing works which is a part of this tender.
- 1.2 Ten percent (10%) of the total amount of waterproofing items executed in the contract will be withheld from the RA Bills and Final Bill. This withheld amount may be released after the period of 5 years from the date of completion of the work.
- 1.3 Wherever any reference to any Indian Standard Specifications of BIS or other International standards of ASTM/BS/EN occurs in the documents relating to this contract, the same shall be inclusive of all amendments issued there-to or revisions thereof, if any, up to the date of receipt of tenders.
- 1.4 The contractor shall work according to the programme of work as approved by the Engineer-in-charge, for which purpose, the contractor shall submit a programme of the work within 07 days from the stipulated date of start of the work based on computer software and shall update the same every fortnight.
- 1.5 The contractor shall take instructions from the Engineer-in-charge for stacking of materials at site. No excavated earth or building materials shall be stacked on areas where the buildings, roads, services or compound walls are to be constructed.
- 1.6 If as per Municipal or prevailing rules of the secured campuses owned by paramilitary forces, Institutions etc, the huts for labour are not to be erected at the site of work by the contractors, the contractors shall provide such accommodation at such locations as are acceptable to local bodies with all provisions concerning labour safety & sanitation as contained in the relevant clause of the contract, for which nothing shall be payable.
- 1.7 Unless otherwise provided in the Schedule of quantities, the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building and nothing shall be payable to him on this account.
- 1.8 The working drawings appearing at para 8.1(iii) of conditions of contract in the form CPWD-7/8, shall mean to include both architectural and structural drawings respectively. The structural and architectural drawings shall be properly correlated before executing the work. In case of any difference noticed between architectural and structural drawings, final decision, in writing of the Engineer-in-charge shall be obtained by the contractor before proceeding further.
- 1.9 Some restrictions may be imposed by the security staff etc. on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restriction / instructions including issue of identity cards to all persons authorized by him to do work / visit the work site and nothing shall be payable on this account.
- 1.10 The contractor shall make his own arrangements for obtaining electric connections, if required, and make necessary payments directly to the department concerned.
- 1.11 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor (s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed, so as not to interfere with the operations of other contractors, or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete

- satisfaction of Engineer-in-Charge. The contractor shall be responsible for any damage due to hindrance caused by him.
- 1.12 Cast iron pipes and fittings without ear shall be used. However, pipes and fittings with ears may be accepted without any extra payment. In such cases, clamps are not required and no extra payment shall be made for fixing the pipes in a different manner.
- 1.13 Any cement slurry added over base surface for bond or for continuation of concreting, for protecting reinforcement bars, its cost shall be deemed to have been included in the respective items, unless specified otherwise and nothing extra shall be payable nor extra cement shall be considered in the cement consumption on this account.
- 1.14 Stacking of materials and excavated earth including its disposal shall be done as per the directions of the Engineer-in-Charge. Double handling of materials or excavated earth if required at any stage shall have to be done by the contractor at his own cost.
- 1.15 No claim for idle establishment &labour, machinery &equipments, tools & plants and the like, for any reason whatsoever, shall be admissible during the execution of work as well as after its completion.
- 1.16 Only Star headed Stainless Steel screws shall be used unless otherwise specified.
- 1.17 Work shall be carried out in professional manner with finished product serving the intended purpose with specified strength, durability and aesthetics.
- 1.18 Work activities shall be executed in well thought out sequences such that consequent activities not adversely affecting previously done work. Nothing extra shall be payable to protect the works already done.
- 1.19 The contractor shall prepare all the needed shop drawings well in advance and get them approved before placing the order and execution of the item.
- 1.20 The contractor shall, at his risk and cost, make all arrangements and shall provide all facilities as the Engineer-in-Charge may require for collecting, and preparing the required number of samples for such tests at such time and to such place or places as may be directed by the Engineer in -Charge and bear all charges and cost of testing unless specifically provided for otherwise elsewhere in the contract or specifications.

2. RATES

- 2.1 The rates quoted by the Contractor are deemed to be inclusive of site clearance, setting out work, profile, setting lay out on ground, establishment of reference bench mark(s), installing various signage, taking spot levels, survey with total station, construction of all safety and protection devices, compulsory use of helmet and safety shoes, and other appropriate safety gadgets by workers, imparting continuous training for all the workers, barriers, preparatory works, construction of clean, hygienic and well ventilated workers housings in sufficient numbers as per drawing supplied by Engineer in charge, working during monsoon or odd season, working beyond normal hours, working at all depths, height, lead, lift, levels and location etc. and any other unforeseen but essential incidental works required to complete this work. Nothing extra shall be payable on this account and no extension of time for completion of work shall be granted on these accounts.
- 2.2 The rates quoted by the bidder, shall be firm and inclusive of all taxes and levies.
- 2.3 No foreign exchange shall be made available by the Department for importing (purchase) of equipment, plants, machinery, materials of any kind or any other items required to be carried out during execution of the work. No delay and no claim of any kind shall be entertained from the Contractor, on account of variation in the foreign exchange rate.

- All ancillary and incidental facilities required for execution of work like labour camp, stores, fabrication yard, offices for Contractor, watch and ward, temporary ramp required to be made for working at the basement level, temporary structure for plants and machineries, water storage tanks, installation and consumption charges of temporary electricity, telephone, water etc. required for execution of the work, liaison and pursuing for obtaining various No Objection Certificates, completion certificates from local bodies etc., protection works, testing facilities / laboratory at site of work, facilities for all field tests and for taking samples etc. during execution or any other activity which is necessary (for execution of work and as directed by Engineer-in-Charge), shall be deemed to be included in rates quoted by the Contractor, for various items in the schedule of quantities. Nothing extra shall be payable on these accounts. Before start of the work, the Contractor shall submit to the Engineer-in-Charge, a site / construction yard layout, specifying areas for construction, site office, positioning of machinery, material yard, cement & other storage, fabrication yard, site laboratory, water tank etc.
- 2.5 For completing the work in time, the Contractor might be required to work in two or more shifts (including night shifts). No claim whatsoever shall be entertained on this account, not with-standing the fact that the Contractor may have to pay extra amounts for any reason, to the labourers and other staff engaged directly or indirectly on the work according to the provisions of the labour and other statutory bodies regulations and the agreement entered upon by the Contractor with them.
- 2.6 All material shall only be brought at site as per program finalized with the Engineer-in-Charge. Any pre-delivery of the material not required for immediate consumption shall not be accepted and thus not paid for.

3. CLEANLINESS OF SITE

The Contractor shall not stack building material / malba / muck/ rubbish on the land or road of the local development authority or on the land owned by the others, as the case may be. So the muck, rubbish etc. shall be removed periodically as directed by the Engineer-in-Charge, from the site of work to the approved dumping grounds as per the local byelaws and regulations of the concerned authorities and all necessary permissions in this regard from the local bodies shall be obtained by the Contractor. Nothing extra shall be payable on this account. In case, the Contractor is found stacking the building material / malba as stated above, the Contractor shall be liable to pay the stacking charges / penalty as may be levied by the local body or any other authority and also to face penal action as per the rules, regulations and bye-laws of such body or authority. The Engineer –in-Charge shall be at liberty to recover, such sums due but not paid to the concerned authorities on the above counts, from any sums due to the Contractor including amount of the Security Deposit and performance guarantee in respect of this contract agreement.

4. INSPECTION OF WORK

In addition to the provisions of relevant clauses of the contract, the work shall also be open to inspection by the Engineer-In-Charge, AIIMS Raipur and other senior officers of AIIMS Raipur and his authorized representative. The contractor shall at times during the usual working hours and at all times at which reasonable notices of the intention of the Engineer-in-Charge or other officers as stated above to visit the works shall have been given to the Contractor, either himself be present to receive the orders and instructions or have a responsible Site Engineer duly accredited in writing, to be present for that purpose Senior Officers of AIIMS Raipur Authorities shall also be inspecting the on-going work at site at any

5. <u>CO-OPERATION WITH OTHER CONTRACTORS/SPECIALIZED AGENCIES/SUB-</u>CONTRACTORS

5.1 The Contractor shall take all necessary precautions to prevent any nuisance or inconvenience to the owners, tenants or occupants of the adjacent properties and to the public in general .The Contractor shall take all care, as not to damage any other adjacent property or other services running adjacent to the plot. If any damage is done, the same shall be made good by the Contractor at his own cost and to the entire satisfaction of the Engineer-in-Charge. The Contractor shall use such methodology and equipment's for execution of the work, so as to cause minimum environmental pollution of any kind during construction. Further, the Contractor shall take all precautions to abide by the environmental related restrictions imposed by Pollution control board.

Utmost care shall be taken to keep the noise level to the barest minimum so that no disturbance as far as possible is caused to the occupants / users of adjoining buildings. No claim what so ever on account of site constraints mentioned above or any other site constraints, inadequate availability of skilled, semi-skilled or unskilled workers in the near vicinity, non-availability of construction machinery spare parts and any other constraints not specifically stated here, shall be entertained from the Contractor. Therefore, the Tenderers are advised to visit site and get first-hand information of site constraints. Accordingly, they should quote their tenders. Nothing extra shall be payable on this account.

5.2 The Contractor shall cooperate with and provide the facilities to the sub-Contractors and other agencies working at site for smooth execution of the work. The contractor shall indemnify STC, BSF, authorities.

Against any claim(s) arising out of such disputes. The Contractor shall:

- (i) Allow use of scaffolding, toilets, sheds etc.
- (ii) Properly co-ordinate their work with the work of other Contractors.
- (iii) Provide control lines and benchmarks to his Sub-Contractors and the other Contractors.
- (iv) Provide electricity and water at mutually agreed rates.
- (v) Provide hoist and crane facilities for lifting material at mutually agreed rates.
- (vi) Co-ordinate with other Contractors for leaving inserts, making chases, alignment of services etc. at site.
- (vii) Adjust work schedule and site activities in consultation with the Engineer-in-Charge and other Contractors to suit the overall schedule completion.
- (viii) Resolve the disputes with other Contractors/ sub-contractors amicably and the Engineer-in-Charge shall not be made intermediary or arbitrator.
- 5.3 The work should be planned in a systematic manner so as to ensure proper co-ordination of various disciplines viz. sanitary & water supply, drainage, rain water harvesting, electrical, firefighting, information technology, communication & electronics and any other services.
- 5.4 Other agencies will also simultaneously execute and install the works of sub-station / generating sets, air-conditioning, lifts, etc. for the work and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. shall be supplied free of cost by the

department unless otherwise specifically mentioned) and the contractor shall fix the same at time of casting of concrete, stone work and brick work, if required, and nothing extra shall be payable on this account.

5.5 The contractor shall conduct his work, so as not to interfere with or hinder the progress or completion of the work being performed by other contractor(s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose off the materials being used or removed so as not to interfere with the operations of other contractor or he shall arrange his work with that of the others in an acceptable and in a proper co-ordinate manner and shall perform it in proper sequence to the complete satisfaction of others.

6. SAFETY MEASURES AT CONSTRUCTION SITE

In order to ensure safe construction, following shall be adhered for strict compliance at the site:-

- (i) The work site shall be properly barricaded.
- (ii) Adequate singnages indicating 'Work in Progress Inconvenience caused is Regretted' or Diversion Signs shall be put on the sites conspicuously visible to the public even during night hours. These are extremely essential where works are carried out at public places in use by the public.
- (iii) The construction malba at site shall be regularly removed on daily basis.
- (iv) All field officials and the workers must be provided with safety helmets, safety shoes and safety belts.
- (v) Proper MS pipe scaffoldings with work platforms and easy-access ladders shall be provided at site to avoid accidents.

Necessary First-Aid kit shall be available at the site.

The above provisions shall be followed in addition to the provisions of General Condition of Contract.

7. FIELD TESTING INSTRUMENTS

(Following instruments in sufficient quantity as directed by the Engineer- in- Charge shall be made available by the contractor. It shall be ensured that the instruments always remain in serviceable condition else the same will be replaced. In case of non-availability of instrument Engineer-In-Charge will purchase the same and the invoice amount will be deducted from the bill and will be bound to contractor in the interest of work.

- (1) Steel tapes 3 m / 5m / 7.5m / 15m / 30m
- (2) Vernier Calipers.
- (3) Micrometer screw 25 mm gauge.
- (4) A good quality plumb bob.
- (5) Spirit level, minimum 30 cms long with 3 bubbles for horizontal vertical.
- (6) Wire gauge (circular type) disc.
- (7) Foot rule.
- (8) Long nylon thread.
- (9) Rebound hammer for testing concrete
- (10) Dynamic penetrometer.
- (11) Magnifying glass
- (12) Screw driver 30 cms long

- (13) Ball pin hammer, 100 gms.
- (14) Plastic bags for taking samples
- (15) Moisture meter for timber
- (16) Earth resistance tests
- (17) Total station
- (18) Multimeter,
- (19) Meggar
- (20) Refrigerant Leak detector
- (21) Pipe Bender
- (22) Thermometer
- (23) Hygrometer
- (24) CFM Meter
- (25) Step Ladder
- (26) Cordless drill

8. THE CONTRACTOR SHALL SUBMIT 'METHOD STATEMENT' FOR THE APPROVAL SOON AFTER THE AWARD OF WORK

'Method Statement' is a statement by which the construction procedures for important activities of construction are stated, checked and approved. Method Statement shall have description of the item with elaborate procedures in steps to implement the same. The specification of the materials involved their testing and acceptance criteria, equipments to be used, precautions to be taken, mode of measurements etc.

9. TESTING OF MATERIALS

- 9.1 The contractor shall arrange carrying out of all tests required under the agreement through the laboratory as approved by the Engineer-in-Charge and shall bear all charges in connection therewith including fee for testing unless specified otherwise. In all cases cost of samples and to & fro carriage shall be borne by the contractor. Contractor shall establish a laboratory at site of work at his own cost. The laboratory shall be equipped with all necessary equipment as per requirement of specification or as per direction of Engineer-in-Charge. A list of laboratory equipment to be maintained by the contractor is enclosed at Para 13 page 40 & 41. Establishing the laboratory at site shall not absolve the contractor from fulfilling the criteria of getting the test done in independent approved laboratories as per DG, CPWD, O.M. No. DG/MAN/308 dated 29.05.2014. The decision of the Engineer-in-Charge of allowing any test in the site laboratory shall be final.
- 9.2 Even ISI marked materials may be subjected to quality test at the discretion of the Engineer-in-Charge besides testing of other materials as per the specifications described for the item/material. Whenever ISI marked materials are brought to the site of work the contractor shall, if required by the Engineer-in-Charge, furnish manufacturer test certificate or test certificate from approved testing laboratory to establish that the material procured by the contractor for incorporation in the work satisfy the provisions of IS codes relevant to the material and/or the work done.
- 9.3 Substandard Material/Work: In case any material/work is found substandard the same shall be rejected by the Engineer-in-Charge and the same shall be removed from the site of work within 48 hour, failing which the same shall be got removed by the Engineer-in-Charge at the risk and cost of the contractor without giving any further notice and time.

SPECIAL CONDITIONS FOR ASSOCIATION OF SPECIALIZED AGENCIES

- 1. The main contractor shall have to associate other specialized agency(s) (Joint ventures are not accepted) for execution of each of the these specialized work(s), who fulfils the eligibility criteria as defined in Eligibility of Bidder, within 7 days of issue of letter of intent and also after taking prior approval from the Engineer-in-charge. The specialized firms satisfies the following eligibility criteria: Experience of having successfully completed works during last seven years ending on previous day of last day of submission of tender Three similar works each of value not less than 40% of the estimated cost of specialized work. OR Two similar works each of value not less than 60% of the estimated cost of specialized work. OR One similar work of value not less than 80% of the estimated cost of specialized work. All amounts rounded off to a nearest convenient figure.
- 2. The agency shall submit the similar work experience documents in respect of experience of having satisfactory completed similar works as defined in Eligibility of Bidder.
- 3. However the main contractor shall also be eligible to carry out himself any or all of the above specialized works without associating any specialized agency provided:-
 - The main agency fulfills the prescribed eligibility criteria respectively for the above specialized work(s).
- 4. The intending bidder if does not possess eligibility criteria for specialized works or he could not associate any specialised agency for specialized works before tendering then he shall upload an undertaking that if "I/We shall become the lowest tenderer then I/We shall submit the documents of Associated specialized Agencies/OEM/Authorized service provider of the specialized E&M services as per the eligibility criteria mentioned in the special conditions of NIT for association of specialized agencies after acceptance of tender along with Performance Guarantee.
- 5. The main contractor shall have to submit documents such as self attested copies of Certificates of Work Experience/Completion issued by client department clearly indicating
 - 1.Name of work
 - 2. Scope of Work
 - 3. Agreement No.
 - 4. Estimated Cost
 - 5. Tendered Cost
 - 6. Final Value of Work Done
 - 7. Date of Start
 - 8. Stipulated date of Completion
 - 9. Actual date of completion
- 6. Nature of the Work etc. (In case some of above said details are not mentioned in the Completion certificate, the firm shall attach sample proof in support of above details), self attested copy of valid Electrical contractor license, GST registration of the proposed

associated specialized agencies for verification (if required) and for approval of the department as per eligibility requirement mentioned in above condition no.3 after acceptance of tender alongwith Performance Guarantee. Main contractor shall also be required to furnish either copy of applicable licenses/registrations or proof of applying for obtaining labour licenses, registration with EPFO, ESIC and BOCW Welfare Board of proposed associated specialized agencies along with above documents.

- 7. Consent letter of such selected associated specialized agencies for association shall also be enclosed in the prescribed format as per FORM-A along with documents mentioned.
- 8. If the main contractor fails to submit all the documents of the proposed associated specialized agency(s) as mentioned as above, after acceptance of tender along with Performance Guarantee then department shall reject his/her tender.
- 9. After approval of associated specialized agencies by Engineer-in-charge, the main contractor will submit MOU signed with the associated specialized agency as per FORM-B in shape of affidavit on stamp paper duly attested by notary in original within 7 (Seven) Days after issue of approval letter (for associate specialized agency). The MOU shall be signed by both the parties i.e. main contractor As 1st party and associated specialized Agency as 2nd party, independently for all specialized work(s).
- 10. All technical discussions during currency of the contract shall be attended by the associated specialized agencies and the main contractor. Commercial/Technical submissions for the specialized work(s) shall be signed and submitted by the associate specialized agencies along with the main contractor.
- 11. The associated specialized agencies and the main contractor shall attend the site during inspection of the work by the Engineer-in-Charge or higher authority.
- 12. The main contractor shall be entirely responsible and answerable for all the works done by his associated specialized agency regarding their quality, adherence to the laid down specification, terms and conditions, warranty/guarantee etc as per the agreement and he shall be liable to bear any compensation that may be levied by the department under any of the clauses of the agreement.
- 13. In the event of the concerned Associated specialized Agency not performing satisfactorily or failure to complete the specialized works(s), the main contractor on written directions of the Engineer-in-charge, shall remove the Associated specialized Agency deployed on the work and shall submit name of new associated specialized Agency as per eligibility criteria mentioned in the NIT to execute the left over specialized work(s) without any loss of time after completion of all formalities mentioned as above. Also if main contractor wants to change the associated specialized agency during the currency of the contract he shall submit name of new associated specialized Agency as per eligibility criteria mentioned in the NIT to execute the left over specialized work(s) after completion of all formalities mentioned as above.
- 14. The main contractor shall be responsible and liable for proper and complete execution of the all works including specialized work(s) and ensure coordination and completion of all associated specialized works.
- 15. Running payment for the work shall be made to the main contractor. In case main contractor fails to make the payment to the associated specialized agency(s) by him within 15 days of receipt of each running account payment then on the written complaint of any associated specialized agency(s) for such work, Engineer-in-Charge shall serve the show cause to main contractor and after considering the reply of the same he may make the payment directly to the concerned associated specialized agency(s) for the work as per the terms & conditions of the agreement/M.O.U. drawn between main contractor and

associated specialized agency(s) fixed by him, if reply of main contractor either not received or found unsatisfactory. Such payment made to the associated specialized agency(s) shall be recovered by Engineer-in-Charge from the next RA/final bill due to main contractor as the case may be.

FORM OF APPLICATION BY THE CONTRACTOR FOR SEEKING EXTENSION OF TIME

(PART - I)

- 1. Name of contractor
- 2. Name of work as given in the agreement
- 3. Agreement no.
- 4. Estimated amount put tender
- 5. Date of commencement of work as per agreement
- 6. Period allowed for completion of work as per agreement
- 7. Date of completion stipulated in agreement
- 8. Period for which extension of time has been given previously:

	SE's letter no. and date	Extension g	ranted
		Months	Days
(a) 1st extension			
(b) 2nd extension			
(c) 3rd extension			
d) 4th extension			
(e) Total extension previously			
given			

- 9. Reasons for which extension have been previously given (copies of the previous applications should be attached)
- 10. Period for which extension if applied for
- 11. Hindrances on account of which extension is applied for with dates on which hindrances occurred and the period for which these are likely to last.

		-					
Serial	Nature of	Date of	Period	Period for	Overlapping	Net	
no	hindrance	occurrence	for which	which	period if	extension	Remarks,
			it is likely	extension	any, with	applied	if any
			to last	required	reference to	for	
				for this	item.		
				particular			
				hindrance			
а	b	С	d	е	f	g	h

Total	period	on acco	unt of 1	hindrances	mentioned	above	Months	·	Davs
1 Otta	Period	on acco	and or i	IIIII ai ai cco	memoriea	above	1110111110		Days

12.	Extension	of time	required	for	extra	work

- 13. Details of extra work and the amount involved:
 - a. Total value of extra work
 - b. Proportionate period of extension of time based on estimated amount put to tender on account of extra work.

14. Total extension of time required for 11 &	ίς J	12
---	------	----

Submitted	to the	Sub Divisional	1 Officer	
Submilled	10 1110 3	SOOD LAVISIONA	ГОППСЕТ	

ignature of contractor	
Dated:	

GUARANTEE BOND TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS

The Agreement made this day of two thousand and between between son of of (hereinafter called the Guarantor of the one part) and the
PRESIDENT OF INDIA (hereinafter called Government of the other part).
WHEREAS this agreement is supplementary to a contract (hereinafter called the Contract) dated and made between the GUARANTOR of the one part and the Government of the other part, whereby the Contractor, interalia, undertook to render the buildings and structures in the said contract recited completely water and leak-proof.
AND WHEREAS GUARANTOR agreed to give a guarantee to the effect that the said structures will remain water and leak-proof for five years from the date of giving of water proofing treatment.
NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the Construction period prescribed in the contract.
Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:
(a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;
(b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;
(c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.
During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer- in-Charge as to the cost, payable by the Guarantor shall be final and binding.
That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-Charge will be final and binding on the parties.
IN WITNESS WHEREOF these presents have been executed by the Obligorand by and for and on behalf of the PRESIDENT OF INDIA on the day, month and year first above written.
Signed, sealed and delivered by OBLIGOR in the presence of
1.
2.
Signed for and on behalf of THE PRESIDENT OF INDIA by in the presence of

1.

LIST OF SPECIALIZED ITEMS / JOBS List I - Civil Works

- 1. ** Water proofing treatment work.
- 2. Steel work in steel bridge work, space frames for long span structures, steel towers.
- 3. ** Special foundations including all types of piles.
- 4. RCC Overhead Tank with independent staging.
- 5. Structural Repair and Rehabilitation/ Retrofitting works.
- 6. Soil Investigation and Survey Work.
- 7. ** Facade cleaning system and façade cleaning.
- 8. Custom made wooden furniture (factory made).
- 9. Diaphragm walls.
- 10. Post construction Anti-termite chemical treatment.
- 11. Water Treatment Plants
- 12. Security to vacant bungalows/premises.
- 13. Tentage works.
- 14. Washing/dry cleaning works.
- 15. Synthetic play area surface for games.
- 16. Electronic / Digital Signages.
- 17. Environment Impact Assessment Study and Environment Clearance.
- 18. Mechanized Housekeeping Work.

Note:

**For these works, Specialized Agencies shall have to be associated by the duly approved specialized agency by Engineer-In-Charge in case the Contractor does not possess the requisite eligibility and experience as per the NIT conditions to carry out these works..

Electrical Works

LIST- II (A)

- S. No. Supplying /fabrication, installation, testing and commissioning of the following
- 1. Kitchen equipment
- 2. Lifts, escalators and conveyors
- 3. Simultaneous interpretation systems
- 4. Gas plants.
- 5. Cold storage plant
- 6. Hot Water/Steam Boilers
- 7. Public address system; conferencing system, automatic vote recording system, recorders
- 8. Stage lighting
- 9. Projector and other special equipment for theatre
- 10. Repairs and calibration of various types of measuring instruments and relays etc.
- 11. Testing of transformer oil and dehydration and other type of high potential test.
- 12. Frequency Convertor
- 13. Temporary illumination, security lighting and wiring for power outlets for metal detectors in connection with Republic Day and Independence Day Celebrations.
- 14. EPBAX system (equipments).
- 15. EPBAX system (cabling and wiring).
- 16. Illumination of heritage caves and fiber optic lighting system
- 17. Security system and alarm
- 18. Building Automation System
- 19. Hydraulic platform /Lift
- 20. Incinerator
- 21. Laundry equipment
- 22. Centralized clock system.

- 23. Interior/exterior flood lighting of heritage/Monumental buildings/structures involving Computer aided design and evolution of special mounting arrangements for luminaries:
- 24. Gas pipe line
- 25. Modular OT
- 26. Electrically Operated Gate
- 27. Fountain Work
- 28. Water supply motors and pumps of 100 hp or more
- 29. Mechanized Car Parking Systems
- 30. VRV/VRF Type Air-Conditioning Systems
- 31. Oxygen Generation Plant
- 32. CCTV and Allied Equipments
- 33. Access Control System
- 34. Hydro Pneumatic Pumps
- 35. Providing and fixing of Sensor operated Gates
- 36. Precision Air Conditioning System
- 37. LAN System
- 38. SITC of active power factor filter
- 39. SITC of Solar Photo Voltaic Power generation system

LIST-II (B)

- S. No. Supplying /fabrication, installation, testing and commissioning of the following
- 1. Diesel Generating Set
- 2. Heating, Ventilation and Air-conditioning System
- 3. Sub-station equipment
- 4. Fire fighting system (including wet riser and sprinkler system, portable fire extinguishers)
- 5. Fire detection and alarm system

NO CLAIM CERTIFICATE

(On company letterhead)

To,
Executive Engineer, Project Cell, AIIMS, Raipur
Name of Work :
Agreement No. :
Sub: No claim declaration / certificate
We have received the sum of Rs. (Rupees
Yours faithfully,
Signatures of contractor
or Officer authorised to sign the contract documents
on behalf of the contractor
(Company stamp)
Date:
Place:

APPROVED MATERIALS LIST (CIVIL)

Note:

- 1. Unless otherwise specified, the brand/make of the material as specified in the item nomenclature or in the particular specifications or in the list of approved materials attached in the tender, shall be used in the work.
- 2. The Contractor shall obtain prior approval from the Engineer-in-charge before placing order for any specific material/ Brand/ Make.
- 3. Whenever the specified brand of material is not available then, the Engineer-in-charge may approve any material equivalent to that specified subject to proof being offered by the Contractor for its equivalence and its non-availability to his satisfaction.

1.	Acid/Alkali Resistant Tile	Somany/ Nitco/ Kajariya/ Bell			
2.	Premium Acrylic Emulsion Paint:	Asian (Royale)/ ICI (Velvet)/ Berger (Luxol Silk)/			
	Interior	Nerolac Impression			
3.	Admixures& Epoxy	FOSROC/ Aquomix/ BAL-			
		ENDURA/ROFF/Dr.Fixit/CICO/SIKA/BASF			
4.	Aluminium Composite Panel	Alpolic/ Aluco Bond/ Reynobond/ Euro bond/ Al-			
		strong/Aludewr			
5.	Aluminium Extrusions/ Sections	Hindalco/ Indalco/ Jindal/Indian Aluminium Co.			
6.	P.T.M.T. Accessories	Prayag, PRAKASH, SHURYA/Supreme/Kingston			
7.	Annealed Float Glass	Saint Gobain/ Modi Guard/ Hindustan			
		Pilkington/TATA			
8.	Centrifugally Cast Iron Pipe &	Neco/ RIF/ Kapilansh/ BIC/SKF/Electrosteel			
	Fittings				
9.	Ceramic Tiles	Kajaria/ Somany/ Nitco/ Orient Bell/			
		Johnson/Varmora/AGL/OASIS/Marbito			
10.	Cement Concrete Chequired	Raj-Tiles/ Bharat/ Rigid Tiles/Advance/Ultra			
	tiles	Tiles/NITCO			
11.	CP Bottle Trap	Parryware / Hindware/ Jaquar/ GRAFDOER by VMS			
		BathwarePvt. Ltd./Prayag			
12.	CP Brass Bibcock/ Pillarcock/	Marc(oriental series)/ Parko/ Jaquar (Continental			
	Stopcock/ Angle Valve/	series)/SPRING COLLECTION OF PRIMA			
	Concealed Stop Cock & CP	/GEM/ESS/Plumber/ GRAFDOER by VMS			
	fittings	BathwarePvt. Ltd. /L&K Metro/Vardhman/'Coral'			
		series of parryware/'JOY' & 'VINTAGE' series of			
	(Normal Range)	KEROVIT by Kajaria / Prayag			
13.	CP Waste Coupling	Mark/ GRAFDOER by VMS BathwarePvt. Ltd./ Parko			
		or equivalent /Prayag			
14.	Curtain Carrier	Vista levlor or equivalent.			
15.	Dash fastener/ Expansion	M/s DevAshish/HILTI/Fischer/Bosch/Wurth/Trixel.			
	Bolt/Stone Cladding Clamp				
16.	Door closer/ floor springs	Dorma/ Haffle/			
		Falcon/Godrej/Dorset/Kich/Sandhu/Hardwyn			
17.	Drapery Rod	Vista Levlor or equivalent.			
18.	Flushing cistern (single/Dual	Sleek Dual flush PVC cistern of Hindware /			
	Flush) as per IS: 7231	'Slimline'ofParryware /Prayag			
19.	EPDM Gasket	AnandLescuyer or equivalent.			

20.	Epoxy Primer & Paints	Berger/ Pidilite/ CICO/ BASF/			
20.	Spory Timer & Familie	SIKA/Asian/Nerolac/ICI Kansai Akzo Nobel.			
21.	Fibre Glass Shelf	Kamal/ Bath King or equivalent.			
22.	Float/Clear/Frosted/Toughened	Modi Float/ Saint Gobain/ Asahi/AIS/Modiguard.			
	/Refractive Glass				
23.	Flush Doors / Shutters as per	Kutty flush door/ Anchor/ Century/			
	IS: 2202	Kitlam/Archid/JAYNA/Ashiyana Brand by Evergreen			
		Industries/ Bhimsaria Door/ Century/ Greenply			
		/Archid/Kitply/Selected Products Company/Jain			
		Doors pvt. ltd./Duro/Durian			
24.		Aquel/ Marc/ Parryware/ Jaquar /Prayag			
25.	FRP Shutters/frame	Fibre Glass Engineers/ Raipur/ Aashoo Model or			
		equivalent/JAYNA/ Selected Products Company.			
26.	,	Shakti/ Arrow/ Hilti/ Fischer			
	Anchor Fasteners				
27.)	Tata/ Jindal/ Zenith/UNIK/AVR/Zoloto.			
28.	1	Tata/ Zenith/ Jindal (HISAR)/Prakash Surya.			
29.	Glass Mosaic Tile	Bissazza/ Saon or equivalent.			
30.	Gun Metal Gate Valve	Zoloto/ Leader/ SAINT			
31.	False Ceiling system	Boral Gypsum / India Gypsum/ Laffarge/ St.			
		Gobain(Gyproc)/ Armstrong/Hunter			
20	II d	Dougals/Aearolite/Gridsquare/Interarch			
32.	Hardner	Hard crete of Snowcem India/ MC Deritop F.H.			
33.	3	Parryware/ Jaquar/ Grohe/ Kohler			
34.	Laminate	Marino/ Greenlam/ Decolam/ Century/ Formica/			
25	Lavy Laval DVC Ciatama Single	Kitlam/Action TESA/Sunmica/Durian Sleek model Cistern of PVC of Hindware or 'Slimline'			
33.	Low Level PVC Cistern Single flush	model of Parryware, JINDAL /Prayag			
36.	Melamine Polish	Melamine Gold of Asian Paint/Wudfinof			
50.	Welanine i onon	pidilite/Timbertone of ICI Dullex/ Beegel.			
37	Metal False Ceiling	Nittobo / Armstrong / Trac / Durlum /			
	nietai i aise cennig	Huntordonglas/Aerolite			
38.	Mineral Fibre/Calcium silicate	Armstrong / Nitobo / Daiken / Hunter Douglas/			
	Ceiling	Aerolite			
39.	Modular SS Railing System	Metallica India / Stark steel Fabricator / D-line			
		International Denmark / Mobel Hardware.			
40.	M.S .Pipe (Railing)	Jindal / Prakash Surya/ Tata/ RINIL			
41.	Marine Plywood / BWP Ply	Kitply / Duro / Century/ Greenlam/ Durian			
42.	Non asbestos high impact	Everest or equivalent			
	polypropelene reinforced				
	Cement sheet				
43.	Oil Bound Distemper/Dry	Asian (Professional Acrylic Distemper)/Maxilite of ICI			
	Distemper	/ Bisan of Berger/Nerolac (Beauty Acrylic Distemper)			
44.	,	Parryware / Hindware / KEROVIT' by Kajaria/ESSCO			
	type) & fittings, accessories as	by Jaquar.			
	per IS : 2556				
45.	PE-AL-PE Composite pipes	Jindal or equivalent.			
46.	Plastic Connection Pipe	Parryware/Kamal Delux or equivalent.			
47.	Plywood/Veneer	Archid/ Kitply/ Green ply/ Century/JAYNA/Green			
		Ply/Merino/Duro/Durian			

4.0	D1 + D 1 0 +:	N 1 / D / 10 N			
	Polyester Powder Coating	Nerolac/ Berger/ J&N			
49.	Poly Sulphide Sealant	PIDISEALbyM/s Pidilite Industry/RDL941- TECHSEALChokseyChemicals/BASF/SIKA/Fosroc			
<u> </u>	Polymer Modified Cementitious	BalEndura/			
50.	· ·	,			
51.	grout Pre-laminated Particle Board IS:	PidiliteKeroKoal/Ultratech/Ardex/Ferrous Crete.			
31.	12823 (Gr-I/ Type-II)	Kitlam/ Tesa/ Archidply/Eco brand/Century/Bhutan board/Action Tesa/Greenlam/Merino			
52.		Decoprime WT of Asian/ white primer of ICI/BP white			
02.	Timer (cement rimer)	of Berger/ Nerolac			
53.	PVC Rain Water Pipe & Fitting	Finolex/ Classic of Kisan/ Kasta/ Supreme/AKG.			
54.		Rajshri/ Sintex/Polyline/Duroplast/Jain wood			
		Industries.			
55.	PVC Tiles	Arm Strong/ LG or equivalent.			
56.		GKW / Nettle Fold or equivalent.			
57.		G.E./ DOW Corning/Waker/BASF/Pidilite/ROFF			
58.		EWC standard seat cover white of			
		Parryware/Hindware/'KEROVIT' by Kajaria			
59.	Stainless Steel	Jindal Stainless Steel/ Salem Steel			
60.	Stainless Steel Screws	Kundan/ Arrow or equivalent.			
61.	Stainless steel Sink with or	Nirali/ Hindware/ Frankee/ Cobra/AMC/			
	without Draining board.	GRAFDOER by VMS BathwarePvt.			
		Ltd./Parryware/Neelkanth/Nirali			
62.	Structural Silicon Sealant	Dow Corning/ Wacker/ GE/ Du-pont			
63.	Structural steel	TATA/ SAIL/ RINL/TISCO/JSW Steel ltd./Jindal			
		steel & Power ltd.			
64.	1 1	MC Baucheme/ Sika/ Fosroc			
65.	Synthetic Enamel Paints	Gloss Synthetic Enamel of ICI(Dulux)/Asian (Apcolite			
		Premium gloss)/Berger (Luxol Hi Gloss)/ Synthetic Hi			
	m	Gloss of Nerolac			
66.		Raj-Tiles / Bharat / Rigid Tiles / NIC / A-1 / GTC			
67.	Cement Concrete Paver Block &Kerb stone	Rigid Tiles/ Raj-Tiles/Advance			
68.	Textured Exterior wall paint	Spectrum/ Ultratech / Heritage by Bakelite coating			
		and paints/Asian paint/Berger/Nerolac/Luxture.			
69.	Towel Ring/Towel Rod/Towel Rack	Kamal/ Marc or equivalent /Prayag			
70.	Pre-Painted/powder coated CRC	M/s classic engineers and fabricators/ M/s JK			
	windows	Enterprises Jaipur/ Nclalltek&seccolor ltd.			
		Hydrabad/ ultimate safety metals.			
71.	Veneer	Archid/ SUN/ Durian/ Ventura/ NLDK			
72.	Virtuosos China Wash Basin	Hindware / Parryware / KEROVIT' by			
	Oval	Kajaria/CERA/Jaguar/ESSCO by Jaquar /Prayag			
73.		Parryware / Hindware / KEROVIT' by Kajaria/			
	European with Cistern Complete	CERA/Jaguar/ ESSCO by Jaquar / Prayag			
74.		Parryware / Hindware / KEROVIT' by Kajaria/			
7-	European W.C. without cistern	CERA/Jaguar/ ESSCO by Jaquar/Prayag			
75.	Vitreous China Half stall Urinal	Model No. 6002 Urinal flat back large of Hindware or			
7.0	Witnesses Object to to see a City	magnum of Parryware / ESSCO by Jaquar / Prayag			
76.	Vitreous China laboratory Sink	Hindware / Parryware / KEROVIT' by Kajaria/			
		CERA/Jaguar/ ESSCO by Jaquar/Prayag			

_		, , , , , , , , , , , , , , , , , , ,
77.	Vitreous China Low Level	Hindware / Parryware / KEROVIT' by Kajaria/
	Cistern for European W.C.	CERA/Jaguar/ ESSCO by Jaquar/Prayag
78.	Vitreous China Pedestal for	Pedstal of Parryware / Hindware or equivalent/
	Wash Basin	CERA/Jaguar/ ESSCO by Jaquar/Prayag
79.	Vitreous China Wall Mounted	Parryware / Hindware / KEROVIT' by Kajaria/
	W.C. with vitreous Cistern	CERA/Jaguar/ ESSCO by Jaquar/Prayag
	(component)	
80.	Vitreous China Wall Mounted	Parryware / Hindware / KEROVIT' by Kajaria/
	W.C. without Cistern.	CERA/Jaguar/ ESSCO by Jaquar/Prayag
81.	Vitreous China Wash Basin	Hindware / Parryware / KEROVIT' by Kajaria/
	Rectangular without Pedestal	CERA/Jaguar/ ESSCO by Jaquar/Prayag
82.	Vitrified /Porcelain Tile	Marbogranit/ Euro/ Somany/ diamond of Naveen
		/Granamite of Bell /OASIS/ceramic/ Granito/
		Kajaria/ M/s Restile//Rak/ Johnson/Nitco/
		Varmora/AGL/Marbito.
83.	Waste Pipe	Kamal with brass checknut/Viking
84.	Water Proofing Compound	Pidiproof Ltd./CICO/ Super plast by M/s Structural
	(Liquid)	water proofing/ Impermo/FOSROC/Dr.Fixit (Pidilite
		Industries))/BASF/ROFF/SIKA/ArdexEndura
		(BalEndura).
85.	White Cement	JK White/ Birla White.
86.	CPVC Pipes as per IS: 15778	AKG/Ashirvad/PRIME FLOW OF KRISHI
		POLYMERS/Supreme/KSR by Kisan
		irrigation/Flowguard plus by finolex/Prince /Prayag
87.	Teak wood/hard wood wire mesh	A-1 Teak product Indore or equivalent.
	& panel doors	
88.	Reinforcement steel	Tata/Sail/RINL/Jindal/Jindal steel & power ltd.
89.	Block Boards as per IS: 1659	JAYNA/Century/Greenply/Archid/Kitply or
		equivalent.
90.	Brass bib cocks/stop cock	Marc/Parko/Jaquar/SPRING COLLECTION OF
		PRIMA as per IS: 781 or equivalent/Prayag
91.	Brass ball cocks (Float valve)	Marc/Parko/Jaquar /SPRING COLLECTION OF
		PRIMA as per IS:1703 or equivalent/Prayag
92.	Water meter	SPRING COLLECTION OF PRIMA as per IS: 779 or
		equivalent.
93.	HDPE Pipes as per IS:4984	KRISHNA plast pipes/KSR by Kisan
		irrigation/Supreme/Reliance/Jain
94.	uPVC Pipes as per IS: 4985	KRISHNA plast pipes/AKG/ KSR by Kisan
		irrigation/Supreme/Astral/Prince/Ashirwad/Prayag
95.	uPVC Screen and casing pipes	KRISHNA plast pipes/KSR by Kisan
	for bore well/tube well as per IS	irrigation/Supreme/Prayag
	: 12818	
96.	uPVC-SWR Pipes SN 8 as per IS:	KRISHNA plast pipes/KSR by Kisan
	13592	irrigation/Finolex/AKG/Supreme/Prince/Ashirwad/
		Astral/Prayag
97.	Wooden Shutter with frame	Siesto Brand by Bramsaria doors or equivalent.
98.	uPVC Windows/Doors	SIESTO Brand by Bhimsaria
		Polymers/Duroplast/Fenesta/Komerling/Wintech/Al
		uplast
99.	Cement (OPC/PPC)	A.C.C., Jaypee Cement, Ultratech, Shri Cement, JK

		Lakshmi, GujratAmbuja Cement and Cement			
		Corporation of India.			
100	Corrugated GI Sheets	Tata, Essar , Sail JSW, Bhusan			
	Colour coated profile sheets	Tata (Ezydeck)/Lloyd Superdeck/JSW/Jindal			
	Float Glass Profile Sheet TATA	Tata, Modiguard, Saint Gobain			
102	(transparent)	rata, modigatia, saint dosain			
103	Aluminium doors & window	Jyoti , Argent, Everest/Kilong/Alualpha/classic/Ebco			
	fittings (Heavy duty)				
104	Steel/Wood primer / paint	ICI delux, nerolac, berger, asian			
105	Bitumen 85/25 Emulsion (MS)	HPCI, IOCL,BPCL			
106	PVC water storage tanks	Sintex, water well, Siltank, Polywell/Plasto/			
		'SILTANK' by Supreme			
107	Bitumen VG-30, VG-10	As per particular specification of item from IOCL,			
100		BPCL, HPCL.			
108	Rigid Phenolic foam for cold and	Phenotherm manufactured by Bakelite Hylam ltd			
100	hot insulation as per IS: 13204 Surface Texture Finishes	Havitana manafatana di ba Daladita Castin na 0 mainta			
109	Surface Texture Fillishes	Heritage manufactured by Bakelite Coatings & paints ltd. or equivalent			
110	FRP Chhajjas	Selected Products Company or equivalent.			
	FRP Porta cabin	Selected Products Company or equivalent. Selected Products Company or equivalent.			
	G.I. Wire-mesh/Netting	Selected Products Company or equivalent. Selected Products Company or equivalent.			
	Wall Putty (White Cement based)	Buildwell (Walplast Products Pvt. Ltd.)/Birla wall			
	wan racey (write demone basea)	care/JK white/Berger/Asian paints/ferrous Crete			
114	AAC block	'Ecorex' manufactured by EcorexBuildtechpvt. Ltd. or			
		equivalent.			
115	UPVC Agriculture/Pressure	AKG Extrusion Pvt Ltd. or equivalent /Prayag			
	pipes and fittings				
116	UPVC underground drainage &	KSR by Kisan			
	sewerage pipes SN 8 as per	irrigation/Finolex/AKG/Supreme/Prayag			
117	IS:15328				
117	Fabrication of aluminium&	Skyler World or equivalent.			
	UPVC doors, windows, Facades				
118	including ACP and glazing work Fabrication of aluminium	KANHA ALU AND FAB PVT. LTD., Raipur or			
110	structural glazing and	equivalent.			
	aluminium doors & windows.	equivalent.			
119	Processing and fabrication of	Wadhwa Glass Works (P) Ltd., Raipur or equivalent.			
	glass (toughened, DGU and	(-)			
	lamination				
120	Glass reinforced Gypsum (GRG)	'Diamond' manufactured by Diamond International			
	false ceiling	Inexpvt. Ltd/Gyproc by Saint Gobain.			
121	Wooden shutter with frame	'Bhimsaria' or equivalent			
	PPR-C pipes as per IS: 15801	KSR brand/Supreme/Prayag			
123	PVC fittings as per IS: 10124	KSR brand or equivalent/Prayag			
	and IS: 7834				
124	PVC underground draingae pipes	Supreme or equivalent/Prayag			
	(structured wall type) as per IS:				
105	16098 PVC septic tanks	'Safegard' by Supreme or equivalent			
	PVC septic tanks PVC underground water tanks	'Amrutam' by Supreme or equivalent			
120	r ve underground water tanks	Annutain by Supreme of equivalent			

127	PVC readymade toilet blocks	'Cleanage' by Supreme or equivalent				
	PVC chambers & Manholes	Supreme or equivalent				
	Pre-Painted/powder coated CRC	M/s classic engineers and fabricators/ M/s JK				
	windows	Enterprises Jaipur/ Nclalltek&seccolor ltd.				
		Hydrabad/ ultimate safety metals.				
130	White cement based polymer	Ultratech/Dr.Fixit/ Sika/ Fosroc				
	modified self curringmortor					
131	Gypsum plaster	Ferrous crete/ Gyproc (Elite-90)/ Ultratech				
	Tile Adhesive	Ferrous Crete / Ardex/ Endure (Gold Star)/ Pidilite				
		(Fevimatex)/ Weabr (Saint Gobain)				
133	Integral water proofing	FOSROC/ Conplast 421/Dr.fixit : LW+/ Sika :				
	compound with cement (for	sikacim/Asian Paints: Smart care vitalia& equivalent				
	plaster & mortar)	product of BASF/CICO/ArdexEndura				
134	Water proofing for	Fosroc: Brush Bond/CICO:Tapecrete/Dr.fixti : Pidilite				
	bathroom/toilet/balcony & other	2k/Sika: Nito Bond/Asian Paints: Damp Block 2k &				
	wet areas.	Equivalent Product of BASF/Ardex endure				
135	Crystalline water proofing	Fosroc : Fosroc crystalline/Dr.Fixit: Dr.fixit				
	compound.	crystalline/Sika: Sika Crystalline/Asian				
		Paints:Crystalline Quart & Equivalent Product of				
		BASF/CICO/ArdexEndura				
136	Polycarbonate sheet	GE Plastic/Lexan/MG Polyplast				
137	Fire rated doors	Signum fire protection/Shakti				
		Metdoor/NAVAIR/Sukri/Promat International				
138	Stainless steel railing	Jindal/Dorma/Kich/GEZE/Godrej/Hardwyn				
	Accessories					
139	Stainless steel door & windows	Jindal/Dorma/Kich/Dorset/Godrej/Ozone				
	fittings					
140	Acrylic Distemper 1st quality	Asian Paints (Tractor Aqua Lock Paint)/ Berger:				
	(washable/Readymix/Low VOC)	commando or equivalent paints of Nerolac or ICI-				
		Dulux.				
141	Plastic emulsion plaint	Asian paint: (Apcolite Heavy Duty Premium Emulsion				
		paint)/ Nerolac :Impressio/Berger:Easy clean/ICI-				
		Dulax:Velvet touch				
142	Acrylic Smooth Exterior Paint	Asian Paint : (Apex/ Professional Premium Exterior				
		Emulsion/ Nerolac: XL/Berger: Weather coat/ICI-				
1.0		Dulux: Weather Shieled				
143	Premium Acrylic Smooth	Asian paint: Apex Ultima/Nerolac: XL Total/Berger:				
	Exterior Paint with Silicon	Weather coat all guard/ICI dulux: Weather Shield				
111	Additive	max				
144	Fire paint	Asian paints/Akzo Nobel Coatings India ltd./				
1 4 5	D.I. Dimon 9. fitting are	PROMAT/Jotun				
145	D.I. Pipes & fittings	Electrosteel/Jindal/Tata				
140	C.I. manhala assuma for the O.I.	Ductura/Kapilansh/Kesorom				
146	C.I. manhole covers, frames & CI	Neco/Raj iron Foundary Agra/BIC/SKF/Kapilansh				
1 4 7	Gratings	KK / Join Progeti				
	SFRC manhole cover & Grating	K.K./Jain Pragati				
148	C.P. Brass fittings (Superior	Jaquar/Grohe/Roca/Prayag				
140	Range) Sanitary ware fittings &	Kohler/Roca/Hindware/Parryware/Prayag				
		- 8 D.D.E. / 8 D.C. / ETTLOW/STE / PSTT//W/STE / PTSVSG				
179	Accessories (Superior range)	Notice Noca midware 1 arry ware 1 rayag				

150	Mirror glass	Atul/Modi Guard/Golden Fish			
151	Extruded Polystyrene Insulation	Dow Corning/Supreme/Taxes/Analco			
	Board				
152	Heat Resistant Tiles	Swastik/Thermatek			
153	Floor Hardener	Ironite/Ferrok/Hardonate			
154	Modular Expansion Joint	Herculus/Sanfield India Ltd. Vexcolt			
155	Glass Wool	Dow Coring/ U.P. Twinga/Isover			
156	UPVC Doors and window	Rotto/Dorset/Kinlong			
	hardware				
157	AAC Block adhesive	Ecorex/Ultratech/ArdexEndura/Ferrous Crete			
158	Ready Mix Plaster	Ultratech/Ferrous Crete/Saint Gobain			
159	Post tension slab	Ultracon technology limited/Tech-9/CRUX			
160	Acoustical Wall paneling	Hush or equivalent to be decided by Engineer-in-			
		charge.			
161	Sports Vinyl Flooring	Ebaco or equivalent to be decided by Engineer-in-			
		Charge			

Note: Engineer-in Charge, AIIMS Raipur reserves the right to add or delete any material(s) and brands in the list of approved materials/brands on the recommendations of Competent Authority, AIIMS Raipur

PROFORMA OF SCHEDULES

SCHEDULE 'A'

Schedule of quantities (as per PWD-3) : (Attached in e-procurement site)

SCHEDULE 'D'

Extra schedule for specific requirements/ : **Nil**

document for the work, if any.

SCHEDULE 'E'

Reference to General Condition of Contract : CPWD GCC-2023 (Maintenance Works)

modified and amendment up to the

last date of submission of tender.

Name of work : "Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)"

Estimated Cost of work : **Rs. 1,05,75,666.00**

(i) Earnest money : **Rs. 2,15,000.00**

(To be returned after receiving of

Performance Guarantee)

(ii) Performance Guarantee : 5% of tendered value.

(iii) Security Deposit : 2.5% of tendered value.

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS:

Officer inviting tender : Executive Engineer, AIIMS Raipur

on behalf of Director AIIMS Raipur.

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with

Clauses 12.2 & 12.3.

See below

Definitions:

2(vi) Engineer-in-Charge : Executive Engineer, AIIMS Raipur

2(viii) Accepting Authority : Executive Engineer, AIIMS Raipur

(C.G)

2(x) Percentage on cost of materials and

labour to cover all overheads and profits : 15%

2(x)(b) Standard Schedule of Rates : As per DSR (Civil) 2023 and Market

Rate

2(xi) Department

Engineering **Department Project**

Cell, AIIMS Raipur.

9(ii) Standard CPWD contract Form

GCC (Maintenance Works) 2023 & CPWD Form 7/8 as modified & corrected up to last date of receipt

of Bid/tender.

CLAUSE 1

(i) Time allowed for submission of Performance

Guarantee, programme chart

(Time and progress) and applicable labour

Licenses, registration with EPFO,

ESIC and BOCW welfare board or proof of applying Thereof from the date of issue of

letter of acceptance

(ii) Maximum allowable extension with late fee

@ 0.1% per day of Performance Guarantee amount beyond the period Provided in (i) above 07 Days

CLAUSE 2

Authority for fixing compensation under clause 2

Superintending Engineer/ Director,

AIIMS

03 Days

CLAUSE 2A

Applicable clause 2/ Clause 2A

CLAUSE 2

10 Days

CLAUSE 5

Number of days from the date of issue of letter of acceptance for reckoning date of start

Mile stone(s) as per table given below:-

		Time allowed in	Amount to be with-
Sl	Description of Milestone (Physical)	days (from date of	held in case of
No		start)	non-achievement
			of
1	*		
2	NIL		
3			
4			\uparrow

Time allowed for execution of work - **24 Months**.

Authority to decide:

(i) Extension of time Executive Engineer, AIIMS Raipur (C.G.)

(ii) Rescheduling of mile stones Executive Engineer/Director, AHMS Raipur

(iii) Shifting of date of start in case of

delay in handing over of site Executive Engineer/Director, AIIMS Raipur

PROFORMA OF SCHEDULES CLAUSE 5

Schedule of handing over of site

Part	Portion of Site	Description	Time Period for handing		
			over reckoned from date		
			of issue of letter of Intent.		
Part A	Portion without any	All works	10 days		
	hindrance				
Part B	Portions with	NA	NA		
	encumbrances				
Part C	Portions dependent	NA	NA		
	on work of other				
	agencies				

Clause 5

Applicable clause 5/ Clause 5A : <u>Clause 5</u>

Clause 6: Computerised Measure Book (CMB)/ Electronic Measure Book(EMB)

Mode of Measurement : CMB

CLAUSE 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment. Rs. 5,00,000.00

CLAUSE 7 A

Whether clause 7A shall be applicable : **YES**

CLAUSE 10A : As required by Engineer-in-

Charge

CLAUSE 10B (II)

Whether Clause 10 B (ii) shall be applicable : Not Applicable

CLAUSE 10C : Not Applicable

Component of labour expressed as percent of

value of work : 25%

CLAUSE 10CC : Not Applicable

CLAUSE 11

Specifications to be followed for execution of work : CPWD General Specifications for Civil

2019 Vol-1 & II with upto date correction

slips

CLAUSE 12

Authority to decide deviation upto 1.5 times : **Executive Engineer/Director, AIIMS**

of tendered amount Raipur

12.2

Deviation Limit beyond which clauses

12.2 & 12.3 shall apply for building work : No limit

CLAUSE 16

Competent Authority for deciding reduced : Superintending Engineer/ Director, AIIMS Raipur rates.

CLAUSE 18

List of mandatory machinery, tools & plants: As required by Engineer -in- Charge to be deployed by the contractor at site

CLAUSE 19 C... Engineer- in charge (Executive Engineer) to decide penalty for each default

CLAUSE 19 D... Engineer- in charge (Executive Engineer) to decide penalty for each default

CLAUSE 19 G ... Engineer- in charge (Executive Engineer) to decide penalty for each default

CLAUSE 19 K ... Engineer- in charge (Executive Engineer) to decide penalty for each default

CLAUSE 19 L ... Applicable

CLAUSE 25

(i) Conciliator: TO BE DECIDED BY EXECUTIVE DIRECTOR, AIIMS Raipur

(ii) Arbitrator Appointing Authority : TO BE DECIDED BY EXECUTIVE DIRECTOR, <u>AIIMS</u> Raipur

(iii) Place of Arbitration: RAIPUR (C.G.) / BILASPUR (C.G.)

CLAUSE 32 : As per direction of Engineer-in-Charge

CLAUSE 38 : Applicable

SCHEDULE OF QUANTITY

Name of Work: Annual Repairs and Maintenance works in the area of College Complex, Hostel Complex Auditorium and Service Building, AIIMS Raipur (FY 2024-26)

NIT No: 8/EE/AIIMS/RPR/2024-25 (3rd Call)

	Mars Description	I			
SI. No.	Item Description	Quant ity	Units	Estimat ed Rate in Rs. P	TOTAL AMOUNT (Inclusive of all taxes) in Rs. P
1	2	3	4	5	6
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level				
1.01	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	6.00	cum	7878.50	47271.00
1.02	1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources)	4.00	cum	6518.60	26074.40
2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
2.01	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	5.00	cum	9895.20	49476.00
2.02	1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources).	4.00	cum	8519.20	34076.80
3	Centering and shuttering including strutting, propping etc. and removal of form work for :				
3.01	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc.	50.00	sqm	842.50	42125.00
4	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:				
4.01	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	15.00	cum	9045.75	135686.25
5	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement				

5.01	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	12.00	cum	10852.9 5	130235.40
6	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	15.00	cum	11505.5 0	172582.50
7	Centering and shuttering including strutting, propping etc. and removal of form for				
7.01	Suspended floors, roofs, landings, balconies and access platform	50.00	sqm	927.25	46362.50
7.02	Lintels, beams, plinth beams, girders, bressumers and cantilevers	25.00	sqm	736.40	18410.00
7.03	Columns, Pillars, Piers, Abutments, Posts and Struts	20.00	sqm	961.30	19226.00
8	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.				
8.01	Thermo-Mechanically Treated bars of grade Fe-500D or more.	500.00	kg	107.85	53925.00
9	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
9.01	Thermo-Mechanically Treated bars of grade Fe-500D or more.	500.00	kg	107.85	53925.00
10	Providing and fixing in position Stainless steel Grade 304 plate-1.0 mm thick as per design for expansion joints.				
10.01	200 mm wide.	25.00	metre	859.75	21493.75
11	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
11.01	Cement mortar 1:4 (1 cement : 4 coarse sand)	5.00	cum	7370.65	36853.25
12	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
12.01	Cement mortar 1:4 (1 cement : 4 coarse sand)	8.00	cum	9344.35	74754.80
13	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
13.01	Cement mortar 1:4 (1 cement :4 coarse sand)	25.00	sqm	1123.80	28095.00
14	Extra for providing and placing in position 2 Nos 6mm dia. M.S. bars at every third course of half brick	25.00	sqm	104.80	2620.00

	masonry.				
15	Brick work with non modular fly ash bricks conforming to IS:12894, class designation 10 average compressive strength in super structure above plinth level up to floor V level in :				
15.01	Cement mortar 1:4 (1 cement : 4 coarse sand)	8.00	cum	8962.35	71698.80
16	Half brick masonry with non modular fly ash bricks of class designation 10, conforming IS:12894, in super structure above plinth and upto floor V level.				
16.01	Cement mortar 1 : 4 (1 cement : 4 coarse sand)	25.00	sqm	1105.80	27645.00
17	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels.				
17.01	Granite stone slab of colour black, Cherry/Ruby redArea of slab upto 0.50 sqm	40.00	sqm	5413.50	216540.00
17.02	Granite stone slab of colour black, Cherry/Ruby red Area of slab over 0.50 sqm	40.00	sqm	5136.30	205452.00
18	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.				
18.01	Granite work	20.00	metre	510.95	10219.00
19	Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete.	60.00	metre	568.55	34113.00
20	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	5.00	each	978.70	4893.50
21	Providing and fixing 75 mm high, 50 mm deep and 18 mm thick stone slab table rubbed, edges rounded and polished, fixed in urinal partitions by cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth.				

21.01	Granite Stone of approved shade	10.00	sqm	4051.85	40518.50
22	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	700.00	sqm	1267.95	887565.00
23	Extra for providing frosted glass panes 5 mm thick (weight not less than 12.5 kg per sqm) instead of ordinary float glass panes 5 mm thick (weight not less than 12.5 kg per sqm) in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured).	50.00	sqm	176.40	8820.00
24	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.				
24.01	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	35.00	sqm	3473.85	121584.75
25	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.				
25.01	Fixed to openings /wooden frames with rawl plugs screws etc.	500.00	kg	238.35	119175.00
26	Providing and fixing IS: 12817 marked stainless steel butt hinges (heavy weight) with stainless steel screws etc. complete:				
26.01	100x60x2.50 mm	150.00	each	106.35	15952.50
26.02	75x50x2.50 mm	500.00	each	89.30	44650.00
27	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISi, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	50.00	each	983.15	49157.50
28	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete.				
28.01	Size 40 mm	25.00	each	319.75	7993.75

29	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete:				
29.01	300x16 mm	100.00	each	303.25	30325.00
29.02	250x16 mm	200.00	each	260.60	52120.00
30	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:				
30.01	200x10 mm	500.00	each	99.70	49850.00
31	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete				
31.01	125 mm	100.00	each	66.25	6625.00
31.02	100 mm	150.00	each	59.55	8932.50
32	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.				
32.01	Twin rubber stopper	500.00	each	72.35	36175.00
33	Providing and fixing bright finished 100 mm mortice lock with 6 levers without pair of handles of approved quality for aluminium door, with necessary screws etc complete as per direction of Engineer- in-charge.	50.00	each	850.05	42502.50
34	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete.				
34.01	Double strip (horizontal type)	200.00	each	39.70	7940.00
35	Providing and fixing powder coated telescopic drawer channels 300 mm to 600 mm long with necessary screws etc. complete as per directions of Engineer- incharge.	50.00	one set	414.20	20710.00
36	Providing and fixing Fiber Glass Reinforced plastic (FRP) Door Frames of cross-section 90 mm x 45 mm having single rebate of 32 mm x 15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2mm thick and shall be filled with suitable wooden block in all the three legs. The frame shall be covered with fiber glass from all sides. M.S. stay shall be provided at the bottom to steady the frame.	150.00	metre	570.95	85642.50

37	Providing and fixing to existing door frames.				
37.01	30 mm thick Fiberglass Reinforced Plastic (F.R.P.) flush door shutter in different plain and wood finish made with fire retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate all around, with suitable wooden blocks inside at required places for fixing of fittings and polyurethane foam (PUF)/Polystyrene foam to be used as filler material throughout the hollow panel, casted monolithically with testing parameters of F.R.P. laminate conforming to table - 3 of IS: 14856, complete as per direction of Engineer-in-charge.	150.00	sqm	4488.95	673342.50
38	Providing and fixing bright /matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete.				
38.01	125 mm	50.00	each	119.20	5960.00
38.02	100mm	50.00	each	90.45	4522.50
38.03	75 mm	40.00	each	58.75	2350.00
39	Providing and fixing cupboard shutter with 19mm thick one side decorative and other side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand including 2mm thick PVC edge banding tape with hot glue by edge bending machine etc. with auto closing spring loaded hinges (hydraulic type) etc. complete as per direction of Engineerin- charge.(Payment of providing and fixing auto closing hinges shall be paid separately)	150.00	sqm	2829.25	424387.50
40	Providing and fixing 19mm thick both side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand boxes, shelves, racks, almirah, cupboard and drawer etc. including necessary nails, screws etc. complete as per direction of Engineer-in-charge.	100.00	sqm	2593.15	259315.00
41	Providing and fixing stainless steel fancy handle of approved make fixed with SS screws etc. complete as per direction of Engineer-in-charge.				
41.01	200 mm	75.00	each	186.65	13998.75
42	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	100.00	kg	117.35	11735.00
43	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	350.00	kg	133.70	46795.00
44	Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.	20.00	sqm	11439.6 0	228792.00

45	Providing and fixing 1 mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.				
45.01	Using flats 30x6 mm for diagonal braces and central cross piece	100.00	sqm	5563.75	556375.00
46	Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters.				
46.01	80x1.25 mm M.S. laths with 1.25 mm thick top cover	10.00	sqm	3653.20	36532.00
47	Providing and fixing ball bearing for rolling shutters.	2.00	each	492.35	984.70
48	Extra for providing mechanical device chain and crank operation for operating rolling shutters.				
48.01	Exceeding 10.00 sqm and upto 16.80 sqm in the area	10.00	sqm	1281.35	12813.50
49	Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer.				
49.01	Fixing with carbon steel galvanised dash fastener of required dia and size (to be paid for separately)	50.00	kg	136.00	6800.00
50	Providing and fixing pressed steel door frames conforming to IS: 4351, manufactured from commercial mild steel sheet of 1.60 mm thickness, including hinges, jamb, lock jamb, bead and if required angle threshold of mild steel angle of section 50x25 mm, or base ties of 1.60 mm, pressed mild steel welded or rigidly fixed together by mechanical means, including M.S. pressed butt hinges 2.5 mm thick with mortar guards, lock strike-plate and shock absorbers as specified and applying a coat of approved steel primer after pre-treatment of the surface as directed by Engineer-in-charge:				
50.01	Profile B Fixing with carbon steel galvanised dash fastener of required dia and size (to be paid for separately)	50.00	metre	570.40	28520.00

51	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
51.01	Hot finished welded type tubes	100.00	kg	194.40	19440.00
52	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
52.01	In stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required, all complete	200.00	kg	123.60	24720.00
52.02	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	150.00	kg	172.60	25890.00
53	Providing and fixing carbon steel galvanised (minimum coating 5 micron) dash fastener of 10 mm dia double threaded 6.8 grade (yield strength 480 N/mm2), counter sunk head, comprising of 10 mm dia polyamide PA 6 grade sleeve, including drilling of hole in frame, concrete/ masonry, etc. as per direction of Engineer-in-charge.				
53.01	10 x 120 mm	30.00	each	170.95	5128.50
53.02	10 x 160 mm	50.00	each	224.50	11225.00
54	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-incharge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	200.00	kg	772.40	154480.00
55	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) :				
55.01	25 mm thick	100.00	sqm	1948.25	194825.00
56	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete	10.00	sqm	2354.70	23547.00

57	Providing and laying Ceramic glazed / Anti Skid floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete	350.00	sqm	1096.55	383792.50
58	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.				
58.01	Size of Tile 600x600 mm	150.00	sqm	1553.45	233017.50
59	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, walls over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete.				
59.01	Size of Tile 600x600 mm	50.00	sqm	1623.05	81152.50
60	Providing and laying Vitrified tiles in different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, walls laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately).				
60.01	Size of Tile 600x600 mm	50.00	sqm	1893.90	94695.00
61	Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately).				
61.01	Size of Tile 600x600 mm	50.00	sqm	1725.35	86267.50
62	Extra for Grouting the joints with white cement and matching pigment in the items of fixing of vitrified tiles.	1000.0	sqm	13.30	13300.00

63	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design :				
63.01	In 75x75 mm deep chase	100.00	metre	305.15	30515.00
64	Providing, fixing and embedding sand cast iron accessories for rain water pipes in the masonry surrounded with 12 mm thick cement mortar of the same mix, as that of masonry (lead caulking will be paid for separately):				
64.01	Sand cast iron plain shoes :150 mm diameter	7.00	each	511.90	3583.30
65	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
65.01	75 mm diameter	50.00	metre	248.80	12440.00
65.02	110 mm diameter	75.00	metre	377.40	28305.00
66	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion.				
66.01	Coupler 75 mm	4.00	each	91.70	366.80
66.02	Coupler 110 mm	4.00	each	136.15	544.60
66.03	Single tee without door 75x75x75 mm	5.00	each	144.30	721.50
66.04	Single tee without door	5.00	each	221.35	1106.75
	110x110x110 mm				
66.05	Bend 87.5° 75 mm bend	4.00	each	105.90	423.60
66.06	Bend 87.5° 110 mm bend	4.00	each	150.35	601.40
66.07	Single tee with door 75x75x75 mm	2.00	each	164.20	328.40

	Single	tee	with	door				
66.08	110x110x110	mm			2.00	each	234.15	468.30
67	approved despipes by measurewed with cutting brick	sign to unplas ans of 50x50x M.S. screws o work and fixing oarse sand) a	ticised -PVC pi ticised - PVC 50 mm hard w f required length g in cement mo nd making goo	rain water ood plugs, n, including ortar 1:4 (1				
67.01	75 mm				50.00	each	369.85	18492.50
67.02	110 mm				50.00	each	371.30	18565.00
68	providing and sections, por galvanized w side inclusive cleats of size of 27 mm an one flange fix mm dia x 50n of cleat fixed of required leand other end of required leand other end of mm centre to perpendicular connecting clilong G.I. wi perimeter chaflanges of 20 ceiling fixed to at 450 mm certing dianges of 20 ceiling section dry wall screvincluding join tapered and recommended finishing with upto 150 mm primer suitab specification openings for made with fra all complete	d fixing of france wer pressed ith zinc coatin as per IS: 20 25 mm wide x d 37mm, at 1 ded to the ceiling mm long with 6 dof angle hand at 5x15x0.9 mm and at the centre, the bottom wedge mm each having made out of centre, shall be a centre, shall be a centre, with 25 mm and 30 mm and perimeters with 25 mm and perimeters as per drance as per drance as per drance and also including as per drance Engineer in	iling at all heighne work made from M.S. shall of 120 gms/77 and consisting 1.6 mm thick we 200 mm centred with dash fast mm dia bolts, or angers of 25x10 s. & bolts of redger fixed with in a running at the complete of 80 mm with the ceil e of 80 mm with glips of 10.5 mm long, the power channel with the help of more from long dry wall fixing of gypsurer channel with a x 25 mm at 23 hing to a flushing to a flushing to a flushing to a flushing and in 3 layers of joint and two all as per manual and the cost grills, diffuser er channels suitang, specific Charge but exceptions.	of special neets and sqm (both ng of angle vith flanges to centre, stener 12.5 ther flange 0x0.50 mm quired size termediate spacing of ing section in the tapered nm, at 450 a direction and line fixing gigh having erimeter of rawl plugs screws @ m board to the help of 80 mm c/c, n finish of loard with ng tapes , as covering to coats of lufacturer's of making is, cutouts tably fixed, eation and				

68.01	12.5 mm thick tapered edge gypsum moisture resistant board	100.00	sqm	1529.10	152910.00
69	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin- charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	40.00	sqm	738.65	29546.00
70	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be prepainted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.				
70.01	GI Metal Ceiling Lay in plain Tegular edge Global white color tiles of size 595x595 mm, and 0.5 mm thick with 8 mm drop; made of G I sheet having galvanizing of 100 gms/sqm (both sides inclusive) and electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending.	20.00	sqm	1902.95	38059.00

70.02	GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation, and backed with a black Glass fiber acoustical fleece.	10.00	sqm	2068.75	20687.50
71	Providing and Fixing 15 mm thick densified tegular edged eco friendly light weight calcium silicate false ceiling tiles of approved texture of size 595 x 595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanised steel sections (galvanising @ 120 grams per sqm including both side) consisting of main 'T' runner suitably spaced at joints to get required length and of size 24x38 mm made from 0.33 mm thick (minimum) sheet, spaced 1200 mm centre to centre, and cross "T" of size 24x28 mm made out of 0.33 mm (Minimum) sheet, 1200 mm long spaced between main'T' at 600 mm centre to centre to form a grid of 1200x600 mm and secondary cross 'T' of length 600 mm and size 24 x28 mm made of 0.33 mm thick (Minimum) sheet to be inter locked at middle of the 1200x 600 mm panel to from grid of size 600x600 mm, resting on periphery walls /partitions on a Perimeter wall angle pre-coated steel of size(24x24X3000 mm made of 0.40 mm thick (minimum) sheet with the help of rawl plugs at 450 mm centre to centre with 25 mm long dry wall screws @ 230 mm interval and laying 15 mm thick densified edges calicum silicate ceiling tiles of approved texture in the grid, including, cutting/ making opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc., wherever required. Main 'T' runners to be suspended from ceiling using G.I. slotted cleats of size 25x35x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm G.I. adjustable rods with galvanised steel level clips of size 85 x 30 x 0.8 mm, spaced at 1200 mm centre to centre along main 'T', bottom exposed with 24 mm of all Tsections shall be pre-painted with polyster baked paint, for all heights, as per specifications, drawings and as directed by Engineer-in-Charge.Note: Only calcium silicate false ceiling area will be measured from wall to wall. No deduction shall be made for exposed frames/opening (cut outs) having area less than 0.30 sqm.The calcium silicate ceiling tile shall have NRC value of 0.50 (M		sqm	2158.15	215815.00

72	12 mm cement plaster of mix :				
72.01	1:6 (1 cement: 6 coarse sand)	100.00	sqm	343.65	34365.00
73	20 mm cement plaster of mix :				
73.01	1:6 (1 cement: 6 coarse sand)	40.00	sqm	466.05	18642.00
74	18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) finished with a top layer 6 mm thick cement plaster 1:6 (1 cement : 6 fine sand).	40.00	sqm	518.55	20742.00
75	Neat cement punning.	100.00	sqm	79.95	7995.00
76	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour:				
76.01	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	250.00	sqm	185.65	46412.50
77	Finishing walls with Acrylic Smooth exterior paint of required shade :				
77.01	New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)	250.00	sqm	160.60	40150.00
78	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:				
78.01	Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	250.00	sqm	226.25	56562.50
79	Varnishing with varnish of approved brand and manufacture:				
79.01	Two or more coats of glue sizing with copal varnish over an under coat of flatting varnish	150.00	sqm	236.10	35415.00
80	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	250.00	sqm	156.05	39012.50
81	Distempering with 1st quality acrylic distemper (ready mixed) having VOC (Volatile Organic Compound) content less than 50 gram/ litre, of approved brand and manufacturer including applying additional coats wherever required to achieve even shade and colour				
81.01	Old work (one or more coats)	250.00	sqm	62.70	15675.00

82	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.				
82.01	Two coats	500.00	sqm	137.45	68725.00
83	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:				
83.01	One or more coats on old work	300.00	sqm	102.80	30840.00
84	Finishing walls with Acrylic Smooth exterior paint of required shade :				
84.01	Old work (One or more coat applied @ 0.90 ltr/10 sqm).	100.00	sqm	80.65	8065.00
85	Fixing chowkhat in existing opening in brick/ RCC wall with dash fasteners/ Chemical fasteners of appropriate size (3 nos on each vertical member of door chowkhat and 2 nos on each vertical member of window chowkhats), including Cost of dash fasteners/ chemical fastener.	10.00	each	217.10	2171.00
86	Making the opening in brick masonry including dismantling in floor or walls by cutting masonry and making good the damages to walls, flooring and jambs complete, to match existing surface including disposal of mulba/ rubbish to the nearest municipal dumping ground, all complete as per direction of Engineer-in-Charge.				
86.01	For door/ window/ clerestory window	10.00	sqm	1264.35	12643.50
87	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:				
87.01	Float glass panes of nominal thickness 5 mm (weight not less than 12.5kg/sqm)	150.00	sqm	1416.15	212422.50
88	Renewal of old putty of glass panes (length)	1000.0	metre	56.15	56150.00
89	Refixing old glass panes with putty and nails	50.00	sqm	729.85	36492.50

90	Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done.	75.00	sqm	338.25	25368.75
91	Providing & fixing White vitreous china water closet squatting pan (Indian type) along with "S" or "P" trap including dismantling of old WC seat and "S" or "P" trap at site complete with all operations including all necessary materials, labour and disposal of dismantled material including malba, all complete as per the direction of Engineer-in charge.				
91.01	Long pattern W.C Pan of size 580x440 mm	5.00	each	3501.70	17508.50
92	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
92.01	Nominal concrete 1:3:6 or richer mix (including equivalent design mix)	5.00	cum	2434.25	12171.25
92.02	Nominal concrete 1:4:8 or leaner mix (including equivalent design mix)	5.00	cum	1503.60	7518.00
93	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	5.00	cum	3551.25	17756.25
94	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
94.01	In cement mortar	5.00	cum	2060.20	10301.00
95	Dismantling doors, windows and clerestory windows (steel or wood) rolling shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead				

	Of and a Community of the last				
95.01	Of area 3 sq. metres and below	10.00	each	367.20	3672.00
95.02	Of area beyond 3 sq. metres	5.00	each	502.75	2513.75
96	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
96.01	For thickness of tiles 10 mm to 25 mm	650.00	sqm	73.40	47710.00
97	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge:				
97.01	15 mm to 40 mm nominal bore	20.00	metre	149.80	2996.00
98	Dismantling C.I. pipes including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means breaking lead caulked joints, melting of lead and making into blocks including stacking of pipes & lead at site within 50 metre lead as per direction of Engineer-in-charge:				
98.01	Up to 150 mm diameter	10.00	metre	332.40	3324.00
99	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	50.00	sqm	54.65	2732.50
100	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 meters lead as directed by Engineer- in-charge.		sqm	56.35	5635.00
101	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	100.00	cum	263.95	26395.00
102	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.	500.00	sqm	131.75	65875.00
103	Laying old cement cocrete interlocking paver blocks of any design/ shape laid in required line, level, curvature, colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer-in-charge. (Old CC paver blocks shall be supplied by the department free of cost).	500.00	sqm	402.95	201475.00

104	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
104.01	W.C. pan with ISI marked white solid plastic seat and lid	5.00	each	6515.55	32577.75
105	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
105.01	White Vitreous China Angle back wash basin size 400 x 400 mm with single 15 mm C.P. brass pillar tap	4.00	each	1756.85	7027.40
106	Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer	6.00	each	3960.55	23763.30
107	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required:				
107.01	Kitchen sink without drain board 610x460 mm bowl depth 200 mm	2.00	each	3873.80	7747.60
108	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug, 40 mm C.P brass waste and 40 mm C.P. brass trap with necessary C.P. brass unions complete, including painting of fittings and brackets, cutting and making good the wall wherever required:				
108.01	Size 600x450x200 mm	5.00	each	6585.80	32929.00
109	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.	1.00	each	2784.95	2784.95
110	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to Eureopean type W.C. of quality and make as approved by Engineer - in - charge.	200.00	each	349.15	69830.00
111	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete.				
111.01	10 litre capacity - White	10.00	each	1190.65	11906.50

Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete:				
White solid plastic seat with lid	5.00	each	684.85	3424.25
Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia	10.00	each	6940.75	69407.50
Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
Flexible pipe 32 mm dia	150.00	each	119.55	17932.50
Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing:				
Rectangular shape 1500x450 mm	5.00	each	2093.00	10465.00
Providing and fixing soil, waste and vent pipes :				
100 mm dia Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	10.00	metre	1180.75	11807.50
Providing and filling the joints with spun yarn, cement slurry and cement mortar 1:2 (1 cement: 2 fine sand) in S.C.I./ C.I. Pipes:				
100 mm dia pipe	50.00	each	198.15	9907.50
Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.				
100 mm dia Sand cast iron S&S as per IS - 3989	2.00	each	705.20	1410.40
Providing and fixing plain bend of required degree.				
100 mm dia Sand cast iron S&S as per IS : 3989	2.00	each	570.05	1140.10
Providing and fixing double equal plain junction of required degree.				
100x100x100x100 mm	2.00	each	1075.05	2150.10
Providing and fixing door piece, insertion rubber				
	pedestal type W.C. pan complete: White solid plastic seat with lid Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 1500x450 mm Providing and fixing soil, waste and vent pipes: 100 mm dia Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 Providing and filling the joints with spun yarn, cement slurry and cement mortar 1:2 (1 cement: 2 fine sand) in S.C.I./ C.I. Pipes: 100 mm dia pipe Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 100 mm dia Sand cast iron S&S as per IS - 3989 Providing and fixing plain bend of required degree. 100 mm dia Sand cast iron S&S as per IS : 3989 Providing and fixing double equal plain junction of required degree.	pedestal type W.C. pan complete: White solid plastic seat with lid Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 1500x450 mm 5.00 Providing and fixing soil, waste and vent pipes: 100 mm dia Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 Providing and filling the joints with spun yarn, cement slurry and cement mortar 1:2 (1 cement: 2 fine sand) in S.C.I./ C.I. Pipes: 100 mm dia pipe 50.00 Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 100 mm dia Sand cast iron S&S as per IS - 3989 Providing and fixing plain bend of required degree. 100 mm dia Sand cast iron S&S as per IS : 3989 Providing and fixing double equal plain junction of required degree. 100x100x100x100 Sand cast iron S&S as per IS - 3989 Providing and fixing double equal plain junction of required degree.	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 1500x450 mm Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 100 mm dia Sand cast iron S&S as per IS: 3989 Providing and fixing plain bend of required degree. 100x100x100x100 Sand cast iron S&S as per IS: 3989 Providing and fixing door piece, insertion rubber 100x100x100x100 Providing and fixing door piece, insertion rubber	pedestal type W.C. pan complete: White solid plastic seat with lid Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing: Rectangular shape 1500x450 mm 5.00 each 119.55 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 100 mm dia pipe 50.00 each 198.15 Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 100 mm dia Sand cast iron S&S as per IS: 3989 Providing and fixing plain bend of required degree. 100 mm dia Sand cast iron S&S as per IS: 3989 Providing and fixing double equal plain junction of required degree. 100x100x100x100 mm Sand cast iron S&S as per IS: 3989 Providing and fixing double equal plain junction of required degree.

	100 mm		<u> </u>		
121.01		2.00	each	683.85	1367.70
	Sand cast iron S&S as per IS - 3989				
400	Providing and fixing terminal guard :				
122					
	100 mm				
122.01	O- n d t in- n O O O n - n IO 0000	2.00	each	506.00	1012.00
	Sand cast iron S&S as per IS - 3989				
123	Providing and fixing collar :				
120					
	100 mm				
123.01	Sand cast iron S&S as per IS - 3989	2.00	each	513.15	1026.30
	Providing and fixing trap of self cleansing design with				
404	screwed down or hinged grating with or without vent				
124	arm complete, including cost of cutting and making				
	good the walls and floors : 100 mm inlet and 100 mm outlet				
124.01	100 mm met and 100 mm oddet	5.00	each	1996.50	9982.50
	Sand cast iron S&S as per IS: 3989				
	Providing and fixing PTMT towel rail complete with				
125	brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved				
	quality and colour.				
	600 mm long towel rail with total length of 645 mm,				
125.01	width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	10.00	each	708.95	7089.50
	Providing and fixing Chlorinated Polyvinyl Chloride				
	(CPVC) pipes, having thermal stability for hot & cold				
	water supply and all CPVC plain & brass threaded				
126	fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with				
	one step CPVC solvent cement and testing of joints				
	complete as per direction of Engineer in Charge.				
	Internal work - Exposed on wall 20 mm nominal dia Pipes				
126.01	25 mm normal dia 1 ipse	50.00	metre	335.00	16750.00
	25 mm naminal dia Dinas				
126.02	25 mm nominal dia Pipes	50.00	metre	401.55	20077.50
	20 mm garring Latin Dings				
126.03	32 mm nominal dia Pipes	40.00	metre	518.75	20750.00
120.03		40.00	mene	310.73	20130.00
	40 mm nominal dia Pipes				
126.04		10.00	metre	702.95	7029.50
	50 mm nominal dia Pipes				
126.05	30 mm nominal dia 1 ipos	20.00	metre	934.15	18683.00

127	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings and fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.				
127.01	20 mm nominal dia Pipes	20.00	metre	537.60	10752.00
127.02	25 mm nominal dia Pipes	25.00	metre	627.25	15681.25
127.03	32 mm nominal dia Pipes	5.00	metre	739.30	3696.50
128	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work				
128.01	50 mm nominal dia Pipes	25.00	metre	794.25	19856.25
128.02	65 mm nominal dia Pipes	5.00	metre	1674.40	8372.00
129	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:				
129.01	25 to 40 mm nominal bore	5.00	each	911.90	4559.50
130	Providing and fixing uplasticised PVC connection pipe with brass unions :				
130.01	45 cm length 15 mm nominal bore	150.00	each	97.75	14662.50
131	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931:				
131.01	15 mm nominal bore	20.00	each	506.80	10136.00
132	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.				

	15 mm nominal bore	<u> </u>			
132.01	13 mm nominal bore	10.00	each	798.95	7989.50
133	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.				
133.01	15 mm nominal bore	10.00	each	670.45	6704.50
134	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
134.01	15 mm nominal bore	15.00	each	574.30	8614.50
135	Providing and fixing C.P. Brass extension nipple (size 15 mm x 50 mm) of approved make and quality as per direction of Engineer-in-charge.	25.00	each	74.80	1870.00
136	Providing and fixing PTMT grating of approved quality and colour.				
136.01	Circular type 100 mm nominal dia	50.00	each	37.60	1880.00
136.02	Circular type 125 mm nominal dia with 25 mm waste hole	100.00	each	51.85	5185.00
137	Providing and fixing PTMT soap Dish Holder having length of 138 mm, breadth 102 mm, height of 75 mm with concealed fitting arrangements, weighing not less than 106 gms.	25.00	each	111.45	2786.25
138	Cutting holes up to 30x30 cm in walls including making good the same:				
138.01	With common burnt clay F.P.S. (non modular) bricks	10.00	each	416.80	4168.00
139	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	5.00	each	452.00	2260.00
140	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless				2 D 2 g 2

	steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):				
140.01	For fixed portionPowder coated aluminium (minimum thickness of powder coating 50 micron)	200.00	kg	530.90	106180.00
140.02	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron)	250.00	kg	634.45	158612.50
141	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineerincharge.				
141.01	Pre-laminated particle board with decorative lamination on both sides	20.00	sqm	1115.40	22308.00
142	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):				
142.01	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	60.00	sqm	1505.25	90315.00
143	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS: 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.				
143.01	With stainless steel cover plate minimum 1.25 mm thickness	8.00	each	2823.85	22590.80
144	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-				

	charge complete.				
144.01	Upto 5 mm depth and 5 mm width	200.00	metre	96.75	19350.00
145	Providing and fixing stainless steel (SS 304 grade) adjustable friction windows stays of approved quality with necessary stainless steel screws etc. to the side hung windows as per direction of Engineer-in-charge complete.				
145.01	255 X 19 mm	100.00	each	387.00	38700.00
146	Providing and fixing aluminium casement windows fastener of required length for aluminium windows with necessary screws etc. complete.				
146.01	Powder coated minimum thickness 50 micron aluminium	200.00	each	97.95	19590.00
147	Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).	50.00	kg	638.35	31917.50
148	Filling the gap in between aluminium/ stone/ wood frame and adjacent RCC/Brick/ Stone/ wood/ Ceramic/ Gypsum work by providing weather/ structural non sag elastomeric PU sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete, complying to ASTM C920, DIN 18540-F & ISO 11600				
148.01	Upto 10 mm depth and 10 mm width	150.00	metre	200.95	30142.50
149	Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of W.C., kitchen and the like consisting of: (i) Ist course of applying cement slurry @ 4.4 kg/sqm mixed with water proofing compound conforming to IS: 2645 in recommended proportions including rounding off junction of vertical and horizontal surface. (ii) Ilnd course of 20 mm cement plaster 1:3 (1 cement: 3 coarse sand) mixed with water proofing compound in recommended proportion including rounding off junction of vertical and horizontal surface. (iii) Illrd course of applying blown or residual bitumen applied hot at 1.7 kg. per sqm of area. (iv) IVth course of 400 micron thick PVC sheet.	50.00	sqm	769.60	38480.00

	(Overlaps at joints of PVC sheet should be 100 mm wide and pasted to each other with bitumen @ 1.7 kg/sqm).				
150	Providing and laying water proofing treatment in sunken portion of WCs, bathroom, Roof tops etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	50.00	sqm	617.05	30852.50
151	Providing and fixing concealed hinge of approved quality for 19-20mm thick door with stainless steel screws complete:	50.00	each	144.05	7202.50
152	Providing and fixing 15 mm thick false ceiling tiles at all heights with integral densified calcium silicate reinforced with fibre and natural filler false ceiling tiles of Size 595x595 mm of approved texture, design and patterns having NRC (Noise Reduction coefficient) of 0.50 (minimum) as per IS 8225:1987, Light reflectance of 85% (minimum). Non combustible as per BS:476 (part-4), fire performance as per BS:476 (part 6 &7), humidity resistance of 100%, thermal conductivity < 0.043 W/m K as per ASTM 518:1991,in true horizontal level on the existing frame work consisting of T-sections and Lsections suitably fixed according to tile size as per direction of Engineer-in-charge.	100.00	sqm	1781.20	178120.00
153	Providing, mixing and applying SBR polymer (of approved make) modified Cement mortar in proportion of 1:4 (1 cement: 4 graded coarse sand with polymer minimum 2% by wt. of cement used) as per specifications and directions of Engineer-in-charge. Note: Measurement and payment: The premeasurement of thickness shall be done just after the surface preparation is completed and Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding / tapping with a blunt metal instrument and/or the 75mm size cube crushing strength at the end of 28 days to be not less than 30 N/Sqmm2).				
153.01	12 mm average thickness.	25.00	sqm	388.65	9716.25
153.02	25 mm average thickness in 2 layers.	10.00	sqm	587.35	5873.50

154	Providing and injecting approved grout in proportion recommended by the manufacturer into cracks/honey-comb area of concrete/ masonry by suitable gun/pump at required pressure including cutting of nipples after curing etc. complete as per directions of Engineer-in-Charge. (The payment shall be made on the basis of actual weight of approved grout injected.)				
154.01	Epoxy injection grout in concrete/RCC work of approved make	10.00	kg	553.40	5534.00
155	Cleaning of exposed concrete surface of sticking material including loose and foreign material by sand blasting with coarse sand followed by and including cleaning with oil free air blast as per direction of Engineer in charge.	10.00	sqm	382.40	3824.00
156	Providing and fixing C.P. Brass single hole basin mixer over wash basins, Granite platforms etc. of approved make and design all complete as per the instructions of Engineer In charge.	50.00	each	2677.64	133882.00
157	Providing and fixing PTMT Health faucet with 1.00 m long connection pipe of approved make all complete as per the instructions of Engineer In charge.	200.00	each	1197.03	239406.00
158	Providing and fixing C.P. Brass Health faucet with 1.00 m long connection pipe of approved make all complete as per the instructions of Engineer In charge.	50.00	each	1850.02	92501.00
159	Providing and fixing frosted film over the glass of windows, glass partition etc including cutting of film in a certain design, shape all complete as per the instructions of Engineer In charge.	70.00	sqm	1179.12	82538.40
160	Providing and fixing brown suncontrol film over the glass of windows, glass partition etc including cutting of film in a certain design, shape all complete as per the instructions of Engineer In charge.	20.00	sqm	1263.34	25266.80
Total in	Figures				10575666.00