



क्र.: AIIMS/RPR/CS/BIOCHM/18/03-089/PAC


Dated:- 10/04/2018

NOTICE

विषय: / Sub:- Procurement of **Reagents & Consumable Item** for Centaur XP of Siemens Ltd. for Department of Biochemistry at AIIMS Raipur on Proprietary basis- **Inviting Comments Thereon.**

The institute is in the process to purchase of “**Reagents & Consumable Item for Centaur XP of Siemens Ltd.**” for Department of Biochemistry at AIIMS, Raipur from **M/s Siemens India Pvt. Ltd. Mumbai** on proprietary basis. The local agent for above item is **M/s Science House Medical Pvt. Ltd. Raipur**. The proposal submitted by Department of Biochemistry at AIIMS, Raipur and PAC Certifications are attached which is to be upload on website. .

The above documents are being uploaded for open information to submit objection/ comments,if any from any manufacturer regarding proprietary nature of the Consumable/item with 10 days from the date of issued/uploading of the notification by reference no. AIIMS/RPR/CS/BIOCHM/18/03-089/PAC. The comments should be sent to Stores Officer,Medical College Building,Gate No. 05, AIIMS,Raipur on or before **16/04/2018** days up to 3.00 pm. failing which it will be presumed that any other vendor having no comment to offer and case will be decided on merits.


(सुशील सोनबेर)
भंडार अधिकारी
अ.भा.आयु.सं रायपुर (छ.ग.)

Encl:-

01. Certificate for Purchase of Proprietary Article.



Department of Biochemistry
अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
 Tatibandh, GE Road, Raipur-492 099 (CG)
www.aiimsraipur.edu.in

स्वामित्व प्रमाण पत्र
Proprietary Article Certificate

फाइल संख्या और संदर्भ File Number and Reference											
1	सामग्री का विवरण Description of article	<p>These reagents kits are required for smooth functioning of Service Lab (room no.2214) in the Department of Biochemistry.</p> <table border="1"> <thead> <tr> <th>S. no.</th> <th>Complete Description of items (Specification Model, Catalog No)</th> <th>Qty. Req.</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10699533 ADVIA® Centaur Vitamin D (HSN-38220090)</td> <td>01 (packsize-500Test)</td> </tr> <tr> <td>2</td> <td>10282378 ADVIA® Centaur TSH-3 Ultra (HSN-38220090)</td> <td>01 (packsize-100Test)</td> </tr> </tbody> </table>	S. no.	Complete Description of items (Specification Model, Catalog No)	Qty. Req.	1	10699533 ADVIA® Centaur Vitamin D (HSN-38220090)	01 (packsize-500Test)	2	10282378 ADVIA® Centaur TSH-3 Ultra (HSN-38220090)	01 (packsize-100Test)
S. no.	Complete Description of items (Specification Model, Catalog No)	Qty. Req.									
1	10699533 ADVIA® Centaur Vitamin D (HSN-38220090)	01 (packsize-500Test)									
2	10282378 ADVIA® Centaur TSH-3 Ultra (HSN-38220090)	01 (packsize-100Test)									
2	पूर्वानुमानित मात्रा/वार्षिक आवश्यकता Forecast of quantity/Annual requirement	As mentioned in above table sl.no.01									
3	उपरोक्त मात्रा हेतु अनुमानित मूल्य Approximate estimated value for above	Total Amoun AXs									
4	निर्माता का नाम एवं पता Maker's Name and Address	M/S SIEMENS INDIA PVT. LTD. 9 th floor, North Wing Godrej One Pirojshaganar Vikhroli (E) Mumbai- 400 079.									
5	अधिकृत डीलर/स्टाकिस्ट का नाम Name(s) of authorised dealers/stockists	M/S SCIENCE HOUSE MEDICALS PVT. LTD. Rawatpura Colony, Bhatagaon Chowk, Near Sahu Medical store Ring Road No-1, Raipur (C.G.)-492001 Authorised distributor at Raipur									
6	<p>मैं पीएससी के आधार पर उपरोक्त खरीद को स्वीकार करता हूँ। और यह प्रमाणित करता हूँ कि: नोट- (बी) (सी-1) या (सी-2) में से केवल एक को बनाए रखने के लिए टिक करें जो भी लागू हो और दूसरों को काट दें। कृपया ए टिक कर पुष्टि करें इसके बिना पीएससी प्रमाण पत्र अवैध होगा। I approve the above on PAC basis and certify that:- Note: Tick to retain only one out of (b) (c-1) or (c-2) whichever is applicable and cross out others. Please do confirm (a) by ticking it-without which PAC certificate will be invalid.</p>										
6(a)	यह एकमात्र फर्म है जो इस मद का निर्माण/संग्रहण कर रहा है। और This is the only firm who is manufacturing / stocking this item. AND	✓									
6(b)	किसी अन्य फर्म द्वारा समरूप मद निर्मित/विक्रय नहीं किया जाता है जिसका उपयोग इसके बदले किया जा सकता है। अथवा A similar article is not manufacturing /sold by any other firm, which could be used in lieu OR	✓									
6(c-1)	कोई अन्य मेक/ब्रांड निम्नलिखित कारणों (जैसे ओईएम/वारंटी के) के लिए उपयुक्त नहीं होगा। अथवा no other make/brand will be suitable for following tangible reasons (like OEM/warranty spares) OR	×									
6(c-2)	कोई अन्य मेक/ब्रांड निम्नलिखित कारणों से उपयुक्त नहीं होगा (अगर पीएससी पिछले खरीद में भी दिया गया था, तो कृपया इसके बाद से अधिक स्रोतों का पता लगाने के लिए प्रयास करें)। तथा No other make/brand will be suitable for following intangible reasons (if PAC was also given in the last procurement cycle, please also bring out efforts made since then to locate more sources): OR	×									
7	प्रस्ताव के लिए वित्त शाखा की सहमति का संदर्भ (कार्रवाई भंडार और लेखा विभाग द्वारा की जायेगी)										



February 3, 2017

Proprietary Certificate

To whom it may concern,

This is to certify that the ADVIA Centaur® XP system is the proprietary product of Siemens Healthcare Diagnostics Inc. and marketed in India by Siemens Healthcare Private Limited, Plot No. 78, JIL Building, Tower-A, Sector-18, Gurgaon-122015, Haryana, India, Phone: +91-124-3870100.

The above said entity is solely authorized for sales and service of these products in India.

For and on behalf of
Siemens Healthcare Diagnostics Inc.

Idrissa Sparks-Tillman
Senior Manager, Regulatory Affairs

State of New York
County of Westchester

I certify the attached are true and correct copies of documents in the possession of Siemens Healthcare Diagnostics Inc.

Carmen Cardona-Mejia
Notary Public
Commission expires: January 22, 2019

Carmen Cardona-Mejia
Notary Public, State of New York
Westchester County
LIC. #01CA6159681
Comm. Exp. January 22, 2019