



क्रमांक: AIIMS/R/CS/Bio./18/03-109/PAC

दिनांक: 27-07-2018

NOTICE


Sub:- PAC purchase of consumable “Consumables ADVIA Centaur Vitamin D and ADVIA Centaur Sample Cups” for Department of Biochemistry at AIIMS, Raipur on Proprietary basis- **Inviting Comments Thereon.**

The institute is in the process to purchase through PAC consumable item “ADVIA Centaur Vitamin D and ADVIA Centaur Sample Cups” for Department of Biochemistry at AIIMS, Raipur from M/s Siemens Healthcare Pvt. Ltd., Mumbai and Company on proprietary basis. The local agent for above item is M/s Science House Medical Pvt. Ltd., Raipur. The proposal submitted by department of Biochemistry at AIIMS, Raipur and PAC Certifications is attached which is to be upload on website.

The above documents are being uploaded for open information to submit objections/ comments, if any from any manufacturer regarding proprietary nature of the Consumables/ items within **10 days** from the date of issue / upload of notification by reference no. AIIMS/R/CS/Bio./18/03-109/PAC. The comments should be sent to Stores Officer, AIIMS, Raipur on or before **06-08-2018** up to **3.00 pm.** failing which it will be presumed that any other vendor having no comment to offer and case will be decided on merits.

Encl:-

01. Certificate for Purchase of Proprietary Article.


(सुशील सोनवेर)
भंडार अधिकारी
अखिल भारतीय आयुर्विज्ञान संस्थान,
रायपुर (छ.ग.)
Stores Officer,
Raipur (C.G.)
AIIMS Raipur (C.G.)



स्वामित्वप्रमाणपत्र
Proprietary Article Certificate

फाइल संख्या औरसंदर्भ File Number and Reference											
1	सामग्रीकाविवरण Description of article	<p>These reagents, controls and quality control kits are required for smooth functioning of Service Lab (room no.2214) in the Department of Biochemistry.</p> <table border="1"> <thead> <tr> <th>S. no.</th> <th>Complete Description of items (Specification Model, Catalog No)</th> <th>Qty. Req.</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>(10699533) ADVIA® CENTAUR VITAMIN D, HSN CODE:38220090</td> <td>01 pack (packsize- 500 test)</td> </tr> <tr> <td>2</td> <td>(10309545) ADVIA® CENTAUR SAMPLE CUPS HSN CODE:38220090</td> <td>01 box (pack size -1500pcs per BOX)</td> </tr> </tbody> </table>	S. no.	Complete Description of items (Specification Model, Catalog No)	Qty. Req.	1	(10699533) ADVIA® CENTAUR VITAMIN D, HSN CODE:38220090	01 pack (packsize- 500 test)	2	(10309545) ADVIA® CENTAUR SAMPLE CUPS HSN CODE:38220090	01 box (pack size -1500pcs per BOX)
S. no.	Complete Description of items (Specification Model, Catalog No)	Qty. Req.									
1	(10699533) ADVIA® CENTAUR VITAMIN D, HSN CODE:38220090	01 pack (packsize- 500 test)									
2	(10309545) ADVIA® CENTAUR SAMPLE CUPS HSN CODE:38220090	01 box (pack size -1500pcs per BOX)									
2	पूर्वानुमानितमात्रा / वार्षिकआवश्यकता Forecast of quantity/Annual requirement	As mentioned in the above table in point 1									
3	उपरोक्तमात्रा हेतुअनुमानितमूल्य Approximate estimated value for above	Total Amount ₹ 2,49,854 /- (Inclusive all TAXs)									
4	निर्माताकानाम एवं पता Maker's Name and Address	M/S SIEMENS HEALTHCAREPVT. LTD. 9 th floor, North Wing Godrej One Pirojshaganar/Vikhroli (E) Mumbai- 400 079.									
5	अधिकृतडीलर / स्टॉकिस्टकानाम Name(s) of authorised dealers/stockists	M/S SCIENCE HOUSE MEDICALS PVT. LTD. Rawatpura Colony, BhatagaonChowk, Near Sahu Medical store Ring Road No-1, Raipur (C.G.)-492001 Authorised distributor at Raipur									
6	<p>मैंपीएसी के आधारपरउपरोक्त खरीदकोस्वीकारकरताहूँ।और यह प्रमाणित करताहूँकि: नोट- (बी) (सी-1) या (सी-2) मेंसेकेवल एक कोबनाए रखने के लिए टिककरेंजोभीलागूहोऔरदूसरोंकोकाट दें।कृपया ए टिककरपुष्टिकरेंइसकेबिनापीएसीप्रमाणपत्र अवैध होगा। I approve the above on PAC basis and certify that:- Note: Tick to retain only one out of (b) (c-1) or (c-2) whichever is applicable and cross out others. Please do confirm (a) by ticking it-without which PAC certificate will be invalid.</p>										
6(a)	यह एकमात्र फर्महैजोइस मद कानिर्माण / संग्रहणकर रहा है।और This is the only firm who is manufacturing / stocking this item. AND	✓									
6(b)	किसीअन्य फर्म द्वारासमरूप मद निर्मित / विक्रय नहींकियाजाताहैजिसकाउपयोगइसकेबदलेकियाजासकताहै।अथवा A similar article is not manufacturing /sold by any other firm, which could be used in lieu OR	✓									
6(c-1)	कोईअन्य मेक / ब्रांडनिम्नलिखितकारणों (जैसे ओईएम / वारंटी के) के लिए उपयुक्तनहींहोगा।अथवा no other make/brand will be suitable for following tangible reasons (like OEM/warranty spares) OR	✗									
6(c-2)	कोईअन्य मेक / ब्रांडनिम्नलिखितकारणोंसेउपयुक्तनहींहोगा (अगर पीएसीपिछले खरीदमेंभीदियागयाथा, तो कृपयाइसकेबादसेअधिकस्रोतोंका पता लगाने के लिए प्रयास करें)। तथा No other make/brand will be suitable for following intangible reasons (if PAC was also given in the last procurement cycle, please also bring out efforts made since then to locate more sources): OR	✗									
7	<p>प्रस्ताव के लिए वित्त शाखा की सहमतिकासंदर्भ (कार्रवाई भंडारऔरलेखाविभाग द्वारा की जायेगी) Reference of concurrence of finance wing to the proposal (Action will be taken by Stores and Account Department)</p>										

<p>पिछलेतीनसालोंमेंइस मद की पीएसी खरीदकाइतिहासनीचेदियाजासकताहै (यदि कोई हो) History of PAC purchase of this item for past three years may be given below (if any)</p>			
प्रदायककागण Name of the supplier	M/S Siemens Healthcare Pvt. Ltd. through M/S Science House Bhopal, Raipur		
आदेश / निविदासंदर्भऔरदिनांक order/tender reference & date	आदेशितमात्रा quantity ordered	आदेशपरमूलदर Basic rate on order (Rs.)	प्रतिकूलप्रदर्शनरिपोर्टअगरकोईहो adverse performance reported if any
P.O.-../2015/519, Dated: 29-08-2015		₹ 40,997/-(incl.VAT@5%)	
P.O.(1)..../2016/756, Dated: 08-08-2016		₹ 3,66,364/-(incl.VAT@5%)	
P.O.(2)..../2017/50070, Dated: 28-02-2017		₹ 2,25,560/-(incl.VAT@5%)	
P.O.(3)..../2017/50095, Dated: 20-03-2017		₹ 9,37,824/-(incl.VAT@5%)	
P.O.(4)..../2017/50283, Dated: 22-06-2017		₹ 4,46,234/-(incl.VAT@5%)	
P.O.(6)..../2017/50483, Dated: 19-09-2017		₹ 34,06,782/-(incl.VAT@5%)	
P.O.(7)..../2017/50619, Dated: 15-11-2017		₹ 2,44,319/-(incl.VAT@5%)	

अनुमोदनकरनेवालेप्राधिकारीकाहस्ताक्षर

Signature 22/6/2018

दिनांक

अधिकारीकापदनाम Dr. Rachita Nanda

Date 22/6/2018 Designation of Officer Additional Professor, Biochemistry

Dr. Rachita Nanda

अतिरिक्त-प्राध्यापक (जीव रसायन विभाग)

Additional Professor (Biochemistry)

अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छ.ग.)

All India Institute of Medical Sciences, Raipur (C.G.)

February 3, 2017

Proprietary Certificate

To whom it may concern,

This is to certify that the **ADVIA Centaur® XP** system is the proprietary product of Siemens Healthcare Diagnostics Inc. and marketed in India by Siemens Healthcare Private Limited, Plot No. 78, JIL Building, Tower-A, Sector-18, Gurgaon-122015, Haryana, India, Phone: +91-124-3870100.

The above said entity is solely authorized for sales and service of these products in India.

For and on behalf of
Siemens Healthcare Diagnostics Inc.



Idrissa Sparks-Tillman
Senior Manager, Regulatory Affairs

State of New York
County of Westchester

I certify the attached are true and correct copies of documents in the possession of Siemens Healthcare Diagnostics Inc.



Carmen Cardona-Mejia
Notary Public
Commission expires: January 22, 2019



Carmen Cardona-Mejia
Notary Public, State of New York
Westchester County
LIC. #01CA6159681
Comm. Exp. January 22, 2019