

अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)

All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road, Raipur-492 099 (CG) www.aiimsraipur.edu.in

No:AIIMS/R/CS/Patho/21/04/PAC

Dated: 23/03/2021

#### NOC

Sub:- Purchase of Consumable items reagents HLA B27 for perform test on Flow Cytometer (BD FACS CANTO-II) in the Pathology & Lab Medicine at, AIIMS, Raipur on Proprietary basis- Inviting Comments Department Thereon.

The institute is in the process to purchase of Consumable items reagents HLA B27 for perform test on Flow Cytometer(BD FACS CANTO-II) in the Pathology & Lab Medicine Department at, AIIMS, Raipur, from M/s Becton Dickinson India Pvt Ltd Boomerang, Unit No. 310, A - wing 3rd floor, Chandivali farm Road Near Powai, Andheri - East Mumbai on proprietary basis. The local agent for above item is M/s Varad Corporation c- 314 Shailendra Nagar, Raipur (C.G.). The proposal submitted by department of Pathology & Lab Medicine at AIIMS, Raipur and PAC Certifications are attached which is to be upload on website.

The above documents are being uploaded for open information to submit objection/ comments, if any from any manufacturer regarding proprietary nature of the Surgery Interment/item with 07 days from the date of issued/uploading of the notification by reference No. AIIMS/R/CS/Patho/21/04/PAC. The comments should be sent to Store Officer, Gate No. 05 Medical College Building, AIIMS, Raipur on or before 30.03.2021 up to 3.00 pm. failing which it will be presumed that any other vendor having no comment to offer and case will be decided on merits.

Encl:-

01. Proprietary letter of Vender.

02. Authorization letter of Vendor.

03. Certificate for Purchase of Proprietary Article

Stores Officer AIIMS Raipur (CG) भडार अधिकारी (के क्रय)

**Stores Officer (CP)** एम्स, रायपुर (छ.ग.)

AIIMS Raipur (C.G.)





# अखिलभारतीय आयुर्विज्ञानसंस्थान, रायपुर (छ.ग.) All India Institute of Medical Sciences, Raipur (Chhattisgarh) Tatibandh, GE Road,

Tatibandh, GE Road, Raipur-492 099 (CG) www.aiimsraipur.edu.in

## स्वामित्वप्रमाणपत्र Proprietary Article Certificate

1.16	संख्या औरसंदर्भ			
•	umber and Reference			
The Ite				
1	Description of article	Consu	Nuble Reagent	
2	पूर्वानुमानितमात्रा / वार्षिकआवश्यकता			
	Forecast of quantity/annual requirement	PS por	PPRF. (12)	
3	उपरोक्तमात्रा हेतुअनुमानितमूल्य			
	Approximate estimated value for above	As pu	PPRP. Birl	
	निर्माताकानाम एवं पता	BD India	PVT.LID. BOOME	
4	Maker's name and address	chard vo	1 PVT-L TO BOOME 310. 'A' Wing 3 Ta 1 Posm Road, and Uaj momber - 40	
	अधिकृतडीलर / स्टाकिस्टकानाम	M/3 V9	YOU WED, WITH	
5	Name(s) of authorised dealers/stockists		-49 2001 (C.4)	
	मैंपी ए सी के आधारपरउपरोक्त खरीदकोस्वीकारकरताहूं और य	ह प्रमाणित	- <u>44200) (८५)</u> 1 करताहंकिः	
	नोट- (बी), (सी-1) या (सी-2) में से केवल एक कोबनाए रखने के लिए टिककरें,			
	जोभीलागूहोऔरदूसरोकोकाटदें।कृपया (ए) टिककरपुष्टिकरेंइसकेबिनापीएसीप्रमाणपत्र अवैध			
6	होगा	101-11-11-11-5		
O	I approve the above purchase on PAC basis and certify that:-	•		
	Note- Tick to retain only one out of (b), (c-1) or (c-2) whichever is applicable and			
	cross out others. Please do confirm (a) by ticking it – with			
	will be invalid.		8	
	यह एकमात्र फर्महैजोइसमदकानिर्माण / संग्रहणकररहाहै।			
( (a)				
6 (a)	और			
6 (a)	This is the only firm who is manufacturing /stocking this iter	m.		
6 (a)	This is the only firm who is manufacturing /stocking this iter			
	This is the only firm who is manufacturing /stocking this iter AND किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नही कियाजाताहै			
FRI	This is the only firm who is manufacturing /stocking this iter			
	This is the only firm who is manufacturing /stocking this iter AND किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नही कियाजाताहै जिसकाउपयोगइसकेबदलेकियाजासकताहै । <b>अथवा</b> A similar article in not manufacturing/sold by any other firm	,		
FRI	This is the only firm who is manufacturing /stocking this iter AND किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नही कियाजाताहै जिसकाउपयोगइसकेबदलेकियाजासकताहै   <b>अथवा</b> A similar article in not manufacturing/sold by any other firm which could be used in lieu OR	1,		
6 (b)	This is the only firm who is manufacturing /stocking this iter AND किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नही कियाजाताहै जिसकाउपयोगइसकेबदलेकियाजासकताहै । <b>अथवा</b> A similar article in not manufacturing/sold by any other firm which could be used in lieu OR कोईअन्य मेक / ब्रांडनिम्नलिखितकारणो ( जैसेओईएम / वारंटी क	1,		
6 (b)	This is the only firm who is manufacturing /stocking this iter AND किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नही कियाजाताहै जिसकाउपयोगइसकेबदलेकियाजासकताहै । <b>अथवा</b> A similar article in not manufacturing/sold by any other firm which could be used in lieu OR कोईअन्य मेक / ब्रांडनिम्नलिखितकारणो ( जैसेओईएम / वारंटी किए उपयुक्त नहीं होगा ।अथवा	1,		
6 (b)	This is the only firm who is manufacturing /stocking this iter AND किसीअन्य फर्म द्वारासमरूपमदिनर्मित / विक्रय नही कियाजाताहै जिसकाउपयोगइसकेबदलेकियाजासकताहै ।अथवा A similar article in not manufacturing/sold by any other firm which could be used in lieu OR कोईअन्य मेक / ब्रांडिनिम्नलिखितकारणो ( जैसेओईएम / वारंटी किए उपयुक्त नहीं होगा ।अथवा No other make/brand will be suitable for following tangible	1,		
6 (b)	This is the only firm who is manufacturing /stocking this iter AND किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नहीं कियाजाताहै जिसकाउपयोगइसकेबदलेकियाजासकताहै ।अथवा A similar article in not manufacturing/sold by any other firm which could be used in lieu OR कोईअन्य मेक / ब्रांडनिम्नलिखितकारणों ( जैसेओईएम / वारंटी व लिए उपयुक्त नहीं होगा ।अथवा No other make/brand will be suitable for following tangible reasons (like OEM/warranty spares): OR	1,		

6 (c)	कोईअन्य मेक / ब्रांडनिम्नलिखितकारणो से उपयुक्त नही होगा पीएसीपिछले खरीदमेंभीदियागयाथा, तोकृपयाइसकेबाद से अधिकस्रोतोका पता लगाने के लिए प्रयास करें)तथा No other make/brand will be suitable for following inta reasons (if PAC was also given in the last procurement please also bring out efforts made since then to locate sources): OR	angible	
	प्रस्ताव के लिए वित्त शाखा की सहमतिकासंदर्भ(कार्रवाई भंडारऔरलेखाविभाग द्वारा की जायेगी) Reference of concurrence of finance wing to the proposal (Action will be taken by stores & Account Department)		2

Ŷ							
	पिछलेतीनसालोमेंइसमद की पीएसी खरीदकाइतिहासनीचेदियाजासकताहै (यदि कोई हो)History of						
	PAC purchase of this item for past three years may be given below (if any)						
	प्रदायककानाम	M/3 Varad Corporation.					
	Name of the Supplier	11/3 Variage Corporation					
	आदेश / निविदासंदर्भऔरदिनांक	आदेशितमात्रा	आादेशपरमूलदर	प्रतिकूलप्रदर्शनरिपोर्टअगरकोईहो			
	Order/Tender reference & Date	Quantity	(□)	Adverse Performance Reported			
		Ordered	Basic Rate on	if any			
			order (🛽)				
0	AIMS /R/ 55) 120th 117/028/51	Aspen PO	PAPEN PO	\//I			
2	50072 Dade . 07/2/2018. AIMS/RIOS/ POSCO [18/78/51]	1,	/1	1)			
	50887 Dade. 30.4.2019.						
(3)	AIIMS/R/CS/ Rutho/19/98/PAC/ 5/410 Dade 12.10.2019.	//	71	<i>"</i>			
	AIMS/R/CS/ Patho/19/01/PAC/ 50515 - Double. 16.6.2020.	//	11	$\nu$			
	अनुमोदनकरनेवालेप्राधिकारीकाहर	ताक्षर	Pulla				

दिनांक 23.02 2021

अधिकारीकापदनाम Dr. Ash & Remor Gulita

Dr. Ashish Kumar Gupta
Assistant Professor
(Dept of Pathology & Lab Medicine)
All India Institute of Medical Sciences
Raipur (C.G.)





Bro Filton Chandiyal Farm Pipaci

Near Powar, Andher-East

Mumba<sub>1</sub>-400072

tel: +91-22-33241600 fax: +91-22-28582428

基記: . \* # \* . \* 理論 No House Becomerang Unit Vol 310 August 15 To and There are be hi-110001, INDIA 1174899 J. 1995°TC064117



Date: 24/06/2017

To, Dr. Nighat Hussain, Department of Pathology and Lab Medicine, AllMS, Raipur

Sub: BD Canto II Flowcytometer system and reagents to be used on them from BD.

Dear Madam,

With reference to above subject and the BD Canto II Flowcytometer system supplied to AIIMS Raipur

We would like to bring the following to your input w.r.t. the reagents to be used on the Flow system: 1) Since patient samples are at stake, it is suggested that both instruments and reagents are from the same vendor, as the overall ownership of performance of instruments and reagents is on one vendor.

2) Also BD Reagents has been known for their high quality and are optimized for BD Instruments.

3) Also BD is committed to provide application and service support to instruments sites, which brings further commitment when the Instrument and the reagents are being used from BD only.

Hence all the clinical sites where the critical patient samples are being used, they uses BD Reagents only

Thanks & Regards

Manoj Komulwar Area Sales Manager **BD** Biosciences Pune 09890020248

Dr. Ashish Kumar Gupta Assistant Professor (Dept of Pathology & Lab Medicine) All India Institute of Medical Sciences Raipur (C.G.)



Date: 22.10.2018

All India Institute of Medical Sciences (AIIMS), GE Road, Tatibandh, Raipur 92099

Dear Sir,

This is to certify that "M/S VARAD CORPORATION, C-314 SHAILENDRA NAGAR RAIPUR 492001" are our authorized distributors to quote for all BDB Flow Cytometry Reagents, to make supplies

This information may be relied upon till any further notice of change. In case you need any clarification/information please feel free to get in touch with us.

For Becton Dickinson India Pvt. Ltd.

Dr Ashreb Kurmer Gupu

Vikram Patil

Area Sales Manager

9699914481

Dr. Ashish Kumar Gupta

Assistant Professor

(Dept of Pathology & Lab Medicine) vikram.patil@bd.com\ll India Institute of Medidal Sciences

Raipur (C.G.)


Dr. Nighat Hussain

अतिरिक्त-प्राध्यापकः (पैथोलॉजी एवं लेबोरेटरी मेडिसिन) Additional Professor (Particlesy & Laboratory Medicine अखिल मारतीय आयुर्विज्ञान संस्थान, रायपुर (छ.ग.)

All India Institute of Medical Sciences, Raipur (C.G.)

AUMS Raipur HEA CIMILA







### **Proprietary Certificate**

### To whomsoever it may concern:

This is to certify that the below mentioned catalog numbers are manufactured by Becton Dickinson. The reagents are compatible to be used in BD FACS instruments.

SKU#	Description =
340183	HLA-B27 KIT (IVD)
340580	ANTI-MPO FITC
340973	BD FACS Permeabilizing Solution 2 - 25 ml
337166	BD MULTITEST 6-COLOR TBNK KIT
340491	MULTITEST CD3/CD8/CD45/CD4 W/TCOUNT IVD
349204	RETIC COUNT REAGENT IVD
554657	Staining Buffer (BSA) - 500 mls
663262	LST Tubes 20 tests
552475	CD200 - PE - Anti Human - Clone MRC OX-104 - Isotype Mouse IgG1 kappa - 100 tests

The above information is true to the best of my knowledge

Yours faithfully,

- 4 FES 2619

Nikhita Tandon International Regulatory Affairs Specialist, Becton Dickinson & Company, BD Biosciences, 2350 Quine Drive, San Jose, CA 95131, USA

Dr. Ashish Kumar Gupta Assistant Professor (Dept of Pathology & Lab Medicine) All India Institute of Medical Sciences

Raipur (C.G.)

अवज्ञात अव्यान सवपुर (छ.ग.) Aumaia / Coute of Medical Sciences, Raipur (C.G.)