

All India Institute of Medical Sciences, Raipur (Chhattisgarh) Tatibandh, GE Road, Raipur-492 099 (CG) <u>www.aiimsraipur.ed</u>u.in

赤町市/No.AIIMSRPR/BIO/DL/INTRA/COVID19/03(780)

दिनांक: 29.12.2022

## अनापत्ति प्रमाण पत्र (No Objection Certificate)

विषय/Sub: PAC purchase for supply of, consumable's kits Make-QIAGEN India Pvt. Ltd, through the Intramural research project of Dr. D L Gupta Assistant Professor, Department of Biochemistry, AIIMS, Raipur

These consumable kits are required for the financially approved intramural research project of Dr. D L Gupta (Principal Investigator) entitled- "To evaluate the presence of cross-reactive antibodies against the spike protein variants (B.1.617) of SARS-CoV-2 in the vaccinated people and non-vaccinated people who have recovered from natural infections", Department of Biochemistry at AIIMS, Raipur from QIAGEN India Pvt. Ltd on Proprietary basis. The local agent for supplying above item is M/s. Shristi Enterprises., The proposal submitted by the Principal Investigator, and PAC Certificate are attached which is to be uploaded on website.

The above documents are being uploaded for open information to submit objections/comments, if any from any manufacturer/dealer/distributor regarding proprietary nature of the consumables / items within the stipulated time from the date of issue / upload of notification by reference no. AIIMSRPR/BIO/DL/INTRA/COV19/03/.7go.1.. The comments should be sent to Biochemistry Department/Stores Officer, AIIMS, Raipur on or before 06/01/2023up to 3.00 pm. or email on dr.dlgupta@aiimsraipur.edu.in, failing which it will be presumed that any other manufacturer/ dealer/distributor having no objection/comment to offer and case will be decided on merits.

संलग् न/Enclosure: Certificate for Purchase of Proprietary Article

Dr. D.L. Gupta Assistant Professor Department of Biochemisu. AllMS, Raipur (C.G.)

All India Institute of Medical Sciences Raipur, C.G.) All India Institute of Medical Sciences Raipur, Chattisgarh



6

# **Department of Biochemistry** अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़) All India Institute of Medical Sciences, Raipur (Chhattisgarh) Tatibandh, GE Road,Raipur-492 099 (CG) www.aiimsraipur.edu.ip

### स्वामित्वप्रमाण–पत्र

#### **Proprietary Article Certificate**

File N	Number and Reference			
1	सामग्रीकाविवरण Description of article	These consumable kits are required for analysis of various samples of patients/participants under the intramural project grant of myself Dr. D L Gupta (Principal Investigator), Assistan Professor, project title-""To evaluate the presence of cross reactive antibodies against the spike protein variants (B.1.617) of SARS-CoV-2 in the vaccinated people and non-vaccinated people who have recovered from natural infections.		
		S. Complete Description of items no. (Specifications, Catalog No.)	Qty. Req.	
-		1 As per annexure-2		
2	पूर्वानुमानितमात्रा / वार्षिकआवष्यकता Forecast of quantity/Annual requirement	As mentioned in above table at point.01		
3	उपरोक्तमात्रा हेतुअनुमानितमूल्य Approximate estimated value for above	Total Amoun		
4	निर्माताकानाम एवं पता Maker's Name and Address	QIAAGEN India Pvt. Ltd.   Registered Office:   Plot no. 9, Corporate One, District centre : Jasola, New Delhi   110025   Pramod Meshram   Account Manager-MD X Sales.   Contact: Mob no:+91-9319900899   Email: pramod.meshram@qiagen.com		
5	अधिकृतडीलर/स्टाकिस्टकानाम Name(s) of authorised dealers/stockists	M/s. Shrishti Enterprises Address: B-6, Garchaz Complex, Opposite J.1 College,Raipur(C.G)492001 Mr. Vikas Singh Contact: Mob no: 7697362474, Phone no. 0771-2582122 Email:vikash@shristigroup.com	N.M Medical	
6	मैपीएसी के आधारपरउपरोक्त खरीदकोस्वीकारकरताहूँ और यह प्रमाणित करताहूँकिः नोट- (बी) (सी-1) या (सी-2) मेंसेकेवल एक कोबनाए रखने के लिए टिककरेंजोभीलागूहोऔरदूसरोंकोकाटदें ।कृपया ए टिककरपुष्टिकरेंद्रसकेबिनापीएसीप्रमाणपत्र अवैध होगा। I approve the above on PAC basis and certify that:- Note: Tick to retain only one out of (b) (c-1) or (c-2) whichever is applicable and cross out others. Please do confirm (a) by ticking it without which PAC continents will be invalid.			
(a)	Please do confirm (a) by ticking it-without which PAC certificate will be invalid.   यह एकमात्र फर्महैजोइसमदकानिर्माण / संग्रहणकररहाहै ।और   This is the only firm who is manufacturing / stocking this item. AND			
(b)	This is the only firm who is manufacturing / stocking this item. AND   पित्तीजन्य फर्म द्वातासरुपमदनिर्मित / पिक्य   नहींकियाजाताहैजिसकाउपयोगइसकेबदलेकियाजासकताहै ।अथवा   A similar article is not manufacturing /sold by any other firm, which could be used in lieu OR		~	

6(c-1)	कोईअन्य मेक/ब्रांडनिम्नलिखितकारणों (जैसे ओईएम/वारंटी के) के लिए उपयुक्तनहींहोगा। अथवा no other make/brand will be suitable for following tangible reasons (like OEM/warranty spares) OR	×
6(c-2)	कोईअन्य मेक/ब्रांडनिम्नलिखितकारणॉसेउपयुक्तनहींहोगा (अगर पीएसीपिछले खरीदमेनीदियागयाथा, तोकृपयाइसकेबादसेअधिकस्रोतोंका पता लगाने के लिए प्रयास करें)। तथा No other make/brand will be suitable for following intangible reasons (if PAC was also given in the last procurement cycle, please also bring out efforts made since then to locate more sources): OR	×
7	प्रस्ताव के लिए वित्तशाखा की सहमतिकासंदर्भ (कार्रवाई भंडारऔरलेखाविभाग द्वारा की जायेगी) Reference of concurrence of finance wing to the proposal (Action will be taken by Stores and Department)	

पिछलेतीनसालॉमेंइसमद की पीएसी खरीदकाइतिहासनीचेदियाजासकताहे (यदि कॉई हो) History of PAC purchase of this item for past three years may be given below (if any) प्रदायककानामName of the supplier ---आदेश / निविदासंदर्भऔरदिनांक आदेषितमात्रा आदेशपरमूलदर प्रतिकूलप्रदर्षनरिपोर्टअगरकोईहो order/tender reference & date quantity Basic rate on order (Rs.) adverse performance ordered reported if any .... .... .....

अनुमोदनकरनेवालेप्राधिकारीकाहस्ताक्षर Signature

Dr. D.L. Gupta Assistant Professor Department of Blochemistry. AllMS, Raiput (C.G.)

दिनांक ... 2.2 Date

अधिकारीकापदनाम . Designation of Officer Ascistant seison

## Annexure-2

6

SI.	Complete Description of items(Specification Model, Catalog No) Use	Quantity
No.	separate Sheet if required & signed by indenter and HOD	Required
1	UniSP2	01 unit
2	SNORD48	01 unit
3	Uni SP4	01 unit
4	UniSP5	01 unit
5	Spike-in Kit, for RT	01 unit

C

D.L.C]