



AIIMS/R/HS/NEPH/NAV/166/2025/4103

Date: 08/08/2025

Call for Objections

Sub:- Inviting Comments/objections (if any), before declaring proprietary article for procurement of Consumables for NAV Portable 250LPM RO Machine for Nephrology Department at AIIMS Raipur.

Nephrology Department at AIIMS Raipur has to procure **Consumables for NAV Portable 250LPM RO Machine for Nephrology Department** through Proprietary Article basis under GFR -166.

The proposal along with Proprietary Article Certificate submitted by M/s NAV Products who is sole manufacturers and and supplier of the said items and same upload on AIIMS Raipur website.

The above documents are being uploaded for open information to submit objections/comments (if any) from any manufacturer/supplier before declaring proprietary article for the said equipment/items to be procured, within 07 days (i.e. 15/08/2025) from the date of issuance/uploading of the notifications.

The objection should be raised on the technical compliance sheet as enclosed, if any firm claiming suitability of their product with respect to specification mentioned.

The comments should be sent to the office of Stores Office (Hospital), 1st Floor, Hospital Administration Block, Gate No. 1, AIIMS Raipur in sealed envelope or through mail storesofficer.hp@aiimsraipur.edu.in on or before 15/08/2025 up to 3.00 PM failing which it will be presumed that any other vendor having no comments to offer and case will be decided on merits.

**Sd/-
Officer In-Charge Procurement (DMC)
AIIMS Raipur**

Encl:-

1. Proprietary Letter by Manufacturer
2. Proprietary Letter by Department



NAV PRODUCTS : 987/6/1 G.I.D.C Estate, Makarpura, Vadodara - 390 010, Gujarat, India
 +91 7228888906 | nav.care@navwater.com | admin@navwater.com
 GST NUMBER : 24AALFN8693F1ZT PAN : AALFN8693F

Proprietary Article Certificate

To whom it may concern,

We, M/s. NAV Products here by certify that below mentioned products is proprietary item of ours and NAV HD RO Plant (Medical Water Treatment Plant for Dialysis) and its Spare/ Consumables parts are only manufactured by us (M/s. NAV Products).

Sr. No.	Products Descriptions	Make/ Brand
1	Special Micron filter for nav HD 250	NAV
2	Special Activated Carbon filter for nav HD 250	NAV
3	Special Softener cartridge filter for nav HD 250	NAV
4	Special Membranes for nav HD 250	NAV
5	Special UV filters for nav HD 250	NAV
6	Chemical for Disinfection for nav HD 250	NAV

No other makes or model/service provider is acceptable for the following reasons:

NAV HD 250 is a highly sophisticated unit specially designed for providing safe AAMI standard water for dialysis. This product water and its purity are extremely important for patient's life and wellbeing. Hence, it is EXTREMELY IMPORTANT that only the above mentioned items are used with our NAV HD 250 RO plant. Any product other than the above mentioned parts will seriously degrade the performance of our unit as well as the quality of water that it produces. These products are made by us after running lots of tests and experiments, thus they deliver the end product (here water) that surpasses AAMI standard requirements.

For and on behalf of M/s. NAV Products



Dr. Jay Patel (Technical Head)
 M/s. NAV Products
 Date: 11/07/2025



अखिलभारतीय आयुर्विज्ञानसंस्थान, रायपुर (छ.ग.)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
 Tatibandh, GE Road,
 Raipur-492 099 (CG)
 www.aiimsraipur.edu.in

स्वामित्वप्रमाणपत्र
Proprietary Article Certificate

फाइल संख्या औरसंदर्भ File Number and Reference		
1	सामाग्रीकाविवरण Description of article	RD Membrane for NAV ASD LPH
2	पूर्वानुमानितमात्रा / वार्षिकआवश्यकता Forecast of quantity/annual requirement	
3	उपरोक्तमात्रा हेतुअनुमानितमूल्य Approximate estimated value for above	
4	निर्माताकानाम एवं पता Maker's name and address	M/s NAV Products, 987/6/1 GIDC Makarpura, Vadodra - 390010
5	अधिकृतडीलर / स्टकिस्टकानाम Name(s) of authorised dealers/stockists	M/s NAV Products.
6	<p>मैंपी ए सी के आधारपरउपरोक्त खरीदकोस्वीकारकरताहूंऔर यह प्रमाणित करताहूंकि: नोट- (बी), (सी-1) या (सी-2) में से केवल एक कोबनाए रखने के लिए टिककरें, जोभीलागूहोऔरदूसरोकोकाट दें। कृपया (ए) टिककरपुष्टिकरेंइसकेबिनापीएसीप्रमाणपत्र अवैध होगा</p> <p>I approve the above purchase on PAC basis and certify that:- Note- Tick to retain only one out of (b), (c-1) or (c-2) whichever is applicable and cross out others. Please do confirm (a) by ticking it - without which PAC certificate will be invalid.</p>	
6 (a)	यह एकमात्र फर्महैजोइसमदकानिर्माण / संग्रहणकररहाहै। और This is the only firm who is manufacturing /stocking this item. AND	
6 (b)	किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नहीं कियाजाताहै, जिसकाउपयोगइसकेबदलेकियाजासकताहै। अथवा A similar article in not manufacturing/sold by any other firm, which could be used in lieu OR	-
6 (c-1)	कोईअन्य मेक / ब्रांडनिम्नलिखितकारणों (जैसेओईएम / वारंटी के) के लिए उपयुक्त नहीं होगा। अथवा No other make/brand will be suitable for following tangible reasons (like OEM/warranty spares): OR	-

	
6 (c)	कोई अन्य मेक/ब्रांड निम्नलिखित कारणों से उपयुक्त नहीं होगा (अगर पीएसी पिछले खरीद में भी दिया गया था, तो कृपया इसके बाद से अधिक स्रोतों का पता लगाने के लिए प्रयास करें) तथा No other make/brand will be suitable for following intangible reasons (if PAC was also given in the last procurement cycle, please also bring out efforts made since then to locate more sources): OR	✓
	
	प्रस्ताव के लिए वित्त शाखा की सहमति का संदर्भ (कार्रवाई भंडार और लेखा विभाग द्वारा की जायेगी) Reference of concurrence of finance wing to the proposal (Action will be taken by stores & Account Department)

पिछले तीन सालों में इस मद की पीएसी खरीद का इतिहास नीचे दिया जा सकता है (यदि कोई हो) History of PAC purchase of this item for past three years may be given below (if any)			
प्रदायक का नाम Name of the Supplier			
आदेश/निविदा संदर्भ और दिनांक Order/Tender reference & Date	आदेशित मात्रा Quantity Ordered	आदेश पर मूल दर (<input type="checkbox"/>) Basic Rate on order (<input type="checkbox"/>)	प्रतिकूल प्रदर्शन रिपोर्ट अगर कोई हो Adverse Performance Reported if any

अनुमोदन करने वाले प्राधिकारी का हस्ताक्षर.....

Dr. Vinay Rathore

डॉ. विनय राठौर

Associate Professor (Nephrology)

सह प्राध्यापक (नेफ्रोलॉजी)

All India Institute of Medical Sciences, Raipur (C.G.)

अधिकारी का पद नाम..... रायपुर (छ.ग.)

दिनांक.....



अखिलभारतीय आयुर्विज्ञानसंस्थान, रायपुर (छ.ग.)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
 Tatibandh, GE Road,
 Raipur-492 099 (CG)
 www.aiimsraipur.edu.in

स्वामित्वप्रमाणपत्र
Proprietary Article Certificate

फाइल संख्या औरसंदर्भ File Number and Reference		
1	सामाग्रीकाविवरण Description of article	Micron filter, ACT filter and softener cartridge for portable RO NAV 250LPH
2	पूर्वानुमानितमात्रा / वार्षिकआवश्यकता Forecast of quantity/annual requirement	[REDACTED]
3	उपरोक्तमात्रा हेतुअनुमानितमूल्य Approximate estimated value for above	[REDACTED]
4	निर्माताकानाम एवं पता Maker's name and address	M/S NAV Products, 987/6/1 GIDC Estate, Makarpura, Vadodra - 390010.
5	अधिकृतडीलर / स्टॉकिस्टकानाम Name(s) of authorised dealers/stockists	M/S NAV Products.
6	<p>मैंपी ए सी के आधारपरउपरोक्त खरीदकोस्वीकारकरताहूँऔर यह प्रमाणित करताहूँकि: नोट- (बी), (सी-1) या (सी-2) में से केवल एक कोबनाए रखने के लिए टिककरें, जोभीलागूहोऔरदूसरोकोकाट दें। कृपया (ए) टिककरपुष्टिकरेंइसकेबिनापीएसीप्रमाणपत्र अवैध होगा</p> <p>I approve the above purchase on PAC basis and certify that:- Note- Tick to retain only one out of (b), (c-1) or (c-2) whichever is applicable and cross out others. Please do confirm (a) by ticking it - without which PAC certificate will be invalid.</p>	
6 (a)	यह एकमात्र फर्महैजोइसमदकानिर्माण / संग्रहणकररहाहै। और This is the only firm who is manufacturing /stocking this item. AND	
6 (b)	किसीअन्य फर्म द्वारासमरूपमदनिर्मित / विक्रय नहीं कियाजाताहै, जिसकाउपयोगइसकेबदलेकियाजासकताहै। अथवा A similar article in not manufacturing/sold by any other firm, which could be used in lieu OR	-
6 (c-1)	कोईअन्य मेक / ब्रांडनिम्नलिखितकारणों (जैसेओईएम / वारंटी के) के लिए उपयुक्त नहीं होगा। अथवा No other make/brand will be suitable for following tangible reasons (like OEM/warranty spares): OR	-
.....		

	
6 (c)	<p>कोई अन्य मेक / ब्रांड निम्नलिखित कारणों से उपयुक्त नहीं होगा (अगर पीएससी पिछले खरीद में भी दिया गया था, तो कृपया इसके बाद से अधिक स्रोतों का पता लगाने के लिए प्रयास करें) तथा</p> <p>No other make/brand will be suitable for following intangible reasons (if PAC was also given in the last procurement cycle, please also bring out efforts made since then to locate more sources): OR</p>	✓
	<hr/> <hr/>	
	<p>प्रस्ताव के लिए वित्त शाखा की सहमति का संदर्भ (कार्रवाई भंडार और लेखा विभाग द्वारा की जायेगी)</p> <p>Reference of concurrence of finance wing to the proposal (Action will be taken by stores & Account Department)</p>	<hr/> <hr/>

<p>पिछले तीन सालों में इस मद की पीएससी खरीद का इतिहास नीचे दिया जा सकता है (यदि कोई हो) History of PAC purchase of this item for past three years may be given below (if any)</p>			
<p>प्रदायक का नाम</p> <p>Name of the Supplier</p>			
<p>आदेश / निविदा संदर्भ और दिनांक</p> <p>Order/Tender reference & Date</p>	<p>आदेशित मात्रा</p> <p>Quantity Ordered</p>	<p>आदेश पर मूल दर</p> <p>(<input type="checkbox"/>) Basic Rate on order (<input checked="" type="checkbox"/>)</p>	<p>प्रतिकूल प्रदर्शन रिपोर्ट अगर कोई हो</p> <p>Adverse Performance Reported if any</p>

अनुमोदन करने वाले प्राधिकारी का हस्ताक्षर.....

Dr. Vinay Rathore

डॉ. विनय राठौर

Associate Professor (Nephrology)

सह प्राध्यापक (निफ्रोलॉजी)

दिनांक.....

अधिकारी का पदनाम.....
अखिल भारतीय आयुर्विज्ञान संस्थान

आर (प. १११)