



AIIMS/R/CS /Micro/HICC/18/097/LPC/B

Date: 06/11/2018

**कोटेशन सूचना**  
**QUOTATION NOTICE**

Inviting Quotations for Purchase of **Automatic hand rub dispenser** for Department of Hospital infection Control (Microbiology) at, AIIMS Raipur.

Sealed quotations are invited from intending registered Stockist / Distributors having GST and relevant documents for Purchase of **Automatic hand rub dispenser** for Department of Hospital Infection Control (Microbiology) at, AIIMS Raipur. The quotation with copy of certificate of GST & other documents should be submitted to office of **Store Officer Medical College Building** up to 16/11/2018 before 3:00 pm. The quotations will be opened on the same day at 3:30pm. Details of item are given as under:-

S. No.	Description of Items	HSN Code	Make/ Brand	Qty	Unit Rate in Rs.	GST @	Unit Rate with GST	Total Price
1	Automatic hand rub dispenser – Capacity 1000 ml <b>Detail technical specification as per Annexure-I</b>			20 Nos				

**Terms and Conditions:-**

1. Rate should be mentioned in words & figure both.
2. Taxes, if any (should be clearly mention).
3. Delivery Schedule – within 15 days from the date of issue of PO.
4. Price should be FOR Destination basis.(i.e. concerned department)
5. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10%. After expiry of delivery period material cannot be accepted without extension of delivery period.
6. Quotation No/Name and Due date of opening must be written on top of envelop.
7. **GST** rates applicable on your quoted item may please be confirmed. **HSN** code for each item should be clearly mention.
8. Please confirm if there any change (Upward/Reduction) in your Basic Price structure. And you are also requested to pass the Input Credit as per the following Anti Profiteering Clause of GST.  
**“Upon Implementation of GST, any reduction in the rate of tax on supply of goods or service or the benefit of input tax credit shall be passed on to AIIMS Raipur by way of commensurate reduction in the prices.**

9. In the event of increase in price, detailed justification and supporting evidence may be submitted for our consideration.
10. The GST registration details may please be furnished.
11. 100% payment against receipt and acceptance of material.
12. Validity of offer should not be less than 90 days
13. No Part supply or Part Payment will be entertained.
14. RTGS detail required for payment purpose.
15. Expenditure will be debitable to GIA-48.
16. Brand & Make should be clearly mentioned in offer (if required)
17. The Quantity of above column is totally tentative. It can be increased or decreased at the time of placement of order.
18. Supply, installation & commissioning will be done by Firm.(if applicable)
19. AIIMS Raipur reserve the right to place the order for full or part quantity to one or more items.
20. The firm should submit the compliance report of tendered material otherwise the offer will be summarily rejected.

भंडार अधिकारी  
अखिल भारतीय आयुर्विज्ञान संस्थान  
रायपुर (छ.ग.)

**Technical Specifications for automatic hand rub dispenser**

- Touch free dispenser
- Wall mounted / free standing
- Micro – processor controlled
- Operation – sensor type.
- Should be able to dispenser fixed volume of 3 ml of hand rub at any moment
- Should have easily replaced cartridge based system. Refilling by top – up is not acceptable.
- The dispenser should allow usage of different types cartridge made by different manufacturers.
- Dispensers must be operated and maintained such that a microbial contamination of the pump nozzle may easily be avoided.
- The dispenser should allow identifying the type of product, as well as reading the product's name and critical manufacturer warning at any time.
- The dispenser must allow identification of the level of the level of the used product without any further manipulation at any time.
- The design of the dispenser must allow easy cleaning and disinfection the outside and inside of the dispenser.
- Automatically portioning dispensers shall not fail during 200 hubs. The maximal allowed failure rate shall not exceed 1% (2 out of 200 consecutive hubs.)
- A dispenser used for alcohol based hand rubs must allow keeping the alcohol concentration constant over a time period of 3 months. The maximum acceptable decrease in the concentration of the alcohol shall not exceed 5%
- Optional feature – the dispenser should be able to document the consumption of hand rub or the frequency of hubs either mechanically or electronically.