



अखिलभारतीयआयुर्विज्ञानसंस्थान, रायपुर(छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
Tatibandh, GE Road,
Raipur-492 099 (CG)
www.aiimsraipur.edu.in

AIIMS/R/HS/2019/OW/14165/LPC/A

Date: 05/12/2019

Inviting Quotations for Purchase of Serum Separator Blood Collection Tube for Hospital Services at AIIMS, Raipur.

QUOTATION NOTICE

Sealed quotations are invited from intending registered Stockist / Distributors having GST and relevant documents for Purchase of **Serum Separator Blood Collection Tube for Hospital Services at AIIMS, Raipur**. The quotation with copy of certificate of GST & other documents should be submitted to office of **Store Officer Room No. – 51, 2nd floor Ayush PMR Building, Gate No. 1** up to 07/12/2019 before 12:00 pm. The quotations will be opened on the same day at 12:30 pm. Details of item are given as under: -

Hospital Requirement of Serum Separator Blood Collection Tube for Hospital Services at AIIMS, Raipur

| Sr No | Name of Item | Qty rqrdr | Unit | Brand /Make | Product HSN code | Unit rate (INR) | Applicable GST (INR) | | | Total Amount (INR) |
|-------|--|-----------|------|-------------|------------------|------------------|----------------------|-------|-------|--------------------|
| | | | | | | | CG ST | SG ST | IG ST | |
| 1 | Serum Separator Blood Collection Tube (Plastic) 1. Coagulation Activator: Silica 2. Capacity: 3.5ml 3. Size: 13 x 75 mm 4. Should have acrylic gel which forms a stable barrier between the serum and the clot after the tube has been centrifuged 5. Hemograde Closure 6. Sterilization Process: GAMMA/ETO 7. Non Pyrogenic / Non Toxic 8. Leak Proof Cap 9. Evacuated Blood Collection Tube should be made of clear Latex free Polyethylene Terephthalate 10. Batch wise sterility/pyrogenicity/toxicity certificates should be provided with every supply. 11. Adequate combustion data to prove that it is safe for the environment upon incineration 12. As per CLSI guidelines Tube, holder and Needle should be from the same manufacturer to ensure compatibility 13. Pack Of 100 Nos. | 200 Boxes | Box | | | | | | | |

Terms & Condition

1. Firm to mention Make/Brand name in their quotation.
2. Taxes, if any (Kindly mention in above table) should be clearly mentioned in the offer.
3. Document relating to registration of firm i.e. GST number and relevant document should be submitted along with quotation.
4. Products are certified from **USFDA/BIS** certified as applicable.
5. Supply should be done within 15 days after Placement of PO.
6. Price should be FOR Destination basis (i.e. concerned department).
7. Payment will be released after certification from Hospital Store.
- 8. Quotation Name/No. and due date of opening must be mentioned on top of envelopes.**
9. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed supply to be deducted.
10. AIIMS Raipur reserves the right to place order for full or part quantity to one or more firms.
The AIIMS, Raipur reserves the right to increase/decrease the number of required quantity All other terms & condition as per GFR 2017 applicable.
11. Material to be delivered at **Pharmacy Store, at AIIMS Raipur.**
12. **Validity of the quotation should be 90 days from the date of opening.**
13. **Sample to be submitted if required.**

Stores Officer (H)
AIIMS, Raipur (C.G.)