



AIIMS/R/CS /Micro/19/201/LPC

Date: 13/12/2019

Inviting Quotations for procurement of Incubator in Microbiology Department, at AIIMS Raipur.

**QUOTATION NOTICE**

Sealed quotations are invited from intending registered Stockist / Distributors having GST number and relevant documents for Incubator for Microbiology Department, at AIIMS Raipur. The quotation should be submitted to Medical College Building, 2<sup>nd</sup> Floor, Gate no.05 office of Store Officer up to 3:00pm on 18/12/2019. The quotations will be opened on the same day at 3:30pm. Details of item are given as under:-

S.No.	NAME	REQUI REMENT	UNIT	UNIT RATE IN Rs.
1	<b>Incubator</b> <b>A. Technical Specification:</b> <ul style="list-style-type: none"><li>Chamber capacity – 575 Lts or more.</li><li>Interior Chamber- Interior construction of stainless steel grade 304, chamber thickness of atleast 1mm.</li><li>Exterior – epoxy coating abrasion resistant.</li><li>Minimum turbulence and no cross contamination.</li><li>Incubator Temperature range : ambient +20° C to 70° C.</li><li>Control accuracy <math>\pm 0.5^\circ</math> C, it should have special Quartz tube enclosed heaters of safety and efficient heating.</li><li>It should be provided with minimum 5mm frameless tempered safety glass inner door enables easy monitoring without variation in temperature.</li><li>It should be provided with SS Wire Mesh Shelves 4 nos, adjustable height in steps of 25mm.</li><li>It should have Eye Level door mounted controller for easy access and check operating status.</li><li>It should have Digital PID temperature controller with PT100 sensor for precise status.</li><li>Controller should be equipped with timer (0-9999 mins.) (timer bypass option should be available), auto tuning and alarms.</li><li>It should have independent Over temperature Safety protection and should be user settable.</li><li>Controller should have Seven segment LED display.</li><li>Peltier or jacket or Blanket heating with continuous air circulating and heating by natural/forced convection for homogenous temperature distribution.</li><li>It should have Internal circulating fan.</li></ul>	1	No	

	<ul style="list-style-type: none"> <li>• Heater power should be 1 KW.</li> </ul> <p><b>B.Power Supply:</b></p> <ul style="list-style-type: none"> <li>• Power input to be 220-240 VAC,50 Hz,Single Phase with Indian Plug.</li> <li>• The system should be supplied with 5kva servo stabilizer.</li> </ul> <p><b>C.Standards:</b></p> <ul style="list-style-type: none"> <li>• Product should be FDA or CE certified &amp; ISO &amp; IEC (or equivalent BIS) certified.</li> <li>• Calibration report with NABL traceability.</li> </ul> <p><b>D.Warranty:</b></p> <ul style="list-style-type: none"> <li>• Should be provided with Minimum 2 years warranty.</li> </ul>			
--	--	--	--	--

### नियम एवं शर्तें

#### **Terms & Conditions.**

1. Rate should be mentioned in words & figures both.
2. **GST rates applicable** on your quoted item may please be confirmed.
3. Delivery Schedule- within 15 days from the date of issue of P.O.
4. No additional documents related to this NIQ will be entertained after opening of NIQ.
5. Price should be F.O.R. for Destination basis (i.e.Concerned Department)
6. LD@0.5% of delayed supply per week or part week for delay of supply of material subject to maximum upto 10% of delayed supply should be deducted.
7. Quotation No/Name and Due date of opening must be written on top of the envelop.
8. **Brand & Make & warranty should be clearly mentioned in offers as well as tender/ quotation specific authorization may be submit with the offer/bid.**
9. **The GST registration details may please be furnished.**
10. Please confirm if there any change (Upward/Reduction) in your **Basic Price** structure. And you are also requested to pass the Input Credit as per the following **Anti Profiteering Clause** of GST. **"Upon Implementation of GST, any reduction in the rate of tax on supply of goods or service or the benefit of input tax credit shall be passed on to AIIMS Raipur by way of commensurate reduction in the prices"**
11. RTGS details required for payment purpose.
12. 100% payment against receipt and acceptance of material.
13. No part supply or part payment will be entertained.
14. Validity of offer should not be less than 90 days.
15. Supply,Installation and Commissioning will be done by firm (if applicable).
16. The quantity shown in above column are totally tentative, it can be increase and decrease at the time of placement of purchase order.
17. AIIMS Raipur reserved the rights to place order for full or part quantity to one or more firm.

Sr.Administrative Officer  
AIIMS Raipur (C.G.)

### **Vendor Details**

Name	
Aadhaar No. (if any)	
PAN	
GST.No.	
Address	
City	
State	
Pincode	
Mobile No.	
Phone No.	
E-mail	
Bank Name	
Bank A/c No.	