



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
Tatibandh,
Raipur-492 099 (CG)

AIIMS/R/HS /Micro/23/19/LPC/ 310

Date: 18/04/2023

विषय/ Sub: Inviting Quotation for procurement of "MIC Colistin Kit" for Microbiology Department of AIIMS Raipur.

कोटेशन सूचना

QUOTATION NOTICE

Sealed quotation is invited from intending registered Stockist / Distributors having GST Number and relevant documents for "MIC Colistin Kit" for Microbiology Department, AIIMS Raipur. The quotation should be submitted to office of Stores Officer (Hospital), Room No. 146, C-C1 Block, Gate No 1, AIIMS Raipur up to 3:00 pm on 24/04/2023. The quotations will be opened on the same day at 3:30pm. Details of item are given as under:-

| Sr. No. | NAME | REQUIREMENT | UNIT | Make & HSN Code | UNIT RATE IN Rs. | GST in % | Unit Rate with GST | TOTAL PRICE in RS. |
|---------|---|--------------------|------|-----------------|------------------|----------|--------------------|--------------------|
| 1 | MIC Colistin Kit • Broth microdilution based kit for testing MIC of Colistin. • Single test strips for Colistin only. • Microwells pre-coated with Colistin sulphate. • Dilutions from 0.25 to 16 mg/L concentration and growth control well • Separate cation adjusted Mueller Hinton broth be available as ready to use Note: The kit provided should have expiry at least of 3 to 6 months | (1 x 36 test) x 29 | Kit | | | | | |

Terms & Conditions.

1. Rate should be mentioned in words & figures both.
2. **GST rates applicable** on your quoted item may please be confirmed.
3. Delivery Schedule- within 15 days from the date of issue of P.O.
4. No additional documents related to this NIQ will be entertained after NIQ opened.
5. Price should be F.O.R. for Destination basis (i.e. Concerned Department).
6. LD@0.5% of delayed supply per week or part week for delay of supply of material subject to maximum upto 10% of delayed supply should be deducted.
7. Quotation No/Name and Due date of opening must be written on top of the envelop.

