

अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर, (छत्तीसगढ़) All India Institute of Medical Sciences, Raipur (Chhattisgarh) Tatibandh, GE Road, Raipur-492 099 (CG) www.aiimsraipur.edu.in

AHMS/R/HS/2024/Bio/CCC/ 547

Date: 30/08/2024

Sub: Clinical Chemistry Control Level-1 & Level-2 of Biochemistry Department at AIIMS Raipur.

NOTICE INVITING QUOTATION

Sealed quotations are invited from intending registered Stockist / Distributors/traders having GST and relevant documents for Purchase of Clinical Chemistry Control Level-1 & Level-2 of Biochemistry Department at AIIMS Raipur. The quotation with copy of certificate of GST & other documents should be submitted to office of Stores Office – Hospital, Room NO -146, C-C1 Block, Gate No. 1, AIIMS Raipur up to 06/09/2024 before 03:00 pm. The quotations/Bids will be opened on the same day i.e. on 06/09/2024 at 03:30pm. Details of item are given as under:-

Sno .	Specification	Quantity Required	Unit	HSN Code	Brand	Unit Rate	GST			Amount
	delicate et describe de la constitución de la const						SGST	IGST	CGST	
1.	Clinical Chemistry Control Level - 1									
2.	Clinical Chemistry Control Level - 2									
	Grand Total									L

- 1. Clinical Chemistry Control Level-1/ Normal,
- 2. Clinical Chemistry Control Level-2/ Pathological,

Generalized specifications:

- 1. The QC material should have values for Sodium (Indirect ISE), Potassium (Indirect ISE) & Chloride (Indirect ISE)
- 2. The firm should quote for both the QC materials, one QC with normal & other QC with abnormal values.
- 3. The IQC material must have values for dedicated reagents, Beckman Coulter, to be run on Beckman Coulter AU series analyzers.
- 4. The IQC provider must provide worldwide peer group data every month for these analytes.
- 5. Quality control should be human Serum based
- 6. Quality control should offer in lyophilized form
- 7. Quality control should be assayed for Dry Chemistry as well as wet chemistry analyzers
- 8. The IQC Should provide good stability for the above analytes

- 9. Quality control should offer 30 days frozen reconstituted stability for most analytes.
- 10. Quality control should offer 7 day open vial reconstituted stability at 2-8°C most analytes
- 11. Quality control should offer 2 year shelf life while stored at 2-8°C
- 12. Quality control Should be USFDA approved
- 13. The L1 will be calculated as per the price per ml including both the IQC level.

Terms & Condition

- 1. Firm to mention Make/Brand name in their quotation.
- 2. Taxes, if any (Kindly mention in above table) should be clearly mentioned in the offer.
- 3. Document relating to registration of firm i.e. GST and relevant document should be submitted along with quotation.
- 4. Products are certified from ISI/ISO/CE/GMP/BIS as applicable, the Certificate to this effect should be attached.
- 5. Delivery Schedule:-

No. of Packs to be Delivered

Item Details	To be delivered with	To be delivered with	To be delivered with In				
	In 15 days of PO	In 120 days of PO	270 days of PO				
	released	released	released				
Clinical Chemistry Control Level - 1		3	3				
Clinical Chemistry Control Level - 2	3	3	3				

- 6. Price should be FOR Destination basis (i.e. concerned department).
- 7. 100% Payment will be released after certification from concerned department.
- 8. Quotation Name/No. and due date of opening must be mentioned on top of envelops.
- 9. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed supply to be deducted.
- 10. AIIMS Raipur reserves the right to place order for full or part quantity to one or more firms. The AIIMS, Raipur reserves the right to increase/decrease the number of required quantity.
- 11. All other terms & condition as per GFR 2017.
- 12. Material to be delivered at Biochemistry Department, AIIMS Raipur.
- 13. Validity of the quotation should be 90 days from the date of opening.
- 14. Bidders should submit their email id, contact details with GST registration.
- 15. AIIMS Raipur reserves the right to ask the tenderers for arranging demonstration of their samples for feel & amp; finish for which rates have been quoted, to the concerned committee, if required.
- 16. Repeatedly purchased consumable Items/medicines should be purchased Rate Contract.

Procurement Lab Related Item

AIIMS, Raipur (C.G.)

(Officer In-charge, Raipur (C.G.)

Lab Related Items)

AIIMS, Raipur (C.G.)