



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)  
All India Institute of Medical Sciences, Raipur (Chhattisgarh)  
Tatibandh, GE Road, Raipur-492 099 (CG)  
[www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in)

No.: AIIMS/R/CS/AYUSH/E-20376/LPC

Dated: 26/10/2025

**(QUOTATION NOTICE – 2<sup>nd</sup> Call)**

Request for E-Market Survey for submission of Price Quotation for “**Instruments for Ayurveda as per Annexure-1**” for Ayurveda (Ayush) Department at AIIMS, Raipur under GFR-2017, Rule-155.

**NOTICE INVITING PRICE QUOTATION UNDER GFR-2017, RULE-155**

Sealed quotations are invited from intending registered Stockiest/ Distributors having GST/ relevant documents for above said. The quotation should be submitted to Medical College Building, Ground Floor, Gate No. 05, AIIMS, Raipur office of the Stores Officer on or before dated **06/10/2025 at 3:00PM**, quotation will be opened on the same day at **3:30PM**, detailed specifications of items are as under:

Sr. No.	Item of Descriptions as per <u>Annexure-1</u>	Qty.	Make/Model	HSN Code	Unit Price (Rs.)	GST	Unit Rate with GST	Total Price
01	Rubber Gasket for Nadi Swedan Yantra.	04						
02	Pizhichil Automatic/Sarvang Dhara Snehana Yantra.	01						
03	Infra-Red Lamp 150W with Timer & Intensity Control.	02						

**Terms and Condition**

- Rate should be mentioned in words & figure both.
- Taxes/GST, if any (Kindly mention in above table)
- Delivery schedule: within 04 Weeks from the date of issue of P.O. Delivery period:
- Price should be FOR Destination basis (i.e. Department of Ayurveda (Ayush), AIIMS Raipur).
- LD @ 0.5% of delayed supply per week or part thereof for delay of supply of material subject to maximum up to 10% should be deducted. After expiry of delivery period material cannot be accepted without extension of delivery period.
- The item should be specified as per ANNEXURE-01 (Technical Specification).**
- Quotation No/Name and due date of opening must be written on top of envelop.

8. GST rates applicable on your quoted item may please be confirmed. **HSN code for item should be clearly mentioned.**
9. Any change (Upward/Reduction) in the Basic Price structure post submission of bid shall be promptly intimated to AIIMS Raipur. You are also required to pass the Input Credit as per the following **Anti Profiteering Clause of GST**.  
**“Upon Implementation of GST, any reduction in the rate of tax on supply of goods or service or the benefit of input tax credit shall be passed on to AIIMS Raipur by way of commensurate reduction in the prices”.**
10. The GST registration details may be furnished.
11. RTGS details required for payment purpose.
12. 100% payment against receipt and acceptance of material.
13. No part payment will be entertained.
14. Validity of offer should not be less than 90 days.
15. Supply, installation and commissioning will be done by firm (if applicable).
16. The quantity in above column is totally tentative. It can be increased or decreased at the time of placement of order.
17. AIIMS, Raipur reserve the right to place the order for full or part quantity to one or more firms.
18. The product should be of superior quality and highly standard.
19. **L-1 of items will be calculated on total value of item with warranty.**

**Stores Officer,  
AIIMS, Raipur (C.G.)**

## Technical Specifications: -

Sr. No.	Description of Item	Technical Specifications
01.	RUBBER GASKET FOR NADI SWEDAN YANTRA	1. Rubber gasket for steam generators/Boiler of 25 liters capacity.
02.	PIZHICHIL AUTOMETIC / SARVANG DHARA SNEHAN YANTRA	<p>Specifically designed, deluxe model Pizhichil, Yantra provides full body oil bath, sirodhara oil bath and Hand- shower oil bath with individual controls.</p> <p><b>Specifications construction:</b></p> <ol style="list-style-type: none"> <li>1. Dhara Patti (Table): Wooden table top with a wooden sink is made of one-piece wooden board having a 5cm Hight rim all around the top and mount on carved hardwood legs.</li> <li>2. Size of table: Approx. 90"x31"x32" high.</li> <li>3. SHIRODHARA YANTRA automatic: <ol style="list-style-type: none"> <li>A. Oil filtration &amp; collecting: Yantra is fitted with a sink for oil collecting &amp; filtration.</li> <li>B. Oil temperature controls: The unit is fitted with a Digital temperature indicator cum controller to control the temperature of the oil.</li> <li>C. Oil pump: One, low voltage DC motor pump to re-circulate the oil.</li> <li>D. Oil flow: The oil flow can be controlled digitally. Oil is lifted and tel dhara drops on the patient's forehead or on full body, automatically.</li> <li>E. Shirodhara movement: An AC motor is fitted for oscillatory movement of oil dhara pipe. It can be stopped if not required.</li> <li>F. Yantra: Metal cabinet with chrome-plated push handle is mounted on four wheels and has a powder coated finish.</li> </ol> </li> </ol> <p><b>Sarvag dhara system:</b></p> <ul style="list-style-type: none"> <li>• Sarvang-Dhara frame is adjustable in height &amp; is made of stainless-steel tube with holes for controlled oil flow on the body.</li> <li>• Sirodhara system made of S.S tube is adjustable in height &amp; swings &amp; sprays oil horizontally on the forehead.</li> <li>• A hand shower is provided for oil bath of a particular joint.</li> <li>• Movement system, an electrical A/C motor moves sirodhara automatically.</li> <li>• Timer: An electrical timer stops the treatment at the pre-fixed time.</li> <li>• Power: 220V, AC.</li> </ul> <p><b>SPECIAL FEATURES:</b></p> <ul style="list-style-type: none"> <li>• The oil is automatically lifted and drops on the forehead or on the full body.</li> <li>• An electrical time stops the treatment at a pre-fixed time.</li> <li>• A heater keeps the oil soothing hot for the treatment at the pre-fixed temperature.</li> <li>• Finish; the yantra is elegantly finished.</li> </ul>

03.	INFRA READ LAMP	<ol style="list-style-type: none"> <li>1. Infra-red bulb: one, IR bulb of 150W is fitted in a metal casing with wire guard.</li> <li>2. Intensity control: fitted with intensity control switch to control out-put.</li> <li>3. Timer: automatic cut off timer of 60 minutes.</li> <li>4. Construction: bulb is mounted on a wide tubular base (25"x25") with four ball bearing Casters.</li> <li>5. Placement: adjustable arm permits wide range of adjustments in height and length for proper placement of heating lamp.</li> <li>6. Height adjustable from 45" to 70".</li> <li>7. Horizontal adjustment is up to 18" with 360-degree rotational adjustment.</li> <li>8. Finish: power coated finish, with Chrome plated working parts.</li> <li>9. Caution: I.R bulb carries no guarantee as it is just like an electric bulb that may fuse any time.</li> </ol>
-----	-----------------	---

**Stores Officer,  
AIIMS, Raipur (C.G.)**