

अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)

All India Institute of Medical Sciences, Raipur (Chhattisgarh)

खण्डन / DISCLAIMER

यह निविदा अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छ.ग.) के लिये

बोलीदाताओं / फर्म / एजेंसी इत्यादी से प्रस्ताव नहीं बल्की प्रस्ताव प्राप्त करने का निमंत्रण है

संविदात्मक दायित्व तब तक नही होगा जब तक औपचारिक अनुबंध पर हस्ताक्षर नही किया

जाता और चयनित बोलीदाताओं / फर्म / एजेंसी इत्यादी के साथ एम्स रायपुर के विधिवत अधिकृत

अधिकारियों के द्वारा निष्पादित किया गया हो।

This tender is not an offer by the All India Institute of Medical Sciences, Raipur, but

an invitation to receive offer from bidders/firm/agency etc. No contractual obligation

whatsoever shall arise from this tender process unless and until a formal contract is signed

and executed by duly authorized officers of AIIMS, Raipur with the selected

bidder/firm/agency.

Tatibandh, G.E. Road, Raipur -492099 (CG), Tele: 0771- 2577279, 07712971307

Website: www.aiimsraipur.edu.in/www.eprocure.gov.in

Email: store@aiimsraipur.edu.in

1



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर के न्यूरोसर्जरी विभाग के लिए "इलेक्ट्रो फिजियोलॉजी सिस्टम की आपूर्ति " हेतु वैश्विक निविदा आमंत्रण सुचना

GLOBAL TENDER ENQUIRY For "Supply of Electro Physiology System" For Department of Neurosurgery At All India Institute of Medical Sciences, Raipur

Tatibandh, G.E. Road, Raipur -492099 (CG), Tele: 0771- 2577279, 07712971307

Website: www.aiimsraipur.edu.in/www.eprocure.gov.in Email: store@aiimsraipur.edu.in

Sections	Topic
Section I	Notice inviting e-Tender (e-NIT)
Section II	General Instructions to Tenderers (GIT)
Section III	Special Instructions to Tenderers (SIT)
Section IV	General Conditions of Contract (GCC)
Section V	Special Conditions of Contract (SCC)
Section VI	List of Requirements
Section VII	Technical Specifications
Section VIII	Quality Control Requirements
Section IX	Qualification Criteria
Section X	Tender Form
Section XI	Price Schedules
Section XII	Questionnaire
Section XIII	Bank Guarantee Form for EMD
Section XIV	Manufacturer's Authorisation Form
Section XV	Bank Guarantee Form for Performance Security / CMC Security
Section XVI	Contract Form (A & B)
Section XVII	Proforma of Consignee Receipt Certificate
Section XVIII	Proforma of Final Acceptance Certificate by the Consignee
Section XIX	Consignee List
Appendix A	Public Procurement (Preference to Make in India), Order 2017

SECTION I

NOTICE INVITING e-TENDER (e-NIT)

Tender Enquiry No.: AIIMS/R/CS/Neuro/1173/23/GTE

1) Tenders in Two Bids (Technical & Financial Online bids) are invited on behalf of the, Director, All India Institute of Medical Sciences from interested and eligible service providers under Global Tender for "Supply of Electro Physiology system" for the Department of Neurosurgery at AIIMS Raipur. Manual bids shall not be accepted.

Item No.	Tender ID	Name of the Item	Qty	Unit	EMD Amount
1	AIIMS/R/CS/Neuro /1173/23/GTE	Electro Physiology system	01	Set	Rs. 12,00,000.00

CRITICAL DATE SHEET

Published Date	25.03.2023 at 10:00 AM
Bid Document Download / Sale Start Date	25.03.2023 at 10:00 AM
Pre bid meeting	05.04.2023 at 03:30 PM
Bid Submission Start Date	25.03.2023 at 10:00 AM
Bid Submission End Date	25.04.2023 at 03:00 PM
Bid Opening Date	26.04.2023 at 03:30 PM
Closing date & time for submission of EMD in physical form*	25.04.2023 at 03:00 PM

* Bidders have to submit Original Bank Instruments for processing fee and EMD or proof of EMD exemption as per GIT clause 19.2 (if applicable) within the above mentioned date and time.

SPECIFIC Instructions for e-Tender Participation:

- 3. Interested bidders are advised to download the complete Tender Enquiry document from the websites www.aiimsraipur.edu.in or www.eprocure.gov.in/cppp for complete details
- 4. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through CPPP website: **https://etenders.gov.in/eprocure/app** only.
- 5. The Bidder shall download the Bidding Document directly from the designated websites and shall not tamper/modify it including downloaded Price Bid template in any manner. In case if the same is found to be tempered/modified in any manner, Tender/Bid will be summarily rejected and EMD would be forfeited.
- 6. Bidders are advised to follow the instructions, for registering and online submission of their bid(s), as provided in the CPPP website and are requested to read them carefully before proceeding for bidding.
- 7. Bidders should be in possession of valid Digital Signature Certificate (DSC) of class III for online submission of bids. Prior to bidding, DSC need to be registered on the website mentioned above.
- 8. The tenderers shall submit EMD in physical form at the scheduled time and venue.
- 9. Tenderer may download the tender enquiry documents from the web site www.aiimsraipur.edu.in or www.eprocure.gov.in/cppp .
- 10. The bidders shall submit the required EMD (as per GIT clause no. 19.3) in physical form in favour of "AIIMS RAIPUR" at the scheduled time and venue.
- 11. All the tender related documents to be scanned in .pdf format with lower resolution and 100% readability and submitted online. The bidders shall not submit any other documents in physical form other than the documents mentioned at point no 9 above.
- 12. Prospective bidders may send their queries 02 (two) days before the pre-bid meeting so that they can be studied and addressed during pre-bid meeting. Query can also be raised during pre-bid meeting. No queries/ representations will be entertained after pre-bid meeting
- 13. All prospective tenderers may attend the Pre Tender meeting. The venue, date and time indicated above.
- 14. Bidders shall ensure that their bids complete in all respects, are submitted online through CPPP e-portal (https://etenders.gov.in/eprocure/app) ONLY. No DEVIATION is acceptable.
- 15. Bidders may simulate bid submission (technical & financial) at least one week in advance of the bid submission deadline. No clarifications/troubleshooting regarding any problems being faced during online bid submission shall be entertained in the last week of bid submission

IMPORTANT NOTE:- Tender EMD (as applicable) should be deposited within the scheduled date & time in the Tender Box located at:

Store Office, Gate No. 05, MEDICAL College Building, AIIMS RAIPUR, Tatibandh, G.E. Road, Raipur - 492099 (CG).

Tele: 0771-2577279, 07712971307

Website: www.aiimsraipur.edu.in/www.eprocure.gov.in Email: store@aiimsraipur.edu.in

SECTION - II GENERAL INSTRUCTIONS TO TENDERERS (GIT) CONTENTS

Sl. No.	Topic
A	PREAMBLE
1	Definitions and Abbreviations
2	Introduction
3	Availability of Funds
4	Language of Tender
5	Eligible Tenderers
6	Eligible Goods and Services
7	Tendering Expense
В	TENDER ENQUIRY DOCUMENTS
8	Contents of Tender Enquiry Documents
9	Amendments to Tender Enquiry Documents
10	Clarification of Tender Enquiry Documents
С	PREPARATION OF TENDERS
11	Documents Comprising the Tender
12	Tender Currencies
13	Tender Prices
14	Indian Agent
15	Firm Price
16	Alternative Tenders
17	Documents Establishing Tenderer's Eligibility and Qualifications
18	Documents Establishing Good's Conformity to Tender Enquiry Document
19	Earnest Money Deposit (EMD)
20	Tender Validity
21	Digital Signing of Tender
D	SUBMISSION OF TENDERS
22	Submission of Tenders
23	Late Tender
24	Alteration and Withdrawal of Tender
E	TENDER OPENING
25	Opening of Tenders
F	SCRUTINY AND EVALUATION OF TENDERS
26	Basic Principle
27	Scrutiny of Tenders
28	Minor Infirmity/Irregularity/Non-Conformity
29	Discrepancy in Prices
30	Discrepancy between original and copies of Tender

Sl. No.	Topic		
31	Qualification Criteria		
32	Conversion of Tender Currencies to Indian Rupees		
33	Schedule-wise Evaluation		
34	Comparison of Tenders		
35	Additional Factors and Parameters for Evaluation and Ranking of Responsive Tenders		
36	Tenderer's capability to perform the contract		
37	Contacting the Purchaser		
G	AWARD OF CONTRACT		
38	Purchasers Right to Accept any Tender and to Reject any or All Tenders		
39	Award Criteria		
40	Variation of Quantities at the Time of Award		
41	Notification of Award		
42	Issue of Contract		
43	Non-receipt of Performance Security and Contract by the Purchaser/Consignee		
44	Return of EMD		
45	Publication of Tender Result		
46	Corrupt or Fraudulent Practices		

A. PREAMBLE

1. Definitions and Abbreviations

1.1 The following definitions and abbreviations, which have been used in these documents shall have the meanings as indicated below

1.2 Definitions:

- i) "Purchaser" means the organization purchasing goods and services as incorporated in the Tender Enquiry document.
- ii) "e-Tender" means Bids / Quotation / Tender received from a Firm / Tenderer / Bidder online.
- iii) "Tenderer" means Bidder/the Individual or Firm submitting Bids/ Quotation/ e-Tenders.
- iv) "Supplier" means the individual or the firm supplying the goods and services as incorporated in the contract.
- v) "Goods" means the articles, material, commodities, livestock, furniture, fixtures, raw material, spares, instruments, machinery, equipment, medical equipment, industrial plant etc. which the supplier is required to supply to the purchaser under the contract.
- vi) "Services" means services allied and incidental to the supply of goods, such as transportation, installation, commissioning, provision of technical assistance, training, after sales service, maintenance service and other such obligations of the supplier covered under the contract.
- vii) "Earnest Money Deposit (EMD)" means Bid Security/ monetary or financial guarantee to be furnished by a Bidder along with its tender.
- viii) "Contract" means the written agreement entered into between the purchaser and/or consignee and the supplier, together with all the documents mentioned therein and including all attachments, annexure etc. therein.
- "Performance Security" means monetary or financial guarantee to be furnished by the successful Bidder for due performance of the contract placed on it. Performance Security is also known as Security Deposit.
- x) "Consignee" means the Hospital/Institute/Medical College/ person to whom the goods are required to be delivered as specified in the Contract. If the goods are required to be delivered to a person as an interim consignee for the purpose of despatch to another person as provided in the Contract then that "another" person is the consignee, also known as ultimate consignee.
- Xi) "Specification" means the document/standard that prescribes the requirement with which goods or service has to conform.
- Xii) "Inspection" means activities such as measuring, examining, testing, gauging one or more characteristics of the product or service and comparing the same with the specified requirement to determine conformity.
- xiii) "Day" means calendar day.
- XiV) "Local supplier" means a supplier or service provider whose product or service offered for procurement meets the minimum local content as prescribed under this Order or by the competent Ministries/ Departments in pursuance of this order.
- XV) "Local content" means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value in percent.
- XVi) "Margin of purchase preference" means the maximum extent to which the price quoted by a local supplier may be above the L1 for the purpose of purchase preference.

1.3 Abbreviations:

- (i) "TE Document" means Tender Enquiry Document
- (ii) "NIT" means Notice Inviting Tenders.
- (iii) "GIT" means General Instructions to Tenderers
- (iv) "SIT" means Special Instructions to Tenderers
- (v) "GCC" means General Conditions of Contract
- (vi) "SCC" means Special Conditions of Contract
- (vii) "DGS&D" means Directorate General of Supplies and Disposals
- (viii) "NSIC" means National Small Industries Corporation
- (ix) "PSU" means Public Sector Undertaking
- (x) "CPSU" means Central Public Sector Undertaking
- (xi) "LSI" means Large Scale Industry
- (xii) "SSI" means Small Scale Industry
- (Xiii) "LC" means Letter of Credit
- (xiv) "DP" means Delivery Period
- (xv) "BG" means Bank Guarantee
- (xvi) "CD" means Custom Duty
- (xvii) "RR" means Railway Receipt
- (xviii) "BL" means Bill of Lading
- (xix) "FOB" means Free on Board
- (xx) "FCA" means Free Carrier
- (xxi) "FOR" means Free On Rail
- (xxii) "CIF" means Cost, Insurance and Freight
- (xxiii) "CIP (Destinations)" means Carriage and Insurance Paid up to named port of destination. Additionally the Insurance (local transportation and storage) would be extended and borne by the Supplier from ware house to the consignee site for a period including 3 months beyond date of delivery.
- (XXIV) "DDP" means Delivery Duty Paid named place of destination (consignee site)
- (XXV) "INCOTERMS" means International Commercial Terms as on the date of Tender Opening
- (XXVI) "MOH&FW" means Ministry of Health & Family Welfare, Government of India
- (xxvii) "Dte. GHS" means Directorate General and Health Services, MOH&FW.
- (XXVIII) "CMC" means Comprehensive maintenance Contract (labour, spare and preventive maintenance)
- (xxix) "RT" means Re-Tender.
- (XXX) "GST" means Goods and Services Tax
- (xxxi) GMSD means Government Medical Store Depot

2. Introduction

- i) The Purchaser has issued these TE documents for purchase of goods and related services as mentioned in Section VI "List of Requirements", which also indicates, interalia, the required delivery schedule, terms and place of delivery.
- ii) This section (Section II "General Instruction Tenderers") provides the relevant information as well as instructions to assist the prospective tenderers in preparation and submission of tenders. It also includes the mode and procedure to be adopted by the purchaser for receipt and opening as well as scrutiny and evaluation of tenders and subsequent placement of contract.
- iii) The tenderers shall also read the Special Instructions to Tenderers (SIT) related to this purchase, as contained in Section III of these documents and follow the same accordingly. Whenever there is a conflict between the GIT and the SIT, the provisions contained in the SIT shall prevail over those in the GIT.
- iv) Before formulating the tender and submitting the same to the purchaser, the tenderer should read and examine all the terms, conditions, instructions, checklist etc. contained in the TE documents. Failure to provide and/or comply with the required information, instructions etc. incorporated in these TE documents may result in rejection of its tender.

3. Availability of Funds

i) Expenditure to be incurred for the proposed purchase will be met from the funds available with the purchaser/consignee.

4. Language of Tender

- i) The tender submitted by the tenderer and all subsequent correspondence and documents relating to the tender exchanged between the tenderer and the purchaser, shall be written in the English language, unless otherwise specified in the Tender Enquiry. However, the language of any printed literature furnished by the tenderer in connection with its tender may be written in any other language provided the same is accompanied by an English translation and, for purposes of interpretation of the tender, the English translation shall prevail.
- ii) The tender submitted by the tenderer and all subsequent correspondence and documents relating to the tender exchanged between the tenderer and the purchaser, may also be written in the Hindi language, provided that the same are accompanied by English translation, in which case, for purpose of interpretation of the tender etc, the English translations shall prevail.

5. Eligible Tenderers

i) This invitation for tenders is open to all suppliers who fulfil the eligibility criteria specified in these documents.

6. Eligible Goods and Services

i) All goods and related services to be supplied under the contract shall have their origin in India or any other country with which India has not banned trade relations. The term "origin" used in this clause means the place where the goods are mined, grown, produced, or manufactured or from where the related services are arranged and supplied.

7. Tendering Expense

i) The tenderer shall bear all costs and expenditure incurred and/or to be incurred by it in connection with its tender including preparation, mailing and submission of its tender and for subsequent processing the same. The purchaser will, in no case be responsible or liable for any such cost, expenditure etc regardless of the conduct or outcome of the tendering process.

B. TENDER ENQUIRY DOCUMENTS

8. Content of Tender Enquiry Documents

i) In addition to Section I – "Notice inviting Tender" (NIT), the TE documents include:

Section II - General Instructions to Tenderers (GIT)
Section III - Special Instructions to Tenderers (SIT)
Section IV - General Conditions of Contract (GCC)
Section V - Special Conditions of Contract (SCC)

Section VI - List of Requirements

Section VII - Technical Specifications

Section VIII - Quality Control Requirements

Section IX - Qualification Criteria

Section XI - Tender Form
Section XI - Price Schedules
Section XII - Questionnaire

Section XIII - Bank Guarantee Form for EMD

Section XIV - Manufacturer" s Authorisation Form

Section XV - Bank Guarantee Form for Performance Security/CMC Security

Section XVI - Contract Forms A & B

Section XVII - Proforma of Consignee Receipt Certificate

Section XVIII - Proforma of Final Acceptance Certificate by the consignee

Section XIX - Consignee List

Appendix A – DIPP - Public Procurement (Preference to Make in India), Order 2017

ii) The relevant details of the required goods and services, the terms, conditions and procedure for tendering, tender evaluation, placement of contract, the applicable contract terms and, also, the standard formats to be used for this purpose are incorporated in the above-mentioned documents. The interested tenderers are expected to examine all such details etc to proceed further.

9. Amendments to TE documents

- i) At any time prior to the deadline for submission of tenders, the purchaser may, for any reason deemed fit by it, modify the TE documents by issuing suitable amendment(s) to it.
- ii) Such an amendment will be notified only in the website(s) http://aiimsraipur.edu.in/tenders or www.eprocure.gov.in/cppp. All prospective Tenderer are hereby instructed to visit the website regularly, so that additional documents if any required or any modifications in the tender documents can be done prior to the last date of submission of the Tenders.
- iii) In order to provide reasonable time to the prospective tenderers to take necessary action in preparing their tenders as per the amendment, the purchaser may, at its discretion extend the deadline for the submission of tenders and other allied time frames, which are linked with that deadline.

10. Clarification of TE documents

i) A tenderer requiring any clarification or elucidation on any issue of the TE documents may take up the same with the purchaser in writing in their letter head duly signed and scanned through email to store@aiimsraipur.edu.in The purchaser will respond to such request provided the same is received by the purchaser two day prior to the pre-bid meeting. Any queries/representations received later shall not be taken into cognizance.

Tender No. AIIMS/R/CS/Neuro/1173/23/GTE C. PREPARATION OF e-TENDERS

11. Documents comprising the e-Tender

- i) The tender(s) shall only be submitted online as mentioned below:
 - (i) Technical Bid (Consisting of Techno-Commercial bids provided with the tender enquiry along with the supporting documents i.e. scanned copies of EMD, Eligibility Criteria & Technical Specifications viz. Product Specification Sheets/Brochures, OEM Certificate, etc.) has to be submitted. Bidders have to ensure that the documents uploaded in PDF format are legible.
 - (ii) Price Bid has to be submitted as per BOQ format filled up with all the details including Make, Model etc. of the goods offered.

Note:

- (i) The EMD have to be submitted in physical form as per Section I, Notice Inviting Tender of this tender enquiry.
- (ii) The bidders have to follow the steps listed in CPPP Portal for uploading the Techno-Commercial Bid.

A) <u>Details of Technical Tender (Un priced Tender)</u>

Bidders shall furnish the following information along with technical tender (in pdf format except point i):

- i) Techno-Commercial Bid in .rar format provided with the tender enquiry
- ii) Earnest money furnished in accordance with GIT, documentary evidence as per GIT for claiming exemption from payment of earnest money.
- iii) Tender Form as per Section X.
- iv) Documentary evidence, as necessary in terms of clauses 5 and 17 establishing that the tenderer is eligible to submit the tender and, also, qualified to perform the contract if its tender is accepted.
- v) Tenderer/Agent who quotes for goods manufactured by other manufacturer shall furnish Manufacturer's Authorisation Form.
- vi) Power of Attorney issued by Competent Authority in favour of the person who is digitally signing/ uploading the tender(s).
- vii) Documents and relevant details to establish in accordance with GIT clause 18 that the goods and the allied services to be supplied by the tenderer conform to the requirement of the TE documents.
- viii) Performance Statement as per section IX along with relevant copies of orders and end users" satisfaction certificate.
- ix) Price Schedule(s) as per Section XI filled up with all the details including Make, Model etc. of the goods offered with prices blank (without indicating any prices).
- x) Certificate of Incorporation / a Declaration in case the firm is being a proprietary one/ Documents confirming to Partnership in the country of origin as the case may be.
- xi) Self-Attested copies of GST registration certificate and PAN Card.
- xii) Non conviction /no pending conviction certification issued by Notary on judicial stamp paper for preceding three years.
- xiii) Self-Attested copies of quality certificates i.e. US FDA /CE/ BIS Certificate issued by competent authority, if applicable.
- xiv) Documentary evidence stating the status of bidder.

- xv) List of procurement agencies of repute to which the tendered product have been supplied during last 36 months.
- xvi) Self-attested copies of annual report, audited balance sheet and profit & loss account for preceding three years from the date of tender opening.
- xvii) Notarized affidavit that tenderer does not have any relation with the person authorized to evaluate technically or involve in finalizing the tender or will decide the use of tendered items.
- xviii) A self-declaration on Rs. 10/-non-judicial Stamp Paper that the rates quoted in the tender are the lowest and not quoted less than this to any Government Institution (State/Central/ other Institute in India).
- xix) Copies of original product catalogues/ data sheet must be enclosed of all quoted items.
- xx) A tenderer quoting imported goods located within India shall produce documentary evidence of the goods having been imported and already located within India (i.e. Bills of Entry for the quoted items and a self-declaration confirming that the quoted items were imported for the purpose of storage in bidder warehouse and for further sale), along with their techno-commercial bid.
- xxi) The bidder/Manufacturer should submit details of registered office/ registered service centre along with the contact details across India in the following regions i.e. East, West, North & South.
- xxii) Bidder must submit Purchase order copies without hiding prices for the same model and technical configuration issued by institute of National importance and/or reputed central/state government hospitals should be uploaded in pdf form for reasonability of the offered price with technical bid.
- xxiii) Documentary evidence for class-I bidder as per Public Procurement (preference to Make-in-India) order 2017 dated 04.06.2020 and its subsequent amendment thereof.

B) <u>Price Tender:</u>

Price Schedule(s) as per BOQ format filled up with all the details including Make, Model etc. of the goods offered to be uploaded.

Price bid format is provided under Section XI along with this Tender Enquiry Document. Bidders are advised to download this Price Bid as it is and quote their offer/rates in the permitted column and upload the same in the commercial bid. **Bidder shall not tamper/modify downloaded price bid template in any manner.** In case if the same is found to be tempered/modified in any manner, tender shall be liable to be rejected.

Note:

- (i) The bidder has to be diligent while filling up the Techno-Commercial Bid and Price Bid provided in excel formats and must not tamper with the contents of the sheets.
- (ii) It is the responsibility of bidder to go through the TE document to ensure furnishing all required documents in addition to above, if any.
- (iii) The bidders have to follow the steps listed in CPPP Portal for uploading the Price Bid.
- ii) A person signing (manually or digitally) the tender form or any documents forming part of the contract on behalf of another shall be deemed to warrant that he has authority to bind such other persons and if, on enquiry, it appears that the persons so signing had no authority to do so, the purchaser may, without prejudice to other civil and criminal remedies, cancel the contract and hold the signatory liable for all cost and damages.
- iii) A tender which does not fulfil any of the above requirements and/or give evasive information/reply against any such requirement, shall be liable to be ignored.
- iv) Tender sent by fax/telex/cable/electronically shall be ignored.

12. Tender Currencies

i) The tenderer supplying indigenous goods or already imported goods shall quote only in Indian Rupees.

- ii) For imported goods if supplied directly from abroad, prices shall be quoted in any freely convertible currency say US Dollar, Euro, or Yen. As regards price(s) for allied services, if any required with the goods, the same shall be quoted in Indian Rupees only if such services are to be performed /undertaken in India. Commission for Indian Agent, if any and if payable shall be indicated in the space provided for in the price schedule and will be payable in Indian Rupees only.
- iii) Tenders, where prices are quoted in any other currency may not be accepted and are liable to be ignored.
- iv) A tenderer quoting imported goods located within India shall produce documentary evidence of the goods having been imported and already located within India (i.e. Bills of Entry for the quoted items and a self-declaration confirming that the quoted items were imported for the purpose of storage in bidder warehouse and for further sale), along with their techno-commercial bid.

13. Tender Prices

- i) The Tenderer shall indicate on the Price Schedule provided under Section XI all the specified components of prices shown therein including the unit prices and total tender prices of the goods and services it proposes to supply against the requirement. All the columns shown in the price schedule should be filled up as required.
- ii) If there is more than one schedule in the List of Requirements, the tenderer has the option to submit its quotation for any one or more schedules. However, while quoting for a schedule, the tenderer shall quote for the complete requirement of goods and services as specified in that particular schedule.
- The quoted prices for goods offered from within India and that for goods offered from abroad are to be indicated separately in the applicable Price Schedules attached under Section XI.
- iv) While filling up the columns of the Price Schedule, the following aspects should be noted for compliance:
- 13.4.1 For domestic goods or goods of foreign origin located within India, the prices in the corresponding price schedule shall be entered separately in the following manner:
 - a) The price of the goods, quoted ex-factory/ ex-showroom/ ex-warehouse/ off-the-shelf, as applicable, including all taxes and duties like, Custom Duty and/or GST already paid or payable on the components and raw material used in the manufacture or assembly of the goods quoted ex-factory etc. or on the previously imported goods of foreign origin quoted ex-showroom etc;
 - b) Any taxes and duties including Custom duty and/or GST, which will be payable on the goods in India if the contract is awarded;
 - c) Charges towards Packing & Forwarding, Inland Transportation, Insurance (local transportation and storage), Loading & Unloading etc. would be borne by the Supplier from ware house to the consignee site for a period including 3 months beyond date of delivery, Loading/Unloading and other local costs incidental to delivery of the goods to their final destination as specified in the List of Requirements and Price Schedule;
 - d) The price of Incidental Services, as mentioned in List of Requirements and Price Schedule;
 - e) The prices of Site Modification Work (if any), as mentioned in List of Requirements, Technical Specification and Price Schedule.
 - f) The price of annual CMC, as mentioned in List of Requirements, Technical Specification and Price Schedule.
- 13.4.2 For goods offered from abroad, the prices in the corresponding price schedule shall be entered separately in the following manner:
 - a) The price of goods quoted FOB/FCA port of shipment, as indicated in the List of Requirements and Price Schedule;
 - b) Price of goods quoted CIP (name port of destination) in India as indicated in the List of Requirements, Price Schedule and Consignee List
 - c) The charges for Insurance (local transportation and storage), custom clearance, forwarding and handling would be extended and borne by the Supplier from ware house to the consignee site for a period including 3 months beyond date of delivery. Loading/Unloading and other local costs incidental to delivery of the goods to their final destination as

specified in the List of Requirements and Price Schedule;

- d) The charges for Incidental Services, as in the List of Requirements and Price Schedule;
- e) The prices of Site Modification Work (if any), as mentioned in List of Requirements, Technical Specification and Price Schedule; and
- f) The price of annual CMC, as mentioned in List of Requirements, Technical Specification and Price Schedule.
- v) Additional information and instruction on Duties and Taxes:
- 13.5.1 If the Tenderer desires to ask for GST or any other taxes to be paid extra, the same must be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.

13.5.2 Local Duties & Taxes, if any applicable:

Normally, goods to be supplied to government departments against government contracts are exempted from levy of town duty, Octroi duty, terminal tax and other levies of local bodies. However, on some occasions, the local bodies (like town body, municipal body etc.) as per their regulations allow such exemptions only on production of certificate to this effect from the concerned government department. Keeping this in view, the supplier shall ensure that the stores to be supplied by the supplier against the contract placed by the purchaser are exempted from levy of any such duty or tax and, wherever necessary, obtain the exemption certificate from the purchaser. The purchaser should issue the certificate to the supplier within 21 days from the date of receipt of request from the supplier.

However, if a local body still insists upon payment of such local duties and taxes, the same should be paid by the supplier to the local body to avoid delay in supplies and possible demurrage charges and obtain a receipt for the same. The supplier should forward the receipt obtained for such payment to the purchaser to enable the purchaser reimburse the supplier and take other necessary action in the matter.

13.5.3 Customs Duty:

The Purchaser will pay/reimburse the Customs duty wherever applicable upon submission of documentary evidence.

13.5.4 Goods and Services Tax (GST):

- a. If a tenderer asks for Goods and Services Tax to be paid extra, the rate and nature of Goods and Services Tax applicable should be shown separately. The Goods and Services Tax will be paid as per the rate at which it is liable to be assessed or has actually been assessed provided the transaction is legally liable to Goods and Services Tax and is payable as per the terms of the contract. If any refund of Tax is received at a later date, the Supplier must return the amount forth-with to the purchaser.
- b. In case within the delivery period stipulated in the contract, there is an increase in the statutory taxes like GST, Custom Duty, or fresh imposition of taxes which may be levied in respect of the goods and services specified in the contract, reimbursement of these statutory variation shall be allowed to the extent of actual quantum of taxes paid by the supplier. This benefit, however, cannot be availed by the supplier in case the period of delivery is extended due to unexcused delay by the supplier.
- **c.** But nevertheless, the Purchaser/Consignee shall be entitled to the benefit of any decrease in price on account of reduction in or remission of customs duty and/or GST or any other duty or tax or levy or on account of any other grounds. In case of downward revision in taxes/duties, the actual quantum of reduction of excise duty must be reimbursed to the purchaser by the supplier. All such adjustments shall include all reliefs, exemptions, rebates, concession etc. if any obtained by the supplier.
- vi) For transportation of imported goods offered from abroad, relevant instructions as incorporated under GCC Clause 10 shall be followed.
- vii) For insurance of goods to be supplied, relevant instructions as provided under GCC Clause 11 shall be followed.
- Viii) Unless otherwise specifically indicated in this TE document, the terms FCA, FOB, FAS, CIF, CIP, DDP etc. for imported goods offered from abroad, shall be governed by the rules & regulations prescribed in the current edition of INCOTERMS, published by the International Chamber of

Commerce, Paris

ix) The need for indication of all such price components by the tenderers, as required in this clause (viz., GIT clause 13) is for the purpose of comparison of the tenders by the purchaser and will no way restrict the purchaser's right to award the contract on the selected tenderer on any of the terms offered.

14. Indian Agent

- If a foreign tenderer has engaged an agent in India in connection with its tender, the foreign tenderer, in addition to indicating Indian agent's commission, if any, in a manner described under GIT sub clause 12.2 above, shall also furnish the following information:
 - a) As per the Compulsory Enlistment Scheme of the Department of Expenditure, Ministry of Finance, it is compulsory for Indian agents, who desire to quote directly on behalf of their foreign principals, to get themselves enlisted with the Central Purchase Organization (e.g. DGS&D).
 - b) The complete name and address of the Indian Agent and its permanent income tax account number as allotted by the Indian Income Tax authority.
 - c) The details of the services to be rendered by the agent for the subject requirement.
 - d) Details of Service outlets in India, nearest to the consignee(s), to render services during Warranty and CMC period.
 - e) A copy of agreement between the Agent & their principal detailing the terms & conditions as well as services and after sales services as above to be rendered by the agent and the precise relationship between them and their mutual interest in the business as laid out in section VII (Technical specifications).
 - f) Principal's/Manufacturer's original Proforma Invoice with the price bid

15. Firm Price

i) Unless otherwise specified in the SIT, prices quoted by the tenderer shall remain firm and fixed during the currency of the contract and not subject to variation on any account. Bidders are requested to quote BOQ wise unit price (uniform unit prices must be quoted for same BOQ items across India) and total price. If a firm quotes NIL Charges/ consideration, the bid shall be treated as unresponsive and will not be considered.

16. Alternative Tenders

- i) Alternative Tenders are not permitted.
- ii) However the Tenderers can quote alternate models meeting the tender specifications of same manufacturer with single EMD.
- iii) If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product. In a tender, either the Indian Agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.

17. Documents Establishing Tenderer's Eligibility and Qualifications

- i) Pursuant to GIT clause 11, the tenderer shall furnish, as part of its tender, relevant details and documents establishing its eligibility to quote and its qualifications to perform the contract if its tender is accepted.
- ii) The documentary evidence needed to establish the tenderers qualifications shall fulfil the following requirements:
 - a) In case the tenderer offers to supply goods, which are manufactured by some other firm, the tenderer has been duly authorised by the goods manufacturer to quote for and supply the goods to the purchaser. The tenderer shall submit the manufacturer's authorization letter to this effect as per the standard form provided under Section XIV in this document.
 - b) The tenderer has the required financial, technical and production capability necessary to perform the contract and, further, it meets the qualification criteria incorporated in the Section IX in these documents.
 - c) in case the tenderer is not doing business in India, it is duly represented by an agent stationed in India fully equipped and able to carry out the required contractual functions and duties of the supplier including after sale service, maintenance & repair etc. of the goods in question, stocking of spare parts and fast moving components and other obligations, if any,

specified in the conditions of contract and/or technical specifications.

18. Documents establishing good"s Conformity to TE document.

- i) The tenderer shall provide in its tender the required as well as the relevant documents like technical data, literature, drawings etc. to establish that the goods and services offered in the tender fully conform to the goods and services specified by the purchaser in the TE documents. For this purpose the tenderer shall also provide a clause-by-clause commentary on the technical specifications and other technical details incorporated by the purchaser in the TE documents to establish technical responsiveness of the goods and services offered in its tender.
- ii) In case there is any variation and/or deviation between the goods & services prescribed by the purchaser and that offered by the tenderer, the tenderer shall list out the same in a chart form without ambiguity and provide the same along with its tender.
- iii) If a tenderer furnishes wrong and/or misguiding data, statement(s) etc. about technical acceptability of the goods and services offered by it, its tender will be liable to be ignored and rejected in addition to other remedies available to the purchaser in this regard.

19. Earnest Money Deposit (EMD)

- i) Pursuant to GIT clauses 8.1 and 11.1 A (i) the tenderer shall furnish along with its tender, earnest money for amount as shown in the List of Requirements. The earnest money is required to protect the purchaser against the risk of the tenderers unwarranted conduct as amplified under sub-clause 19.7 below.
- ii) The tenderers who are currently registered and, also, will continue to remain registered during the tender validity period as Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or with National Small Industries Corporation, New Delhi shall be eligible for exemption from EMD. In case the tenderer falls in this category, it should furnish copy of its valid registration details (with MSME or NSIC, as the case may be).
 - a. The MSE" s Bidder to note and ensure that nature of services and goods/items manufactured mentioned in MSE" s certificate matches with the nature of the services and goods /items to be supplied as per Tender.
 - b. Traders/resellers/distributors/authorized agents will not be considered for availing benefits under PP Policy 2012 for MSEs as per MSE guidelines issued by MoMSME
- The earnest money shall be denominated in Indian Rupees or equivalent currencies as per GIT clause 12.2. The earnest money shall be furnished in one of the following forms:
 - i) Account Payee Demand Draft
 - ii) Fixed Deposit Receipt
 - iii) Bank Guarantee
- iv) The demand draft or Fixed Deposit Receipt shall be drawn on any scheduled commercial bank in India or country of the tenderer, in favour of the "" payable at RAIPUR. In case of bank guarantee, the same is to be provided from any scheduled commercial bank in India or country of the tenderer as per the format specified under Section XIII in these documents.
- V) The earnest money shall be valid for a period of forty-five (45) days beyond the validity period of the tender. As validity period of Tender as per Clause 20 of GIT is 180 days, the EMD shall be valid for 225 days from Techno Commercial Tender opening date.
- vi) Unsuccessful tenderers" earnest money will be returned to them without any interest, after expiry of the tender validity period, but not later than thirty days after conclusion of the resultant contract. Successful tenderer's earnest money will be returned without any interest, after receipt of performance security from that tenderer.
- vii) Earnest Money is required to protect the purchaser against the risk of the Tenderer's conduct, which would warrant the forfeiture of the EMD. Earnest money of a tenderer will be forfeited, if the tenderer withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to notice that the information/documents furnished in its tender is incorrect, false, misleading or forged without

prejudice to other rights of the purchaser. The successful tenderer's earnest money will be forfeited without prejudice to other rights of Purchaser if it fails to furnish the required performance security within the specified period.

- viii) In the case of Bank Guarantee furnished from banks outside India (i.e. foreign Banks), it should be authenticated and countersigned by any nationalised bank in India by way of back-to-back counter guarantee and the same should be submitted along with the bid.
- Bank details for necessary issuance of 'Structured Financial Messaging System (SFMS)' in case the Bid Security (i.e. EMD) is submitted in the form of Bank Guarantee:

Name of the Beneficiary: AIIMS RAIPUR

Details: Bank of India Raipur

IFSC Code: BKID0009363

20. Tender Validity

- i) If not mentioned otherwise in the SIT, the tenders shall remain valid for acceptance for a period of 180 days (One hundred and Eighty days) after the date of tender opening prescribed in the TE document. Any tender valid for a shorter period shall be treated as unresponsive and rejected.
- ii) In exceptional cases, the tenderers may be requested by the purchaser to extend the validity of their tenders up to a specified period. Such request(s) and responses thereto shall be conveyed by surface mail or by fax/ telex/cable followed by surface mail. The tenderers, who agree to extend the tender validity, are to extend the same without any change or modification of their original tender and they are also to extend the validity period of the EMD accordingly. A tenderer, who may not agree to extend its tender validity after the expiry of the original validity period the EMD furnished by them shall not be forfeited.
- iii) In case the day up to which the tenders are to remain valid falls on/ subsequently declared a holiday or closed day for the purchaser, the tender validity shall automatically be extended up to the next working day.

21. Digital Signing of Tender

i) The tenderers shall submit their tenders as per the instructions contained in GIT Clause 11. Tenders shall be uploaded with all relevant tender documents in the prescribed format. The relevant tender documents should be uploaded by an authorised person having Class 3 digital signature certificate.

D. SUBMISSION OF TENDERS

22. Submission of e-Tenders

i) The tender shall be submitted online only.

(i) Pre-qualification and Technical compliance along with the Techno-Commercial Bid:

- a) Scanned copies of EMD
- b) Manufacturer's authorization in case bid is submitted by an Indian agent (A declaration must be attached here in case directly quoted by a manufacturer or a document establishing the relation of the Indian office with the manufacturer in case quoted by Indian office of the manufacturer).
- c) Tender Form as per Section X
- d) Compliance of all terms and conditions of TED like- warranty, CMC, delivery period, delivery terms, payment terms, Liquidated Damages Clause, Arbitration clause, etc
- e) Declaration regarding Fall Clause and Deregistration, debarment from any Govt Dept/ Agencies
- f) Copy of PAN and GST.
- g) Certificate of Incorporation/ or a Declaration in case the firm is being a proprietary firm.
- h) Abridged Annual report of last financial 03 years (Balance sheet and Profit & Loss Account), in pdf format
- i) Name, address and details of account with respect to bidder and/or beneficiary of L/C.
- i) Ouality Control Requirements as per Section VIII
- k) Performance statement along with required PO copies and its corresponding end user's satisfactory performance certificate as per section IX.

- I) Technical Bid along with clause-by-clause technical compliance statement for the quoted goods vis-à-vis the Technical specifications along with product catalogue and data sheet in the tender enquiry.
- m) The bidder should submit blank proforma invoice from the foreign manufacturer along with his technical bid, duly mentioning the specifications and code number of the parts quoted.
- n) The original proforma invoices from the foreign principal will be applicable in case of 100% subsidiary companies incorporated in India also.
- o) In case the bidder quotes an equipment of a foreign manufacturer and submits the documents as per Clause 22.1 (i) 1 & m from the subsidiary company of the foreign Original Equipment Manufacturer in India, the bidder must submit the Power of Attorney given to the subsidiary company by the foreign Original Equipment Manufacturer, authorizing it to do business and perform all obligations for and on behalf of the foreign manufacturer company, in India.
- p) A tenderer quoting imported goods located within India shall produce documentary evidence of the goods having been imported and already located within India (i.e. Bills of Entry for the quoted items and a self-declaration confirming that the quoted items were imported for the purpose of storage in bidder warehouse and for further sale), along with their techno-commercial bid.
- q) Documentary evidence for class-I bidder as per Public Procurement (preference to Make-in India) order 2017 dated 04.06.2020 and its subsequent amendment thereof.

(ii) PRICE BID (ONLY ONLINE):

- a) The tenderers must ensure that they submit the Price Bid in prescribed format uploaded along with the tender enquiry. It is the responsibility of the bidder to ensure that the contents of the format are not tampered.
- b) The tenderers must ensure that they submit the on-line tenders not later than the closing time and date specified for submission of tenders.
- c) Along with price bid recent purchase order copies for the same model and technical configuration issued by institute of National importance and/or reputed central/state government hospitals should be uploaded in pdf form for reasonability of the offered price.
- d) The bidder should submit the copy of original proforma invoice from the foreign manufacturer along with the price bid.
- **e)** The supplier shall justify the present quotes based on previous purchase orders for similar project executed either in India or Globally. If they quote any new model or upgraded version of earlier model, they may mention the same in their tender.
- ii) The tenderers must ensure that they submit the on-line tenders within the scheduled closing date & time. They shall also ensure to submit the original EMD within its scheduled date & time.

23. Late Tender:

i) There is NO PROVISION of uploading late tender beyond stipulated date & time in the etendering system. However, if the necessary EMD in original are not submitted within the scheduled time, the tender shall be declared as late tender and online tender shall not be opened and shall be ignored.

24. Alteration and Withdrawal of Tender

i) The bidder is permitted to change, edit or withdraw its bid on or before the end date & time of bid opening.

E. TENDER OPENING

25. Opening of Tenders

- i) The purchaser will open the e-tenders at the specified date and time and at the specified place as indicated in the NIT.
 - In case the specified date of tender opening falls on / is subsequently declared a holiday or closed day for the purchaser, the tenders will be opened at the appointed time and place on the next working day.
- ii) Authorized representatives of the tenderers, who have submitted tenders on time, may attend the tender opening provided they bring with them letters of authority from the corresponding

tenderers.

The tender opening official(s) will prepare a list of the representatives attending the tender opening. The list will contain the representatives" names & signatures and corresponding tenderers" names and addresses.

This being a Two - Tender system, the Techno - Commercial Tenders are to be opened in the first instance, at the prescribed time and date as indicated in NIT. These Tenders shall be scrutinized and evaluated by the competent committee/ authority with reference to parameters prescribed in the TE document. During the Techno - Commercial Tender opening, the tender opening official(s) will read the salient features of the tenders like brief description of the goods offered, delivery period, Earnest Money Deposit and any other special features of the tenders, as deemed fit by the tender opening official(s). Thereafter, in the second stage, the Price Tenders of only the Techno - Commercially acceptable offers (as decided in the first stage) shall be opened for further scrutiny and evaluation on a date notified after the evaluation of the Techno- Commercial tender.

F. SCRUTINY AND EVALUATION OF TENDERS

26. Basic Principle

i) Tenders will be evaluated on the basis of the terms & conditions already incorporated in the TE document, based on which tenders have been received and the terms, conditions etc. mentioned by the tenderers in their tenders. No new condition will be brought in while scrutinizing and evaluating the tenders.

27. Scrutiny of Tenders

- i) The Purchaser will examine the Tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished and, whether the documents uploaded are in legible form.
- ii) The Purchaser's determination of a Tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence
- iii) Deleted
- iv) The tenders will be scrutinized to determine whether they are complete and meet the essential and important requirements, conditions etc. as prescribed in the TE document. The tenders, which do not meet the basic requirements, are liable to be treated as non-responsive and will be summarily ignored.
- V) The following are some of the important aspects, for which a tender shall be declared non-responsive during the evaluation and will be ignored;
 - (i) Tender validity is shorter than the required period.
 - (ii) Required EMD (Amount, validity etc.) or its exemption documents have not been provided.
 - (iii) Tenderer has quoted for goods manufactured by other manufacturer(s) without the required Manufacturer's Authorisation Form as per Section XIV.
 - (iv) Tenderer has not agreed to give the required performance security of required amount in an acceptable form in terms of GCC clause 5, read with modification, if any, in Section V
 - "Special Conditions of Contract", for due performance of the contract.
 - (v) Poor/ unsatisfactory past performance.
 - (vi) Tenderers who stand deregistered/banned/blacklisted by any Govt. Authorities.
 - (vii) Tenderer is not eligible as per GIT Clauses 5.1 & 17.1.
 - (viii) Tenderer has not quoted for the entire quantity as specified in the List of Requirements/BOQ for the quoted schedule.
 - (ix) Tenderer has not agreed to other essential condition(s) specially incorporated in the tender enquiry, like delivery terms, delivery schedule, terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism, applicable law etc.
 - (x) A tenderer quoting imported goods located within India shall produce documentary evidence of the goods having been imported and already located within India (i.e. Bills of Entry for the quoted items and a self-declaration confirming that the quoted items were imported for the purpose of storage in bidder warehouse and for further sale), along with their techno-commercial bid.
 - (xi) The Integrity pact (At Appendix-B) shall be a part and parcel of this document and has to be signed by bidder(s) at the pre-tendering stage itself, as a pre-bid obligation and should be submitted along with the Techno-Commercial Bids. All bidders are bound to comply with the integrity pact clauses. Bids submitted without signing the integrity pact will be ab initio rejected without assigning any reason.

28. Minor Informality/Irregularity/Non-Conformity

i) If during the preliminary examination, the purchaser find any minor informality and/ or irregularity and/ or non-conformity in a tender, the purchaser may waive the same provided it does not

constitute any material deviation and financial impact and, also, does not prejudice or affect the ranking order of the tenders. Wherever necessary, the purchaser will convey its observation on such "minor" issues to the tenderer by registered/ speed post etc. asking the tenderer to respond by a specified date. If the tenderer does not reply by the specified date or gives evasive reply without clarifying the point at issue in clear terms, that tender will be liable to be ignored.

29. Discrepancies in Prices

- i) If, in the price structure quoted by a tenderer, there is discrepancy between the unit price and the total price (which is obtained by multiplying the unit price by the quantity), the unit price shall prevail and the total price corrected accordingly, unless the purchaser feels that the tenderer has made a mistake in placing the decimal point in the unit price, in which case the total price as quoted shall prevail over the unit price and the unit price corrected accordingly.
- ii) If there is an error in a total price, which has been worked out through addition and/or subtraction of subtotals, the subtotals shall prevail and the total corrected; and
- iii) If there is a discrepancy between the amount expressed in words and figures, the amount in words shall prevail, subject to sub clause 29.1 and 29.2 above.
- iv) If, as per the judgement of the purchaser, there is any such arithmetical discrepancy in a tender, the same will be suitably conveyed to the tenderer by registered / speed post. If the tenderer does not agree to the observation of the purchaser, the tender is liable to be ignored.

30. Discrepancy between original and copies of Tender

i) Not applicable being e-Tender.

31. Qualification Criteria

- i) Bids which do not meet the required Qualification Criteria prescribed in Section IX, will be treated as non responsive and will not be considered further.
- ii) The Purchaser reserves the right to relax the Norms on Prior Experience for Start-ups and Micro & Small Enterprises in Public Procurement.

The Start-ups are defined in Annexure-A of the "Action Plan for Start-ups in India". The same is available on the website of Department of Industrial policy and Promotion (DIPP), Ministry of Commerce & Industry.

Note: - Definition of Start-up (only for the purpose of Government schemes)

(Ref: Ministry of Finance Office Memorandum No. F.20/2/2014-PPD(Pt.) dated 25th July 2016.)

32. Conversion of tender currencies to Indian Rupees

i) In case the TE document permits the tenderers to quote their prices in different currencies, all such quoted prices of the responsive tenderers will be converted to a single currency viz., Indian Rupees for the purpose of equitable comparison and evaluation, as per the exchange rates established by the Reserve Bank of India for similar transactions, as on the date of "Price Tender" opening.

33. Schedule-wise Evaluation

i) In case the List of Requirements contains more than one schedule, the responsive tenders will be evaluated and compared separately for each schedule. The tender for a schedule will not be considered if the complete requirements prescribed in that schedule are not included in the tender.

34. Comparison of Tenders

Rate wise comparison of the quotes will be made and L1* for each item will be determined accordingly. In this context, final decision of the committee will be binding on all and no claim in this regard will be entertained. The quantity indicated is tentative and may vary, and any decision in this regard by Director shall be final.

L1 firm will be decided on the basis of total price of item FOR AIIMS RAIPUR (including all taxes & duty) Warranty 05 Year + CMC 05 year.

35. Additional Factors and Parameters for Evaluation and Ranking of Responsive Tenders

- i) Further to GIT Clause 34 above, the purchaser's evaluation of a tender will include and take into account the following:
 - i) In the case of goods manufactured in India or goods of foreign origin already located in India, GST or any other taxes which will be contractually payable (to the tenderer), on the goods if a contract is awarded on the tenderer; and
 - ii) In the case of goods of foreign origin offered from abroad, customs duty and other similar import duties/taxes, which will be contractually payable (to the tenderer) on the goods if the contract is awarded on the tenderer.
- ii) The purchaser's evaluation of tender will also take into account the additional factors, if any, incorporated in SIT in the manner and to the extent indicated therein.
- The Purchaser reserves the right to give the price preference to small-scale sectors etc. and purchase preference to central public sector undertakings as per the instruction in vogue while evaluating, comparing and ranking the responsive tenders.
 - i. In exercise of powers conferred in Section 11 of the Micro, Small and Medium Enterprises Development (MSMED) Act 2006, the Government has notified a new Public Procurement Policy for Micro & Small Enterprises effective from 1st April 2012. The policy mandates that 20% of procurement of annual requirement of goods and services by all Central Ministries/Public Sector Undertakings will be from the micro and small enterprises. The Government has also earmarked a sub-target of 4% procurement of goods & services from MSEs owned by SC/ST entrepreneurs out of above said 20% quantity.
 - ii. In accordance with the above said notification, the participating Micro and Small Enterprises (MSEs) in a tender, quoting price within the band of L1+15% would also be allowed to supply a portion of the requirement by bringing down their price to the L1 price, in a situation where L1 price is from someone other than an MSE. Such MSEs would be allowed to supply up to 25% of the total tendered value. In case there are more than one such eligible MSE, the 25% supply will be shared equally. Out of 25% of the quantity earmarked for supply from MSEs, 5% quantity is earmarked for procurement from MSEs owned by SC/ST entrepreneurs. However, in the event of failure of such MSEs to participate in the tender process or meet the tender requirements and the L1 price, the 5% quantity earmarked for MSEs owned by SC/ST entrepreneurs will be met from other participating MSEs.
 - iii. The MSEs fulfilling the prescribed eligibility criteria and participating in the tender shall enclose with their tender a copy of their valid registration certificate with District Industries Centres or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or any other body specified by Ministry of Micro and Small enterprises in support of their being an MSE, failing which their tender will be liable to be ignored.
 - iv. Special provision for Micro and Small Enterprise owned by women: Out of the total annual procurement from Micro and Small Enterprises, 3 per cent from within the 25 per cent target shall be earmarked for procurement from Micro and Small Enterprises owned by women.
 - Note: "If the bidder is a MSME, it shall declare in the bid document the Udyog Aadhar Memorandum Number issued to it under the MSMED Act, 2006. If a MSME bidder do not furnish the UAM Number along with bid documents, such MSME unit will not be eligible for the benefits available under Public Procurement Policy for MSEs Order 2012.
- iv) **Preference to Make in India**: As per the order issued by Department of Industrial Policy and Promotion (DIPP) vide No. P-45021/2/2017-PP (BE-II) dated 29.05.2019. The purchaser reserves the right to give preference to the local supplier. A copy of this order is enclosed at Appendix-A which will form a part of this TED for evaluation and ranking of bids.

36. Tenderer"s capability to perform the contract

- i) The purchaser, through the above process of tender scrutiny and tender evaluation will determine to its satisfaction whether the tenderer, whose tender has been determined as the lowest evaluated responsive tender is eligible, qualified and capable in all respects to perform the contract satisfactorily. If, there is more than one schedule in the List of Requirements, then, such determination will be made separately for each schedule.
- ii) The above-mentioned determination will, interalia, take into account the tenderer" s financial, technical and production capabilities for satisfying all the requirements of the purchaser as incorporated in the TE document. Such determination will be based upon scrutiny and examination of all relevant data and details submitted by the tenderer in its tender as well as such other allied information as deemed appropriate by the purchaser.

37. Contacting the Purchaser

- i) From the time of submission of tender to the time of awarding the contract, if a tenderer needs to contact the purchaser for any reason relating to this tender enquiry and / or its tender, it should do so only in writing.
- ii) In case a tenderer attempts to influence the purchaser in the purchaser's decision on scrutiny, comparison & evaluation of tenders and awarding the contract, the tender of the tenderer shall be liable for rejection in addition to appropriate administrative actions being taken against that tenderer, as deemed fit by the purchaser.

G. AWARD OF CONTRACT

38. Purchaser"s Right to accept any tender and to reject any or all tenders

i) The purchaser reserves the right to accept in part or in full any tender or reject any or more tender(s) without assigning any reason or to cancel the tendering process and reject all tenders at any time prior to award of contract, without incurring any liability, whatsoever to the affected tenderer or tenderers.

39. Award Criteria

i) Subject to GIT clause 38 above, the contract will be awarded to the lowest evaluated responsive tenderer decided by the purchaser in terms of GIT Clause 36.

40. Variation of Quantities at the Time of Award/ Currency of Contract

- i) At the time of awarding the contract, the purchaser reserves the right to increase or decrease by up to twenty five (25) per cent, the quantity of goods and services mentioned in the schedule(s) in the "List of Requirements" (rounded off to next whole number) without any change in the unit price and other terms & conditions quoted by the tenderer.
- ii) If the quantity has not been increased to the maximum of 25% of the tendered quantity at the time of awarding the contract, the purchaser reserves the right to increase the quantity further by up to the balance available twenty five (25) per cent of the tendered quantity of goods and services (rounded off to next whole number) without any change in the unit price and other terms & conditions mentioned in the contract during the currency of the contract.

41. Notification of Award

i) Before expiry of the tender validity period, the purchaser will notify the successful tenderer(s) in writing, by registered / speed post or by email (to be confirmed by registered / speed post) that its tender for goods & services, which have been selected by the purchaser, has been accepted, also briefly indicating there in the essential details like description, specification and quantity of the goods & services and corresponding prices accepted. The successful tenderer must furnish to the purchaser the required performance security within twenty one days from the date of dispatch of this notification, failing which the EMD will forfeited and the award will be cancelled.

Relevant details about the performance security have been provided under GCC Clause 5 under Section IV.

ii) The Notification of Award shall constitute the conclusion of the Contract.

42. Issue of Contract

- i) Promptly after notification of award, the Purchaser/Consignee will mail the contract form (as per Section XVI) duly completed and signed, in duplicate, to the successful tenderer by registered / speed post.
- ii) Within twenty one days from the date of the contract, the successful tenderer shall return the original copy of the contract, duly signed and dated, to the Purchaser/Consignee by registered/speed post. The successful tenderer should also submit Proforma Invoice from the foreign principal (if applicable as per contractual price) within 21 days from the date of NOA.
- iii) The Purchaser/Consignee reserve the right to issue the Notifications of Award consignee wise.

43. Non-receipt of Performance Security, Proforma Invoice and Contract by the Purchaser/Consignee

i) Failure of the successful tenderer in providing performance security, Proforma Invoice and / or returning contract copy duly signed in terms of GIT clauses 41 and 42 above shall make the tenderer liable for forfeiture of its EMD and, also, for further actions by the Purchaser/Consignee against it as per the clause 24 of GCC – Termination of default.

44. Return of EMD

i) The earnest money of the successful tenderer and the unsuccessful tenderers will be returned to them without any interest, whatsoever, in terms of GIT Clause 19.6.

45. Publication of Tender Result

i) The name and address of the successful tenderer(s) receiving the contract(s) will be mentioned in the CPP site.

46. Corrupt or Fraudulent Practices

- i) It is required by all concerned namely the Consignee/Tenderers/Suppliers etc to observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Purchaser: -
 - (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Purchaser, and includes collusive practice among Tenderers (prior to or after Tender submission) designed to establish Tender prices at artificial non-competitive levels and to deprive the Purchaser of the benefits of free and open competition;
 - (b) will reject a proposal for award if it determines that the Tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
 - (c) Will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a contract by the purchaser if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing the contract.

SECTION - III SPECIAL INSTRUCTIONS TO TENDERERS (SIT)

SI. No.	GIT Clause No.	Topic	SIT Provision	Page No.
A	1 to 7	Preamble	No Change	-
В	8 to 10	TE documents	No Change	-
С	11 to 21	Preparation of Tenders	No Change	-
D	22 to24	Submission of Tenders	Change	below
E	25	Tender Opening	No Change	-
F	26 to 37	Scrutiny and Evaluation of Tenders	No Change	-
G	38 to 45	Award of Contract	No Change	-

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/substitute/supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

AWARD OF CONTRACT

(i) The quantities in this tender (including additional quantities against the clause "Variation of Quantities at the Time of Award/ Currency of Contract") can be used by AIIMS RAIPUR.

SECTION - IV GENERAL CONDITIONS OF CONTRACT (GCC) TABLE OF CLAUSES

SI. No.	Topic	
1	Application	
2	Use of contract documents and information	
3	Patent Rights	
4	Country of Origin	
5	Performance Security	
6	Technical Specifications and Standards	
7	Packing and Marking	
8	Inspection, Testing and Quality Control	
9	Terms of Delivery	
10	Transportation of Goods	
11	Insurance	
12	Spare parts	
13	Incidental services	
14	Distribution of Dispatch Documents for Clearance/Receipt of Goods	
15	Warranty	
16	Assignment	
17	Sub Contracts	
18	Modification of contract	
19	Prices	
20	Taxes and Duties	
21	Terms and mode of Payment	
22	Delivery	
23	Liquidated Damages	
24	Termination for default	
25	Termination for insolvency	
26	Force Majeure	
27	Termination for convenience	
28	Governing language	
29	Notices	
30	Resolution of disputes	
31	Applicable Law	
32	Withholding and Lien	
33	General/Miscellaneous Clauses	

1. Application

1.1 The General Conditions of Contract incorporated in this section shall be applicable for this purchase to the extent the same are not superseded by the Special Conditions of Contract prescribed under Section V, List of requirements under Section VI and Technical Specification under Section VII of this document.

2. Use of contract documents and information

- 2.1 The supplier shall not, without the purchaser" s prior written consent, disclose the contract or any provision thereof including any specification, drawing, sample or any information furnished by or on behalf of the purchaser in connection therewith, to any person other than the person(s) employed by the supplier in the performance of the contract emanating from this TE document. Further, any such disclosure to any such employed person shall be made in confidence and only so far as necessary for the purposes of such performance for this contract.
- 2.2 Further, the supplier shall not, without the purchaser" s prior written consent, make use of any document or information mentioned in GCC sub-clause 2.1 above except for the sole purpose of performing this contract.
- 2.3 Except the contract issued to the supplier, each and every other document mentioned in GCC sub-clause 2.1 above shall remain the property of the purchaser and, if advised by the purchaser, all copies of all such documents shall be returned to the purchaser on completion of the supplier" s performance and obligations under this contract.

3. Patent Rights

3.1 The supplier shall, at all times, indemnify and keep indemnified the purchaser, free of cost, against all claims which may arise in respect of goods & services to be provided by the supplier under the contract for infringement of any intellectual property rights or any other right protected by patent, registration of designs or trademarks. In the event of any such claim in respect of alleged breach of patent, registered designs, trademarks etc. being made against the purchaser, the purchaser shall notify the supplier of the same and the supplier shall, at his own expenses take care of the same for settlement without any liability to the purchaser.

4. Country of Origin

- 4.1 All goods and services to be supplied and provided for the contract shall have the origin in India or in the countries with which the Government of India has trade relations.
- 4.2 The word "origin" incorporated in this clause means the place from where the goods are mined, cultivated, grown, manufactured, produced or processed or from where the services are arranged.
- 4.3 The country of origin may be specified in the Price Schedule

5. Performance Security

- 5.1 Within twenty one (21) days from date of the issue of notification of award by the Purchaser/Consignee, the supplier, shall furnish performance security to the Purchaser/Consignee for an amount equal to **Three percent (3%)** of the total value of the contract, valid up to sixty (60) days after the date of completion of all contractual obligations by the supplier, including the warranty obligations, which is initially valid for a period of minimum six months plus number of months under warranty from the date of Notification of Award
- 5.2 The Performance security shall be denominated in Indian Rupees or in the currency of the contract as detailed below:
 - It shall be in any one of the forms namely Account Payee Demand Draft or Fixed Deposit Receipt drawn from any Scheduled bank in India or Bank Guarantee issued by a Scheduled bank in India, in the prescribed form as provided in section XV of this document in favour of the Purchaser/Consignee. The validity of the Fixed Deposit receipt or Bank Guarantee will be for a period up to sixty (60) days beyond Warranty Period.
- 5.3 In the event of any failure /default of the supplier with or without any quantifiable loss to the government including furnishing of consignee wise Bank Guarantee for CMC security as per Proforma in Section XV, the amount of the performance security is liable to be forfeited. The Administration Department may do the needful to cover any failure/default of the supplier with or without any quantifiable loss to the Government.
- 5.4 In the event of any amendment issued to the contract, the supplier shall, within fifteen (15) days of issue of the amendment, furnish the corresponding amendment to the Performance Security (as necessary), rendering the same valid in all respects in terms of the contract, as amended.

- 5.5 The supplier shall enter into Annual Comprehensive Maintenance Contract as per the "Contract Form B" in Section XVI with respective consignees, 3 (three) months prior to the completion of Warranty Period. The CMC will commence from the date of expiry of the Warranty Period.
- 5.6 Subject to GCC sub clause 5.3 above, the Purchaser/Consignee will release the Performance Security without any interest to the supplier on completion of the supplier s all contractual obligations including the warranty obligations, extension of time (with or without Liquidated Damages) & after receipt of Consignee wise bank guarantee for CMC security in favour of Head of the Hospital/ Institute/ Medical College of the consignee as per the format in Section XV.

6. Technical Specifications and Standards

6.1 The Goods & Services to be provided by the supplier under this contract shall conform to the technical specifications and quality control parameters mentioned in "Technical Specification" and

"Quality Control Requirements" under Sections VII and VIII of this document.

7. Packing and Marking

- 7.1 The packing for the goods to be provided by the supplier should be strong and durable enough to withstand, without limitation, the entire journey during transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. As and if necessary, the size, weights and volumes of the packing cases shall also take into consideration, the remoteness of the final destination of the goods and availability or otherwise of transport and handling facilities at all points during transit up to final destination as per the contract.
- 7.2 The quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall strictly comply with the requirements as provided in Technical Specifications and Quality Control Requirements under Sections VII and VIII and in SCC under Section V. In case the packing requirements are amended due to issue of any amendment to the contract, the same shall also be taken care of by the supplier accordingly.

7.3 Packing instructions:

Unless otherwise mentioned in the Technical Specification and Quality Control Requirements under Sections VII and VIII and in SCC under Section V, the supplier shall make separate packages for each consignee (in case there is more than one consignee mentioned in the contract) and mark each package on three sides with the following with indelible paint of proper quality:

- a. contract number and date
- b. brief description of goods including quantity
- **c**. packing list reference number
- d. country of origin of goods
- e. consignee's name and full address and
- f. supplier's name and address

8. Inspection, Testing and Quality Control

- 8.1 The purchaser and/or its nominated representative(s) will, without any extra cost to the purchaser, inspect and/or test the ordered goods and the related services to confirm their conformity to the contract specifications and other quality control details incorporated in the contract. The purchaser shall inform the supplier in advance, in writing, the purchaser" s programme for such inspection and, also the identity of the officials to be deputed for this purpose. "The cost towards the transportation, boarding and lodging will be borne by the purchaser and/or its nominated representative(s) for the first visit. In case the goods are rejected in the first instance and the supplier requests for re-inspection, and if same is accepted by purchaser/consignee/PSA/PA, all subsequent inspections shall be at the cost of the supplier. The expense will be to and fro Economy Airfare, Local Conveyance, Boarding and Lodging of the inspection team for the inspection period."
- 8.2 The Technical Specification and Quality Control Requirements incorporated in the contract shall specify what inspections and tests are to be carried out and, also, where and how they are to be conducted. If such inspections and tests are conducted in the premises of the supplier or its subcontractor(s), all reasonable facilities and assistance, including access to relevant drawings, design details and production data, shall be furnished by the supplier to the purchaser's

inspector at no charge to the purchaser.

- 8.3 If during such inspections and tests the contracted goods fail to conform to the required specifications and standards, the purchaser's inspector may reject them and the supplier shall either replace the rejected goods or make all alterations necessary to meet the specifications and standards, as required, free of cost to the purchaser and resubmit the same to the purchaser's inspector for conducting the inspections and tests again.
- 8.4 In case the contract stipulates pre-despatch inspection of the ordered goods at supplier's premises, the supplier shall put up the goods for such inspection to the purchaser's inspector well ahead of the contractual delivery period, so that the purchaser's inspector is able to complete the inspection within the contractual delivery period.
- 8.5 If the supplier tenders the goods to the purchaser's inspector for inspection at the last moment without providing reasonable time to the inspector for completing the inspection within the contractual delivery period, the inspector may carry out the inspection and complete the formality beyond the contractual delivery period at the risk and expense of the supplier. The fact that the goods have been inspected after the contractual delivery period will not have the effect of keeping the contract alive and this will be without any prejudice to the legal rights and remedies available to the purchaser under the terms & conditions of the contract.
- 8.6 The purchaser's/consignee's contractual right to inspect, test and, if necessary, reject the goods after the goods" arrival at the final destination shall have no bearing of the fact that the goods have previously been inspected and cleared by purchaser's inspector during pre-despatch inspection mentioned above.
 - "On rejection, the supplier shall remove such stores within 14 days of the date of intimation of such rejection from the consignee's premises. If such goods are not removed by the supplier within the period mentioned above, the purchaser/consignee may remove the rejected stores and either return the same to the supplier at his risk and cost by such mode of transport as purchaser/consignee may decide or dispose of such goods at the suppliers risk to recover any expense incurred in connection with such disposals and also the cost of the rejected stores if already paid for."
- 8.7 Goods accepted by the purchaser/consignee and/or its inspector at initial inspection and in final inspection in terms of the contract shall in no way dilute purchaser's/consignee's right to reject the same later, if found deficient in terms of the warranty clause of the contract, as incorporated under GCC Clause 15.
- 8.8 Principal/ Foreign supplier shall also have the equipment inspected by recognised/ reputed agency like SGS, Lloyd, Bureau Veritas, TUV prior to despatch at the supplier's cost and furnish necessary certificate from the said agency in support of their claim.

9. Terms of Delivery

9.1 Goods shall be delivered by the supplier in accordance with the terms of delivery and as per the delivery period specified in the schedule of requirement. Please note that the time shall be the essence of the contract.

10. Transportation of Goods

10.1 Instructions for transportation of imported goods offered from abroad:

The supplier shall not arrange part-shipments and/or transhipment without the express/prior written consent of the purchaser. The supplier is required under the contract to deliver the goods under CIP (Named port of destination) terms; the shipment shall be made by Indian flag vessel or by vessels belonging to the conference lines in which India is a member country through India" s forwarding agents/coordinators. In case the forwarding agent/coordinators are unable to provide timely adequate space in Indian flag vessel or by vessels belonging to the conference lines, the supplier shall arrange shipment through any available vessel to adhere to the delivery schedule given in the contract.

In case of airlifting of imported goods offered from abroad, the same will be done only through the National Carrier i.e. Air India wherever applicable. In case the National Carrier is not available, any other airlines available for early delivery may be arranged.

10.2 Instructions for transportation of domestic goods including goods already imported by the supplier under its own arrangement:

In case no instruction is provided in this regard in the SCC, the supplier will arrange transportation of the ordered goods as per its own procedure.

11. Insurance:

- 11.1 Unless otherwise instructed in the SCC, the supplier shall make arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the following manner:
 - i) In case of supply of domestic goods on Consignee site basis, the supplier shall be responsible till the entire stores contracted for arrival in good condition at destination. The transit risk in this respect shall be covered by the Supplier by getting the stores duly insured for an amount equal to 110% of the value of the goods from ware house to ware house (consignee site) on all risk basis. The insurance cover shall be obtained by the Supplier and should be valid till 3 months after the receipt of goods by the Consignee.
 - ii) in case of supply of the imported goods on CIP Named port of Destination Basis, the additional extended Insurance (local transportation and storage) would be borne by the Supplier or its Indian Subsidiary/Indian agent from the port of entry to the consignee site for a period including 3 months beyond date of delivery for an amount equal to 110% of the overall expenditure to be incurred by the purchaser from ware house to ware house (consignee site) on all risk basis.

If the equipment is not commissioned and handed over to the consignee within 3 months, the insurance will have to be extended by the supplier at their cost till the successful installation, testing, commissioning and handing over of the goods to the consignee. In case the delay in the installation and commissioning is due to handing over of the site to the supplier by the consignee, such extensions of the insurance will still be done by the supplier, but the insurance extension charges at actuals will be reimbursed.

12. Spare parts

- 12.1 If specified in the List of Requirements and in the resultant contract, the supplier shall supply/provide any or all of the following materials, information etc. pertaining to spare parts manufactured and/or supplied by the supplier:
 - a) The spare parts as selected by the Purchaser/Consignee to be purchased from the supplier, subject to the condition that such purchase of the spare parts shall not relieve the supplier of any contractual obligation including warranty obligations; and
 - b) In case the production of the spare parts is discontinued:
 - i) Sufficient advance notice to the Purchaser/Consignee before such discontinuation to provide adequate time to the purchaser to purchase the required spare parts etc., and
 - ii) The supplier shall be responsible for undertaking the supply of any such spare part for the proper up keeping of equipment for a period of 10 years including the warranty and CMC periods.
- 12.2 Supplier shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the goods so that the same are used during warranty and CMC period.

13. Incidental services

- 13.1 Subject to the stipulation, if any, in the SCC (Section V), List of Requirements (Section VI) and the Technical Specification (Section VII), the supplier shall be required to perform the following services.
 - a. Installation & commissioning, Supervision and Demonstration of the goods
 - b. Providing required jigs and tools for assembly, minor civil works required for the completion of the installation.
 - **c.** Training of Consignee's Doctors, Staff, operators etc. for operating and maintaining the goods
 - d. Supplying required number of operation & maintenance manual for the goods

14. Distribution of dispatch documents for clearance/receipt of goods

The supplier shall send all the relevant despatch documents well in time to the Purchaser/Consignee to enable the Purchaser/Consignee clear or receive (as the case may be) the goods in terms of the contract.

Unless otherwise specified in the SCC, the usual documents involved and the drill to be followed in general for this purpose are as follows.

A) For Domestic Goods, including goods already imported by the supplier under its own arrangement

Within 24 hours of despatch, the supplier shall notify the purchaser, consignee, and others concerned if mentioned in the contract, the complete details of despatch and also supply the following documents to them by registered post / speed post / courier (or as instructed in the contract):

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Two copies of packing list identifying contents of each package;
- (iii) Certificate of origin for goods of foreign origin;
- (iv) Insurance Certificate as per GCC Clause 11.
- (v) Manufacturers/Supplier's warranty certificate & In-house inspection certificate.
- B) For goods imported from abroad

Within 24 hours of despatch, the supplier shall notify the purchaser, consignee, and others concerned if mentioned in the contract, the complete details of despatch and also supply the following documents to them by registered post / speed post (or as instructed in the contract). Any delay or demurrage occurred during the customs clearance on account of the non-availability of technical support/ clarifications /documents from the supplier shall be borne by the supplier:

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Original and four copies of the negotiable clean, on-board Bill of Lading/Airway bill, marked freight prepaid and four copies of non-negotiable Bill of Lading/Airway bill;
- (iii) Four Copies of packing list identifying contents of each package;
- (iv) Manufacturer's/Supplier's warranty certificate;
- (v) Inspection Certificate for the despatched equipment issued by recognized/ reputed agency like SGS, Lloyd, BUREAU VERITAS, TUV prior to despatch
- (vi) Manufacturer's own factory inspection report;
- (vii) Certificate of origin
- (viii) Port of Loading;
- (ix) Port of Discharge and
- (x) Expected date of arrival.

15. Warranty:

- 15.1 The supplier warrants comprehensively that the goods supplied under the contract is new, unused and incorporate all recent improvements in design and materials unless prescribed otherwise by the purchaser in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials (except when the design adopted and/or the material used are as per the Purchaser's/Consignee's specifications) or workmanship or from any act or omission of the supplier, that may develop under normal use of the supplied goods under the conditions prevailing in India.
- 15.2 The warranty shall remain valid for 60 months commencing from first patient treated as per AERB norms with a regular updates of newer technology as and when evolved followed by a CMC for a period of 5 (Five) Years for all the equipment after the goods or any portion thereof as the case may be, have been delivered to the final destination and installed and commissioned at the

final destination and accepted by the purchaser/ consignee in terms of the contract, unless specified otherwise in the SCC.

- No conditional warranty will be acceptable.
- Warranty as well as Comprehensive Maintenance contract will be inclusive of all accessories and Site Modification work and it will also cover the following wherever applicable:-
 - 2) Any kind of motor.
 - 3) Plastic & Glass Parts against any manufacturing defects.
 - 4) All kind of sensors.
 - 5) All kind of coils, probes and transducers.
 - 6) Printers and imagers including laser and thermal printers with all parts.
 - 7) UPS including the replacement of batteries.
 - 8) Air-conditioners
 - 9) Replacement and repair will be under taken for the defective goods.
 - 10) All kinds of painting, civil, HVAC, mechanical and electrical work
 - 11) Proper marking has to be made for all spares for identification like printing of installation and repair dates.
- 15.3 In case of any claim arising out of this warranty, the Purchaser/Consignee shall promptly notify the same in writing to the supplier. The period of the warranty will be as per G.C.C clause number 15.2 above irrespective of any other period mentioned elsewhere in the bidding documents.
- 15.4 Upon receipt of such notice, the supplier shall, within 8 hours on a 24 (hrs) X 7 (days) X 365 (days) basis respond to take action to repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/goods after providing their replacements and no claim, whatsoever shall lie on the purchaser for such
 - replaced parts/goods thereafter. The penalty clause for non-rectification will be applicable as per tender conditions
- 15.5 In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/replaced goods shall be extended till the completion of the original warranty period of the main equipment.
- 15.6 If the supplier, having been notified, fails to respond to take action to repair or replace the defect(s) within 8 hours on a 24(hrs) X 7 (days) X 365 (days) basis, the purchaser may proceed to take such remedial action(s) as deemed fit by the purchaser, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which the purchaser may have against the supplier.
- During Warranty period, the supplier is required to visit at each consignee" s site at least twice in 6 months (i.e., minimum 4 preventive maintenance per year) apart from all breakdown visits, commencing from the date of the installation for preventive maintenance of the goods.
- 15.8 The Purchaser/Consignee reserve the rights to enter into Annual Comprehensive Maintenance Contract between Consignee and the Supplier for the period as mentioned in Section VII, Technical Specifications after the completion of warranty period.
- 15.9 The supplier along with its Indian Agent and the CMC provider shall ensure continued supply of the spare parts for the machines and equipment supplied by them to the purchaser for 10 years from the date of installation and handing over.
- 15.10 The Supplier along with its Indian Agent and the CMC Provider shall always accord most favoured client status to the Purchaser vis-à-vis its other Clients/Purchasers of its equipment/machines/goods etc. and shall always give the most competitive price for its machines/equipment supplied to the Purchaser/Consignee.

16. Assignment

16.1 The Supplier shall not assign, either in whole or in part, its contractual duties, responsibilities and obligations to perform the contract, except with the Purchaser's prior written permission.

17. Sub Contracts

17.1 The Supplier shall notify the Purchaser in writing of all sub contracts awarded under the contract if not already specified in its tender. Such notification, in its original tender or later, shall not relieve the Supplier from any of its liability or obligation under the terms and

conditions of the contract.

- 17.2 Sub contract shall be only for bought out items and sub-assemblies.
- 17.3 Sub contracts shall also comply with the provisions of GCC Clause 4 ("Country of Origin").

18. Modification of Contract

- 18.1 If necessary, the purchaser may, by a written order given to the supplier at any time during the currency of the contract, amend the contract by making alterations and modifications within the general scope of contract in any one or more of the following:
 - a) Specifications, drawings, designs etc. where goods to be supplied under the contract are to be specially manufactured for the purchaser,
 - b) Mode of packing,
 - c) Incidental services to be provided by the supplier
 - d) Mode of dispatch,
 - e) Place of delivery, and
 - f) Any other area(s) of the contract, as felt necessary by the purchaser depending on the merits of the case.
- 18.2 In the event of any such modification/alteration causing increase or decrease in the cost of goods and services to be supplied and provided, or in the time required by the supplier to perform any obligation under the contract, an equitable adjustment shall be made in the contract price and/or contract delivery schedule, as the case may be, and the contract amended accordingly. If the supplier doesn't agree to the adjustment made by the Purchaser/Consignee, the supplier shall convey its views to the Purchaser/Consignee within twenty-one days from the date of the supplier's receipt of the Purchaser's/Consignee's amendment / modification of the contract.

19. Prices

19.1 Prices to be charged by the supplier for supply of goods and provision of services in terms of the contract shall not vary from the corresponding prices quoted by the supplier in its tender and incorporated in the contract except for any price adjustment authorised in the SCC.

20. Taxes and Duties

- 20.1 Supplier shall be entirely responsible for all taxes, duties, fees, levies etc. incurred until delivery of the contracted goods to the purchaser.
- 20.2 Further instruction, if any, shall be as provided in the SCC.

21. Terms and mode of payment

21.1 Payment Terms

Payment shall be made subject to recoveries, if any, by way of liquidated damages or any other charges as per terms & conditions of contract in the following manner.

TERMS AND MODE OF PAYMENT

A) Payment for Domestic Goods Or Foreign Origin Located Within India.

Payment shall be made in Indian Rupees as specified in the contract in the following manner:

a) On delivery:

75% payment of the contract price shall be paid on receipt of goods in good condition and upon the submission of the following documents subject to recovery of LD, if any:

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount
- (ii) Two copies of packing list identifying contents of each package
- (iii) Inspection certificate issued by the nominated Inspection agency, if any
- (iv) Insurance Certificate as per GCC Clause 11
- (v) Certificate of origin for imported goods
- (vi) Consignee Receipt Certificate as per Section XVII in original issued by the authorized representative of the consignee

b) On Acceptance:

Balance Twenty Five percent (25%) payment would be made against "Final Acceptance Certificate" as per Section XVIII of goods to be issued by the consignees subject to recoveries, if any, either on account of non-rectification of defects/deficiencies not attended by the Supplier or otherwise. FAC needs to be issued by the designated consignee after installation, commissioning, testing and one to two weeks of successful trail run of the equipment.

B) Payment For Imported Goods:

Payment for foreign currency portion shall be made in the currency as specified in the contract in the following manner:

a) On Shipment:

75% of the net CIP price (CIP price less Indian Agency commission) of the goods shipped shall be paid through irrevocable, non-transferable Letter of Credit (LC) opened in favour of the supplier in a bank in his country and upon submission of documents specified hereunder:

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Original and four copies of the negotiable clean, on-board Bill of Lading/ Airway bill, marked freight pre paid and four copies of non-negotiable Bill of Lading/Airway bill;
- (iii) Four Copies of packing list identifying contents of each package;
- (iv) Insurance Certificate as per GCC Clause 11 and documents also to be submitted for payment of LC confirming that dispatch documents has already been sent to all concerned as per the contract within 24 hours;
- (v) Manufacturer's/Supplier's warranty certificate;
- (vi) Manufacturer's own factory inspection report and
- (vii) Certificate of origin of the concerned country;
- (viii) Inspection Certificate for the dispatched equipment issued by recognized/ reputed agency like SGS, Lloyd, BEAURU VARITUS and TUV prior to despatch.
- (ix) Consignee Receipt Certificate as per Section XVII in original issued by the authorized representative of the consignee

b) On Acceptance:

Balance payment of Twenty Five percent (25%) of net CIP price of goods would be made against "Final Acceptance Certificate" as per Section XVIII to be issued by the consignees through irrevocable, non-transferable Letter of Credit (LC) opened in favour of the Foreign Principal in a bank in his country, subject to recoveries, if any. FAC need to be issued by the designated consignee after installation, commissioning, testing and one to two weeks of successful trail run of the equipment.

c) Payment of Incidental Costs till consignee site & Incidental Services (including Installation & Commissioning, Supervision, Demonstration and Training) will be paid in Indian Rupees to the Indian Agent on proof of final installation, commission and acceptance of equipment by the consignee.

d) Payment of Indian Agency Commission:

Indian Agency commission will be paid to the manufacturer's agent in the local currency for an amount in Indian rupees indicated in the relevant Price Schedule (as per prevailing rate of exchange ruling on the date of Contract) and shall not be subject to further escalation / exchange variation. This is payable against submission of a certificate from the principal supplier that they have realised full and final settlement against their supply.

C) Payment of Site Modification Work, if any:

Site Modification Work payment will be made to the bidder/ manufacturer's agent opt its Indian Office in Indian rupees as indicated in the relevant Price Schedule (as per prevailing rate of exchange ruling on the date of Contract) and shall not be subject to further escalation /

exchange variation. This will be paid on proof of final installation, commission and acceptance of equipment by the consignee

D) Payment for Annual Comprehensive Maintenance Contract Charges:

The consignee will enter into CMC with the supplier at the rates as stipulated in the contract. The payment of CMC will be made on six monthly basis after satisfactory completion of said period, duly certified by the consignee on receipt of bank guarantee for an amount equivalent to 2.5% of the cost of the equipment as per contract in the prescribed format given in Section XV valid till 2 months after expiry of entire CMC period.

- 21.2 The supplier shall not claim any interest on payments under the contract.
- 21.3 Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other tax as applicable will be made from the bills payable to the Supplier at rates as notified from time to time.
- 21.4 Irrevocable & non transferable LC shall be opened by the Purchaser. However, if the supplier requests specifically to open confirmed LC, the extra charges would be borne by the supplier. If LC is required to be extended and/or amended for reasons not attributable to the purchaser/consignee, the charges thereof shall be borne by the supplier.
- 21.5 The payment shall be made in the currency / currencies authorised in the contract.
- 21.6 The supplier shall send its claim for payment in writing, when contractually due, along with relevant documents etc., duly signed with date, to respective consignees.
- While claiming payment, the supplier is also to certify in the bill that the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.
- While claiming reimbursement of duties, taxes etc. (like custom duty and/or GST or any other taxes) from the Purchaser/Consignee, as and if permitted under the contract, the supplier shall also certify that, in case it gets any refund out of such taxes and duties from the concerned authorities at a later date, it (the supplier) shall refund to the Purchaser/Consignee forthwith.
- 21.9 In case where the supplier is not in a position to submit its bill for the balance payment for want of receipted copies of Inspection Note from the consignee and the consignee has not complained about the non-receipt, shortage, or defects in the supplies made, balance amount will be paid by the paying authority without consignee" s receipt certificate after three months from the date of the preceding part payment for the goods in question, subject to the following conditions:
 - (a) The supplier will make good any defect or deficiency that the consignee (s) may report within six months from the date of despatch of goods.
 - (b) Delay in supplies, if any, has been regularized.
 - (c) The contract price where it is subject to variation has been finalized.
 - (d) The supplier furnishes the following undertakings:

"I/We,.....certify that I/We have not received back the Inspection Note duly receipted by the consignee or any communication from the purchaser or the consignee about non-receipt, shortage or defects in the goods supplied. I/We...... agree to make good any defect or deficiency that the consignee may report within three months from the date of receipt of this balance payment.

22. Delivery

- 22.1 The supplier shall deliver the goods and perform the services under the contract within the time schedule specified by the Purchaser/Consignee in the List of Requirements and as incorporated in the contract. The time for and the date of delivery of the goods stipulated in the schedule shall be deemed to be of the essence of the contract and the delivery must be completed no later than the date (s) as specified in the contract.
- 22.2 Subject to the provision under GCC clause 26, any unexcused delay by the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following sanctions:
 - (i) Imposition of liquidated damages,
 - (ii) Forfeiture of its performance security and

- (iii) Termination of the contract for default.
- 22.3 If at any time during the currency of the contract, the supplier encounters conditions hindering timely delivery of the goods and performance of services, the supplier shall promptly inform the Purchaser/Consignee in writing about the same and its likely duration and make a request to the Purchaser/Consignee for extension of the delivery schedule accordingly. On receiving the supplier's communication, the Purchaser/Consignee shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of supplier's contractual obligations by issuing an amendment to the contract.
- When the period of delivery is extended due to unexcused delay by the supplier, the amendment letter extending the delivery period shall, interalia contain the following conditions:
 - (a) The Purchaser/Consignee shall recover from the supplier, under the provisions of the clause 23 of the General Conditions of Contract, liquidated damages on the goods and services, which the Supplier has failed to deliver within the delivery period stipulated in the contract.
 - (b) That no increase in price on account of any ground, whatsoever, including any stipulation in the contract for increase in price on any other ground and, also including statutory increase in or fresh imposition of customs duty and/or GST or on account of any other tax or duty which may be levied in respect of the goods and services specified in the contract, which takes place after the date of delivery stipulated in the contract shall be admissible on such of the said goods and services as are delivered and performed after the date of the delivery stipulated in the contract.
 - (c) But nevertheless, the Purchaser/Consignee shall be entitled to the benefit of any decrease in price on account of reduction in or remission of customs duty and/or GST or any other duty or tax or levy or on account of any other grounds, which takes place after the expiry of the date of delivery stipulated in the contract.
- 22.5 The supplier shall not dispatch the goods after expiry of the delivery period. The supplier is required to apply to the Purchaser/Consignee for extension of delivery period and obtain the same before despatch. In case the supplier dispatches the goods without obtaining an extension, it would be doing so at its own risk and no claim for payment for such supply and / or any other expense related to such supply shall lie against the purchaser.
- 22.6.1 Passing of Property:
- 22.6.2 The property in the goods shall not pass to the purchaser unless and until the goods have been delivered to the consignee in accordance with the conditions of the contract.
- 22.6.3 Where there is a contract for sale of specific goods and the supplier is bound to do something to the goods for the purpose of putting them into a deliverable state the property does not pass until such thing is done.
- 22.6.4 Unless otherwise agreed, the goods remain at the supplier's risk until the property therein is transferred to the purchaser.

23. Liquidated damages

23.1 Subject to GCC clause 26, if the supplier fails to deliver or install /commission any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract including opening of office in India as per the undertaking given in the qualification criteria, the Purchaser/Consignee shall, without prejudice to other rights and remedies available to the Purchaser/Consignee under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods, installation, commissioning and/or services until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached Purchaser/Consignee may consider termination of the contract as per GCC 24. Since the Liquidated damages are in virtue of non-performance of services, it will attract GST or any other applicable taxes which in turn shall be deducted from the bidder.

During the above-mentioned delayed period of supply and / or performance, the conditions incorporated under GCC sub-clause 22.4 above shall also apply.

24. Termination for default

- 24.1 The Purchaser/Consignee, without prejudice to any other contractual rights and remedies available to it (the Purchaser/Consignee), may, by written notice of default sent to the supplier, terminate the contract in whole or in part, if the supplier fails to deliver any or all of the goods or fails to perform any other contractual obligation(s) within the time period specified in the contract, or within any extension thereof granted by the Purchaser/Consignee pursuant to GCC sub-clauses 22.3 and 22.4.
- 24.2 In the event of the Purchaser/Consignee terminates the contract in whole or in part, pursuant to GCC sub-clause 24.1 above, the Purchaser/Consignee may procure goods and/or services similar to those cancelled, with such terms and conditions and in such manner as it deems fit and the supplier shall be liable to the Purchaser/Consignee for the extra expenditure, if any, incurred by the Purchaser/Consignee for arranging such procurement.
- 24.3 Unless otherwise instructed by the Purchaser/Consignee, the supplier shall continue to perform the contract to the extent not terminated.

25. Termination for insolvency

25.1 If the supplier becomes bankrupt or otherwise insolvent, the purchaser reserves the right to terminate the contract at any time, by serving written notice to the supplier without any compensation, whatsoever, to the supplier, subject to further condition that such termination will not prejudice or affect the rights and remedies which have accrued and / or will accrue thereafter to the Purchaser/Consignee.

26. Force Majeure

- 26.1 Notwithstanding the provisions contained in GCC clauses 22, 23 and 24, the supplier shall not be liable for imposition of any such sanction so long the delay and/or failure of the supplier in fulfilling its obligations under the contract is the result of an event of Force Majeure.
- 26.2 For purposes of this clause, Force Majeure means an event beyond the control of the supplier and not involving the supplier's fault or negligence and which is not foreseeable and not brought about at the instance of , the party claiming to be affected by such event and which has caused the non performance or delay in performance. Such events may include, but are not restricted to, wars or revolutions, hostility, acts of public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes excluding by its employees , lockouts excluding by its management, and freight embargoes.
- 26.3 If a Force Majeure situation arises, the supplier shall promptly notify the Purchaser/Consignee in writing of such conditions and the cause thereof within twenty one days of occurrence of such event. Unless otherwise directed by the Purchaser/Consignee in writing, the supplier shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 26.4 If the performance in whole or in part or any obligation under this contract is prevented or delayed by any reason of Force Majeure for a period exceeding sixty days, either party may at its option terminate the contract without any financial repercussion on either side.
- 26.5 In case due to a Force Majeure event the Purchaser/Consignee is unable to fulfil its contractual commitment and responsibility, the Purchaser/Consignee will notify the supplier accordingly and subsequent actions taken on similar lines described in above sub-paragraphs.

27. Termination for convenience

- 27.1 The Purchaser/Consignee reserves the right to terminate the contract, in whole or in part for its (Purchaser's/Consignee "s) convenience, by serving written notice on the supplier at any time during the currency of the contract. The notice shall specify that the termination is for the convenience of the Purchaser/Consignee. The notice shall also indicate interalia, the extent to
 - which the supplier" s performance under the contract is terminated, and the date with effect from which such termination will become effective.
- 27.2 The goods and services which are complete and ready in terms of the contract for delivery and performance within thirty days after the supplier's receipt of the notice of termination shall be accepted by the Purchaser/Consignee following the contract terms, conditions and prices. For the remaining goods and services, the Purchaser/Consignee may decide:
 - a) To get any portion of the balance completed and delivered at the contract terms, conditions and prices; and / or
 - b) To cancel the remaining portion of the goods and services and compensate the supplier by

paying an agreed amount for the cost incurred by the supplier towards the remaining portion of the goods and services.

28. Governing language

28.1 The contract shall be written in English language following the provision as contained in GIT clause 4. All correspondence and other documents pertaining to the contract, which the parties exchange, shall also be written accordingly in that language.

29. Notices

- 29.1 Notice, if any, relating to the contract given by one party to the other, shall be sent in writing by speed post/ Regd. Post or by email. The procedure will also provide the sender of the notice, the proof of receipt of the notice by the receiver. The addresses of the parties for exchanging such notices will be the addresses as incorporated in the contract.
- 29.2 The effective date of a notice shall be either the date when delivered to the recipient or the effective date specifically mentioned in the notice, whichever is later.

30. Resolution of disputes

- 30.1 If dispute or difference of any kind shall arise between the Purchaser/Consignee and the supplier in connection with or relating to the contract, the parties shall make every effort to resolve the same amicably by mutual consultations.
- 30.2 If the parties fail to resolve their dispute or difference by such mutual consultation within twenty- one days of its occurrence, then, unless otherwise provided in the SCC, either the Purchaser/Consignee or the supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided the applicable arbitration procedure will be as per the Arbitration and Conciliation Act, 1996 of India or amendments thereof. In the case of a dispute or difference arising between the Purchaser/Consignee and a domestic Supplier relating to any matter arising out of or connected with the contract, such dispute or difference shall be referred to the sole arbitrator appointed by Director AIIMS Raipur). The award of the arbitrator shall be final and binding on the parties to the contract subject to the provision that the Arbitrator shall give reasoned award in case the value of claim in reference exceeds Rupees One lakh (Rs. 1,00,000/-)
- 30.3 Settlement of disputes through pre- institution mediation and settlement in accordance with the commercial courts, commercial division and commercial appellate division of High Courts (Amendment) Act 2018, No. 28 of 2018 Chapter IIIA
- 30.4 Venue of Arbitration: The venue of arbitration shall be the place from where the contract has been issued.
- 30.5 Jurisdiction of the court will be from the place where the tender enquiry document has been issued.

31. Applicable Law

31.1 The contract shall be governed by and interpreted in accordance with the laws of India for the time being in force.

32. Withholding and Lien in respect of sums claimed

32.1 Whenever any claim for payment arises under the contract against the supplier the purchaser shall be entitled to withhold and also have a lien to retain such sum from the security deposit or sum of money arising out of under any other contract made by the supplier with the purchaser, pending finalization or adjudication of any such claim. It is an agreed term of the contract that the sum of money so withheld or retained under the lien referred to above, by the purchaser, will be kept withheld or retained till the claim arising about of or under the contract is determined by the Arbitrator or by the competent court as the case may be, and the supplier will have no claim for interest or damages whatsoever on any account in respect of such withholding or retention.

33. General/Miscellaneous Clauses

- 33.1 Nothing contained in this Contract shall be constructed as establishing or creating between the parties, i.e. the Supplier/its Indian Agent/CMC Provider on the one side and the Purchaser on the other side, a relationship of master and servant or principal and agent.
- 33.2 Any failure on the part of any Party to exercise right or power under this Contract shall not operate as waiver thereof.
- 33.3 The Supplier shall notify the Purchaser/Consignee /the Government of India of any material change would impact on performance of its obligations under this Contract.

- 33.4 Each member/constituent of the Supplier/its Indian Agent/CMC Provider, in case of consortium shall be jointly and severally liable to and responsible for all obligations towards the Purchaser/Consignee/Government for performance of contract/services including that of its Associates/Sub Contractors under the Contract.
- 33.5 The Supplier/its Indian Agent/CMC Provider shall at all times, indemnify and keep indemnified the Purchaser/Government of India against all claims/damages etc. for any infringement of any Intellectual Property Rights (IPR) while providing its services under CMC or the Contract.
- 33.6 The Supplier/its Agent/CMC Provider shall, at all times, indemnify and keep indemnified the Purchaser/Consignee/Government of India against any claims in respect of any damages or compensation payable in consequences of any accident or injury sustained or suffered by its employees or agents or by any other third party resulting from or by any action, omission or operation conducted by or on behalf of the supplier/its associate/affiliate etc.
- 33.7 All claims regarding indemnity shall survive the termination or expiry of the contract.
- 33.8 If any provisions of this tender enquiry or a contact formed on the basis of this tender enquiry are invalid or void under any of the existing provisions of Indian law, then such provisions will not affect other provisions of this tender enquiry/ contract.

<u>SECTION - V</u> <u>SPECIAL CONDITIONS OF CONTRACT (SCC)</u>

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below.

These Special Conditions will modify/substitute/supplement the corresponding (GCC) clauses. Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

The warranty and CMC period will be as mentioned in the list of requirement as per section VI of the tender enquiry.

<u>SECTION - VI</u> LIST OF REQUIREMENTS

Part I

	DEPARTMENT OF Neuro and Trauma						
Item No.	Tender ID	Name of the Item	Qty	Warranty Period	CMC Period		
1	AIIMS/R/CS/Neuro/1173 /23/GTE	Electro Physiology System	01 Set	5 years	5 years		

Part II: Required Delivery Schedule:

- a. For Indigenous goods or for imported goods if supplied from India:
 - 60 days from date of Notification of Award to delivery at consignee site. The date of delivery will be the date of delivery at consignee site. Tenderers may quote earliest delivery period.
 - Installation and commissioning shall be done within 45 days of receipt of the stores/ goods at site or within 45 days of handing over the site for installation, whichever is later.
- b. For Imported goods directly from foreign:
 - 90 days from the date of opening of L/C. The date of delivery will be the date when the consignment reaches the port of destination. (Tenderers may quote the earliest delivery period). Delivery of indigenous goods contracted along with the direct imported items shall be within the scheduled delivery period for imported goods.
 - Installation and commissioning shall be done within 45 days of receipt of the stores/ goods at site or within 45 days of handing over the site for installation, whichever is later
 - For delayed delivery and/ or installation and commissioning liquidated damages will get applied as per GCC clause 23.

Note:

- i) The delivery schedule for different sites may be staggered based on the site readiness.
- ii) Supplier has to submit clear documents for opening of LC to AIIMS RAIPUR within 21 days of placement of order. Any delay will be treated as non-performance and Liquidated Damages shall be levied.
- iii) In case of multiple LC are opened in favour of multiple manufacturers, the delivery period for all the items under the contract shall be counted from the date of opening of the first LC only.
- iv) Indigenous goods or imported goods if supplied from India (offered in INR) which are linked with supply of directly imported goods, are to be supplied within the contractual delivery period as stated in para b) above.

Part III: Scope of Incidental Services:

Installation & Commissioning, Supervision, Demonstration, Trial run and Training etc. as specified in GCC Clause 13

Part IV:

Site Modification Work (if any) as per details in Technical Specification.

Part V: Warranty

Warranty period as per details in general technical specification and as specified in Part I above. Warranty period will be 60 months from the date of installation, commissioning and acceptance.

Comprehensive Maintenance Contract (CMC) as per details in Technical Specification as specified in part I above

Part VI:

Required Terms of Delivery and Destination:

a) For Indigenous goods or for imported goods if supplied from India:

At Consignee Site(s)

b) For Imported goods directly from abroad:

The foreign tenderers are required to quote their rates on CIP Named Port of Destination Basis giving breakup of the price as per the Proforma prescribed in the Price Schedule. Purchaser will place the order on CIP Named Port of Destination basis.

Insurance (local transportation and storage) would be extended and borne by the Supplier or its Indian Subsidiary/Agent from ware house to the consignee site for a period including3 months beyond date of delivery.

Destination/Consignee details:

A list of Consignee is given in Section XIX. The goods mentioned at Part-I in this section are intended to be supplied to the following hospitals/medical institutes. However, order may be placed for any hospital/institute across India.

SECTION - VII

Technical Specifications For Electrophysiology- Equipment for - Electrophysiology Lab

GENERAL TERMS & CONDITIONS:

- 1. Warranty: 05 years against manufacturing defect and 05 Year CMC
- 2. All instruments should be corrosion resistant, autoclavable, BIS/European CE certified/USFDA approved.
- 3. Manufacturer should be ISO certified.
- 4. All the firms are required to submit their catalogue along with tender/ quotation clearly marking the Quoted item and no. with a highlighter.
- 5. User manual should be in English.
- 6. Provision of trained manpower support for at least for initial 5 year after installation or up to a period when the staff/technicians at AIIMS Raipur are trained in handling, storage and proper sterilization methods of supplied equipment has to be ensured by the bidder.
- 7. Compliance statement should be submitted in a tabulated and point wise manner.
- 8. All the components of item under a particular serial no. will be purchased together from a single vendor. If necessary demonstration will be taken to ensure product quality.
- 9. All firms should have supplied the quoted instruments to the reputed government hospitals like AIIMS/PGI and should submit a certificate of satisfactory working from the concerned government hospital.
- 10. Produce quality certificate required.

GENERAL SPECIFICATIONS OF Electrophysiology-Equipment for-Electrophysiology Lab-LANGUAGE MAPPING INTRA-OPERATIVE Electrocorticography (256 channel) with built in Cortical Stimulation, handle electric stimulation and evoked potential machine

Sl. No.	Description	Qty.
A	256 Channel Video EEG with Cortical Stimulator	
	Amplifier inputs: 256 channel with 16 DC channels	
	Input Impedance : 200 M ohms - 1 GΩ	
	Sensitivity: at least 1 to 1000 micro volt per mm	
	Noise: 1.5 to 1.8 UV	
	A/D Conversion: 24	
	Calibration Signal: Built in manual / automatic sine / square wave	
	calibration	
	CMRR: 110 dB	
	Low Filter Setting (inclusive of ultra slow wave): Low filter: 0.05 Hz to 5	
	Hz	
	High Filter Setting (for HFO & ripples): High Filter: 5 Hz to 10 K Hz	
	Bandwidth: 0.01 Hz to 4 KHz (or 1/3rd of sampling rate selected)	
	Notch Filter: 50 Hz / 60 Hz	
	Input Range: +/- 300mV	
	Impedance Check Range: 2-50 Kohm or above	
	Sampling Rate: 10 KHz or above	
	Reference Electrodes: Laplacian, A1®A2, A1¬A2, A1«A2, A1+A2, VX,	
	AV, BN, Aav, Org and SD	
	Auto Archiving of data to specified path:	
	Support specialized Laplacian montages	
	Superimpose traces for comparison (optional)	

Allow fine-tuned playback of video synchronized with EEG to help view	
and identify events with video recording software allow zoom in and zoom	
out	
Facility for viewing several recordings in tiled or cascading windows.	
Specifications for the Acquisition PCs.	
i7 Based wall mounted monitor	
8 GB RAM	
1-2 TB HDD	
Interface to Computer	
Windows 10 O/S	
Monitor Size 23 inches	
UPS with 20 minutes back up	
PORTABLE system	
BW Printer Networked 1 review station	
Specifications for the SERVER PC 1* in nos	
Server : ProLiant ML350 Gen10 Tower Server or equivalent with - 1 x	
Intel Xeon 2nd Gen Scalable Processor Bronze-3204	
(1.90GHz/6C/8.25MB/85W) / 16GB (1x16GB) HPE Smart Memory-2TB	
DDR4 RAM in 24 DIMM Slots ECC Memory Support / 4LFF, 3.5inch	
Drive Bays with Embedded SATA cable Kit/ 1x 500W Power Supply, 21"	
Monitor, Optical Mouse, Keyboard, Online UPS of compatible rating with	
at least 45 minutes of power back up for PC.	
Licensed Version of BESA Epilepsy EEG source localisation software for	
Source Localisation 1 for each system, Facility for online fusion of MRI	
with ESI training of this to be provided by a hands on workshop	
Review and monitor live data simultaneously	
Remotely monitor on one or multiple monitors and workstations	
Highlight preserves the entire record while you click between marked areas	
Band Power, Envelope Trend, Spectrogram and Spectral Entropy Trend	
Review station: 1 review stations: 32 inch LED Screen of monitor to be	
digitally caliberated and networked with review software 1 each in each	
must have facility to observe the seizure video and EEG simultaneously	
live. Review stations should be able to view the same time with only few	
minutes lag.	
Video Cameras	
	1
1. Telemetry Bed camera portable and roof/wall mountable with built in	1
infrared with capability to acquire in 1080 pixels in HD video and auto-	
switching to infrared Qty 01	
2). Full HD Camera complete with Infrared Illuminator with cable and	
associated accessories with high configuration of the camera system	
True Day/Night Mode	
Auto-focus Zoom Lens pan & tilt	
Optical zoom 20x.	
Horizontal viewing angle 57.8 to 1.7 degrees	
Minimum object distance upto 1500mm (tele)	
Pan angle 340 degrees	
CONDUCTING PASTE: 15-30 NOS.	
NuPrep 114 gm : 10-50 TUBES	
Gold Cup EEG electrodes 10mm dia with 2-meter sturdy silicon wire 500	
pcs.	
Pulse Oximetry Finger Probes Adult 6 pcs and Paediatric 2 pcs.	
CORTICAL Stimulator inbuilt in the system software digital access and	

control for motor cortex mapping	
Current Range: +/- 0.1 to 15 mA or more, 0.01 mA steps	
Stimulus Mode: Mono, Bi-Phasic, Alternating	
Stim Pulse Width: 100 μS to 1000 μS (limited to the maximum energy	
per pulse)	
Stim Train Length: User specified: 0.2-30 or more seconds	
Frequency: 1 - 60 Hz or more	
Digital Switch Matrix (Hardware and software to be included)- It will	
allow to stimulate from any recording electrode rather than cortical	
stimulator, allowing ease of switching of electrodes.	
EEG and Video Data should be ported to an external storage media (PEN	
drive/cd/dvd/hard disk) for reviewing in any PC with reformatting and	
remontaging without the use of any additional software It should have facility for acquisition and review mode by split screen and	
at least 4 EEG review simultaneously	
System should have multi window review facility to review same event in	
different montages with simultaneous scroll.	
System should have facility of integration of vital sign parameter i.e.	
Capnography, temperature, BP.	
System should be able to display individual traces or more on the screen	
with a maximum sweep of 5 minutes per screen	
Should have the option of viewing the data on any Windows based PC	
without need of software	
The system should have the following minimum features in-built as	
standard acquisition, Review, Patient Data base, Data review during	
acquisition, File Append, Montage Map, Note window in EEG, Portable	
EEG data in CD	
Programmable portable Automatic Photic LED Stimulator 1 Stim rate 0.5	
to 60 Hz, Modes Automatic, Manual and Single, Duty cycle 5 min	
continuous operation in 30 min and Stim and pause time of 1 to 60 seconds	
Amplifier and Patient Electrode connection box must be two separate	
devices connected with cable so that least damage happens to amplifier	
when mishandling of electrode connection box happens. There should be	
automatic magnetic homing in of the cables and connectors with	
intelliconnect to any point of any channel of the montage with	
autoconfiguration.	
Facility to combine all user defined settings into templates or protocol, for	
use in different applications	
Facility for Individual Channel Control, Customization of Montages, along	
with Remontage Capabilities	
facility to display montage image and also of montage name in montage	
selection list.	
Facility to click any point to display corresponding traces & Slide pointer	
to change displayed duration of the Overview	
facility of automatic transfer of recorded data from recording station to	
server/review station immediately after closing the study.	
Facility for sortable list of all events placed in the recording, both	
automatically and manually.	
Facility to review and add events to recorded traces.	
Facility to choose Low & High Cut Filters.	
User friendly marking of events during recording/review.	

	Split screen capabilities to view live as well as review data.	
	Complete digital control over sensitivity filter settings and photic	
	stimulator sequences.	
	Facility of configurable Time Base.	
	Paging facility as Automatic Paging, Mouse controlled Paging and/ or	
	Keyboard Paging.	
	Playback of EEG for one or more channels.	
	Facility for Zoom/ Magnify EEG trace,	
	Facility for Automatic generation of reports. With complete available	
	updated software of autotyped terminologies and reports embedding	
	Facility for viewing several recordings in tiled or cascading windows.	
	Waveforms freeze facility with simultaneous background recording.	
	ECG Elimination filters in both acquisition and review mode (optional).	
	Hiding selected channels and different colors for each trace.	
	Display modes: Overwrite and Page-by-page.	
	Video data editing capabilities with and without EEG data.	
	Should be connected through LAN	
	Network integration to hospital information and report networks. Facility	
	for online fusion of MRI with ESI	
	Network supported patient and test management software for patient	
	administration, exam scheduling network connectivity, launch of data	
	acquisition, review. Should support multiple user support with	
	individualized settings. Networked to online imaging data and software of	
	the institute in the neuroradiology department for import of MRI for ESI.	
	Should be HIS/HL7 compliant.	
	Should have function for audit trail.	
	Should be able support multiple patient reviews simultaneously on a single	
	screen.	
	Should be able to generate report from any system with all patient data.	
	Should have option for patient information transfer on the	
	network.Integrated facility for antivirus with free timely updates and also	
	free software update of EEG	
	Associated level 1 polysomnography software and electrodes and hardware	
	titration facility software/ hardware with a poly (cpapbipapavaps). tcCO2	
	optional	
В	EPILEPSY SEEG DEPTH ELECTRODES & ANCILLARIES	
	1.1 Depth Electrodes - Standard (Ring Contact Size = 2 mm)	
	1.1.1 One-piece body construction.	
	1.1.2 Outer diameter (distal end) less than or equal to 0.8 mm.	
	1.1.3 Ring Contact Size = 2 mm for standard monitoring.	
	1.1.4 Platinum/Irridium contacts of different numbers as indicated below	
	in quantity.	
	1.1.5 Ability to perform bi-polar thermo coagulation.	
	1.1.6 Highly resistant to breaking.	
	1.1.7 Anchor bolt cap included with the electrode.	
	1.1.8 Sterile; single-use only	
	1.1.9 Sizes and Quantities required as below:-	20
1	5 CONTACT DEPTH ELECTRODE	20
2	5 CONTACT EXTENTION CABLE	5
3	8 CONTACT DEPTH ELECTRODE	20
4	8 CONTACT EXTENTION CABLE	5

5 10 CONTACT DEPTH ELECTRODE 6 10 CONTACT EXTENTION CABLE 7 12 CONTACT DEPTH ELECTRODE 8 12 CONTACT EXTENTION CABLE 9 15 CONTACT DEPTH ELECTRODE 10 15 CONTACT EXTENTION CABLE 11 18 CONTACT EXTENTION CABLE GUIDANCE SCREW 13 30mm guidance screw, pack of 10 14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250 18 THERMAL COAGULATOR (CONNECTING BOX)	25 4 25 4 10 2 10 2 2 2 2 5
7 12 CONTACT DEPTH ELECTRODE 8 12 CONTACT EXTENTION CABLE 9 15 CONTACT DEPTH ELECTRODE 10 15 CONTACT EXTENTION CABLE 11 18 CONTACT ELECTRODE 12 18 CONTACT EXTENTION CABLE GUIDANCE SCREW 13 30mm guidance screw, pack of 10 14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	25 4 10 2 10 2 2 2 2
8 12 CONTACT EXTENTION CABLE 9 15 CONTACT DEPTH ELECTRODE 10 15 CONTACT EXTENTION CABLE 11 18 CONTACT ELECTRODE 12 18 CONTACT EXTENTION CABLE GUIDANCE SCREW 13 30mm guidance screw, pack of 10 14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	4 10 2 10 2 2 2 2
9 15 CONTACT DEPTH ELECTRODE 10 15 CONTACT EXTENTION CABLE 11 18 CONTACT ELECTRODE 12 18 CONTACT EXTENTION CABLE GUIDANCE SCREW 13 30mm guidance screw, pack of 10 14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	10 2 10 2 2 2 2
10 15 CONTACT EXTENTION CABLE 11 18 CONTACT ELECTRODE 12 18 CONTACT EXTENTION CABLE GUIDANCE SCREW 13 30mm guidance screw, pack of 10 14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	2 10 2 2 2 2
11 18 CONTACT ELECTRODE 12 18 CONTACT EXTENTION CABLE GUIDANCE SCREW 13 30mm guidance screw, pack of 10 14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	10 2 2 2 2
18 CONTACT EXTENTION CABLE GUIDANCE SCREW 13 30mm guidance screw, pack of 10 14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	2 2 2
GUIDANCE SCREW 13 30mm guidance screw, pack of 10 14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	2 2
13 30mm guidance screw, pack of 10 14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	2
14 35mm guidance screw, pack of 10 15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	2
15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	
15 Stylet with stopper - OD 0.8mm L>120mm Coagulation electrode 16 30mm straight coagulation electrode 17 Drill SEEG L=250	5
Coagulation electrode1630mm straight coagulation electrode17Drill SEEG L=250	
16 30mm straight coagulation electrode 17 Drill SEEG L=250	
17 Drill SEEG L=250	2
18 THERMAL COACHLATOR (CONNECTING ROY)	10
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
a) Able to connect depth electrodes with any compatible RF Generator or any compatible EEG monitor b) Ability to transmit electric current with minimal alteration from the RF generator to 2 contiguous contacts of a depth electrode for coagulation c) Ability to allow the quick and efficient selection of the 2 contiguous contacts between which the coagulation is due. d) Ability to transmit the EEG signal with a minimum of change from the connector to the EEG output connector. e) Portable	
f) 2 functioning modes are available: COAG and EEG•	
19 Epilepsy Lesion Electrodes for Brain Lesioning	
1 Brain Lesion Electrodes, Shaft length: 300mm, Gauge: 16 Ga., Tip:5mm	1
2 Brain Lesion Electrodes, Shaft length: 300mm, Gauge: 16 Ga., Tip :3mm	1
3 Disposable Corded Patient Plate , box of 50	2
4 Smart Intermediate Cable	2
5 Adaptor	2
Manufacturer should be USFDA/European CE Certified	
All Items should be quoted and no partial offer will be entertained	
All the above items will be procurred as a set.	
OPTIONAL ACCESSORIES (PRICES SHOULD BE QUOTED SEPARATELY)	
5 contacts depth electrode	
8 contacts depth electrode	
10 contacts depth electrode	
12 contacts depth electrode	
15 contacts depth electrode	
18 contacts depth electrode	
3x5 contacts sp. 7mm depth electrode	
3x5 contacts sp. 11mm depth electrode	
3x6 contacts sp. 11mm depth electrode	
HIGH RESOLUTION DEPTH ELECTRODES:-	
12 contacts high resolution electrode step 2mm	

Micro-macro depth electrode - 5 macro & 9 micro contacts Type 6	
Micro-macro depth electrode - 8 macro & 6 micro contacts Type 6	
Micro-macro depth electrode - 8 macro & 9 micro contacts Type 6	
Extension cable	
5 contacts braided extension cable	
8 contacts braided extension cable	
10 contacts braided extension cable	
12 contacts braided extension cable	
15 contacts braided extension cable	
18 contacts braided extension cable	
9+9 contacts Braided/shielded cable for micro-macro electrodes	
Guidance screws	
15mm guidance screw	
20mm guidance screw	
25mm guidance screw	
30mm guidance screw	
35mm guidance screw	
10mm short guidance screw	
15mm short guidance screw	
20mm short guidance screw	
25mm short guidance screw	
30mm short guidance screw	
Somm short guidance screw	
Stylet with stopper - OD 0.8mm L>120mm	
Stylet with stopper OD 0.5mm E2125mm	
SEEG ruler	
Ancillaries for guidance screws	
Short screwdriver	
Long screwdriver	
Wrench	
Short screwdriver for short guidance screw	
Long screwdriver for short guidance screw	
Wrench for short guidance screw	
Screwdriver for short guidance screw cap	
Clamp	
Coagulation electrode	
30mm straight coagulation electrode	
20mm conical coagulation electrode	
Drills	
Drill SEEG L=200	
Drill SEEG L=200 conical tip	
Drill SEEG L=200 conical tip	
Drill SEEG L=250	
Drill with fixed guide and stopper - OD 2.9mm Length 250mm Drill with fixed guide and stopper - OD 4.0mm Length 250mm	
Drill L=LLL - OD body 2.45mm - cut OD 2.45 long 14mm straight	
Drill L=LLL - OD body 2.50mm - cut OD 2.50 long 14mm straight Drill L=LLL - OD body 2.50mm - cut OD 2.50 long 20mm straight	
Hexagonal bit Reusable Electrodes to be used in SEEG procedures	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 21 Ga Tip: 2mm	

Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip		
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 10 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 10 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Ti	Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 21 Ga Tip: 3mm	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip:	Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 21 Ga Tip: 4mm	
Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Ti	Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 21 Ga Tip:5mm	
Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Ti		
Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Ti	Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 20 Ga Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm		
Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 20 Ga. Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 19 Ga. Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga. Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga. Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga. Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga. Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga. Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga. Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga. Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga. Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga. Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga. Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga. Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga. Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga. Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga. Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga. Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga. Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 12 Ga. Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga. Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga. Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga. Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga. Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga. Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga. Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga. Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga. Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga. Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga. Tip: 5mm		
Brain Lesion Electrodes. Shaft length: 190 mm Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5m	<u> </u>	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gaug	Brain 2000 Process of are length 200 min Gauger 20 Can ripionini	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gaug	Brain Lesion Flectrodes Shaft length: 190 mm Gauge: 19 Ga., Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm		
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm		
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 290 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm		+
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm	Brain Ecsion Electrodes, Shart length, 150 mm. Gauge, 15 da., hp.5mm	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm	Brain Lesion Flectrodes Shaft length: 100 mm, Gauge: 18 Ga, Tin: 2mm	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm		+
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 18 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm		
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm		+
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm	Brain Lesion Electrodes. Snart length: 190 mm. Gauge: 18 Ga 11p:5mm	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm	Durin Loriou Florina des Chaft Lavath 400 ava C	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip:5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip:5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm		
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip:5mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip:5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 17 Ga Tip:5mm	
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip:5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	· · · · · · · · · · · · · · · · · · ·	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	Brain Lesion Electrodes. Shaft length: 190 mm. Gauge: 16 Ga Tip:5mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 4mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 21 Ga Tip: 5mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 3mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 4mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 20 Ga Tip: 5mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 2mm	
	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 3mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 4mm	
	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 19 Ga Tip: 5mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 18 Ga Tip: 2mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 18 Ga Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 18 Ga Tip: 3mm		
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 18 Ga Tip: 4mm		
Brain Lesion Electrodes. Shaft length: 250mmGauge: 18 Ga Tip: 5mm		
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 17 Ga Tip: 2mm	Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 17 Ga Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 17 Ga Tip: 3mm		

	1
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 17 Ga Tip: 4mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 17 Ga Tip: 5mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 16 Ga Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 16 Ga Tip: 3mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 16 Ga Tip: 4mm	
Brain Lesion Electrodes. Shaft length: 250mm. Gauge: 16 Ga Tip: 5mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 19 Ga Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 19 Ga Tip: 3mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 19 Ga Tip: 4mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 19 Ga Tip: 5mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 18 Ga Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 18 Ga Tip: 211111	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 18 Ga Tip: 4mm	
Brain Lesion Electrodes. Shaft length: 300mm Gauge: 18 Ga.: Tip: 5mm	
Brain Lesion Electrodes. Shart length. 500mm Gauge. 16 Ga., 11p. 5mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 17 Ga Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 17 Ga Tip: 3mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 17 Ga Tip: 4mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 17 Ga Tip: 5mm	
Dusin Lesian Flacture des Chaft leurable 200 une Course 16 Co. Tim 2 une	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 16 Ga Tip: 2mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 16 Ga Tip: 3mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 16 Ga Tip: 4mm	
Brain Lesion Electrodes. Shaft length: 300mm. Gauge: 16 Ga Tip: 5mm	
Reusable Trigeminal Electrodes	
Gasserian Ganglion RF Probe/Temperature Sensor. Includes: Electrode	
Gasserian Ganglion Straight Lesion Electrode/RF Probe	
Gasserian Ganglion Curved Lesion Electrode/RF Probe	
GASSERIAN GANGLION R.F. INSULATED CANNULA for use with Trigeminal RF	
probes	
GASSERIAN GANGLION RF FULLY INSULATED CANNULA for use with Straight and	
curved Trigeminal Probes	
 Davishla DDE7 Electricity	
Reusable DREZ Electrodes DREZ Locion Flortrado with 2mm avanced tip. 0.4mm diameter, includes	
DREZ Lesion Electrode with 2mm exposed tip. 0.4mm diameter. includes:	
Electrode. Protector Tube	
Corded GD-pads. box of 50	
Non-Corded GD-pads. box of 250	
 Adaptor Cable	

GENERAL TECHNICAL SPECIFICATIONS

GENERAL POINTS:

1. Warranty:

- a) Five years Comprehensive Warranty as per Conditions of Contract of the TE document for complete equipment (including Batteries for UPS, other vacuumatic parts wherever applicable) Warranty period will be 5 years from the date of installation, commissioning and Site Modification Work from the date of satisfactory installation, commissioning, trial run & handing over of equipment to Hospital/Institution/Medical College.
- b) 95% up time Warranty of complete equipment with extension of Warranty period by double the downtime period on 24 (hrs) X 7 (days) X 365 (days) basis.
- c) All software updates should be provided free of cost during Warranty period.

2. After Sales Service:

After sales service centre should be available at the city of Hospital/Institution/Medical College on 24 (hrs) X 7 (days) X 365 (days) basis. Complaints should be attended properly, maximum within 8 hrs. The service should be provided directly by Tenderer/Indian Agent. Undertaking by the Principals that the spares for the equipment shall be available for at least 10 years from the date of supply.

3. Training:

On Site training to Doctors/ Technicians/ staff is to be provided by Principal/ Indian Agents (if they have the requisite know-how) for operation and maintenance of the equipment to the satisfaction of the consignee. The same will be in line with the training modalities as specified in general technical specification.

- 4. Annual Comprehensive Maintenance Contract (CMC) of subject equipment with Site Modification Work:
 - a) The cost of Comprehensive Maintenance Contract (CMC) which includes preventive maintenance including testing & calibration as per technical/ service /operational manual of the manufacturer, labour and spares, after satisfactory completion of Warranty period may be quoted for next 5 years on yearly basis for complete equipment (including Batteries for UPS, other vacuumatic parts wherever applicable) and Site Modification Work (if any). The supplier shall visit each consignee site as recommended in the manufacturer" s technical/ service /operational manual, but at least twice in six months (i.e. 4 preventive maintenance/ year) apart from all breakdown visits, during the CMC period
 - b) The cost of CMC may be quoted along with taxes applicable on the date of Tender Opening. The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.
 - c) Cost of CMC will be added for Ranking/ Evaluation purpose. The same will be taken at Net Present Value with a 10% discounting factor each year.
 - d) The payment of CMC will be made on six monthly basis after satisfactory completion of said period, duly certified by end user on receipt of bank guarantee for 2.5% of the cost of the equipment as per Section XV valid till 2 months after expiry of entire CMC period.
 - e) There will be 95% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
 - f) During CMC period, the supplier is required to visit at each consignee" s site at least twice in 6 months (i.e. 4 preventive maintenance/ year) apart from all breakdown visits, commencing from the date of the successful completion of warranty period for preventive maintenance of the goods.
 - g) All software updates should be provided free of cost during CMC.
 - h) Failure of the above [4. e) to 4. g)] by the supplier, may lead to the forfeiture of the Bank Guarantee for Annual CMC.
 - i) The payment of CMC will be made as stipulated in GCC Clause 21.

5. Site Modification Work:

Site Modification Work is indicated in the technical specification of the respective items, wherever required. The Tenderer shall examine the existing site where the equipment is to be installed, in consultation with HOD of Hospital/Institution/Medical College concerned. Site Modification Work details of each Hospital/Institution/Medical College are given at the end of Technical Specification. The Tenderer to quote prices indicating break-up of prices of the Machine and Site Modification Work of each Hospital/Institution/Medical College. The Site Modification Work costs to be quoted in Indian Rupee will be added for Ranking Purpose.

The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such duties and taxes and no claim for the same will be entertained later.

The Site Modification Work should completely comply with AERB requirement, if any.

- **Note 1:** Tenderer" s attention is drawn to GIT clause 18 and GIT sub-clause 11.1 A (iii). The tenderer is to provide the required details, information, confirmations, etc. accordingly failing which it" s tender is liable to be ignored.
- **Note 2**: General: Bidders are requested to make sure that they should attach the list of equipment for carrying out routine and preventive maintenance wherever asked for and should make sure that Electrical Safety Analyzer / Tester for Medical equipment to periodically check the electrical safety aspects as per BIS Safety Standards IS-13540 which is also equivalent to IEC electrical safety standard IEC- 60601 is a part of the equipment s. If the Electrical Safety Analyzer/Tester is not available they should provide a commitment to get the equipment checked for electrical safety compliance with Electronic Regional Test Labs / Electronics Test and Development Centres across the country on every preventive maintenance call.
- **Note 3:** Adequate training of personnel and non-locked open software and standard interface interoperability conditions for networked equipment in hospital management information system (HMIS).

The successful tenderer will be required to undertake to provide at his cost technical training for personnel involved in the use and handling of the equipment on site at the institute immediately after its installation. The company shall be required to train the institute personnel onsite for a minimum period of 1 month

All software updates should be provided free of cost during warranty period and CMC period

<u>Section – VIII</u> <u>Quality Control Requirements</u>

(Proforma for equipment and quality control employed by the manufacturer(s) Tender Reference No.

Date of opening

Time

Name and address of the Tenderer:

Note: All the following details shall relate to the manufacturer(s) for the goods quoted for.

- 01 Name of the manufacturer
 - a. full postal address
 - b. full address of the premises
 - e. telephone number
 - f. fax number
- O2 Plant and machinery details:
- Manufacturing process details:
- Monthly (single shift) production capacity of goods quoted for
 - a. normal
 - b. maximum
- O5 Total annual turn-over (value in

Rupees) 06 Quality control arrangement details

- a. for incoming materials and bought-out components
- b. for process control
- **c**. for final product

evaluation 07 Test certificate held

- a. type test
- b. BIS/ISO certification
- c. any other
- 08 Details of staff
 - a. technical
 - b skilled
 - c unskilled

Signature and seal of the Tenderer

Section – IX Qualification Criteria

- 1. The tenderer must be a manufacturer. In case the manufacturer does not quote directly, they may authorize an agent as per proforma of Manufacturer authorization form as given in the tender enquiry document to quote and enter into a contractual obligation.
- 2. (a) The Manufacturer should have supplied and installed in last Five years from the date of Tender Opening, at least 25% of the quoted quantity (rounded off to next whole number) of the similar equipment meeting major parameters of technical specification which is functioning satisfactorily.
- 2. (b) The Tenderers quoting as authorized representative of the manufacturer meeting the above criteria should have executed at least one contract in the last five years from the date of tender opening of medical equipment anywhere in India of the same manufacturer.
- 3. The bidders/ firms identifying as MSME and or start-up firms are exempted from fulfilling criteria at S. No. 2 (a) and 2(b) stated above. However, this does not exempt any bidder/ firm/ manufacturer from fulfilling the quality requirements.
- 4. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with Competent Authority, as specified in Annexure-C of order F.No.6/18/2019-PPD dated 23-July-2020 and bidder must comply with all provisions mentioned in the order. A self declaration with respect to above order must be submitted.
- 5. Preference to Make In India products (For bids less than 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 and its susequent amendment thereof. In case Buyerhas selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the

purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

- 7. The Purchaser/buyer reserves the right to ask for a free demonstration of the quoted equipment after giving reasonable time to the bidder at a pre-determined place acceptable to the purchaser or at site (in case of non-portable and heavy equipment) for technical acceptability as per the bidding document specifications, before the opening of the Price Bid.
- 8. The Purchaser may ask for a sample to be sent for approval within 07 days from the date of issuance of Notification of Award/Contract, before delivery of bulk manufacturing/supplies of goods.

NOTE:

- 1. The tenderer shall give an affidavit as under:
 - "We hereby certify that if at any time, information furnished by us is proved to be false or incorrect, we are liable for any action as deemed fit by the purchaser in addition to forfeiture of the earnest money."
- 2. In support of 2 (a) & 2 (b), the Tenderer shall furnish Performance statement in the enclosed Proforma "A".
 - The manufacturer (Tenderer)/ Indian Agent shall furnish Satisfactory Performance Certificate in respect of above, duly translated in English and duly notarized in the country of origin, along with the tender.
- 3. The Tenderer shall furnish a brief write-up, packed with adequate data explaining and establishing his available capacity/capability (both technical and financial) to perform the Contract (if awarded) within the stipulated time period, after meeting all its current/present commitments. The Tenderer shall also furnish details of Equipment and Quality Control in the enclosed Section VIII.
- 4. Notwithstanding anything stated above, the Purchaser reserves the right to assess the Tenderer's capability and capacity to perform the contract satisfactorily before deciding on award of Contract, should circumstances warrant such an assessment in the overall interest of the Purchaser
- 5. The bidder should submit the manufacturer"s production capacity, meeting the quantity requirement and delivery schedule requirement of this tender document.
- 6. The Purchaser reserves the right to ask for a free demonstration of the quoted equipment at a pre determined place acceptable to the purchaser for technical acceptability as per the tender specifications, before the opening of the Price Tender.

PROFORMA "A" PROFORMA FOR PERFORMANCE STATEMENT

(For the period of last five years)

Date of opening	:
Time	:

Tender Reference No.

Name and address of the manufacturer :

Name and address of the Tenderer

Order placed by (full	Order number and date		Value of order	Date of completi		Remark s indicati	Have the goods been functioning
address of Purchaser/ Consignee)		goods and services	(Rs.)	As per contract	Actual	ng reasons for delay if any	Satisfactoril y (attach documenta ry proof)**
1	2	3	4	5	6	7	8

We hereby certify that if at any time, information furnished by us is proved to be false or incorrect; we are liable for any action as deemed fit by the purchaser in addition to forfeiture of the earnest money.

Signature and seal of the Tenderer

- ** The documentary proof will be a certificate from the consignee/end user with cross-reference of order no. and date in the certificate along with a notarized certification authenticating the correctness of the information furnished.
- ** The bidders are requested to submit the latest purchase order copies supplied to AIIMS, PGIMER, JIPMER, Institute of National importance for the specific model quoted along with the price bid and technical bid.

Section – X TENDER FORM

То,	Date			
Director				
AIIMS RAIPUR				
GE Road Tatibandh				
Raipur 492099 Chhattisgarh				
Ref. Your TE document Nodateddated				
We, the undersigned have examined the above ment amendment/corrigendum No	f any), the receipt of which is Description of goods and nent for the sum as shown in the tender. If our tender is accepted, ervices as mentioned above, in			
We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 5, read with modification, if any, in Section - V – "Special Conditions of Contract", for due performance of the contract.				
We agree to keep our tender valid for acceptance as required with modification, if any in Section - III — "Special Insubsequently extended period, if any, agreed to by us. abide by this tender up to the aforesaid period and this to before the expiry of the aforesaid period. We further con is executed, this tender read with your written acceptant.	structions to Tenderers" or for We also accordingly confirm to ender may be accepted any time firm that, until a formal contract			

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

period shall constitute a binding contract between us.

We confirm that we do not stand deregistered/banned/blacklisted by any Govt. Authorities.

We confirm that we fully agree to the terms and conditions specified in above mentioned TE document, including amendment/ corrigendum if any

(Signature with date)
(Name and
designation)

Duly authorised to sign tender for and on behalf of

SECTION - XI PRICE SCHEDULE

Price bid format/ template is provided as along with this Tender Enquiry Document at https://eprocure.gov.in/eprocure/app.

Bidders are advised to download Price Bid as it is and quote their offer/rates in the permitted column and upload the same in the commercial bid. Bidder shall not tamper/modify downloaded price bid template in any manner. In case if the same is found to be tempered/modified in any manner, their bids shall be liable to be rejected.

In case, an instruction in the specification asks for a BOQ line item to be quoted separately, the same to be quoted mandatorily as a separate price and must not be added in the bundle offer.

SECTION – XII OUESTIONNAIRE

Fill up the Techno-Commercial Compliance Sheet Bid provided in spreadsheet (Excel file) and upload in the CPPP Portal

- 1. The tenderer should furnish specific answers to all the questions/issues mentioned in the Techno-Commercial Compliance Sheet. In case a question/issue does not apply to a tenderer, the same should be answered with the remark "not applicable".
- 2. Wherever necessary and applicable, the tenderer shall enclose certified scanned copy as documentary proof/ evidence to substantiate the corresponding statement.
- 3. In case a tenderer furnishes a wrong or evasive answer against any of the question/issues, their tender is liable to be ignored.

Note: The documents like Priced Proforma Invoice (Single Proforma Invoice from Manufacturer's indicating uniform unit rates) and List of Consumables with prices can be uploaded in CPPP portal as per provision available

SECTION - XIII BANK GUARANTEE FORM FOR EMD

Whereas(hereinafter called the "Tenderer") has submitted its quotation dated
or the supply of(hereinafter called the "tender") against the purchaser's tender
enquiry NofKnow all persons by these presents that weofof(Hereinafter
called the "Bank") having our registered office atare bound unto(hereinafter called
the "Purchaser) in the sum offor which payment will and truly to be
nade to the said Purchaser, the Bank binds itself, its successors and assigns by these presents.
Sealed with the Common Seal of the said Bank thisday of20
obligation are:

- 1) If the Tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.
- 2) If the Tenderer having been notified of the acceptance of his tender by the Purchaser during the period of its validity:
 - fails or refuses to furnish the performance security for the due performance of the contract or fails or refuses to accept/execute the contract or
 - if it comes to notice that the information/documents furnished in its tender is incorrect, false, misleading or forged

We undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it owing to the occurrence of one or both the two conditions, specifying the occurred condition(s).

This guarantee will remain in force for a period of forty-five days after the period of tender validity and any demand in respect thereof should reach the Bank not later than the above date.

(Signature with date of the authorised officer of the Bank)
Name and designation of the officer
Seal, name & address of the Bank and address of the Branch

<u>SECTION – XIV</u> <u>MANUFACTURER'S AUTHORISATION FORM</u>

Director	
ALL INDIA INSTITUTE OF MEDICAL SCIENCES	
G.E. Road Tattibandh Raipur 492099	
Sir,	
Ref: Your TE document No	_dated
We,	who are proven and reputable manufacturers
having factories at and address of the agent) to submit a tend	and description of the goods offered in the tender), hereby authorise Messrs (name er, process the same further and enter into a contract with in the above referred TE documents for the above goods
We also state that we are not participating dire	ectly in this tender for the following reason(s): (please provide reason
here).	(produce produce)
We further confirm that no supplier	or firm or individual other than Messrs.
	nd address of the above agent) is authorised to submit a to a contract with you against your requirement as contained ove goods manufactured by us.
	C as applicable as per clause 15 of the General Conditions of e Special Conditions of Contract for the goods and services is TE document.
We also hereby confirm that we would be respected the authorised agent	ponsible for the satisfactory execution of contract placed on
We also confirm that the price quoted by our a directly"	agent shall not exceed the price which we would havequoted
	Yours faithfully,
for an	[Signature with date, name, designation and Email and on behalf of Messrs
	[Name & address of the manufacturers]

Note:

- (1) This letter of authorisation should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
- (2) Original letter may be sent.
- (3) The purchaser reserves the right to verify this document with its signatory.

Director

SECTION – XV

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY/ CMC SECURITY

AIIMS RAIPURL
GE ROAD TATIBANDH
RAIPUR CHHATTISGARH
WHEREAS (Name and address of the supplier)
(Hereinafter called "the supplier") has undertaken, in pursuance of contract no dated to supply (description of goods and services) (herein after called "the contract").
AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognised by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;
AND WHEREAS we have agreed to give the supplier such a bank guarantee;
NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the supplier, up to a total of(Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.
We hereby waive the necessity of your demanding the said debt from the supplier before presenting us with the demand.
We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.
This guarantee shall be valid till such time to cover two months beyond the warranty period from the date of Notification of Award i.e. up to (indicate date).
(Signature with date of the authorised officer of the Bank)
Name and designation of the officer
Seal, name & address of the Bank and address of the Branch

Tender No. AIIMS/R/CS/Neuro/1173/23/GTE SECTION – XVI CONTRACT FORM - A

CONTRACT FORM FOR SUPPLY, INSTALLATION, COMMISSIONING, HANDING OVER, TRIAL RUN, TRAINING OF OPERATORS & WARRANTY OF GOODS

(Address of the
Purchaser/Consignee Office
issuing the contract)
Contract Nodateddated
This is in continuation to this office"s Notification of Award No_dated 1. Name & address of the Supplier:
2. Purchaser"s TE document Nodated And subsequent Amendment No, dated(if any), issued by the purchaser
3. Supplier"s Tender Nodatedand subsequent communication(s) No dated (if any), exchanged between the supplier and the purchaser in connection with this tender.
4. In addition to this Contract Form, the following documents etc, which are included in the

documents mentioned under paragraphs 2 and 3 above, shall also be deemed to form and

(i) General Conditions of Contract;

be read and construed as integral part of this contract:

- (ii) Special Conditions of Contract;
- (iii) List of Requirements;
- (iv) Technical Specifications;
- (v) Quality Control Requirements;
- (vi) Tender Form furnished by the supplier;
- (vii) Price Schedule(s) furnished by the supplier in its tender;
- (viii) Manufacturers" Authorisation Form (if applicable for this tender);
- (ix) Purchaser"s Notification of Award

Note: The words and expressions used in this contract shall have the same meanings as are respectively assigned to them in the conditions of contract referred to above. Further, the definitions and abbreviations incorporated under clause 1 of Section II – "General Instructions to Tenderers" of the Purchaser"s TE document shall also apply to this contract.

- 5. Some terms, conditions, stipulations etc. out of the above-referred documents are reproduced below for ready reference:
 - (i) Brief particulars of the goods and services which shall be supplied/ provided by the supplier are as under:

Schedule No.	Brief description of goods/services	Accounting unit	Quantity to be supplied	Unit Price	Total price	Terms of delivery

Any other additional services (if app	licable) and cost thereof:
Total value (in figure)(In	n words)
 (ii) Delivery schedule (iii) Details of Performance Security (iv) Quality Control (a) Mode(s), stage(s) and place(s) of c (b) Designation and address of purcha (v) Destination and despatch instructions (vi) Consignee, including port consignee, if a 	aser"s inspecting officer
6. Warranty clause	
7. Payment terms	
8. Paying authority	
	(Signature, name and address of the Purchaser"s/Consignee"s authorised official) For and on behalf of
Received and accepted this contract	
(Signature, name and address of the supplier"s	
executive Duly authorised to sign on behalf of the supplier)	
For and on behalf of	
(Name and address of the supplier)	
(Seal of the supplier)	
Date:	
Place:	

Tender No. AIIMS/R/CS/Neuro/1173/23/GTE AIIMS RAIPUR

CONTRACT FORM - B

CONTRACT FORM FOR ANNUAL COMPREHENSIVE MAINTENANCE CONTRACT

An	Annual CM Contract No				_		d	ated	
Betv	ween								
(Add	dress of Hea	d of Hospital)							
And									
(Nai	me & Addre	ss of the Supplier)							
Ref	Contra Train		&warranty	of go	nissi	_		No nding	. & date of g over, Trial run,
1.		t of Annual Comprehe			s herek	y cond	cluded	as und	der: -
	1	2	3			4			5
	Schedul	Brief description	Quantity.	Maintenance Contract Comprehensive Cost for Each Unit year Maintenance Cor		Total Annual Comprehensive Maintenance Contract Cost for 5Years			
	e No.	of goods	(Nos.)	1 st	2 nd	3 rd	4 th	5 th	[3 x (4a+4b+4c+4d+4e)
				а	b	С	d	е	-
_	Total value	(in figure)	(In wor	ds)					

2.	The CMC commence from the date of expiry of all obligations under Warranty i.e. from (date of expiry of Warranty) and will expire on
3.	The cost of Annual Comprehensive Maintenance Contract (CMC) which includes preventive maintenance, labour and spares, after satisfactory completion of Warranty period may be quoted for next 5 years as contained in the above referred contract on yearly basis for complete equipment (including X ray tubes, Helium for MRI, Batteries for UPS, other vacuumatic parts,
4.	There will be 95% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
5.	During CMC period, the supplier shall visit at each consignee"s site for preventive maintenance including testing and calibration as per the manufacturer"s service/ technical/ operational manual.
	The supplier shall visit each consignee site as recommended in the manufacturer"s manual, but at least twice in 6 months commencing from the date of the successful completion of warranty period for preventive maintenance of the goods.
6.	All software updates should be provided free of cost during CMC.
7.	The bank guarantee valid till[(fill the date) 2 months after expiry of entire CMC period] for an amount of Rs[(fill amount) equivalent to 2.5 % of the cost of the equipment as per contract] shall be furnished in the prescribed format given in Section XV of the TE document, along with the signed copy of Annual CMC within a period of 21 (twenty one) daysof issue of Annual CMC failing which the proceeds of Performance Security shall be payable to the Purchaser/Consignee.
8.	If there is any lapse in the performance of the CMC as per contract, the proceeds Annual CMC bank guarantee for an amount of Rs(equivalent to 2.5 % of the cost of the equipment as per contract) shall be payable to the Consignee.
9.	Payment terms: The payment of Annual CMC will be made against the bills raised to the consignee by the supplier on six monthly basis after satisfactory completion of said period, duly certified by the HOD concerned. The payment will be made in Indian Rupees.
10.	Paying authority:(name of the consignee i.e. Hospital authorised official)
	(Signature, name and addressof
	Hospital authorised official)
	For and on behalf of
Red	reived and accepted this contract.
(Sig	nature, name and address of the supplier"s executiveduly
aut	horised to sign on behalf of the supplier)
For	and on behalf of
(Na	me and address of the supplier)

(Seal of the suppli	er)		
Date:			
Place:			

SECTION - XVII

CONSIGNEE RECEIPT CERTIFICATE

(To be given by consignee"s authorized representative)

1) Contract No. & date 2) Supplier"s Name Consignee"s Name & Address with 3) telephone No. & Fax No. Name of the item supplied 4) 5) **Quantity Supplied** 6) Date of Receipt by the Consignee 7) Name and designation of Authorized Representative of Consignee

The following store(s) has/ have been received in good condition:

Signature of Authorized Representative of

Consignee with date

Seal of the Consignee

8)

9)

SECTION - XVIII

Proforma of Final Acceptance Certificate by the Consignee

No_		То			Date
M/s			-		
Subje	ct: Cer	tificate of commissioning	g of equipment /plant.		
condit Para ı	tions alon	g with all the standard	and special accessorie	es and a set of	have been received in good spares (subject to remarks in same has been installed and
(a)	Contract	No		date	d
(b)		ion of the equipment (s),			
(c)	Equipme	nt (s)/ plant(s) nos.:			
(d)	Quantity	:			
(e)	Bill of Lo	ading/Air Way Bill/Railw	ay		
	Receipt/	Goods Consignment No	te no	dated _	
(f)	Name of	the vessel/Transporters	:		
(g)	Name of	the Consignee:			
(h)	Date of s	site hand-over to the sup	plier by consignee:		
(i)	Date of o	commissioning and provi	ng test:		
Deta	ils of ac	ccessories/spares	not yet supplied a	and recover	ries to be made on that ac
5	SI. No.	Descriptio	n of Item	Quantity	Amount to be recovered
				-	

- a) He has not adhered to the time schedule specified in the contract in dispatching the documents/ drawings pursuant to "Technical Specifications".
- b) He has not supervised the commissioning of the equipment (s)/plant(s) in time, i.e. within the period specified in the contract from date of intimation by the Purchaser/Consignee in respect of the installation of the equipment (s)/plant(s).
- c) The supplier as specified in the contract has not done training of personnel.

The extent of delay for each of the activities to be performed by the supplier in terms of the contract is
The amount of recovery on account of non-supply of accessories and spares is given under Parano.02
The amount of recovery on account of failure of the supplier to meet his contractual obligationsis(here indicate the amount).
(Signature)
(Name) (Designation with stamp)

Explanatory notes for filling up the certificate:

- i) He has adhered to the time schedule specified in the contract in dispatching the documents/drawings pursuant to "Technical Specification".
- ii) He has supervised the commissioning of the equipment (s)/plant(s) in time, i.e. within the time specified in the contract from date of intimation by the Purchaser/Consignee in respect of the installation of the equipment (s)/plant(s).
- iii) Training of personnel has been done by the supplier as specified in the contract.
- iv) In the event of documents/drawings having not been supplied or installation and commissioning of the equipment (s)/plant(s) having been delayed on account of the supplier, the extent of delay should always be mentioned in clear terms.

Section - XIX Consignee List

Sl. No.	Name of Hospital and Address	State
1.	AIIMS, RAIPUR	CHHATTISGARH

Note: The consignee will ensure timely issue of NMIC, CDEC, Octroi Exemption Certificates, Road Permits & Entry Tax Exemption Certificates, wherever applicable, to the suppliers.

APPENDIX-B

INTEGRITY PACT

PRE-CONTRACT INTEGRITY PACT

This Pre-Contract Integrity Pact (herein after called the Integrity Pact) is made on31ST day of							
the month of 2022							
Between							
ALL INDIA ISTITUTE MEDICAL SCIENE RAIPUR having its office at AIIMS Raipur, Tatibandh,							

Raipur – 492099, (Hereinafter called which expression unless repugnant to the context or meaning thereof be deemed to mean and include its successors, legal representatives and assigns) of the First Party.

			Allu				
M/s., with office at					re	epresented by	y Shri
	,	Chief	Executive	Officer	(hereinafter	called	the
"BIDDER/Seller"/Contra	ctor wh	ich expre	ssion shall mear	n and inclu	ide, unless the	context othe	erwise
requires, his successors at	nd permi	itted assig	ns) of the Second	l Party.			

Preamble

[Both AIIMS RAIPUR and BIDDER referred above are jointly referred to as the Parties]

AIIMS RAIPUR intends to award, under laid down organizational procedures, Purchase orders / contract/s against Tender /Work Order /Purchase Order No.

AIIMS RAIPUR desires full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with its Bidder/s and Contractor/s.

NOW, THEREFORE,

To avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to:-

- 1. Enable AIIMS RAIPUR to obtain the desired materials/ stores/equipment/ work/ project done at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement; and
- **2.** Enable the BIDDER to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and AIIMS RAIPUR will commit to prevent corruption, in any form, by its officials by following transparent procedures.

The parties hereto hereby agree to enter into this Integrity Pact and agree as follows:

Clause, 1. Commitments of AIIMS RAIPUR

- 1.1 AIIMS RAIPUR undertakes that AIIMS RAIPUR and/or its Associates (i.e. employees, agents, consultants, advisors, etc.) will not demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting or implementation process related to the contract.
- 1.2 AIIMS RAIPUR will, during the tender process / pre-contract stage, treat all BIDDERs with equity and reason, and will provide to all BIDDERs the same information and will not provide any such information or additional information, which is confidential in any manner, to any particular BIDDER

which could afford an advantage to that particular BIDDER in comparison to other BIDDERs in relation to tendering process or during the contract execution.

- 1.3 All the officials of AIIMS RAIPUR regarding this Integrity Pact will report to IEM, any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach shall not be permitted.
- 1.4 AIIMS RAIPUR will exclude from the process all known prejudiced persons and persons who would be known to have a connection or nexus with the prospective bidder.
- 1.5 If the BIDDER reports to AIIMS RAIPUR with full and verifiable facts any misconduct on the part of AIIMS RAIPUR's Associates (i.e. employees, agents, consultants, advisors, etc.) and the same is prima facie found to be correct by AIIMS RAIPUR, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by AIIMS RAIPUR. Further, such an Associate may be debarred from further dealings related to the contract process. In such a case, while an enquiry is being conducted by AIIMS RAIPUR the proceedings under the contract would not be stalled.

Clause 2. Commitments of BIDDERs/ CONTRACTORs

- 2. The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:-
- 2.1 The BIDDER will not offer, directly or indirectly (i.e. employees, agents, consultants, advisors, etc.) any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of AIIMS RAIPUR, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 2.2 The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of AIIMS RAIPUR or otherwise in procuring the contract or forbearing to do or having done any act in relation to obtaining or execution of the contract or any other contract with AIIMS RAIPUR for showing or forbearing to show favour or disfavour to any person in relation to the contract or any other contract with AIIMS RAIPUR.
- 2.3 The BIDDER will not engage in collusion, price fixing, cartelization, etc. with other counterparty(s).
- 2.4 The Bidder(s) will not pass to any third party any confidential information entrusted to it, unless duly authorized by AIIMS RAIPUR.
- 2.5 The Bidder (s) will promote and observe ethical practices within its Organization and its affiliates.
- 2.6 BIDDER shall disclose the name and address of agents and representatives and Indian BIDDERS shall disclose their foreign principals or associates.
- 2.7 The Bidder (s) will not make any false or misleading allegations against AIIMS RAIPUR or its Associates.
- 2.8 BIDDERs shall disclose the payments to be made by them to agents/brokers or any other intermediary, in connection with this bid/contract.
- 2.9 The BIDDER further confirms and declares to AIIMS RAIPUR that the BIDDER is the original manufacture/integrator/authorized government sponsored export entity of the defence stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to AIIMS RAIPUR or any of its functionaries, whether officially or unofficially to award the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.

- 2.10 The BIDDER while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to or intends to make to officials of AIIMS RAIPUR or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- 2.11 The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 2.12 The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
- 2.13 If the BIDDER or any employee of the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is a relative of any of the officers of AIIMS RAIPUR, or alternatively, if any relative of an officer of AIIMS RAIPUR has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filing of tender. The term 'relative' for this purpose would be as defined in Section 2(77) of the Companies Act 2013
- 2.14 The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of AIIMS RAIPUR.
- 2.15 The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract, and will not enter into any undisclosed agreement or understanding with other Bidders, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- 2.16 The BIDDER will not commit any offence under the relevant Indian Penal Code, 1860 or Prevention of Corruption Act, 1988; further the Bidder(s)/ Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the AIIMS RAIPUR as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 2.17 The BIDDER will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 2.18 The Bidder(s)/Contractors(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly the Bidder(s)/Contractors(s) of Indian Nationality shall furnish the name and address of the foreign Principal(s), if any.
- 2.19 The Bidder(s) shall not approach the courts while representing the matters to IEM and the Bidder(s) will await their decision in the matter.

Clause.3. Previous contravention and Disqualification from tender process and exclusion from future contracts

- **a.** The BIDDER declares that no previous contravention occurred in the last three years immediately before signing of this Integrity Pact, with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify BIDDER's exclusion from the tender process.
- b. The BIDDER agrees that if it makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.
- If BIDDER before award or during execution has committed a contravention through a violation of Clause 2, above or in any other form such as to put his reliability or credibility in question, AIIMS RAIPUR is entitled to disqualify the BIDDER from the tender process.

Clause.4. Equal treatment of all Bidders / Contractors / Subcontractors

- 4.1 The Bidder(s)/ Contractor(s) undertake(s) to demand from his Subcontractors a commitment in conformity with this Integrity Pact.
- 4.2 AIIMS RAIPUR will enter into agreements with identical conditions as his one with all Bidders and Contractors.
- 4.3 AIIMS RAIPUR will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Clause.5. Consequences of Violation / Breach

- 5.1 Any breach of the aforesaid provision by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle AIIMS RAIPUR to take all or any one of the following action, wherever required:-
- i. To immediately call off the pre-contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.
- ii. If BIDDER commits violation of Integrity Pact Policy during bidding process, he shall be liable to compensate AIIMS RAIPUR by way of liquidated damages amounting to a sum equivalent to 5% to the value of the offer or the amount equivalent to Earnest Money Deposit/Bid Security, whichever is higher.
- iii. In case of violation of the Integrity Pact after award of the contract, AIIMS RAIPUR will be entitled to terminate the contract. AIIMS RAIPUR shall also be entitled to recover from the contractor liquidated damages equivalent to 10% of the contract value or the amount equivalent to security deposit/performance guarantee, whichever is higher.
- iv. To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.
- v. To recover all sums already paid by AIIMS RAIPUR, and in case of an Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India, while in case of a BIDDER from a country other than India with interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the BIDDER from AIIMS RAIPUR in connection with any other contract for any other stores, such outstanding payment could also be utilized to recover the aforesaid amount.
- vi. To encash the advance bank guarantee and performance guarantee /warranty bond, if furnished by the BIDDER, in order to recover the payments already made by AIIMS RAIPUR, along with interest.
- vii. To cancel all or any other contract with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to AIIMS RAIPUR resulting from such cancellation/recession and AIIMS RAIPUR shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER. viii. To debar the BIDDER from participating in future bidding processes of AIIMS RAIPUR for a minimum period of five (5) years, which may be further extended at the discretion of AIIMS RAIPUR or until Independent External Monitors is satisfied that the Bidder(s) will not commit any future violation.
- ix. To recover all sums paid in violation of this Pact by BIDDER(s) to any middleman or agent or broker with a view to securing the contract.
- x. In cases where irrevocable Letters of credit have been received in respect of any contract signed by AIIMS RAIPUR with the BIDDER, the same shall not be opened. xi. Forfeiture of performance guarantee in case of a decision by AIIMS RAIPUR to forfeit the same without assigning any reason for imposing sanction for violation of the pact.
- 5.2 AIIMS RAIPUR will be entitled to all or any of the actions mentioned in Para
- 5.1 (i) to (x) of this pact also on the commission by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in Chapter IX of the Indian Penal Code, 1860 or Prevention of Corruption Act, 1988 or any other statute enacted for prevention of corruption.
- 5.3 The decision of AIIMS RAIPUR to the effect that a breach of the provisions of this Pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the Independent External Monitor(s) appointed for the purposes of this Pact.

Clause.6. Fall Clause

The BIDDER undertakes that it has not supplied/is not supplying similar product/systems or subsystems OR providing similar services at a price / charge lower than that offered in the present bid in respect of any other Ministry/Department of the Government of India or PSU and if it is found any stage that similar product/systems or sub systems was supplied by the BIDDER to any to the Ministry/Department of the Government of India or a PSU at a lower price, then that very price, with due allowance for elapsed time will be applicable to the present case and the difference in the cost would be refunded by the BIDDER to AIIMS RAIPUR, if the contract has already been concluded.

Clause.8. Criminal charges against violating Bidder(s)/ Contractor(s)/ Subcontractor(s)

If AIIMS RAIPUR obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor which constitutes corruption, or if AIIMS RAIPUR has substantive suspicion in this regard, AIIMS RAIPUR will inform the same to the Chief Vigilance Officer, AIIMS RAIPUR

Clause. Facilitation of Investigation

In case of any allegation of violation of any provisions of this Pact or payment of commission, AIIMS RAIPUR or its agencies shall be entitled to examine all the documents, including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information and documents in English and shall extend all possible help for the purpose of such examination.

Clause.09. Law and Place of Jurisdiction

Both the Parties agree that this Pact is subject to Indian Law. The place of performance and hence this Pact shall be subject to Delhi/ NCR Jurisdiction.

Clause.10. Other legal Actions

The actions stipulated in the Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

Clause.11. Validity and Duration of the Agreement

This Pact begins when both parties have legally signed it. It expires for the Contractor/Successful bidder 12 months after the last payment under the contract or the complete execution of the contract to the satisfaction of the both AIIMS RAIPUR and the BIDDER /Seller, including warranty period, whichever is later, and for all other Bidders/unsuccessful bidders 6 months after the contract has been awarded. If any claim is made / lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged / determined by Chairman and Managing Director/ CEO of AIIMS RAIPUR.

Clause.12. Other provisions

- 12.1 Changes and supplements as well as termination notices need to be made in writing. Both the Parties declare that no side agreements have been made to this Integrity Pact.
- 12.2 If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.
- 12.3 Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions

IN WITNESS THEREOF the parties have signed and executed this pact at the place and date first above mentioned in the presents of following witnesses:

AIIMS RAIPUR	Bidder
Witness	Witness
1	1
2	
	2

^{*} Provisions of these clauses would be amended /deleted in line with the policy of the AIIMS RAIPUR in regard to involvement of Indian agents of foreign suppliers.