



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)

खंडन

यह निविदा अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छ.ग.) के लिये बोलीदाताओं/फर्म/एजेंसी इत्यादी से प्रस्ताव नहीं बल्कि प्रस्ताव प्राप्त करने का निमंत्रण है संविदात्मक दायित्व तब तक नहीं होगा जब तक औपचारिक अनुबंध पर हस्ताक्षर नहीं किया जाता और चयनित बोलीदाताओं/फर्म/एजेंसी इत्यादी के साथ एम्स रायपुर के विधिवत अधिकृत अधिकारियों के द्वारा निष्पादित किया गया हो।

DISCLAIMER

This tender is not an offer by the All India Institute of Medical Sciences, Raipur, but an invitation to receive offer from bidders/firm/agency etc. No. contractual obligation whatsoever shall arise from this tender process unless and until as formal contract is signed and executed by duly authorized officers of AIIMS, Raipur with the selected bidder/firm/agency.



अखिल भारतीय आयुर्विज्ञान संस्थान रायपुर के आर्थ्रोपेडिक्स विभाग लिए “आर्थ्रोस्कोपी इंस्ट्रूमेंट एव आर्थ्रोपेडिक्स उपकरण ” की आपूर्ति के संबंध में निविदा आमंत्रण सूचना

Notice Inviting Tender for Supply of “Arthroscopy Instrument & Orthopaedics Equipment” for Department of Orthopaedics, at AIIMS Raipur

CRITICAL DATE SHEET

Published Date	05-02-2020
Bid Document Download Start Date	05-02-2020 (06.00 PM)
Clarification Start Date	05-02-2020
Clarification End Date	13-02-2020
Pre bid meeting	12-02-2020 (04.00 PM)
Bid Submission start Date	15-02-2020 (10.00 AM)
Bid Submission End Date	23-02-2020 (06.55 PM)
Bid Opening Date	26-02-2020 (03.30 PM)

G.E. Road, Tatibandh, Raipur – 492099, Chhattisgarh
 Tele: 0771- 2971307, email: store@aiimsraipur.edu.in
 Website: www.aiimsraipur.edu.in

1. Tenders in Two Bids (Technical & Financial Online bids) are invited on behalf of the, Director, All India Institute of Medical Sciences from interested and eligible service providers for **“Arthroscopy Instrument & Orthopaedics Equipment”** for the Department of **Orthopaedics** at AIIMS Raipur. Manual bids shall not be accepted.
2. Tender document may be downloaded from AIIMS web site www.aiimsraipur.edu.in (for reference only) and CPPP site <https://eprocure.gov.in/eprocure/app> as per the schedule as given in CRITICAL DATE SHEET as under.
3. Bid shall be submitted online at CPPP website: <https://eprocure.gov.in/eprocure/app>.
4. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
5. Tenderer who has downloaded the tender from the AIIMS web site www.aiimsraipur.edu.in and Central Public Procurement Portal (CPPP) eProcurement website <https://eprocure.gov.in/eprocure/app> shall not tamper/modify the tender form including downloaded price bid template in any manner. In case if the same is found to be tempered/modified in any manner, the bids will summarily and tenderer will be liable to be banned from doing business with AIIMS Raipur.

The Technical bid should include the detailed specifications of main item/equipment and its accessories. All items should be numbered as indicated in the Annexure-I (Any deviation should be clearly mentioned and supporting document should be submitted).

6. **Manual bid shall not be accepted in any circumstance.**
7. The complete bidding process in online bidding, Bidder should be possession of valid Digital Signature Certificate (DSC) for online submission of bids. Prior to bidding DSC need to be registered on the website mentioned above.
8. Tenderers are advised to follow the instructions provided in the ‘Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app>’.
9. Relevant literature pertaining to the items quoted with full specifications should be uploaded, where ever applicable.
10. **Manufacture/OEM/Dealer/Distributor must provide evidence of having supplied same item in government hospital/organization or reputed private hospital/ organizations in India.**
11. The firm (**Manufacture/OEM**) should be registered and should have the average annual turnover of the bidder in the last three financial years should not be less than i.e. ₹ 40,00,000/- for **schedule-A**, ₹ 7,00,000/- for **schedule-B**, ₹ 5 Lac/- for **schedule-C**, ₹ 7.50 Lac/- for **schedule-D**, and ₹ 4.50/- for **schedule-E**, Copies of authenticated balance sheet for the past three financial years should be uploaded.
12. The tender document must be accompanied by copy of PAN, Certificate of firm/company registration, GST registration.
13. The quantity shown against each item is approximate and may vary as per demand of the Institute at the time of placement of order.
14. The bidder must be able to provide the product/items within specified time period as prescribed in the Purchase Order, failing which the PSD will be forfeited. Furthermore on completion of the stipulated time period, Purchase Order will be cancelled and award will be given to another qualified bidder with the negotiated terms & conditions as per Institutes norms.
15. In the event of any dispute or difference(s) between the vendee (AIIMS Raipur) and the vendor(s) arising out of non-supply of material or supplies not found according to the specifications or any other cause what so ever relating to the supply or purchase order before or after the supply has been executed, shall be referred to the Director/AIIMS/Raipur who may decide the matter himself or may appoint arbitrator(s) under the arbitration and conciliation Act 1996. The decision of the arbitrator shall be final and binding on both the parties.
16. The place of arbitration and the language to be used in arbitral proceedings shall be decided by the arbitrator.
17. All disputes shall be subject to Raipur Jurisdiction only.

- 18. AIIMS Raipur reserves the rights to accept/reject any bid in full or in part or accept any bid other than the lowest bid without assigning any reason thereof. Any bid containing incorrect and incomplete information shall be liable for rejection.**
- 19. The Tender/Bid will be opened Store office at AIIMS Raipur Premises.**
 - (1) Only those financial bids will be opened whose technical bids are found suitable by the expert committee appointed for the concerned instrument/equipment.
 - (2) No separate information shall be given to individual bidders. In incomparable situation, the committee may negotiate price with the technically and financially qualified bidder before awarding the bid.
- 20. Copies of original documents defining the constitution or legal status, place of registration and principal place of business of the company or firm or partnership, etc. shall be submitted with Tech Bid.**
- 21. Award of Contract**
AIIMS Raipur will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has bided the lowest evaluated quotation price.
 - i) Notwithstanding the above, AIIMS Raipur reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
 - ii) The bidder whose bid is accepted will be notified of the award of contract prior to expiration of the bid validity period. The terms of the accepted bid shall be incorporated in the purchase order.
- 22. Normal comprehensive warranty/guarantee and CMC (if applicable) shall be applicable to the supplied goods as per Annexure-V.**
- 23. Rates should be quoted inclusive of packing, forwarding, postage and transportation charges etc.**
- 24. The competent authority reserves all rights to reject the goods if the same are not found in accordance with the required description/ specifications/quality.**
- 25. A brochure displaying clearly the product is to be attached with the tender if required.**
- 26. Earnest Money:** The declaration of EMD exemption is attached on Annexure II. It must be uploaded on the letterhead of the tenderer.
- 27. In case the supplier requires any elucidation regarding the tender documents, they are requested to contact to the Store Officer, AIIMS Raipur through e-mail: store@aiimsraipur.edu.in on or before end date of clarification as per critical date sheet.**
- 28. Price Preference Policy and Exemption for submission of various eligibility Criteria documents to the BIDDER Registered under Make in India Initiative:-** The Bidder Companies, those have registered under Make in India initiative and producing their products under “Make in India Policy of Government of India” shall be given Price Preference as per Govt. of India applicable Rules and Guidelines on submission of relevant certificate (i.e. Make In India Certification) for availing the Price Preference and Exemption for submission of exempted documents against this bid along with their Pre-Qualification Bid Documents. If the no bidder will upload/submit the requested “Make in India” Certificate along with their Bid, it will be treated as open tender bid and no preference shall be given to such BIDDER on producing “Make in India” Certification in later bid stage.
 - It is expected that, all the participating BIDDER companies have understanding and prior knowledge about the “Make in India” Initiative and Price Preference Policy of Govt. of India. However, it is once again emphasized that before participating this e-tender please carefully read the “Make in India” Initiative and directives of Govt. of India, since in case if any “Make in India” Registered Company will participate against this e-tender, the Price preference as per the same will be given to such participating Bidder company for ensuring necessary compliances of “Make in India” Policy of the Govt. of India.
 - The bidders are required to submit the following annexure in compliance of public procument (Preference to Make in India) order, 2017:
 - Affidavit of self-certification regarding local content (to be provided on own letter head).
- 29. If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product. In a tender, either the Indian Agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.**
- 30. In case the tenderer is not doing business in India, it is duly represented by an agent stationed in India fully equipped and able to carry out the required contractual functions and duties of the supplier including**

after sale service, maintenance & repair etc. of the goods in question, stocking of spare parts and fast moving components and other obligations, if any, specified in the conditions of contract and/or technical specifications.

- 31.** All goods and services to be supplied and provided for the contract shall have the origin in India or in the countries with which the Government of India has trade relations.

The word “origin” incorporated in this clause means the place from where the goods are mined, cultivated, grown, manufactured, produced or processed or from where the services are arranged. The country of origin may be specified in the Price Schedule.

- 32.** If there is more than one schedule in the “Schedule of Requirements”, the bidder has the option to submit its bid for any one or more schedules. However, while quoting for a schedule, the bidder shall quote for the complete requirement of goods and services as specified in that particular schedule.
- 33.** Other terms and condition applicable as per manual for procurement of goods 2017 & GFR-2017 etc.

**Stores Officer,
AIIMS Raipur**

Other Terms & Conditions:

1. Pre-Qualification Criteria:

- a) Bidder should be the manufacturer/authorized dealer/Distributor/Trader/ **Supplier of goods. Letter of Authorization from Manufacturer of the goods** and specific to the tender should be uploaded in the prescribed place.
- b) An undertaking from the original Manufacturer is required stating that they would facilitate the bidder on regular basis with technology/ product updates and extend support for the warranty as well. The scanned copy of same to be uploaded. (if applicable).

2. Performance Security Deposit (PSD):

- a) The successful bidder shall have to submit a Performance Security Deposit (PSD) within 30 days from the date of issue of Letter of Award (LOA). Extension of time for submission of PSD beyond 30 days and up to 60 days from the date of issue of LOA may be given by the competent authority to sign the contract agreement however a penal interest of 15% per annum shall be charged for the delay beyond 30 days. i.e. 31st day after the date of issue of LOA. In case the contractor fails to submit the requisite PSD even after 60 days from the date of issue of LOA the contract shall be terminated duly forfeiting the EMD and other dues, if any payable against the contract. The failed contractor shall be debarred from participating in re-tender (if any) for that item.
- b) Successful supplier/firm should submit **Performance Security Deposit** in favour of “AIIMS, Raipur” to be received in the Store Office, 2nd Floor, Medical College Building, Tatibandh, Raipur (C.G) Pin-492099 before the date of commencement of supply or 30 days from the date of acceptance of the LOA, whichever is earlier. The Performance Security Deposit shall be furnished in the form of FDR/DD/Bank Guarantee or performance guarantee bond as per proforma given in the tender documents, for an amount covering **3% of the contract value.**
- c) The Performance Security Deposit should be established in favour of “AIIMS Raipur” through any Schedule Bank with a clause to enforce the same on their local branch at Raipur.
- d) Validity of the Performance Security Deposit shall be for a period of 60 days beyond entire warranty & CMC period from the date of issue of installation & commissioning.
- e) After completing of warranty period a fresh BG/DD/FDR of 10% of CMC cost will be submitted by the supplier for performance security against CMC validity of this new BG/DD/FDR will be 60 days beyond CMC period. After submission of new security deposits, old security deposit will be released.

3. Delivery & Installation: The successful bidder should strictly adhere to the following delivery schedule Supply, installation & commissioning should be effected **within 45 days / 90 days (in case of imported goods)** from the date of purchase order and this clause should be strictly adhere to failing which Liquidation Damages will be imposed as per **clause no. 5 hereunder**.

4. Purchase Order will be placed as per requirement of institute.

5. Penalty: If the suppliers fails to Supply, **Install & Commission and/or** place any or all the Equipment or perform the service by the specified date as **mentioned** in purchase order, penalty at the rate of **0.5% per week or part thereof delayed** value of goods subject to the maximum of **10% of delayed goods value will be imposed.**

6. Training and Demonstration (if required): Suppliers needs to provide adequate training and demonstration at AIIMS Raipur to the nominated person of AIIMS Raipur at their cost. AIIMS Raipur will not bear any training or living expenditure in this regard. The supplier should arrange for regular weekly visit to the AIIMS, Raipur campus by its technical team and assist in maintenance of the item/equipment within warranty period. Assistance limited to locking companies with manufacturer will not be considered sufficient.

7. Right of Acceptance: AIIMS, Raipur reserves the right to accept or reject any or all tenders/quotations without assigning any reason there of and also does not bind itself to accept the lowest quotation or any tender. AIIMS, Raipur also reserves the rights to accept all the equipment/instruments in the given tender or only part of it in any given schedule without assigning any reason.

8. **Validity of the bids:** The bids shall be valid for a period of **180 days** from the date of opening of the tender. This has to be so specified by the tenderer in the commercial bid which may be extended, if required.
9. **Risk Purchase & Recovery of sums due:**
 - Failure or delay in supply of any or all items as per Requisition / Purchase Order, Specification or Brand prescribed in the tender, shall be treated as '**non-compliance**' or 'breach of contract' and the order in part of full be arranged from alternative source(s) at the discretion of the hospital authority and the difference in price can be recovered from the tenderer.
 - The amount can be recovered from any of his subsequent / pending bills or security Deposit.
 - In case the sum of the above is insufficient to cover the full amount recoverable, the contractor shall pay to the purchaser, on demand the remaining balance due.
10. **Installation & Warranty Declaration:** Suppliers must give comprehensive onsite warranty for **05 year** from the date of successful installation of item/equipment against manufacturing defects. In the installation report the model number of instrument and all spares parts/ accessories numbers should be in the line of purchase order. Suppliers must mention in the warranty declaration that “everything to be supplied by us hereunder shall be free from all defects and faults in material, workmanship and shall be of the highest quality and material of the type ordered, shall be in full conformity with the specification and shall be completed enough to carry out the experiments, as specified in the tender document.” If any item covered under warranty fails, the same shall be replaced free of cost including all the applicable charges (shipping cost both ways). **Installation must be done within stipulated time period from the date of delivery of the item/ equipment as specified in the purchase order.**
11. **Communication of Acceptance:** AIIMS, Raipur reserves all right to reject any tender including of those tenderers who fails to comply with the instructions without assigning any reason whatsoever and does not bind itself to accept the lowest or any specific tender. The decision of this Institute in this regard will be final and binding.
12. **Guarantee/Warranty, Service, Maintenance:** The tenderers must quote for **05 year** onsite warranty from the date of completion of the satisfactory installation as certified by the stipulated committee/department. The warranty charges shall not be quoted separately otherwise the bid shall be summarily rejected. Also the bidders should submit their quote for subsequent **05 years onsite CMC** on Equipment (include free labour, repair other services). Failure to comply this condition will entail the rejection of the bids. The price comparison shall be taken into account on basic price and post warranty CMC. The amount of CMC would be released to the supplier on successful completion of the maintenance of that particular year duly certified by the user department.

The supplier shall ensure regular maintenance service by the appropriate engineer having the technical know-how of the equipment. The supplier shall also ensure the presence resident engineer in the geographical location of this city of Raipur so that he attends the call without loss of time.

The supplier should arrange for regular weekly visit to the AIIMS, Raipur campus by technical team and assist in maintenance of the item/equipment within warranty period Assistance limited to locking companies with manufacture will not be considered sufficient.
13. **Insolvency etc.:** In the event of the firm being adjudged insolvent or having a receiver appointed for it by a court or any other under the Insolvency Act made against them or in the case of a company the passing any resolution or making of any order for winding up, whether voluntary or otherwise, or in the event of the firm failing to comply with any of the conditions herein specified AIIMS, Raipur shall have the power to terminate the contract without any prior notice.
14. **Force Majeure:** If, at any time during the subsistence of this contract, the performance in whole or in part by either party of any obligation under this contract is prevented or delayed by reasons of any war or hostility, act of public enemy, civil commotion, sabotage, fire, floods, exception, epidemics, quarantine restriction, strikes lockout or act of God (hereinafter referred to as events) provided notice of happening of any such eventuality is given by party to other within 21 days from the date of

occurrence thereof, neither party shall by reason of such event be entitled to terminate this contract nor shall either party have any claim for damages against other in respect of such non-performance or delay in performance and deliveries.

Further, that if the performance in whole or in part of any obligation under this contract is prevented or delayed by reason of any such event for a period exceeding 60 days, AIIMS, Raipur may, at its option to terminate the contract.

- 15. Breach of Contract:** In case of breach of any terms and conditions as mentioned in agreement/contract, the Competent Authority, will have the right to cancel the contract without assigning any reasons thereof and nothing will be payable by AIIMS, Raipur. In that event the security deposit shall also stand forfeited.

(False declaration will be in breach of the code of integrity under rule 175 (1) (i) (h) of the General Financial Rules for which a bidder or its successors can be debarred for up to Two Years as per rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law)

- 16. Subletting of Contract:** The firm shall not assign or sublet the contract or any part of it to any other person or party without having prior permission in writing of AIIMS, Raipur, which will be at liberty to refuse if it thinks fit. The tender is not transferable.

- 17. Right to call upon information regarding status of contract:** AIIMS, Raipur will have the right to call upon information regarding status of contract at any point of time.

18. Terms of payment:

- 18.1 Payment shall be made subject to recoveries, if any, by way of liquidated damages or any other charges as per terms & conditions of contract in the following manner.

A) Payment for Indigenous Goods

Payment shall be made in Indian Rupees as specified in the contract in the following manner:

- (a) **On delivery:** 70% payment of the contract price shall be paid on receipt of goods in good condition at the consignee premises and upon the submission of the following documents:

- i) Four copies of suppliers invoice showing contract number, goods description, quantity, unit price and total amount with revenue stamp.
- ii) Two copies of packing list identifying contents of each package
- iii) Certificate of origin and certificate of guarantee and warrantee.
- iv) Consignee receipt certificate in original issued by the authorised representative of the consignee.

- (b) **On Acceptance:** Balance 30% payment would be made against 'Final Acceptance Certificate' of goods to be issued by the consignees subject to recoveries, if any, on account of non-rectification of defects/deficiencies not attended by the supplier or otherwise.

B) Payment for Imported Goods:

Payment of foreign currency portion shall be made in the currency as specified in the contract in the following manner:

- a. On Shipment:** Seventy (70) % of the CIP destination price of the goods shipped shall be paid through irrevocable, non-transferable Letter of Credit (LC) in favour of the supplier in a bank in his country in case of Foreign Tenderer and upon submission of documents specified here under:

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, Unit price and total amount with revenue stamp.
- (ii) Original and four copies of the negotiable clean, on-board Bill of Lading/Airway bill, marked freight pre-paid and four copies of non-negotiable Bill of Lading/Airway Bill.
- (iii) Four copies of packing list identifying contents of each package.
- (iv) Insurance Certificate and a documents also to be submitted for payment of LC confirming that

dispatch documents has already been sent to all concerned as per the contract within 24 hours.

(v) Manufacturer's/Supplier's warranty certificate.

(vi) Certificate of origin.

b. On Acceptance: Balance payment of 30% of net CIP price of goods would be made against 'Final Acceptance Certificate' to be issued by the consignee through irrevocable, non-transferable Letter of Credit (LC) opened in favour of the Foreign Principal in a bank in his country, subject to recoveries, if any.

c. Payment of Indian Agent Commission: Indian Agency Commission will be paid to the manufacturer's agent in the local currency for an amount in Indian rupees indicated in the relevant Price Schedule (as per prevailing rate of exchange ruling on the date of contract) and shall not be subject to further escalation/exchange variation. Payment shall be paid in Indian Rupees to the Indian Agent on proof of 100% payment to the Foreign Principal.

18.2 Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other tax as applicable will be made from the bills payable to the supplier at rates as notified from time to time.

18.3 No payment shall be made for rejected stores. Rejected equipment's must be removed by the supplier within two weeks of the date of issue of rejection advice at their own cost & replace immediately. In case these are not removed these will be auctioned at the risk and responsibility of the suppliers without notice.

19. Compulsory Enlistment of Indian Agents: As per the Compulsory Enlistment Scheme of the Department of Expenditure, Ministry of Finance, it is compulsory for Indian agents who desire to quote directly on behalf of their foreign manufacturers/principals, to get themselves enlisted with the Department of Expenditure, through the Central Purchase Organization (e.g. DGS&D).

The compulsory enlistment of Indian Agents under the scheme of Ministry of Finance is simpler and differs from the registration of Indian Agents with the Central Purchase Organization (e.g. DGS&D) described in the earlier paragraphs.

The registration of the foreign manufacturer is not a must for enlisting the Indian Agent under this scheme. No Inspection Report in respect of the foreign manufacturer/principal is necessary.

The enlistment under the scheme is not equivalent to the Registration with DGS&D. Such firms do not enjoy the same status as that of DGS&D registered suppliers. A note to this effect is given in the Enlistment Letter to the firm.

20. Custom Duty on Imported Goods: In respect of imported goods, the tenderers shall also specify separately the total amount of custom duty **which shall from part of the bid price**. The tenderers should also indicate correctly the rate of custom duty applicable for the goods in question and the corresponding Indian Customs Tariff Number. Where customs duty is payable, the contract should clearly stipulate the quantum of duty payable etc. in unambiguous terms. AIIMS, Raipur is exempted from payment of excise duty and is eligible for concessional rate of custom duty. Necessary certificate will be issued on demand. **However, the bidders shall quote full rates of custom duty on the BOQ without making any provision for exemption concessional rates may be mentioned separately, if any.** AIIMS, Raipur will not make any arrangements for clearance of imported goods at the airport.

21. Custom Duty Reimbursement: The supplier will pay the custom duty wherever applicable, which will be reimbursed by purchaser as per documentary evidence. The custom duty exemption certificate will be provided to the supplier as and when required. The amount of custom duty including in the quoted price only that amount will be reimbursed after submission of documentary evidence of deposition of custom duty.

22. Good & Service Tax –

- GST rates applicable on the quoted item may please be mentioned in the bid document.
- It may be confirm if there is any (Upward/Reduction) in the Basic Price structure. Bidders are required to pass the Input Credit as per the following Anti Profiteering Clause of GST.
“Upon Implementation of GST, any reduction in the rate of tax on supply of goods or service or the benefit of input tax credit shall be passed on to AIIMS Raipur by way of commensurate reduction in the prices”.
- **HSN Code** for each item should be clearly mentioned.

23. Fall Clause:

1. Prices charged for supplies under Rate Contract by the supplier should in no event exceed the lowest prices at which he bids to sell or sells the stores of identical description to any other State Government/DGS&D/Public Undertaking during the period of the contract.
2. If at any time during the period of contract, the prices of tendered items is reduced or brought down by any law or Act of the Central of State government, the supplier shall be bound to inform Purchasing Authority immediately about such reduction in the contracted prices, in case the supplier fails to notify or fails to agree for such reduction of rates, the Purchasing authority will revise the rates on lower side. If there is a price increase for any product after quoting the rates, the bidder will have to supply the item as per quoted rates. This office will not accept any higher rates after wards.
3. If at any time during the period of contract, the supplier quotes the sale price of such goods to any other State Govt./DGS&D and Pubic Undertakings at a price lower than the price chargeable under the rate contract he shall forthwith notify such reduction to Purchasing Authority and the prices payable under the rate contract for the equipment’s supplied from the date of coming into force of such price stands correspondingly reduced as per above stipulation.

Any deviation in the material or specifications from the accepted terms may liable to be rejected and the suppliers need to supply all the goods in the specified form to the satisfaction/ specifications specified in the Purchase order and demonstrate at the their own cost.

- 24. Arbitration:** If any difference arises concerning this agreement, its interpretation on payment to the made there under, the same shall be settled out by mutual consultation and negotiation. If attempts for conciliation do not yield any result within a period of 30 days, either of the parties may make a request to the Director, AIIMS Raipur to settle the dispute by Sole Arbitrator. Sole arbitrator will be appointed by the Director, AIIMS Raipur. The provision of Arbitration and Conciliation Act, 1996 and the rule framed there under and in force shall be applicable to such proceedings.

25. Option Clause/ Tolerance Clause:

- a. At the time of awarding the contract, the purchaser reserves the right to increase or decrease by up to 25% to 30%, the quantity of goods and services mentioned in the schedule (s) in the “Schedule of Requirements” (rounded off to-next whole number) without any change in the unit price and other terms & conditions quoted by the bidder.
- b. If the quantity has not been increased at the time of the awarding the contract, the purchaser reserves the right to increase by 25% to 30%, the quantity of goods and services mentioned in the contract (rounded off to next whole number) without any change in the unit price and other terms & conditions mentioned in the contract, during the currency of the contract.

- 26. Repeat Order Clause:** - If essentially stipulated by indenting authority, which is duly approved by competent authority of AIIMS Raipur. Then purchaser retains the right to place the repeat order for an additional quantity of the equipment with the same rate and terms of contract.

- 27. Legal Jurisdiction:** The agreement shall be deemed to have been concluded in Raipur, Chhattisgarh and all obligations hereunder shall be deemed to be located at Raipur, Chhattisgarh and Court within Raipur, Chhattisgarh will have Jurisdiction to the exclusion of other courts.

- 28.** Rate wise comparison of the quotes will be made and L1* for each item will be determined accordingly. In this context, final decision of the committee will be binding on all and no claim in this regard will be

entertained. The quantity indicated is tentative and may vary, and any decision in this regard by Director AIIMS Raipur shall be final.

L1. Firm will be decided on the basis of group wise total price of item For AIIMS Raipur (including all taxes & duty) Warranty 05 Year + CMC 05 year.

**Stores Officer,
AIIMS Raipur**

Technical Bid

The following documents are required to be uploaded by the Bidder along with Technical Bid as per the tender document:

- 1) Scanned Copy of EMD declaration form (Annexure-II) document must be uploaded.
- 2) Please **state whether the bidder** is Manufacturer /Distributor /Dealer / Trader/Supplier relevant document should be uploaded.
- 3) In case of distributor/dealer/trader/supplier must be upload tender specific authorization certificate from OEM/ manufacturer (Form C) should be uploaded.
- 4) **Scanned copy of** undertaking from the original Manufacturer stating that they would facilitate the bidder on regular basis with technology/product updates and extend support for the warranty as well, shall be uploaded.
- 5) Copy of PAN Card **should be uploaded.**
- 6) Firm/Company registration certificate should be uploaded.
- 7) The equipment should be US-FDA/CE certified/BIS/ISO certified.
- 8) The GST registration details may be furnished.
- 9) Income Tax Return of last three years should be uploaded.
- 10) Tenderer must provide evidence of experience of supplied materials as mentioned in tender document as per **clause-11** should be uploaded.
- 11) Annual turnover & balance sheet of last three year duly certified by CA as mentioned in tender document as per **clause no.-12**, should be uploaded.
- 12) "Declaration by the Bidder "(Form B) as mentioned in tender document should be uploaded.
- 13) Relevant brochure/catalogue pertaining to the items quoted with full specifications etc. **should be uploaded.**
- 14) Tenderer must provide a certificate on letter head that proprietor/firm has never been black listed by any organization should be uploaded.
- 15) Form A with duly filled by bidder should be uploaded.
- 16) Technical Specifications Compliance Report. Should be uploaded.
- 17) Have you previously supplied these items to any government/ reputed private organization? If yes, attach the relevant proof.
- 18) Please provide a certificate on letter head that you have not quoted the price higher than previously supplied to any government Institute/Organisation/reputed Private Organisation or DGS&D rate in recent past. If you don't fulfil this criteria, your tender will be out rightly rejected.

PRICE BID

- (a) Price bid in the form of BOQ_XXXX.xls.
- (b) Custom Duty tariff.
- (c) CMC Sheet.

PARTICULARS FOR PERFORMANCE GUARANTEE BOND

(To be typed on Non-judicial stamp paper of the value of Indian Rupees of Two Hundred)

(TO BE ESTABLISHED THROUGH ANY OF THE SCHEDULED BANK (WHETHER SITUATED AT RAIPUR OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT RAIPUR. BONDS ISSUED BY CO- OPERATIVE BANKS ARE NOT ACCEPTED)

To,
The Director
All India Institute of Medical Sciences (AIIMS),
Tatibandh, GE Road, Raipur-492 099 (CG)

LETTER OF GUARANTEE

WHERE AS All India Institute of Medical Sciences (AIIMS) Raipur (Buyer) have invited Tenders vide Tender No.....Dt.....for purchase of.....AND WHERE AS the said tender document requires the supplier/firm(seller)whose tender is accepted for the supply of instrument/machinery, etc. in response there to shall establish an irrevocable Performance Guarantee Bond in favour of “AIIMS Raipur” in the form of Bank Guarantee for Rs.....[10% (ten percent)of the purchase value] which will be valid for entire warranty period from the date of installation & commissioning, the said Performance Guarantee Bond is to be submitted within 30(Thirty) days from the date of Acceptance of the Purchase Order.

NOW THIS BANKHERE BY GUARANTEES that in the event of the said supplier/firm (seller) failing to abide by any of the conditions referred to intender document/purchase order/performance of the instrument/machinery, etc. This Bank shall pay to All India Institute of Medical Sciences (AIIMS) Raipur on demand and without protest or demur (Rupees.....).

This Bank further agrees that the decision of All India Institute of Medical Sciences (AIIMS) Raipur(Buyer) as to whether the said supplier/firm (Seller) has committed a breach of any of the conditions referred in tender document/ purchase order shall be final and binding.

We,.....(name of the Bank& branch) here by further agree that the Guarantee herein contained shall not be affected by any change in the constitution of the supplier/firm(Seller)and/or All India Institute of Medical Sciences (AIIMS) Raipur(Buyer).

Not with standing anything contained herein:

- a) Our liability under this Bank Guarantee shall not exceed`..... (Indian Rupees.....only).
- b) This Bank Guarantee shall be valid upto..... (date) and
- c) We are liable to pay the guaranteed amount or any part thereof under this bank guarantee only and only if AIIMS Raipur serve upon us a written claim or demand on or before..... (Date) **claim period should be beyond six months from the date of validity i.e. (b) above.**

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office atsituated at..... (Address of local branch).

Yours truly,

Signature and seal of the Guarantor

Name of the Bank:.....

Complete Postal Address:

Form-A**PARTICULARS FOR REFUND OF EMD TO SUCCESSFUL/UNSUCCESSFUL BIDDER
RTGS/National Electronic Fund Transfer (NEFT) Mandate Form**

1	Name of the Bidder	
2	Permanent Account No(PAN)	
3	Particulars of Bank Account	
	a) Name of the Bank	
	b) Name of the Branch	
	c) Branch Code	
	d) Address	
	e) City Name	
	f) Telephone No	
	g) NEFT/IFSC Code	
	h) RTGS Code	
	i) 9 Digit MICR Code appearing on the cheque book	
	j) Type of Account	
	k) Account No.	
4	Email id of the Bidder	
5	Complete Postal Address of the bidder	

FORM-B

Declaration by the Bidder:

1. I/We have downloaded the tender from the internet site and I/We have not tampered /modified the tender documents in any manner. In case the same is found tampered/ modified, I/We understand that my/our offer shall be summarily rejected and I/We are liable to be banned from doing business with AIIMS Raipur and/or prosecuted as per laws.
2. I/We have read and fully understood all the terms and conditions contained in Tender document regarding terms & conditions of the contract& rules and I/we agree to abide them.
3. The bidder should not have been blacklisted before at any government organisation
4. No other charges would be payable by Client and there would be no increase in rates during the Contract period.

Place:.....

(Signature of Bidder with seal)

Date:.....

Name :

Seal :

Address :

Form-C

MANUFACTURER's / PRINCIPAL's AUTHORIZATION FORM

To
The Stores Officer,
All India Institute of Medical Sciences Raipur

Dear Sir,

TENDER: _____.

we, _____ who are
established and reputable manufacturers of _____, having
factories at _____ and _____, hereby
authorize Messrs. (Authorised Dealer/Sole Distributor/Supplier) _____ (name and address
of agents) to bid, negotiate and conclude the contract with you against
Tender No. _____ for the above goods manufactured by
us. No company or firm or individual other than Messrs.
_____ are authorized to bid, negotiate and
conclude the contract in regard to this business against this specific
tender.

We hereby extend our full guarantee and warranty as per the conditions
of tender for the goods bided for supply against this tender by the above
firm.

The authorization is valid up to _____

Yours faithfully,

(Name)

For and on behalf of M/s. _____

(Name of manufacturers)/Principal

ANNEXURE-I

Format of Experience certificate

Sl. No.	Contract No. /Supply order No	Name of the Purchaser	Description of work	Qty Supplied	Value of Contract

Place:.....

(Signature of Bidder with seal)

Date:.....

Name :

Seal :

Address :

Note:

- a. User List (List of Govt./Semi Govt./Reputed Pvt. Hospital/Organization) where quoted model of the items has been supplied and installed.
- b. Copies of supply orders of the same models quoted (without hidden price for rate justification).

Annexure- II

It should be uploaded on letter head.

EMD Declaration Form

Date:

To,

The Stores Officer (Central Store),
All India Institute of Medical Sciences Raipur (C.G)

Ref: TENDER no. _____

Dear Sir,

I/We accept that I/We may be disqualified/debarred from bidding for any contract with you for a period of one year from the date of notification, if I am /We are in a breach of any obligation under the bid conditions, because I/We

- a) have withdrawn/modified/amended from the tender, my/our Bid during the period of bid validity specified in the NIT; or
- b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validity
 - i. fail or refuse to execute the contract, if required, **or**
 - ii. fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders.

The validity of this declaration will valid remain till the announcement of the name of the successful Bidder & if, I am/we are not the successful Bidder.

Yours faithfully,

Place:

(Signature of Bidder with seal)

Name of Bidder :

Seal :

Address :

Annexure- III

TECHNICAL SPECIFICATION FOR ARTHROSCOPY INSTRUMENT & ORTHOPAEDIC EQUIPMENT**General Specifications:**

1. All the items /equipment should be USFDA and European CE Certified. Certificate of Both Standard Should be attached with Tender.
2. All the Electronic equipment should comply with Electrical safety conforms to standards for electrical Safety IEC 60601-1.
3. All the equipment's power input should be 220-240 V AC, 50Hz fitted with Indian plug.
4. Compatible make instruments / extra instruments in individual sets may be coated but are to be Highlighted.
5. Autoclavable /sterilizing containers specific to instruments has to be supplied along with Instruments /equipment.
6. All instruments are to quote separately as they may be purchased individually. This applies more to Instruments which are proprietary.
7. **Group -1 (Schedule A,C & D), Group -2 (Schedule-B) & Group-3 (Schedule-E) instruments are to be used together and will be group wise procured together.** The vendors/Firms can quote all or any of the schedules and on fulfilment of specification, the lowest rate will be selected.

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
A	<p><u>Arthroscopy instrument set for knee, shoulder and wrist complete with instrumentation and accessories and ACL set:</u></p> <p><u>Arthroscopes</u></p> <p>1. Wide Angle Forward-Oblique Telescope 30°, enlarged view, diameter 4 mm, length 16-18 cm, autoclavable, fiber optic light transmission incorporated,</p> <p>2. Wide Angle Lateral Telescope 70°, enlarged view, diameter 4 mm, length 16-18 cm, autoclavable, fiber optic light transmission incorporated,</p> <p>3.High Flow arthroscopic Sheath with snap incoupling mechanism diameter 6,5mm working length 16-18 cm, two stopcocks, rotating, for use with telescopes 0°, 30°, 70° with Obturators sharp and blunt(one each).</p> <p>4. Forward-Oblique Telescope 30°, diameter 2.7 mm, length 11-12 cm, autoclavable, fiber optic light transmission incorporated.</p> <p>5. High flow arthroscopy sheath with snap-in coupling mechanism, diameter 3.5 mm,working length 11-12 cm, two stopcocks, rotating, for use with 30° Telescope item no 4 with matching obturator.</p> <p>6.Wide Angle Lateral Telescope 70°, diameter 2.3-2.4 mm, length 7-10 cm, autoclavable, fiber optic light transmission incorporated, with high flow arthroscopy sheath and snap in coupling,rotating with matching obturator.</p> <p>Data management and Documentation system- Digital documentation systems image, video and audio archiving for arthroscopic intervention.</p> <ul style="list-style-type: none"> • Full HD dual channel recording device with in-built 2-TB internal memory. • Recording in MPEG-4/MPEG-2, format. 	1 each	CMC for Five (5) Years along with replacement warranty for Five (5) Years

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<ul style="list-style-type: none"> • Touch screen facility for ease of use of the recording system. • Should have pop-up keyboard on touch screen to enter data. • Should have facility to write files on DVD & Store date on Pen-Drive. • Wireless connectivity. <p>Camera, light source, videocart, and monitors Camera should be HD, resolution of 1920X1080 pixels full HD progressive scan which displays 50-60 frames/sec 16:9/ 16:10 format Noise ratio at 65 db</p> <p>Preferably 26" LCD/LED Monitor 1080p Full HD wide view monitor with aspect ratio of 16:10</p> <p>LED light source with lamp life of more than 20000 hours and wattage of light source more than 300W with extra-long optic cable.</p> <p>Imported rust free of same manufacturer Video cart to house the arthroscopic instruments with high quality castors,customizable and central power supply.</p> <p>Irrigation system-arthropump with all accessories and tubes.</p> <ol style="list-style-type: none"> 1) Electronically controlled irrigation pressure and flow rate 2) User friendly display of operating parameters and actual performance. 3) Memory to retain preselected pressures and flow rates 4) Hand control/foot control <p>Arthroscopic shaver system with</p> <ol style="list-style-type: none"> 1) Stable torque throughout high speed shaver at least 1000-12000 RPM. 2) Oscillation mode 500-3000 RPM 3) Hand control, footswitch and by LCD touch screen with different display modes. 4) Clockwise, counter clock wise rotation 5) Autoclavable, quick coupling of blades 6) Pre programmed memory of the system. 7) Standard shaver hand piece of 8000 RPM 8) High speed shaver hand piece of at least 12000 RPM 9) small joint shaver hand piece <p>Arthroscopic shaver system with</p> <ol style="list-style-type: none"> 10) Multifunction hand pieces with Jacobs chuck (keyless) upto a diameter of 6.5mm , sagittal <p>Saw with attachment with blades , pin driver and Synthes Types or equivalent driver and connecting cable for FMS pump.</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
B	<p>General Arthroscopic Equipment</p> <p>1. Probe, graduated, length of hook 3 mm, diameter 1.5 mm, working length 18 cm</p> <p>2. Probe, graduated, length of hook 3 mm, diameter 1.5 mm, working length 20 cm angled downward 10 degrees.</p> <p>3 Probe, graduated, length of hook 4 mm, diameter 1.5 mm, working length 8.5 cm.</p> <p>4. Probe, graduated, length of hook 1 mm, diameter 1 mm, working length 7.5 cm.</p> <p>5. Probe, graduated, length of hook 2 mm, diameter 1 mm, working length 4cm.</p> <p>6 Probe, graduated, length of hook 3 mm, hook angled 45°, diameter 1 mm, working length 4 cm.</p> <p>7 Rasp, straight, 4 x 6 mm, working length 11.5 cm</p> <p>8 Pointed Knife, straight, working length 11.5 cm</p> <p>9 SMILLIE Knife, straight, working length 11.5 cm</p> <p>10 Hook Knife, straight, working length 11.5 cm</p> <p>11 Rosette Knife, straight, working length 11.5 cm</p> <p>12 Curette, oval, large, curved, 10° upwards, working length 13 cm</p> <p>13 Curette, oval, large, curved, 30° upwards, working length 13 cm</p> <p>14 Curette, oval, small, curved, 30° upwards, working length 13 cm</p> <p>15 Handle, for use with all Mirror Attachments and Suture Curette.</p> <p>16 Mirror Attachment, complete set diameter 6.2 mm, working length 11 cm, for use with compatible Handle</p> <p>17 Notch Chisel, curved downwards 15°, working length 13 cm</p> <p>18 Chisel, cutting width 4 mm, working length 13 cm</p> <p>19 Rasp, narrow, straight, fine, working length 13 cm</p> <p>20 Rasp, narrow, curved, fine, working length 13 cm</p> <p>21 Rasp, narrow, curved, coarse, working length 13 cm</p> <p>22 Rasp, wide, curved, fine, working length 13 cm</p> <p>23 Irrigation Cannula, with LUER-Lock, diameter 3.2 mm, working length 7 cm, for use with Obturator</p> <p>24 Obturator, sharp, for use with Cannula item no 23</p> <p>25 Irrigation Cannula, with LUER-Lock and stopcock, diameter 4.5 mm, working length 7 cm, for use with Obturators</p>	1 each	Replacement warranty for Five (5) Years

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p>26 Obturator, sharp, for use with Cannula item no 25</p> <p>27 Suction Tube, diameter 5 mm, working length 15 cm</p> <p>28 Endoscope Holder, for mounting to the instrument table, for secure and optimized storage of endoscopes up to diameter 5 mm</p> <p>29 Suction Tube Holder, for mounting to the instrument table, for secure and optimized storage of suction tubes</p> <p>Punches and hand instruments</p> <p>1 Punch, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p>2. Punch, through-cutting, cutting width 3.4 mm, jaws curved, 15° upwards, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p>3. Punch, through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p>4. Punch, through-cutting, cutting width 2.7 mm, jaws curved, 15° upwards, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p>5. Oval Biter, through-cutting, with circumferential teeth, straight jaws, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p>6 Oval Upbiter, through-cutting, with circumferential teeth, curved jaws, 15° upwards, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p>7. Oval Upbiter, through-cutting, cross-toothed, curved jaws, 15° upwards, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p>8. Punch, through-cutting, cutting width 3.4 mm, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 20 Cm</p> <p>9. Punch, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p>10. punch, through-cutting, cutting width 3.4 mm, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 13 cm</p> <p>11.Punch, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, 15° curved upwards, working length 20 cm</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p>12 Punch, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, 30° curved to left, working length 13 cm</p> <p>13 Punch, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, 30° curved to right, working length 13 cm</p> <p>14. Punch, through-cutting, cutting width 3.4 mm, curved jaws, 90° left, sheath diameter 3 mm, straight, working length 13 cm</p> <p>15. Punch, through-cutting, cutting width 3.4 mm, curved jaws, 90° right, sheath diameter 3 mm, straight, working length 13 cm</p> <p>16. Punch, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, 15° curved upwards, working length 13 cm</p> <p>17 Punch, through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p>18 Punch, through-cutting, cutting width 2.7 mm, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 13 cm</p> <p>19.Punch, through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3 mm, 30° curved to left, working length 13 cm</p> <p>20.Punch,through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3 mm, 30° curved to right, working length 13 cm</p> <p>21. Punch, through-cutting, cutting width 2.7 mm, curved jaws, 90° left, sheath diameter 3 mm, straight, working length 13 cm</p> <p>22. Punch, through-cutting, cutting width 2.7 mm, curved jaws, 90° right, sheath diameter 3 mm, straight, working length 13 cm</p> <p>23. Punch, through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3 mm, 15° curved upwards, working length 13 cm</p> <p>24. Punch, through-cutting, cutting width 1.5 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p>25. Punch, through-cutting, cutting width 1.5 mm, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 13 cm</p> <p>26. Scissors Punch, cutting width 0.5 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p>27. Scissor Punch, cutting width 0.5 mm, straight jaws, sheath diameter 3 mm, 10° curved to left, working length 13 cm</p> <p>28. Scissor Punch, cutting width 0.5 mm, straight jaws, sheath diameter 3 mm, 10° curved to right, working length 13 cm</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p>29. Oval Upbiter, through-cutting, cross-toothed, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 13 cm</p> <p>30. Backbiter, backward cutting, cross toothed, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p>31. Grasping forceps, spoon-shaped jaws, jaw width 4.5 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p>32 Grasping forceps, spoon-shaped jaws, jaw width 3.4 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p>33. Alligator Grasping Forceps, surgical, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p>34 Foreign Body Grasping Forceps, aggressive, straight jaws, sheath diameter 3 mm, straight, working length 15 cm</p> <p>35. Foreign Body Grasping Forceps, aggressive, with ratchet, straight jaws, sheath diameter 3.5 mm, straight, working length 20 cm</p> <p>36 Suture grasping forceps, straight jaws, sheath diameter 3 mm, straight, working length 15 cm</p> <p>37. Suction punch, straight jaws, sheath diameter 4.8 mm, working length 13 cm</p> <p>38. Meniscus Retractor, with serrated jaws, with teeth and ratchet, straight jaws, straight sheath, working length 13 cm</p> <p>39. Meniscus grasping forceps, with teeth and ratchet, straight jaws, straight sheath, working length 13 cm</p> <p>40. Meniscus grasping forceps, with ratchet, straight jaws, straight sheath, working length 13 cm</p> <p>41. Grasping Forceps, jaw length 11 mm, curved jaws, 30° upwards, straight sheath, working length 9.5 cm</p> <p>42. Microfracture Chisel, curved 70°, working length 18 cm</p> <p>43. Microfracture Chisel, curved 30°, working length 18 cm</p> <p>44. Micro-fracture Chisel, straight, working length 12 cm</p> <p>45. Microfracture Chisel, angled 30°, working length 12 cm</p> <p>46. Microfracture Chisel, angled 70°, working length 12 cm</p> <p>47. Microfracture Chisel, angled 30°, working length 9 cm</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p>48. Microfracture Chisel, angled 70°, working length 9 cm</p> <p>49. Biopsy Set, consisting of: Biopsy Punch, with cutting tooth, to extract cartilage cells for ACT Obturator, to penetrate connective tissue without extracting tissue and to extrude excised biopsy sample O-Ring, package of 10</p> <p>50. Cancellous Bone Extractor, with expeller, T-shaped handle, calibrated, outer diameter 6 Mm</p> <p>51. Cancellous Bone Extractor, with expeller, T-shaped handle, calibrated, outer diameter 7 mm</p> <p>52. Cancellous Bone Extractor, with expeller, T-shaped handle, calibrated, outer diameter 8 Mm</p> <p>53. Cancellous Bone Extractor, with expeller, T-shaped handle, calibrated, outer diameter 9 Mm</p> <p>54 Sleeve, inner diameter 5 mm, working length 70 mm, for use with Handle and Tap</p> <p>55 Sleeve, inner diameter 6 mm, working length 70 mm, for use with Handle and Tap</p> <p>56 Sleeve, inner diameter 7 mm, working length 70 mm, for use with Handle and Tap,</p> <p>57 Sleeve, inner diameter 8 mm, working length 70 mm, for use with Handle and Tap</p> <p>58 Sleeve, inner diameter 9 mm, working length 70 mm, for use with Handle and Tap</p> <p>59 Sleeve, inner diameter 10 mm, working length 70 mm, for use with Handle and tap</p> <p>60 Sleeve, inner diameter 11 mm, working length 70 mm, for use with Handle and Tap,</p> <p>61 Sleeve, inner diameter 12 mm, working length 70 mm, for use with Handle and Tap</p> <p>62 Handle, for use with Tap</p> <p>63 Tap For use with handle</p> <p>64Tappet, diameter 5 mm, for use with Handle and Sleeve</p> <p>65 Tappet, diameter 6 mm, for use with Handle and Sleeve</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p>66 Tappet, diameter 7 mm, for use with Handle and Sleeve</p> <p>67. Tappet, diameter 8 mm, for use with Handle and Sleeve</p> <p>68. Tappet, diameter 9 mm, for use with Handle and Sleeve</p> <p>69. Tappet, diameter 10 mm, for use with Handle and Sleeve</p> <p>70. Tappet, diameter 11 mm, for use with Handle and Sleeve</p> <p>71. Tappet, diameter 12 mm, for use with Handle and Sleeve</p> <p>72. Handle, for use with monofilament threads size USP 2-0 to 2, for use with Suture Attachments and Wheel Attachment</p> <p>73. Wheel Attachment, for use with monofilament threads size USP 2-0 to 2, for use with Handle and Wheel</p> <p>74. Wheel, for use with monofilament threads size USP 2-0 to 2, for use with Wheel Attachment</p> <p>75. Suture Attachment, straight, working length 13 cm, for use with Handle</p> <p>76. Suture Attachment, distal angled 180° to the right, working length 13 cm, for use with Handle</p> <p>77. Suture Attachment, distal angled 180° to the left, straight, working length 13 cm, for use with Handle</p> <p>78. Suture Attachment, distal angled 360° to the right, straight, working length 13 cm, for use with Handle</p> <p>79. Suture Attachment, distal angled 360° to the left, straight, working length 13 cm, for use with Handle</p> <p>80. Suture Attachment, distal angled 20° upwards, straight, working length 13 cm, for use with Handle</p> <p>81.Suture Attachment, distal angled 20° upwards, straight, working length 14 cm, for use with Handle</p> <p>82. Cleaning Adaptor, for use with Suture Attachments</p> <p>83. Cleaning Adaptor, for use with Handle</p> <p>84. Cannula, for use with Suture Attachments</p> <p>85. Obturator, for use with Cannula</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p>86. Knot Tier</p> <p>87. Suture Curette Attachment, for retinaculum suture, for use with Handle</p> <p>88. Thread Grasping Forceps, working length 12.5 cm</p> <p>89. BioPlug, bioresorbable suture anchor, diameter 4.2 mm, length 11 mm, sterile, for single use, for use with Inserter</p> <p>90. Drill, for preparation of the tunnel for BioPlug with lasermarking for the depth of the drill hole, diameter 3.7 mm, length 15 cm</p> <p>91. Inserter, with lateral thread guide and thread clip at the handle, working length 9 cm, for use with BioPlug</p> <p>92. Drill, for preparation of the tunnel for Medial Patello femoral Lig reconstruction, with penetration stop, diameter 4.5 mm, for use with Gauge</p> <p>93. Gauge, for MPFL reconstruction, with handle, for use with Drill bit</p>		
C	<p>Anterior /posterorcruciate ligament reconstruction set-Primary and revision</p> <p>1. Tendon stripper, graduated, closed 5.5mm length 30 cm.</p> <p>2. Tendon stripper, graduated, closed 7 mm length 30 cm.</p> <p>3. Tendon stripper, graduated, open 7.5 mm length 30 cm.</p> <p>4. Tendon hook</p> <p>5. Tendon board for single and double bundle ACL reconstruction with gauge and looping tower.</p> <p>6. Tendon thickness tester for checking thickness of tendon 7-12 mm in intervals of 0.5mm.</p> <p>7. Thread clip-2</p> <p>8. Tissue forceps – 2</p> <p>9. Chisel-8mm with handle</p> <p>10. Tendon knife blunt</p> <p>11. Patellar saw template for harvesting bone tendon bone graft- 8mm,9mm,10mm –One each</p> <p>12. Measuring block with bone block holder and bone holding forceps to measure the size of a bone Block.</p> <p>13. Coring reamers to harvest bone block with tendon with T –shaped handle - 7mm, 8mm, 9mm, 10mm –one each</p> <p>14. Cannulated bone drill for tibial tunnel, graduated with drill sleeve- 6,7,8,9,10mm –One each</p>	1 each	Replacement warranty for Five (5) Years

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p>15. Cannulated bone drill for femoral tunnel, graduated-5, 6, 7, 8, 9, 10mm- One each</p> <p>16. Blade dilator oval, cannulated to compress cancellous bone with handle-7, 8, 9, 10 mm.</p> <p>17. Tendon thickness tester for oval tendon cross section.</p> <p>18. Length gauge.</p> <p>19. Thread catcher.</p> <p>20. Larding wire pyramidal tip, diameter 2.4mm length 32 cm -10.</p> <p>21. Drilling wire spiral shape with eyelet, diameter 2.4mm length 38 cm-10.</p> <p>22. Tensiometer for measuring the tension of graft.</p> <p>23. Metal mallet with plastic head.</p> <p>24. Femoral target guide with handle for ACL reconstruction, offset 3mm, 4mm, 5.5mm for transtibial femoral tunnel-one each.</p> <p>25. Femoral target guide attachment with handle to make femoral tunnel by medial portal with handle, 7,8,9,10mm offset-one each.</p> <p>26. Femoral target guide for outside in tunnel technique of ACL.</p> <p>27. Tibial target guide for ACL reconstruction with correction sleeve.</p> <p>28. Femoral target guide for double bundle ACL reconstruction with handle-8,9,10 mm offset –one Each.</p> <p>29. Tibial target guide for double bundle ACL reconstruction.</p> <p>30. Femoral target guide for PCL reconstruction graduated working length 14.5cm.</p> <p>31. Femoral target guide with handle for PCL reconstruction for use through anterolateral portal 4 locking positions for drill 7,8,9,10 mm.</p> <p>32. Tibial target guide for PCL, straight, curved to left, curved to right –one each.</p> <p>33. PCL elevator with T shaped handle, Straight handle –one each.</p> <p>34. Thread catcher for PCL reconstruction.</p> <p>35. PCL awl.</p> <p>36. Raspatory for PCL reconstruction.</p> <p>37. Cannulated screw driver for Titanium and bioabsorbable interference screws-one each</p> <p>38. Notcher with fin like blade to assist in inserting interference screws.</p> <p>39. Revision ACL set with</p> <p style="padding-left: 20px;">A) Revision screw driver blade with handle size 1.9, 2.3, 2.4, 2.7, 3.4mm working length 12.5cm-one Each.</p> <p style="padding-left: 20px;">B) Large fragment screw driver blade-3.5mm, small fragment screw driver blade-2.5mm with Handle -one each.</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	40. Arthroscopic leg holder with all round padding, 360 swivel and rotating, height adjustable with Appropriate clamp to fit into the side rail of table		
D	<p>Shoulder Arthroscopy instruments</p> <p>1) Changing rod length 23 cm for use with 4mm arthroscopic sheath – Two</p> <p>2) Guiding rod with pressure plate for making a second portal length 35 cm for use with 4mm arthroscopic sheath -Two</p> <p>3) Portal system with positioning needle with trocar, cannulated dilator and trocar sheath with handle (complete set)</p> <p>4) Suture attachment with working length 150mm with handle -Straight with curved distal tip, 5mm, 7mm, 8mm in height ,hook shaped distal tip 8mm-2 each</p> <p>5) Suture attachment with working length 150mm with handle - Angled 30 degrees to the right, 8 mm in height. - Angled 30 degrees to the left, 8 mm in height.</p> <p>6) Suture forceps, curved downwards distal tip length 2.7mm working length 140mm.</p> <p>7) Suture forceps, curved upwards distal tip length 2.7mm working length 140mm.</p> <p>8) Dissecting and grasping forceps working length 15 cm diameter 3mm - Single jaw - Double jaw - Toothed double action jaw</p> <p>9) Elevator with curved downwards 30 degrees, distal end width 4mm working length 15cm for use with cannula with internal diameter of 8.25mm.</p> <p>10) Elevator with curved downwards 15 degrees, distal end width 4mm working length 15cm for use with cannula with internal diameter of 8.25mm.</p> <p>11) Elevator with curved downwards 15 degrees, blade turned 180 distal end curved upwards width 4mm working length 15cm for use with cannula with internal diameter of 8.25mm.</p> <p>12) Elevator with curved downwards 30 degrees, blade turned 180 distal end curved upwards width 4mm working length 15cm for use with cannula with internal diameter of 8.25mm.</p> <p>13) Rasp double sided distal end curved in sheath for use in glenoid or SLAP lesions working length 15 cm, for use with cannula with internal diameter of 8.25mm.</p> <p>14) Insertion handle with disposable cannula with integrated seal inner diameter 8.25 mm with 70mm working length.</p> <p>15) Osteotome width 6mm sheath diameter 6mm, working length 17cm with handle.</p> <p>16) Curette straight small, sheath diameter 6mm ,working length 17cm with handle.</p> <p>17) Arthroscopic probe/hook diameter 3.5mm length of hook 2mm working length 18cm</p> <p>18) Punch working length 18cm.</p> <p>19) Hook scissors working length 18cm.</p>	1 each	Replacement warranty for Five (5) Years

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	20) Grasping forcepsworking length 18cm. 21) Suture anchor system with bone punch, threaded drill and inserter.– Two 22) High flow arthroscopic sheath diameter 5.5mm with snap locking and two stop corks, rotating with blunt trocar.		
E	Radiofrequency Ablation system 1) Controls on hand piece 2) Multiple distinct power levels 3) Impedence detection technology 4) User friendly display 5) Powerful generator with output of 400 watts. 6) Bendable probes with all tips described in printed product manual. 7) For use in arthroscopic surgery	1 each	AMC/CMC for Five (5) Years

(Signature & Stamp of the bidder)

Note- Please sign each page of document including terms & conditions of tender

Annexure-IV**Custom: Duty Custom Tariff no, applicable duty rate and custom duty**

S.N.	Item Description	Qty.	Units	Custom Duty applicable rate	Custom Tariff no
A	Arthroscopy Instrument set for knee, shoulder and wrist complete with instrumentation and accessories and ACL set				
B	General Arthroscopic Equipment				
C	Anterior / posterocruciate ligament reconstruction set- primary and revision				
D	Shoulder Arthroscopy Instruments				
E	Radiofrequency Ablation System				

Note: - custom duty applicable rate must be quoted by the tenderer in case of foreign bidder.

Place:-

Date:-

Signature of Bidder with Seal

Annexure-V
PRICE SCHEDULE FOR

Comprehensive maintenance contract (C.M.C) after expiry of warranty
(Rates should be quoted in Indian rupees only)

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
Sch.	Name of the Equipment	Comprehensive Maintenance Contract Cost for One Set/Unit with spare parts & labour (Rs.)					GST In %	Total Cost of CMC for 05 Year for One Set Price (Incl GST) Rs.	Total Cost of CMC for 05 Year for 01 Set Total Amount in Rs.
		6 th Year	7 th Year	8 th Year	9 th Year	10 th Year			
A	Arthroscopy Instrument set for knee, shoulder and wrist complete with instrumentation and accessories and ACL set								
B	General Arthroscopic Equipment								
C	Anterior / posterocruciate ligament reconstruction set-primary and revision								
D	Shoulder Arthroscopy Instruments								
E	Radiofrequency Ablation System								

Note:-

1. The CMC cost should not be more than 7% per year of unit price of the quoted price.
2. Firm should upload this sheet after filling of relevant column as attachment of financial bid.
3. The cost of Comprehensive Maintenance Contract (CMC) after satisfactory completion of Warranty period which includes preventive maintenance including testing & calibration as per technical/ service / operational manual, labour and spares, should be quoted along with taxes applicable on the date of tender opening. The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.
4. The uptime warranty will be 98% on 24(hrs) x 365 (days) basis or as stated in Technical Specification of the TE document.
5. The supplier shall keep sufficient stock of spares required during Comprehensive Maintenance Contract period. In case the spares are required to be imported, it would be the responsibility of the supplier to import and get them custom cleared and pay all necessary duties.

Place:

Date:

Signature of bidder with Seal

Note:-

1. Firm should upload this sheet after filling of relevant column as attachment of financial bid.

Instructions for Online Bid Submission:

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app>.

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link “Online bidder Enrollment” on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the
- 3) Number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 4) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 5) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” or “Other Important Documents” area available to them to upload such documents. These documents may

be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as “offline” to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 6) The server time (which is displayed on the bidders’ dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 7) The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key.
- 8) Further this key is subjected to asymmetric encryption using buyers/bid opener’s public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 9) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 10) Upon the successful and timely submission of bids (ie after Clicking “Freeze Bid Submission” in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 11) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120-4001002.
